


RM 129.8 to RM 130.8



NOTE:

- HORIZONTAL DATUM IS NAD27, PROJECTION IS WASHINGTON STATE PLANE SOUTH, VERTICAL DATUM IS NGVD29. ALL UNITS ARE IN U.S. SURVEY FEET.
- CHANNEL DEPTH IS DESIGNED AT 14 FEET BELOW MINIMUM OPERATING POOL ELEVATION OF 733 FEET. THE DATA REPRESENTED IN RED INDICATES MATERIAL BUILD-UP ABOVE THE DESIGNED CHANNEL DEPTH.

Date	Description	Symbol	Date	Description

DESIGNED BY: JREVER
CHECKED BY: L LINDSAD
SUBMITTED BY: K MILSON

DATE: 21 OCTOBER 16
TASK ORDER NO: 02
CONTRACT NO: WAFB-16-0004
WFDF-16-0004

FILE NO:

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WALLA WALLA, WASHINGTON

TERRASO
PRECISION. REPUTATION. SOLUTIONS.
801 W. WASHINGTON AVENUE, SUITE 200
WALLA WALLA, WA 99157

LOWER GRANITE LOCK AND DAM
SNAKE AND CLEARWATER RIVERS, WASHINGTON AND IDAHO
WA912EF-16-D-0004, T.O. NO. 02

SNAKE RIVER RM 129.8 - RM 130.8
MULTI-BEAM BATHYMETRIC SURVEY

Plate number:
V-004

Sheet 4 of 4