



NOTE:
 SOUNDINGS ARE IN FEET AND TENTHS AND SHOW DEPTHS AT ADOPTED LOW WATER STAGE 1.00 ON U. S. WEATHER BUREAU GAGE AT PUSKAS, W. W. 1825 (M. S. L.).
 FIGURES IN PARENTHESES THUS (11) SHOW HEIGHT ABOVE LOW WATER. ELEVATIONS ARE REFERRED TO MEAN SEA LEVEL, U.S.C.G.S. DATUM 1929 ADJUSTMENT.
 CONTOUR INTERVAL 5 FEET.
 A POINT HIGHER THAN SHOWN THUS 5 FEET DEPTH CURVE SHOWN THUS:
 CENTER LINE OF PROPOSED CHANNEL SHOWN THUS:
 DISTANCE IN MILES FROM MOUTH OF RIVER MEASURED ON CENTER LINE OF PROPOSED CHANNEL SHOWN THUS: (124)

SNAKE RIVER, WASHINGTON - IDAHO
MOUTH TO OREGON - WASHINGTON LINE
 REVIEW REPORT

INIS4SHEETS SCALE 1:2,000 SHEET NO. 110

U. S. ENGINEER OFFICE, PORTLAND, OREGON, 1934.

Submitted: *Alton L. Barr* Approved: *H. Williams*
 Assistant Engineer Major, Corps of Engineers

Drawn by 1415 RSV Transmitted with report dated June 10, 1935

SN-1-4711
H-9-2/110