

Equipment Accessories

The following accessories are listed by category (CAT), subcategory (SUB), and description (including features required for safety). The accessories have been included with the major equipment listed in this pamphlet when they are not included with the basic cost and are offered by the manufacturer.

CAT	SUB	DESCRIPTION
-----	-----	-------------

C85 .10 CRANES, DRAGLINE AND CLAMSHELL, CRAWLER MOUNTED

Power load lowering
Independent swing and travel
Third drum
Torque converter [machines 1 1/2 cubic yard (cy) or larger]
Approximately one-half maximum boom length
Counterweight (standard)
Fire extinguisher 5-B:C
Swing and reverse signal (backup) alarm
Boom angle indicator and a load-indicating device
Drum rotation indicators
Anti-two block (upper limit) devices
Manufacturers' mandatory accessories

C85 .20 CRANES, LIFTING, CRAWLER MOUNTED

Power load lowering
Independent swing and travel
Third drum
Torque converter (machines 25 tons or larger)
One-half maximum boom length (machines less than 60 tons)
Maximum boom length at 360 degree rating (machines larger than 60 tons)
Counterweight (standard)
Fire extinguisher 5-B:C
Swing and reverse signal (backup) alarm
Boom angle indicator and a load-indicating device
Drum rotation indicators
Anti-two block (upper limit) devices
Manufacturers' mandatory accessories
Hook block on machines larger than 100 tons

C90 .01 TRUCK CRANES - LESS THAN 25 TONS

Power load lowering
Third drum

Equipment Accessories

The following accessories are listed by category (CAT), subcategory (SUB), and description (including features required for safety). The accessories have been included with the major equipment listed in this pamphlet when they are not included with the basic cost and are offered by the manufacturer.

CAT	SUB	DESCRIPTION
-----	-----	-------------

C90

- Mechanical outriggers with screw jacks
- Maximum boom length at 360 degrees rating
- Counterweight (standard)
- Fire extinguisher 5-B:C
- Swing and reverse signal (backup) alarm
- Boom angle indicator and a load-indicating device
- Drum rotation indicators
- Anti-two block (upper limit) devices
- Manufacturers mandatory accessories

C90 .02 TRUCK CRANE - 25 TONS AND LARGER

- Power load lowering
- Third drum
- Hydraulic outriggers with screw jacks
- Torque converter when available (upper only)
- Maximum boom length at 360 degrees rating
- Counterweight (standard)
- Fire extinguisher 5-B:C
- Reverse signal (backup) alarm
- Boom angle indicator and a load-indicating device
- Drum rotation indicators
- Anti-two block (upper limit) devices
- Hook block on machines larger than 100 tons

C90 .03 TRUCK CRANE - 25 TONS AND LARGER

- Power load lowering
- Third drum
- Hydraulic outriggers with screw jacks
- Torque converter when available (upper only)
- Maximum boom length at 360 degrees rating
- Counterweight (standard)
- Fire extinguisher 5-B:C
- Reverse signal (backup) alarm

Equipment Accessories

The following accessories are listed by category (CAT), subcategory (SUB), and description (including features required for safety). The accessories have been included with the major equipment listed in this pamphlet when they are not included with the basic cost and are offered by the manufacturer.

CAT	SUB	DESCRIPTION
-----	-----	-------------

C90

- Boom angle indicator and a load-indicating device
- Drum rotation indicators
- Anti-two block (upper limit) devices
- Hook block on machines larger than 100 tons

C90 .04 TRUCK CRANE - 25 TONS AND LARGER

- Power load lowering
- Third drum
- Hydraulic outriggers with screw jacks
- Torque converter when available (upper only)
- Maximum boom length at 360 degrees rating
- Counterweight (standard)
- Fire extinguisher 5-B:C
- Reverse signal (backup) alarm
- Boom angle indicator and a load-indicating device
- Drum rotation indicators
- Anti-two block (upper limit) devices
- Hook block on machines larger than 100 tons

G15 GRADER

- Rollover protective structures (ROPS) with enclosed cab
- Ripper/scarifier, rear mounted
- Front wheel lean
- Power circle
- Hydraulic shift and tilt moldboard
- End bits
- Standard work lights
- Fire extinguisher 5-B:C
- Reverse signal (backup) alarm

L30 LOADERS, BELT (CONVEYOR BELTS)

- Power unit

Equipment Accessories

The following accessories are listed by category (CAT), subcategory (SUB), and description (including features required for safety). The accessories have been included with the major equipment listed in this pamphlet when they are not included with the basic cost and are offered by the manufacturer.

CAT	SUB	DESCRIPTION
-----	-----	-------------

L30

- Head pulley clutch and backstop
- Belt cleaner and belt installing equipment
- King pin attachments

L35 LOADERS, 1 1/2 cy AND LARGER

- Blower fan
- Guard, power train
- Automatic bucket positioner
- Standard counterweight
- Machines less than 7 cy: General purpose or excavating bucket with bolt o
- Machines 7 cy or larger: Rock bucket with bolt on cutting edge and teeth
- Standard work lights
- Reverse signal (backup) alarm
- ROPS
- Fire extinguisher 5-B:C

S15 SCRAPERS

- Control single lever
- Blower fan
- Standard work light
- Guards, power train
- Reverse signal (backup) alarm
- ROPS
- Fire extinguisher 5-B:C
- Supplemental steering

S20 SCRAPERS

- Control single lever
- Blower fan
- Standard work light
- Guards, power train
- Reverse signal (backup) alarm

Equipment Accessories

The following accessories are listed by category (CAT), subcategory (SUB), and description (including features required for safety). The accessories have been included with the major equipment listed in this pamphlet when they are not included with the basic cost and are offered by the manufacturer.

CAT	SUB	DESCRIPTION
-----	-----	-------------

S20

- ROPS
- Fire extinguisher 5-B:C
- Supplemental steering

T20 TRACTOR, WHEEL

- Hydraulic controls for ripper and blade
- Guards
- Blower fan
- Standard work lights
- Blade
- Fire extinguisher 5-B:C
- Counterweights when required