

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
B15	0.00	BROOMS, STREET SWEEPERS & FLUSHERS	95	A	B	8,000	10.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
B25	0.00	BUCKETS, CLAMSHELL	15	A	B	8,000	10.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B25	0.00	BUCKETS, CLAMSHELL	15	S	B	6,500	10.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
B35	0.10	LIGHT WEIGHT	15	A	B	8,000	10.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B35	0.10	LIGHT WEIGHT	15	S	B	6,500	10.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
B35	0.20	MEDIUM WEIGHT	15	A	B	9,000	10.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B35	0.20	MEDIUM WEIGHT	15	S	B	7,000	10.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
B35	0.30	HEAVY WEIGHT	15	A	B	10,000	10.00%	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B35	0.30	HEAVY WEIGHT	15	S	B	8,000	10.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
G15	0.00	GRADERS, MOTOR	35	A	B	13,000	25.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.75
G15	0.00	GRADERS, MOTOR	35	S	B	12,500	25.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.85
H25	0.00	HYDRAULIC EXCAVATORS, CRAWLER MOUNTED						<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.00
H25	0.10	0 LBS THRU 12,500 LBS	65	A	B	8,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
H25	0.10	0 LBS THRU 12,500 LBS	65	S	B	7,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
H25	0.11	OVER 12,500 LBS THRU 40,000 LBS	65	A	B	8,500	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
H25	0.11	OVER 12,500 LBS THRU 40,000 LBS	65	S	B	7,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.85

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
H25	0.12	OVER 40,000 LBS THRU 100,000 LBS	65	A	B	12,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
H25	0.12	OVER 40,000 LBS THRU 100,000 LBS	65	S	B	10,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.95
H25	0.13	OVER 100,000 LBS THRU 160,000 LBS	65	A	B	13,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.00
H25	0.13	OVER 100,000 LBS THRU 160,000 LBS	65	S	B	12,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
H25	0.14	OVER 160,000 LBS	65	A	B	19,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
H25	0.14	OVER 160,000 LBS	65	S	B	15,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25
H30	0.00	HYDRAULIC EXCAVATORS, WHEEL MOUNTED						<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.00

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
H30	0.01	0 THRU 1.0 CY	65	A	B	8,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.50
H30	0.01	0 THRU 1.0 CY	65	S	B	6,500	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.55
H30	0.02	OVER 1.0 CY	65	A	B	10,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.60
H30	0.02	OVER 1.0 CY	65	S	B	8,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.65
H35	0.00	HYDRAULIC SHOVELS, CRAWLER MOUNTED						<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.00
H35	0.11	DIESEL, 0 CY THRU 5.0 CY	65	A	B	13,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.00
H35	0.11	DIESEL, 0 CY THRU 5.0 CY	65	S	B	12,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
H35	0.12	DIESEL, OVER 5.0 CY	65	A	B	14,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.20
H35	0.12	DIESEL, OVER 5.0 CY	65	S	B	13,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.30

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
H35	0.21	ELECTRIC, OVER 2.5 CY	65	A	B	15,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
H35	0.21	ELECTRIC, OVER 2.5 CY	65	S	B	14,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.90
L35	0.00	LOADERS, FRONT END, CRAWLER TYPE	40	A	B	10,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
L35	0.00	LOADERS, FRONT END, CRAWLER TYPE	40	S	B	8,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25
L40	0.00	LOADERS, FRONT END, WHEEL TYPE						<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.00
L40	0.11	ARTICULATED, 0 THRU 225 HP	45	A	B	9,250	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
L40	0.11	ARTICULATED, 0 THRU 225 HP	45	S	B	8,750	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
L40	0.12	ARTICULATED, OVER 225 HP	45	A	B	13,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
L40	0.12	ARTICULATED, OVER 225 HP	45	S	B	12,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.75
L40	0.20	SKID STEER	45	A	B	7,500	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
L40	0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	45	A	B	10,000	25.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85
L40	0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	45	S	B	9,250	25.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
L40	0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	45	A	B	11,000	15.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85
L40	0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	45	S	B	10,000	15.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
L45	0.00	LOADERS / BACKHOE, CRAWLER TYPE	40	A	B	8,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.35

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
L45	0.00	LOADERS / BACKHOE, CRAWLER TYPE	40	S	B	6,000	20.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.40
L50	0.00	LOADERS / BACKHOE, WHEEL TYPE	45	A	B	9,500	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
L50	0.00	LOADERS / BACKHOE, WHEEL TYPE	45	S	B	6,000	25.00%	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.85
L60	0.00	LOG SKIDDERS	75	A	B	10,000	15.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.70
L60	0.00	LOG SKIDDERS	75	S	B	8,000	15.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
P35	0.00	PIPELAYERS	70	A	B	14,000	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.95
P35	0.00	PIPELAYERS	70	S	B	11,500	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1.10

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
R30	0.00	ROLLERS, STATIC, SELF- PROPELLED						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.00
R30	0.03	TAMPING FOOT, LANDFILL & SOIL COMPACTORS	55	A	B	12,000	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
S10	0.00	SCRAPERS, ELEVATING						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.00
S10	0.01	0 THRU 200 HP	60	A	B	10,000	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
S10	0.01	0 THRU 200 HP	60	S	B	8,000	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1.00
S10	0.02	OVER 200 HP	60	A	B	13,000	25.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.95
S10	0.02	OVER 200 HP	60	S	B	11,500	25.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1.00
S15	0.00	SCRAPERS, CONVENTIONAL	60	A	B	15,000	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
S15	0.00	SCRAPERS, CONVENTIONAL	60	S	B	12,500	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
S20	0.00	SCRAPERS, TANDEM POWERED	60	A	B	15,000	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85
S20	0.00	SCRAPERS, TANDEM POWERED	60	S	B	13,500	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
S25	0.00	SCRAPERS, TRACTOR DRAWN	60	A	B	11,500	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.70
S25	0.00	SCRAPERS, TRACTOR DRAWN	60	S	B	10,000	20.00%	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.75
T15	0.00	TRACTORS, CRAWLER (DOZER) (includes blade)						<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.00
T15	0.01	0 THRU 225 HP	70	A	B	10,000	30.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
T15	0.01		70	S	B	8,000	30.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25
T15	0.02	226 HP THRU 425 HP	70	A	B	11,500	25.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.20
T15	0.02		70	S	B	10,500	25.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

Ground-Engaging Component Costs Included in Repairs (RCF)

CATEGORY SUB		DESCRIPTION	EK	C	DC	LIFE	SLV	Blade Cutting Edges, Wear Plates, Hard Facing, and End Plates	Bucket Teeth, Cutting Edges, Side Cutters, and Wear Plates	Ripper Tips and Shank Protection	Equipment- Specific Wear Items	RCF
T15	0.03	OVER 425 HP	70	A	B	15,000	20.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.20
T15	0.03		70	S	B	12,500	20.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.35
T20	0.00	TRACTORS, WHEEL TYPE (DOZER)	75	A	B	14,000	15.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.60
T20	0.00		75	S	B	13,000	15.00%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.65

EK = Economic Key (appendix E) **C = Operating Conditions (A = average, S = severe)** **DC = Discount Code (B = basic 7.5%, S = special 15%)**
LIFE = Economic Life **SLV = Salvage Value** **RCF = Repair Cost Factor**

Ground-Engaging Components (GEC) are defined as those wear items on the machine that come in direct contact with in situ ground to perform the machine's primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment-specific wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.