




US Army Corps
of Engineers®



EP 1110-1-8
Volume 8
November 2009

Construction Equipment Ownership and Operating Expense Schedule

Region VIII



Regions for the Construction Equipment Ownership and Operating Expense Schedule





REPLY TO
ATTENTION OF:

DEPARTMENT OF ARMY
U.S. Army Corps of Engineers
Washington, DC 20314-1000

EP 1110-1-8, Vol. 8
30 Nov 09

CECW-EC

Pamphlet
No. 1110-1-8, Vol. 8

30 November 2009

CONSTRUCTION EQUIPMENT OWNERSHIP AND OPERATING EXPENSE SCHEDULE

1. Purpose. This pamphlet is authorized by and established in accordance with Federal Acquisition Regulation (FAR) 31.105 and Engineer Federal Acquisition Regulation (EFAR) SUBPART 31.105. This pamphlet establishes predetermined equipment ownership and operating expense rates for construction equipment. This pamphlet also establishes a method to calculate equipment ownership and operating expense rates for construction equipment when the predetermined rates are not considered appropriate. The overall intent of this pamphlet is to determine equipment costs that are fair and reasonable. Expense factors for calculating dredge plant and marine equipment costs are provided in chapter 4.

2. Applicability. This pamphlet applies to all USACE commands. It is applicable to all solicitations and contracts for construction expected to exceed the Simplified Acquisition Threshold of \$100,000 when actual cost data for both ownership and operating costs cannot be determined. This volume is for use in Region VIII, which includes the following states:

Idaho
Oregon

Washington

3. References. See **APPENDIX A**.

4. Distribution Statement. Approved for public release, distribution is unlimited.

FOR THE COMMANDER:

12 Appendixes
(See Table of Contents)

STEPHEN L. HILL
Colonel, Corps of Engineers
Chief of Staff

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

**CONSTRUCTION EQUIPMENT OWNERSHIP AND
OPERATING EXPENSE SCHEDULE**

Table of Contents

CHAPTER 1.0 - INTRODUCTION

1.1	Use	1-1
1.2	Decision Flow Process	1-1
1.3	How to Obtain Assistance.....	1-1
1.4	How to Obtain CHECKRATE Spreadsheet.....	1-2
1.5	How to Obtain this Publication.....	1-2

CHAPTER 2.0 - METHODOLOGY FOR CONSTRUCTION EQUIPMENT

SECTION I. GENERAL.....	2-1	
2.1	Contents	2-1
2.2	Basis for Equipment Rates	2-1
2.3	Total Hourly Rate.....	2-1
SECTION II. OPERATING CONDITIONS.....	2-2	
2.4	Average, Difficult, or Severe Conditions	2-2
2.5	Determination of Condition	2-3
SECTION III. EQUIPMENT SELECTION.....	2-3	
2.6	General.....	2-3
2.7	Truck Selection.....	2-3
2.8	Crawler Tractor Selection	2-3
2.9	Equipment Accessories	2-4
SECTION IV. EQUIPMENT VALUE	2-4	
2.10	List Price and Accessories.....	2-4
2.11	Discount Code (DC)	2-4
2.12	Sales or Import Tax	2-4
2.13	Freight	2-4
2.14	Total Equipment Value (TEV).....	2-4
SECTION V. LIFE	2-5	
2.15	Economic Life (LIFE)	2-5
2.16	Working Hours Per Year (WHPY).....	2-5
SECTION VI. SALVAGE VALUE	2-5	
2.17	Salvage Value (SLV)	2-5
2.18	Salvage Value Percentage	2-5

**CONSTRUCTION EQUIPMENT OWNERSHIP AND
OPERATING EXPENSE SCHEDULE**

Table of Contents (Continued)

SECTION VII. OWNERSHIP COST	2-6
2.19 Ownership Elements	2-6
2.20 Depreciation	2-6
2.21 Facilities Capital Cost of Money (FCCM).....	2-7
SECTION VIII. OPERATING COST	2-7
2.22 Operating Cost Elements	2-7
2.23 Fuel Cost	2-8
2.24 Filters, Oil, and Grease (FOG) Cost	2-9
2.25 Repair Cost.....	2-10
2.26 Tire Wear Cost	2-12
2.27 Tire Repair Cost	2-13
SECTION IX. STANDBY HOURLY RATE.....	2-14
2.28 Standby Hourly Rate	2-14
SECTION X. RATE CALCULATION EXAMPLE	2-14
2.29 Computation Example	2-14

CHAPTER 3.0 - ADJUSTMENTS TO HOURLY RATES

SECTION I. GENERAL.....	3-1
3.1 Contents	3-1
3.2 Basis for Equipment Rates	3-1
3.3 Equipment Rate Adjustment Tables	3-1
3.4 Determination for Use of Equipment Rates in Tables 2-1 and 2-2.....	3-1
SECTION II. RATE ADJUSTMENTS.....	3-2
3.5 Rate Adjustments	3-2
3.6 Changes in Operating Conditions.....	3-2
3.7 Change in Cost of Money Rate (CMR)	3-2
3.8 Actual Work Hours Greater than 40 Hours per Week.....	3-3
3.9 Changes in Fuel Cost	3-4
3.10 Adjustments to Fuel, Oil, and Grease (FOG) Cost	3-5
3.11 Equipment of Different Age than Table 2-1	3-5
3.12 Rate Adjustment for Overage Equipment	3-6
3.13 Standby Rate Adjustment for Equipment of a Different Age than Table 2-1	3-7
3.14 Equipment Purchased Used.....	3-8
3.15 Rate Calculation Examples.....	3-8

**CONSTRUCTION EQUIPMENT OWNERSHIP AND
OPERATING EXPENSE SCHEDULE**

Table of Contents (Continued)

**CHAPTER 4.0 - METHODOLOGY FOR DREDGING PLANT AND MARINE
EQUIPMENT**

SECTION I. GENERAL	4-1
4.1 Contents	4-1
4.2 General.....	4-1
SECTION II. ANNUAL USE	4-1
4.3 Time Available to Dredge	4-2
SECTION III. LIFE	4-2
4.4 Life.....	4-2
4.5 Annual Hours Available	4-3
SECTION IV. SALVAGE VALUE	4-3
4.6 Salvage Value (SLV)	4-3
SECTION V. OWNERSHIP COST	4-3
4.7 Ownership Cost.....	4-3
4.8 Depreciation Factor	4-4
4.9 The Cost of Money Rate (CMR) Factor	4-4
4.10 Other Ownership Elements.....	4-5
SECTION VI. OPERATING FACTORS	4-5
4.11 Hourly Operating Cost.....	4-5
4.12 Prime and Secondary Power.....	4-5
4.13 Water, Lube, and Supplies (WLS)	4-6
4.14 Repairs (RPR)	4-6
SECTION VII. STANDBY	4-7
4.15 Standby Rate.....	4-7
SECTION VIII. NEGOTIATED PROCUREMENT	4-7
4.16 Rates	4-7
4.17 Allowance for Additional Capital Improvements.....	4-8
4.18 Overage Plant.....	4-8
4.19 Dredging Plant Purchased Used	4-8
SECTION IX. RATE CALCULATION EXAMPLE	4-8
4.20 Rate Calculation Example	4-8

**CONSTRUCTION EQUIPMENT OWNERSHIP AND
OPERATING EXPENSE SCHEDULE**

Table of Contents (Continued)

List of Tables

Table 2-1. Hourly Equipment Ownership and Operating Expense	2-21
Table 2-2. Hourly Rate Elements.....	2-253
Table 3-1. Equipment Age Adjustment Factors	3-9
Table 3-2. Equipment Age Adjustment Factors	3-33
Table 4-1. Dredging Plant Cost Factors	4-9

List of Figures

Figure 1-1. Methodology for Developing an Hourly Ownership and Operating Rate for Construction Equipment.....	1-3
Figure 2-1. Equipment Rate Computation Worksheet	2-15
Figure 3-1. Total Hourly Rate Calculation for Overage Equipment.....	3-25
Figure 3-2. Standby Hourly Rate Calculation for Overage Equipment.....	3-49
Figure 4-1. Months Available by Region.....	4-2
Figure 4-2. Dredging Plant Ownership and Operating Rate Worksheet	4-13

List of Appendixes

Appendix A	References	A-1
Appendix B	Area Factors	B-1
Appendix C	Guide for Selecting Operating Conditions.....	C-1
Appendix D	Equipment Hourly Calculation Factors.....	D-1
Appendix E	Economic Indexes for Construction Equipment	E-1
Appendix F	Tire Description and Tire Cost	F-1
Appendix G	Tire Life and Tire Wear Factors	G-1
Appendix H	Manufacturer List	H-1
Appendix I	Federal Cost-of-Money Rate.....	I-1
Appendix J	Equipment Accessories	J-1
Appendix K	Ground Engaging Component Costs Included in Repairs (RCF).....	K-1
Appendix L	Guide for Estimating Drill Steel and Drill Bit Costs.....	L-1
Glossary		Glossary-1
Index		Index-1

CHAPTER 1.0 - INTRODUCTION

1.1 Use

The use of this pamphlet is for rate determination on construction contracts, dredging contracts, and negotiated procurements and relates only to contractor-owned equipment. The overall intent of the pamphlet is to determine equipment costs that are fair and reasonable.

a. This pamphlet shall be used for determining hourly equipment rates that are contained in the independent government estimate.

b. In addition, the use of this pamphlet will be required by contractors for pricing contractor-owned equipment in negotiated procurements when:

(1) Cost or pricing data is not required, as defined in Federal Acquisition Regulation (FAR) Part 15.400, *Contract Pricing*.

(2) Cost or pricing data is required and the actual cost data to support either ownership or operating costs for equipment or equipment groups of similar model and series is not available.

(3) Cost or pricing data is required and available, but all or part of the data is determined not to be in accordance with the FAR cost principles.

1.2 Decision Flow Process

A flow chart (figure 1-1) is provided at the end of this chapter to help the user better understand the process for developing an hourly equipment rate. The flow chart shows the decision points that allow the user to decide whether to use the predetermined rate tables or calculate the rate using the method shown in figure 2-1 or using CHECKRATE (also see paragraph 3.4).

1.3 How to Obtain Assistance

When assistance is needed in understanding the methodology for calculating equipment rates, contact the Chief, Cost Engineering Branch, Engineering and Construction Division, Walla Walla District, U.S. Army Corps of Engineers, (CENWW-EC-X), 509-527-7511, 509-527-7510, or visit the Web site at <http://www.nww.usace.army.mil/html/offices/ed/c/default.asp>.

1.4 How to Obtain CHECKRATE Spreadsheet

A Microsoft Excel[®] spreadsheet, named “CHECKRATE,” has been developed to calculate equipment rates using the methodology required by this pamphlet. The user must have Microsoft Excel[®] to run the application. The factors needed in the hourly cost calculations are located in the appendixes of this pamphlet. A copy of the spreadsheet may be obtained by choosing the CHECKRATE link on the following Web site: <http://www.nww.usace.army.mil/html/offices/ed/c/default.asp>.

1.5 How to Obtain this Publication

Volumes 1-12 of this pamphlet are available in portable document format (PDF) and can be viewed or downloaded at <http://140.194.76.129/publications/eng-pamphlets>. Copies of the pamphlet are also available on CD-ROM (Volumes 1-12) through the Superintendent of Documents or government bookstores (see appendix A). For additional information, telephone 202-512-1800, fax 202-512-2104, toll-free 866-512-1800, or access on the Internet at <http://bookstore.gpo.gov/>.




Figure 1-1. Methodology for Developing an Hourly Ownership and Operating Rate for Construction Equipment




Figure 1-1. Methodology for Developing an Hourly Ownership and Operating Rate for Construction Equipment

CHAPTER 2.0 - METHODOLOGY FOR CONSTRUCTION EQUIPMENT

SECTION I. GENERAL

2.1 Contents

This chapter provides the methodology used to compute the total hourly ownership and operating rates for construction equipment and marine equipment (except dredging plant). This detailed methodology includes the formulas and factors used to develop both total hourly rates and hourly standby rates. If the equipment is determined to be older than its estimated economic life (overage) or was purchased used, refer to chapter 3.

2.2 Basis for Equipment Rates

The hourly rates shown in table 2-1 reflect catalog list prices of equipment manufactured in 2006 (3 years old). List prices for equipment manufactured in years other than 2006 have been adjusted to a 2006 price level using economic indexes. Ownership and operating expenses are computed using area factors, found in appendix B, which are specific to each region and volume. This hourly rate methodology assumes that equipment furnished to the job is in sound, workable condition. Furthermore, the methodology applies only to equipment that prime contractors or subcontractors either own or control. These hourly rates and cost factors do not represent rental charges for those in the business of renting equipment.

2.3 Total Hourly Rate

Hourly rates for average conditions are shown in table 2-1 and are computed based on a 40-hour (hr) workweek. The hourly rate is the sum of ownership and operating costs. Table 2-2 contains all individual rate elements for both average and severe conditions. An example of the methodology used to compute the total hourly rate is shown in figure 2-1. For standby calculation, see section IX.

a. Ownership Cost Elements. The ownership portion of the rate consists of an allowance for depreciation (DEPR) and facilities capital cost of money (FCCM).

b. Operating Cost Elements. Operating costs include allowances for the following:

- Fuel
- Filters, oil, and grease (FOG) (includes servicing)
- Repairs (includes maintenance and major overhauls)

- Tire wear (replacement)
- Tire repair

c. Exclusions to Hourly Rates. Total hourly rates for owning and operating equipment do not include allowances for the following:

- Operating labor
- Mobilization and demobilization
- Field office overhead expenses
- Home office or general and administrative (G&A) overhead expenses
- Investment tax credit
- Contingency allowance
- Profit
- Parts and labor escalation

It should also be noted that replacement cost is not included in the rates, as it is not an allowable item of cost per FAR 31.105(d)(2)(i).

d. Other Ownership Elements. The following elements of cost are not included in the total hourly rates. These costs are allowable and would normally be included in the contractor's field office or home office overhead rate calculation.

(1) License fees, property taxes, storage, and insurance costs are considered indirect costs and are not included in the total hourly rates.

(2) Jobsite security, inspection fees, recordkeeping, mechanic training, and highway permits are also not included in the total hourly rates.

SECTION II. OPERATING CONDITIONS

2.4 Average, Difficult, or Severe Conditions

Operating conditions may be average, difficult, or severe. Hourly rates for both average and severe operating conditions are determined in accordance with appendix C. The rate for the difficult condition is the arithmetic mean of the average and the severe rates. When only the average rate is shown in table 2-2, the rate applies for all operating conditions or as determined by the contracting officer. Average condition rates are included in both tables 2-1 and 2-2. Only table 2-2 contains the severe condition rates.

2.5 Determination of Condition

For contract modifications, the contracting officer determines the equipment operating condition to be used. This determination is based on contract specifications, site conditions, basis of any supporting evidence, and guidance in appendix C. Evaluation of operating conditions for equipment not listed in appendix C will be consistent with examples shown in appendix C. The operating condition of the equipment relates to the average and severe factors as detailed in appendix D.

SECTION III. EQUIPMENT SELECTION

2.6 General

Equipment shown in table 2-1 is representative of equipment that is used in general construction. Note that some equipment may require additional attachments or accessories. Each unit of equipment is grouped into a main group called a category (CAT) and a subgroup called a subcategory (SUB). This type of grouping is displayed in table 2-1 and appendix D. Also, an identification number (ID No.) is assigned to each unit of equipment. The ID No. consists of three parts. The first three characters are the CAT, the second two characters are the manufacturer's code, and the last three characters are the sequence number.

2.7 Truck Selection

Because of the large number of possible combinations of highway truck chassis and bodies, both are listed separately. For estimating purposes, use the gross vehicle weight (GVW) rating of the truck chassis to make a selection with the following conditions:

- a. The combined weight of the truck chassis, truck body, and payload must not exceed the GVW rating shown for the truck chassis.
- b. The gross combined weight (GCW) of the truck, trailer, and payload must not exceed the GCW rating shown.

2.8 Crawler Tractor Selection

A wide range of combinations of ripper and various blade options are available for each crawler tractor. For ease of use, all tractors include a universal blade attachment. Other blade and ripper attachments are shown separately and should be substituted for the universal blade to match actual equipment configuration. Only the hourly expense for those attachments that are required to perform the work shall be allowed.

2.9 Equipment Accessories

Equipment accessories included on the major pieces of equipment in table 2-1 are listed in appendix J.

SECTION IV. EQUIPMENT VALUE

2.10 List Price and Accessories

The total list price includes those accessories normally purchased by the contractor plus required safety features.

2.11 Discount Code (DC)

A 7.5-percent discount is used for all equipment except highway trucks that are discounted at 15 percent. The total discounted price is derived by subtracting the appropriate discount from the total list price. The identification of the discount is shown in appendix D under column heading DC. Two codes are used to identify the discount, B equals the basic discount of 7.5 percent and S equals the special discount of 15 percent.

2.12 Sales or Import Tax

Total state sales tax (which includes local taxes) or import tax is computed as a percentage of the discounted price. The average tax for the region is shown in appendix B.

2.13 Freight

Estimated allowances for freight are provided in appendix B. This allowance includes preparation and delivery. Multiply the shipping weight based on hundredweight (cwt) by the freight rate to determine freight charges.

2.14 Total Equipment Value (TEV)

Freight is added to the total discounted price (which includes sales tax) to arrive at the TEV. The estimated TEV is indicated in table 2-1 under the column heading VALUE.

SECTION V. LIFE

2.15 Economic Life (LIFE)

The expected economic life of the equipment will vary based on the type of equipment and the condition of use. It is established from manufacturers' or equipment associations' recommendations. The expected economic life in hours is given in appendix D, under the column heading LIFE, for both average and severe conditions.

2.16 Working Hours Per Year (WHPY)

Annual average operating hours have been established for equipment working within the region covered by this pamphlet. The number of WHPY as shown in appendix B is equivalent to 1 year's use for a single shift operation. Average annual hours of use per year are determined by reducing the maximum available hours per year (40 hours per week, 52 weeks per year) to allow for lost working days due to the following factors:

- Weather
- Employee holidays
- Equipment maintenance and repairs
- Mobilization and demobilization
- Miscellaneous downtime

SECTION VI. SALVAGE VALUE

2.17 Salvage Value (SLV)

The salvage value for equipment is based on advertisements of used equipment for sale as displayed in current engineering and construction magazines, manufacturer's recommendations, and the *Green Guide Volumes I and II, Handbook of New and Used Construction Equipment Values*, Equipment Watch.

2.18 Salvage Value Percentage

The salvage value percentage used for each type of equipment is listed in appendix D under the heading SLV as a percentage of the equipment value. It is equal for both average and severe conditions.

SECTION VII. OWNERSHIP COST

2.19 Ownership Elements

The ownership portion of the rate consists of allowances for depreciation (DEPR) and facilities capital cost of money (FCCM). These two cost elements are computed based on the TEV. Other ownership elements may be allowed (see paragraph 2-3.d.). Total ownership rate per hour is expressed by formula, as follows:

$$\text{Ownership Rate/hr} = \text{DEPR/hr} + \text{FCCM/hr}$$

2.20 Depreciation

The straight-line method is used to compute depreciation.

a. For rubber-tired equipment, the tire cost index (TCI) must first be calculated to complete the depreciation formula.

b. Hourly depreciation is calculated by dividing the "depreciable" value (TEV less estimated salvage and tire cost) by the expected economic life of the unit of equipment in hours. Expressed by formula, depreciation cost equals the following:

$$\text{DEPR/hr} = \frac{[(\text{TEV})(1 - \text{SLV})] - [(\text{TCI})(\text{Tire Cost})]}{\text{LIFE}}$$

Where:

- (1) TEV is the total equipment value found in table 2-1.
- (2) SLV is the salvage value from appendix D.
- (3) TCI is the tire cost index, which is determined by dividing the year of manufacture tire index by the present-year tire index. For table 2-1, the present year is 2009 and the year of manufacture is 2006 (3 years old). These indexes are listed as part of appendix E [see Economic Key (EK) 100, All Tires and Tubes].
- (4) Tire cost is the total tire and/or conveyor belt cost. The total tire cost is the sum of the cost of all front, drive, and trailing tires. The tire cost for rubber-tired equipment is based on tire values at the time the equipment was manufactured.
- (5) The LIFE is the economic life, which is based on the number of operating hours throughout the economic life of the equipment (see paragraph 2-15). Hours for LIFE are provided in appendix D.

2.21 Facilities Capital Cost of Money (FCCM)

The FCCM, as defined in FAR 31.205-10, is included in the total hourly rates. This cost is computed by multiplying a discounted cost of money rate (CMR) by the average value of equipment and prorating the result over the annual operating hours. The January 2009 CMR [5.625 percent as shown in appendix I determined by the Secretary of the Treasury pursuant to Public Law 92-41 (85 Stat. 97)] is discounted by a reduction of 25 percent to avoid duplication when applying estimated markups for overhead and profit. The discounted CMR is then 4.50 percent. The Department of the Treasury adjusts the CMR on or about 1 January and 1 July each year; these revisions are printed in the Federal Register or can be found on the Internet at http://www.treasurydirect.gov/govt/rates/tcir/tcir_opdprmt2.htm. The CMR should be adjusted to the actual period that the equipment is used. Expressed by formula, FCCM cost equals the following:

$$\text{FCCM/hr} = \frac{(\text{TEV})(\text{AVF})(\text{discounted CMR})}{(\text{WHPY})}$$

Where:

- (1) TEV is the total equipment value found in [table 2-1](#).
- (2) Average Value Factor (AVF) = $\frac{[(N - 1)(1 + SLV)] + 2}{2N}$.
 - (a) Number of Years (N) in Depreciation Period = LIFE/WHPY.
 - (b) LIFE is the economic life, which is based on the number of operating hours throughout the economic life of the equipment (see paragraph 2-15). Hours for LIFE are provided in appendix D.
- (3) Discounted CMR = 5.625% (Jan – Jun 2009 rate) / 1.25 = 4.50%.
- (4) WHPY = Working hours Per Year found in appendix B.

SECTION VIII. OPERATING COST

2.22 Operating Cost Elements

The total operating cost is the sum of the following five elements: fuel, FOG, repairs, tire wear, and tire repair.

2.23 Fuel Cost

Fuel costs are computed for each gas, diesel, or electric engine. When the unit of equipment has two engines, as in the case of a truck crane, this methodology treats each engine separately for fuel costs. The hourly fuel cost for each unit of equipment is shown under the column heading FUEL in tables 2-1 and 2-2. When the unit of equipment has no engine, no fuel cost will be shown. Hourly fuel costs are calculated for each engine, as expressed in the following formula:

$$\text{Fuel Cost/hr} = \text{Horsepower (hp)} \times \text{Fuel Cost/Gallon (gal)} \times \text{Fuel Factor (gal/bhp-hr)}$$

- a. Horsepower is the engines rated horsepower. All horsepower ratings for engine-driven equipment are listed with the equipment description in table 2-1.
- b. Fuel Cost/Gallon is based on values shown in appendix B. See chapter 3 for fuel cost adjustments.
- c. Fuel Factor - Gas or Diesel Fuel. The fuel factor in gallons per brake horsepower-hour (bhp-hr) is listed in appendix D for both average and severe conditions. Fuel factors are also listed for both the engine powering the main equipment (prime engine) and the engine providing power to the carrier vehicle. For severe conditions, the fuel consumption rate is 30 percent greater than the average condition rate. Gas or diesel fuel factors are computed by using the following formula:

$$\text{Fuel Factor (Gal/bhp - hr)} = \frac{\text{Horsepower Factor (HPF)} \times \text{lbs Fuel per bhp - hr}}{\text{lbs of Fuel per Gal}}$$

Where:

(1) The HPF is the horsepower factor used in the fuel and electricity consumption formulas and represents an average percent of full-rated horsepower being used by the engine. The fuel consumption factors, which are shown in appendix D under column headings Fuel Factor-Equipment and Fuel Factor-Carrier, are computed based on the HPF shown under these column headings. This HPF is an estimate of the engine load under average working conditions. It is necessary to modify the rated horsepower as engines and motors in actual production do not work at their full-rated horsepower at all times. Periods spent at idle, travel in reverse, traveling empty, close maneuvering at part throttle, and operating downhill are examples of conditions that reduce the HPF. Professional judgment regarding cycle time and equipment loading is applied to determine this average HPF. Normal field application can also vary according to: operator efficiency, type of material, type of work cycle, and overall jobsite efficiency. This pamphlet provides an estimated average HPF, not a specific factor.

(2) Pounds (lbs) fuel per bhp-hr is an average based on a variety of engine applications from manufacturer engine data. The following represent an average of the normal application of equipment and are indicative of engine fuel consumption industry wide. Pounds fuel (consumed) per bhp-hr is based on the following averages and is used consistently throughout this pamphlet:

Gasoline = 0.55 lbs per bhp-hr
Diesel = 0.34 lbs per bhp-hr

(3) Pounds fuel per gallon is the factor that determines the weight of the fuel consumed. The following are used as constants in this pamphlet:

Gasoline = 6 lbs per gal
Diesel = 7 lbs per gal

d. Fuel Factor - Electricity. Assuming that an electric motor uses 1 kilowatt (kW) per horsepower (considering all inefficiencies), and using the same HPF for gas or diesel fuel consumption, the electricity consumption is computed by the following formula:

$$\text{Fuel Factor (kW/hr)} = \text{HPF} \times 1 \text{ kW per electric hp - hr}$$

e. Fuel and Electricity Cost. The cost per gallon for gasoline and diesel fuel used to compute the hourly fuel cost is shown in appendix B. The hourly fuel cost for all gasoline-powered equipment, diesel-powered highway trucks, and truck crane carriers includes an allowance for Federal and state road taxes, sales taxes, and rental for fuel storage tanks and pumps. Cost per kilowatt-hour used to compute electricity cost are also shown in appendix B.

2.24 Filters, Oil, and Grease (FOG) Cost

The FOG cost is computed as a percentage of the hourly fuel costs.

a. The FOG contains items of cost for routine servicing of the equipment, which includes the following:

- Base wages for servicing labor
- Fringe benefits and labor burden costs for servicing
- Service truck, tools, and fuel truck allowance
- Shop allowance when shop servicing is required
- Other equipment costs for servicing
- FOG material allowance
- Taxes and shipping for FOG supplies
- Handling and disposal of hazardous materials and oil

b. The hourly FOG cost is calculated for each engine using the following formula:

$$\text{FOG Cost/hr} = \text{FOG Factor} \times \text{Fuel Cost/hr} \times \text{LAF}$$

Where:

(1) The FOG Factor is the percent allowance expressed as a decimal factor under each fuel type heading E (electricity), G (gas), or D (diesel). See appendix D.

(2) Fuel cost/hr is a calculated value shown under the column heading FUEL in tables 2-1 and 2-2.

(3) The LAF (labor adjustment factor) is a decimal factor to account for regional variations in labor and parts costs. This factor is provided in appendix B.

c. The FOG percentage allowance includes the cost for servicing. For equipment that is normally serviced by an oiler assigned to the unit of equipment, the FOG percentage is reduced. This reduction applies to the following equipment: cranes, draglines, hydraulic excavators, and shovels (except equipment under category numbers C75, C80.01, C85.11, C85.12, C85.21, C90.01, H25.11, H25.12, H30.01, H30.02, and M10.32).

d. When a unit of equipment has no engine (therefore no fuel costs calculated) and the equipment requires some type of fuel (*i.e.*, propane, kerosene), an alternative hourly fuel and FOG allowance may be used in lieu of the regularly calculated fuel and FOG hourly costs. A FOG allowance may also be added when the equipment has no engine and has parts that require FOG. The alternative fuel allowance is added to the alternative FOG allowance for a total alternative fuel and FOG cost. (See figure 2-1, 5.c.)

2.25 Repair Cost

a. The repair cost accounts for equipment repairs, maintenance, and major overhauls (including undercarriage wear, ground engaging tools, and designated attachments) performed in either the field or the shop. Where tire cost is the cost of the tires when the equipment was manufactured, use the same TCI and tire cost as shown in the depreciation calculation (see section 2-20). The estimated hourly rate for repairs is computed as follows:

$$\text{Repair Cost/hr} = \frac{[(\text{TEV}) - [(\text{TCI})(\text{Tire Cost})]] \times \text{RF}}{\text{LIFE}}$$

Where:

(1) TEV is the total equipment value found in table 2-1.

(2) TCI is the tire cost index, which is determined by dividing the year of manufacture tire index by the present-year tire index. For table 2-1, the present year is 2009 and the year of manufacture is 2006 (3 years old). These indexes are listed as part of appendix E [see Economic Key (EK) 100, All Tires and Tubes].

(3) Tire cost is the total tire and/or conveyor belt cost. The total tire cost is the sum of the cost of all front, drive, and trailing tires. The tire cost for rubber-tired equipment is based on tire values at the time the equipment was manufactured.

(4) Repair factor (RF) is calculated as follows:

$$RF = RCF \times EAF \times LAF$$

Where:

(a) The RCF (repair cost factor) is shown in appendix D. This factor varies depending on the operating condition of the equipment (average or severe).

(b) The EAF (economic adjustment factor) is used to adjust the RCF to current price levels. The EAF is equal to the economic index for the present year divided by the economic index for the year of manufacture. Indexes listed in appendix E are used to develop the EAF. Economic indexes are determined as follows:

Economic Index for the Present Year. This is the economic index for the present year (2009 for table 2-1 calculations). Obtain the economic index from appendix E. The index is located in the column with the present year and the row with the type of equipment in question. When the column for the present year has not been included, the index can be estimated using a straight-line projection.

Economic Index for the Year of Manufacture. This is the economic index for the year the equipment was manufactured (2006 for table 2-1 calculations). Obtain the economic index from appendix E. The index is located in the column with the year of manufacture and the row with the type of equipment in question. When the actual age of the equipment is beyond the last year of its economic life, the equipment is considered overage. Economic life is determined by dividing hours of LIFE (from appendix D) by WHPY (appendix B).

(5) The LIFE is the economic life, which is based on the number of operating hours throughout the economic life of the equipment (see paragraph 2-15). Hours for LIFE are provided in appendix D.

b. Items Included in the Repair Cost Factor. The estimated percentage allowances for the RCF are shown in appendix D under the column heading RCF and are expressed as decimal factors. These RCFs (for both the average and severe conditions) compensate for the following cost elements:

(1) Mechanic's labor includes base wages, fringe benefits, supervision, travel, and all other costs for labor associated with craft workers engaged in the direct repair of equipment either in the field or the shop.

(2) Repair parts and supplies include those items that are required for all repairs and major overhauls complete with applicable sales taxes and freight charges.

(3) Service trucks and other equipment used during field or shop repair and maintenance work including tools.

(4) Supporting repair facilities include field and main repair shops, complete with parts and supplies inventory, and shop overhead.

2.26 Tire Wear Cost

a. Tires included on rubber-tired equipment are generally the type and ply rating recommended as standard tires by the equipment manufacturer. Tire costs include both tire wear (replacement) and tire repair as individual elements of cost. Conveyor belt wear is also included under this cost element. The belt wear is treated like tire wear. The wear factors are listed in the front tire wear factor column in appendix D. Belt life and cost are listed in appendix F.

b. The formula for calculating tire wear applies to each tire position: front (FT), drive (DT), and trailing (TT). However, all tires performing the drive function are considered drive tires and are listed in the drive position. The total hourly tire wear cost for each unit of equipment is the sum of the hourly cost for each position. The total hourly tire wear cost equals the current cost of new tires plus the cost of one recapping divided by the expected life of the new tires plus the life of the recapped tires. This hourly allowance for determining tire wear cost is expressed in the following formula:

$$\text{Tire Wear Cost/hr} = \frac{\text{Tire Cost Factor} \times \text{Current Tire Cost}}{\text{Tire Life Factor} \times \text{Tire Wear Factor} \times \text{Maximum Tire Life}}$$

Where:

(1) Tire Cost Factor is estimated at 1.5, which represents the purchase of the original tire plus one recap. It has been estimated that a recap costs approximately 50 percent of the new tire cost.

(2) Current Tire Cost is the estimated cost that applies to all tires on the equipment in that position. For example, four new drive tires valued at \$500 each would result in an amount of \$2,000 for total drive tire cost. The size and cost of each tire used in the pamphlet are listed for information in appendix F.

(3) Tire Life Factor is estimated at 1.8, which represents the original tire life plus one recap. It has been estimated that a recap lasts approximately 80 percent of the life of a new tire.

(4) Tire Wear Factor is based on the position of the tire, type of equipment, and condition of use. Tire wear factors have been developed and are listed in appendix D. These factors will provide a percentage reduction to the maximum tire life. Appendix G contains the methodology used to develop these factors and a computation example for a rear dump wagon.

(5) Maximum Tire Life expressed in hours is shown for various new tire types in appendix F. The tire life is estimated from information provided by Goodyear Tire and Rubber Company and by using the method and tables in *Production and Cost Estimating of Material Movement with Earthmoving Equipment*, Terex Corporation, Hudson, Ohio.

2.27 Tire Repair Cost

It has been estimated that tire repairs are 15 percent of the total hourly tire wear cost. The LAF is used to adjust the tire repair cost to account for regional variations in labor and parts costs. This cost element has been calculated and listed separately in table 2-2. It is expressed as a formula as follows:

$$\text{Tire Repair Cost} = \text{Total Hourly Tire Wear Cost} \times 0.15 \times \text{LAF}$$

SECTION IX. STANDBY HOURLY RATE

2.28 Standby Hourly Rate

The standby rate is computed by allowing the full FCCM hourly cost (based on a 40 hour workweek) plus one-half of the hourly depreciation. It is expressed as a formula, as follows:

$$\text{Standby Rate/hr} = (\text{DEPR/hr} \times 0.50) + \text{FCCM/hr}$$

- a. Paid standby shall not exceed 40 hours per week (7 calendar days) (based on a 40 hour workweek) per unit of equipment. Actual operating hours during a week will be credited against the 40 hours maximum standby allowance.
- b. Standby costs will not be allowed during periods when the equipment would have otherwise been in idle status.
- c. When the equipment is purchased used, standby will be computed on the basis that the equipment was purchased new by the contractor in the year it was actually manufactured. Refer to chapter 3 for rate adjustments.

SECTION X. RATE CALCULATION EXAMPLE

2.29 Computation Example

Figure 2-1 is an example of how the total hourly rates in table 2-1 are computed. A blank Equipment Rate Computation Worksheet is included in appendix A and can be copied as needed.

- a. When an hourly rate for a specific unit of equipment is not included in this pamphlet and a rate must be computed, the methodology contained in chapter 2 shall be followed. However, when a unit of equipment is not included in this pamphlet and the necessary factors to compute a rate are not found in appendix D, please contact the Chief, Cost Engineering Branch, Engineering and Construction Division, Walla Walla District, U.S. Army Corps of Engineers, for assistance as explained in chapter 1. A Microsoft Excel[®] spreadsheet (**CHECKRATE**) is also available for rate computation (see chapter 1).
- b. See chapter 3 for further guidance on the procedure for rate adjustments.

Example: The piece of equipment shown in this example is based on a known piece of equipment for illustration purposes only.

Use this worksheet to compute an hourly rate for equipment that is not in this pamphlet or is in the pamphlet but not equivalent in size, capacity, horsepower, or value (see appendix A for blank form).

Region 08

1. EQUIPMENT INFORMATION AND EXPENSE FACTORS

ID No: C90LB001

a. Equipment Specification Data:

(1) Equipment Description:	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MTD, 150 TON / 260' BOOM, 8X4				
(2) Model and Series:	HC-238H II				
(3) Present Year or Year of Use:				2009	
(4) Year Manufactured:				2006	
(5) Horsepower - Equipment:				284	
(6) Horsepower - Carrier:				430	
(7) Fuel type: - Equipment: 0-None; 1-electric; 2-gasoline; 3-diesel off-road; 4-diesel on-road; 5-marine gas; 6-marine diesel			Enter number from 0 to 6 ==>	3	D-off
- Carrier: 0-None; 1-electric; 2-gasoline; 3-diesel off-road; 4-diesel on-road; 5-marine gas; 6-marine diesel			Enter number from 0 to 6 ==>	4	D-on
(8) Shipping Weight (cwt):					1,913 cwt
(9) Tire size and number of tires: (Cost of tires based on present year, see 1.a.(3) and App. F):					
	Size/Ply	App F Code	No.	Unit Price	Cost
(a) Front (FT):	14-25/20	ANMB1	4	\$1,206	\$4,824
(b) Drive (DT):	14-25/20	ANMB1	8	\$1,206	\$9,648
(c) Trailing (TT):			0	\$0	\$0
(d) Total Tire Cost:					\$14,472
(10) List Price + Accessories: [at Year (yr) of Manufacture]		\$1,575,295	OR	actual purchase price: \$0	

USE APPENDIX D TO COMPLETE THE FOLLOWING DATA:

b. Category and Subcategory Number:		C90	0.04
c. Hourly Expense Calculation Factors:			
(1) Economic Key (EK):			20
(2) Condition (C): A =Average D =Difficult S =Severe		A	AVERAGE
(3) Discount Code (DC): B = 7.5% (0.075) or S = 15.0% (0.15)		B	0.075
(4) Life in Hours (LIFE):			20,000
(5) Salvage Value Percentage (SLV):			0.20
(6) Fuel Factor - Equipment [Electric (E) Gas (G) Diesel (D)]:			0.024
(7) Fuel Factor - Carrier (E G D):			0.005
(8) Filter, Oil, and Grease (FOG) Factor (E G D):			0.110
(9) Tire Wear Factor:			
(a) Front (FT):			0.66
(b) Drive (DT):			0.58
(c) Trailing (TT):			0.73
(10) Repair Cost Factor (RCF):			0.90

Figure 2-1. Equipment Rate Computation Worksheet Page 1 of 6

Region 08

2. EQUIPMENT VALUE

a. List Price + Accessories: [at Year (yr) of Manufacture]					=	<u>\$1,575,295</u>
(1) Discount:	(List Price + Accessories) x Discount Code					
	{1.a.(10)}		{1.c.(3)}			
	<u>(\$1,575,295</u>	+	<u>\$0.00</u>	x	<u>0.075</u>	= <u>-\$118,147</u>
(2) Subtotal {2.a.} - {2.a.(1)}					Subtotal =	<u>\$1,457,148</u>
(3) Sales or Import Tax:	Subtotal	x	Tax Rate			
	{2.a.(2)}		{Appendix B}			
	<u>\$1,457,148</u>	x	<u>6.00%</u>			= <u>\$87,429</u>
(4) Total Discounted Price: Subtotal: 2.a.(2) + 2.a.(3)					Subtotal =	<u>\$1,544,577</u>
b. Freight:	Shipping Weight	x	Freight Rate per cwt			
	{1.a.(8)}		{Appendix B}			
	<u>1,913 cwt</u>	x	<u>\$6.48 /cwt</u>			= <u>\$12,396</u>
c. TOTAL EQUIPMENT VALUE (TEV):			TOTAL [2.]:			= <u>\$1,556,973</u>
	{2.a.(4)} + {2.b} OR actual purchase price {1a.(10)}					
	(See chapter 3 for used and overage equipment rate adjustments.)					

3. DEPRECIATION PERIOD (N)

a.	LIFE	/	Working Hours Per Year (WHPY) = N			
	{1.c.(4)}		{Appendix B}			
	<u>20,000 hr</u>	/	<u>1,540 hr/yr</u>			= <u>12.99 yrs (N)</u>

4. OWNERSHIP COST

a. Depreciation

(1) Tire Cost Index (TCI):

Tire Index, Year of Manufacture,	/	Tire Index, Present Year or Year of Use, {1.a.(3)}		Tire Cost Index (TCI)
{1.a.(4)}		{1.a.(3)}		=
Appendix E, EK=100		Appendix E, EK=100		
<u>2926</u>	/	<u>3382</u>		= <u>0.865</u>

(2)	[TEV	x	(1.0-SLV)	-	(TCI	x	Tire Cost)]	/	LIFE	
	{2.c.}		{1.c.(5)}		{4.a.(1)}		{1.a.(9)(d)}		{1.c.(4)}	
	<u>[\$1,556,973</u>	x	<u>(1.0-0.20)</u>	-	<u>(0.865</u>	x	<u>\$14,472]</u>	/	<u>20,000 hrs</u>	= <u>\$61.65 /hr</u>

Figure 2-1. Equipment Rate Computation Worksheet Page 2 of 6

Region 08

4. OWNERSHIP COST (Continued)

b. Facilities Capital Cost of Money (FCCM):

(1)	[(N - 1.0) {3.a.}]	x	(1.0 + SLV) {1.c.5.}]	+	2.0]	/	(2.0 x N) {3.a.}]	=	Avg Value Factor (AVF)
	[(12.99 yr - 1.0)	x	(1.0 + 0.20)	+	2.0]	/	(2.0 x 12.99 yr)	=	0.631

(2)	TEV {2.c.}]	x	AVF {4.b.(1)}]	x	Adjusted Cost-of-Money {Appendix B}]	/	WHPY {Appendix B}]	=	
	<u>\$1,556,973</u>	x	<u>0.631</u>	x	<u>3.90%</u>	/	<u>1,540 hr/yr</u>	=	<u>\$24.88 /hr</u>

c. TOTAL HOURLY OWNERSHIP COST: TOTAL [4.] = \$86.53 /hr
{4.a.(2)} + {4.b.(2)}

5. OPERATING COST

a. Fuel Costs:

(1) Equipment:

	Fuel Factor	x	Horsepower (hp)	x		Fuel Cost per Gallon (gal)
	{1.c.(6)}		{1.a.(5)}			{Appendix B}]
	<u>0.024</u>	x	<u>284 hp</u>	x		<u>\$2.87 /gal</u> = <u>\$19.56 /hr</u>

(2) Carrier:
{1.c.(4)}

	Fuel Factor	x	Horse power (hp)	x		Fuel Cost per gal
	{1.c.(7)}		{1.a.(6)}			{Appendix B}]
	<u>0.005</u>	x	<u>430 hp</u>	x		<u>\$3.41 /gal</u> = <u>\$7.33 /hr</u>

(3) Total Hourly Fuel Cost: Total [5.a.] = \$26.89 /hr
{5.a (1)} + {5.a (2)}

b. FOG Cost:

(1) Equipment:

	FOG Factor	x	Equipment Hourly Fuel Cost	x		Labor Adjustment Factor (LAF)
	{1.c.(8)}		{5.a.(1)}			{Appendix B}]
	<u>0.110</u>	x	<u>\$19.56 /hr</u>	x		<u>\$ 1.01 /hr</u> = <u>\$2.17 /hr</u>

Region 08

5. **OPERATING COST (Continued)**

(2) Carrier:

		Carrier Hourly					
FOG Factor	x	Fuel Cost	x	LAF			
{1.c.(8)}		{5.a.(2)}		{Appendix B}			
<u>0.110</u>	x	<u>\$7.33 /hr</u>	x	<u>1.01</u>	=	<u>\$0.81 /hr</u>	

(3) Total Hourly FOG Cost: Total [5.b.] = \$2.98 /hr
 {5.b.(1)} + {5.b.(2)}

c. Alternative Fuel/FOG Cost: Total [5.c.] = \$0.00 hr
 (See chapter 2, paragraph 2.24.d. for guidance on when to use.)

d. Repair Cost:

(1) Economic Adjustment Factor (EAF):
 EK is from {1c. (1)}

Economic Index, Present Year or Year of Use, {1.a.(3)}	/	Economic Index, Year of Manufacture, {1.a.(4)}	
Appendix E, EK={1.c.(1)}		Appendix E, EK={1.c.(1)}	
<u>6905</u>	/	<u>6543</u>	= <u>1.055</u>

(See table 3-1 for last year of economic life.)

(2) Repair Factor (RF):

		RCF		EAF		LAF	
{1.c.(10)}	x	{5.d.(1)}	x	{Appendix B}			
<u>0.90</u>	x	<u>1.055</u>	x	<u>1.01</u>	=	<u>0.959</u>	

(3) Repair Cost:

		[TEV		(TCI		x Tire Cost)]		x RF		/	LIFE
{2.c.}	-	{4.a.(1)}	x	{1.a.(9)(d)}	x	{5.d.(2)}	/	{1.c.(4)}			
<u>[\$1,556,973</u>	-	<u>(0.865</u>	x	<u>\$14,472]</u>	x	<u>0.959</u>	/	<u>20,000</u>			

(4) Total Hourly Repair Cost: Total [5.d.] = \$74.06 /hr

Region 08

5. **OPERATING COST (Continued)**

e. Tire Wear Cost: *(Use current price levels. See Appendix F.)*

(1) Front Tires (FT):

$$\begin{array}{rclclcl} (1.5 \times \text{FT Cost}) & / & (1.8 \times \text{FT Wear Factor} & \times & \text{Maximum Tire Life Hours)} & \\ \{1.a.(9)(a)\} & & \{1.c.(9)(a)\} & & \{Appendix F\} & \\ \underline{(1.5 \times \$4,824)} & / & \underline{(1.8 \times 0.66)} & \times & \underline{2,500 \text{ hr}} & = \underline{\$2.44 /hr} \end{array}$$

(2) Drive Tires (DT):

$$\begin{array}{rclclcl} (1.5 \times \text{DT Cost}) & / & (1.8 \times \text{DT Wear Factor} & \times & \text{Maximum Tire Life Hours)} & \\ \{1.a.(9)(b)\} & & \{1.c.(9)(b)\} & & \{Appendix F\} & \\ \underline{(1.5 \times \$9,648)} & / & \underline{(1.8 \times 0.58)} & \times & \underline{2,500 \text{ hr}} & = \underline{\$5.54 /hr} \end{array}$$

(3) Trailing Tires (TT):

$$\begin{array}{rclclcl} (1.5 \times \text{TT Cost}) & / & (1.8 \times \text{TT Wear Factor} & \times & \text{Maximum Tire Life Hours)} & \\ \{1.a.(9)(c)\} & & \{1.c.(9)(c)\} & & \{Appendix F\} & \\ \underline{(1.5 \times \$0.00)} & / & \underline{(1.8 \times 0.73)} & \times & \underline{0 \text{ hr}} & = \underline{\$0.00 /hr} \end{array}$$

(4) Total Tire Wear Cost:
Sum {5.e.(1)} through {5.e.(3)}

Total [5.e.] = \$7.98 /hr

f. Tire Repair Cost:

$$\begin{array}{rclclcl} \text{Total Tire Wear Cost} & & & & & \\ \text{per Hour} & \times & (0.15 \times \text{LAF}) & & & \\ \{5.e.(4)\} & & \{Appendix B\} & & & \\ \underline{\$7.98 /hr} & \times & \underline{(0.15 \times 1.01)} & & & \\ & & & & \text{Total [5.f.] = } & \underline{\$1.21 /hr} \end{array}$$

g. **TOTAL HOURLY OPERATING COST:**

Sum {5.a.} through {5.f.}

Total [5.] = \$113.12 /hr

Region 08

6. **HOURLY RATES**

a. Total Hourly Rate: *[based on 40 hours per week (wk)]*

$$\begin{array}{rcl} \text{Ownership Cost} & + & \text{Operating Cost} \\ \{4.c.\} & & \{5.g.\} \\ \\ \underline{\$86.53 /hr} & + & \underline{\$113.12 /hr} \end{array}$$

$$= \underline{\$199.65 /hr}$$

b. Other Work Shifts Hourly Rate:

(Refer to Chapter 3, Adjustments to Rates, for methodology.)

$$\begin{array}{rcl} \text{Depreciation} & + & (\text{FCCM} \times 40 \text{ hr/wk} / \text{Work hr/wk}) + \text{Operating Cost} \\ \{4.a.(2)\} & & \{4.b.(2)\} \qquad \text{example:60 hr/wk} \qquad \{5.g.\} \\ \\ \underline{\$61.65 /hr} & + & \underline{(\$24.88 /hr} \times \underline{40 \text{ hr/wk} / 60 \text{ hr/wk}} + \underline{\$113.12 /hr} \end{array}$$

$$= \underline{\$191.36 /hr}$$

c. Standby Hourly Rate:

(Refer to Chapter 2, paragraph 2.28 for guidance on use.)

$$\begin{array}{rcl} (\text{Depreciation} \times 0.50) & + & \text{FCCM} \\ \{4.a.(2)\} & & \{4.b.(2)\} \\ \\ \underline{(\$61.65 /hr} \times 0.50) & + & \underline{\$24.88 /hr} \end{array}$$

$$= \underline{\$55.71 /hr}$$

(Refer to Chapter 3, paragraph 3.12 for guidance for overage equipment.)

See Chapter 3 if rate adjustments are necessary.

Table 2-1. Hourly Equipment Ownership and Operating Expense

EXPLANATION OF TABLE HEADINGS

Example unit of equipment: Link Belt, Model HC-238H II, 150 Ton, 260'-boom.

CAT: C90 is the category number and identifies it as Cranes, Mechanical, Lattice Boom, Truck Mounted (from appendix D).

ID No.: C90LB001 is the unique identification number for the above Link Belt crane. AM equals the manufacturer (see appendix H). 001 equals the numeric order of this unit of equipment within the manufacturer's listing.

MODEL: HC-238H II is the equipment model number.

EQUIPMENT DESCRIPTION: Specific information for each particular unit of equipment is described, such as "150 ton with a 260-foot boom" for the Link Belt crane.

ENGINE HORSEPOWER AND FUEL TYPE: The amount of horsepower and type of fuel used is stated for the main and carrier engines. The Link Belt crane carrier has a 430-horsepower engine, and the crane has a 207-horsepower engine. Both engines are diesel (D).

VALUE (TEV): This column reflects the predetermined "equipment cost" used to compute the rates and is based on equipment purchased new in 2006.

TOTAL HOURLY RATES (\$/HR): All ownership and operating expenses for the average condition are included. All cost elements, including fuel, are totaled in the AVERAGE column. The STANDBY column includes the hourly allowance for equipment on legitimate standby status (see section 2-27 for more information).

ADJUSTABLE ELEMENTS: This column shows ownership elements and fuel costs used to develop the average total hourly rates so they can be adjusted as indicated in chapter 3. Operating costs may be determined by subtracting the ownership cost elements (DEPR plus FCCM) from the total hourly rate for the average condition.

CWT: The shipping weight of the equipment is stated in hundredweight.

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
A10	AGGREGATE / CHIP SPREADERS											
	SUBCATEGORY 0.10 SELF-PROPELLED											
	ROSCO, A LeeBoy COMPANY											
	A10RS003	SPRH	CHIP SPREADER, SELF PROPELLED, 10' WIDE, 1.70 CY, 2WD	152 HP	D-off	\$109,885	40.88	7.27	10.77	1.88	14.83	149
	A10RS004	SPRH	CHIP SPREADER, SELF PROPELLED, 11' WIDE, 1.80 CY, 2WD	152 HP	D-off	\$110,615	41.05	7.32	10.84	1.90	14.83	153
	A10RS005	SPRH	CHIP SPREADER, SELF PROPELLED, 12' WIDE, 2.03 CY, 2WD	152 HP	D-off	\$111,194	41.18	7.36	10.90	1.91	14.83	159
	A10RS006	SPRH	CHIP SPREADER, SELF PROPELLED, 13' WIDE, 2.28 CY, 2WD	152 HP	D-off	\$111,389	41.22	7.37	10.92	1.91	14.83	153
	A10RS007	SPRH	CHIP SPREADER, SELF PROPELLED, 15' WIDE, 2.53 CY, 2WD	152 HP	D-off	\$112,742	41.51	7.46	11.05	1.93	14.83	159
	A10RS008	SPREADPRO	CHIP SPREADER, SELF PROPELLED, 16' WIDE, 4.50 CY, 4WD	205 HP	D-off	\$215,881	70.19	14.33	21.26	3.70	20.00	158
	SUBCATEGORY 0.20 TOWED & TAILGATE											
	AMERICAN ROAD MACHINERY, INC.											
	A10AR001	TG-505C	CHIP SPREADER, TAILGATE, 8' WIDE (ADD DUMP TRUCK)			\$3,076	0.80	0.26	0.41	0.05	0.00	5
	A10AR002	ODELL 900	CHIP SPREADER, TOWED, 8' WIDE, 3 CY (ADD DUMP TRUCK)			\$14,891	4.13	1.27	1.99	0.27	0.00	22
	SEALMASTER, INC.											
	A10SE001	R-1 E2310	CHIP SPREADER, TAILGATE, 8' WIDE, 1.13 CY (ADD DUMP TRUCK)			\$12,852	3.38	1.09	1.71	0.23	0.00	21

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>A10</i>			<i>SEALMASTER, INC. (continued)</i>								
	A10SE002	R-1 E2500	CHIP SPREADER, TOWED, 8' WIDE, 1.13 CY (ADD DUMP TRUCK)			\$15,156	3.98	1.28	2.02	0.27	0.00	30
A15	AIR COMPRESSORS, PORTABLE											
	SUBCATEGORY 0.10	ROTARY SCREW										
	INGERSOLL RAND ROTARY-REC COMPRESSOR DIV											
	A15IA001	P175WJD	AIR COMPRESSOR, 175 CFM, 100 PSI (ADD HOSE)	56 HP	D-off	\$22,332	10.64	1.25	1.76	0.37	5.79	21
	A15IA002	HP300WCU	AIR COMPRESSOR, 300 CFM, 150 PSI (ADD HOSE)	110 HP	D-off	\$48,089	21.67	2.72	3.82	0.81	11.37	38
	A15IA003	VHP400WCU	AIR COMPRESSOR, 400 CFM, 200 PSI (ADD HOSE)	174 HP	D-off	\$57,719	30.87	3.25	4.56	0.97	17.98	53
	A15IA004	HP450WCU	AIR COMPRESSOR, 450 CFM, 150 PSI (ADD HOSE)	174 HP	D-off	\$57,719	30.87	3.25	4.56	0.97	17.98	53
	A15IA005	XP525WCU	AIR COMPRESSOR, 525 CFM, 125 PSI (ADD HOSE)	174 HP	D-off	\$57,719	30.87	3.25	4.56	0.97	17.98	53
	A15IA006	XHP650WCAT	AIR COMPRESSOR, 650 CFM, 350 PSI (ADD HOSE)	300 HP	D-off	\$127,736	58.47	7.20	10.11	2.14	31.00	136
	A15IA007	XHP750WCAT	AIR COMPRESSOR, 750 CFM, 300 PSI (ADD HOSE)	300 HP	D-off	\$133,843	59.60	7.54	10.60	2.24	31.00	136
	A15IA008	VHP825WCU	AIR COMPRESSOR, 825 CFM, 200 PSI (ADD HOSE)	335 HP	D-off	\$101,019	57.56	5.68	7.97	1.69	34.61	96
	A15IA009	XP1000WCAT	AIR COMPRESSOR, 1,000 CFM, 125 PSI (ADD HOSE)	310 HP	D-off	\$101,241	54.72	5.70	7.99	1.70	32.03	104
	A15IA010	XHP1070WCAT	AIR COMPRESSOR, 1,070 CFM, 350 PSI (ADD HOSE)	400 HP	D-off	\$179,928	79.70	10.17	14.29	3.02	41.33	152

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
SULLAIR CORPORATION												
	A15SR006	125DPQJD	AIR COMPRESSOR, 125 CFM, 100 PSI (ADD HOSE)	76 HP	D-off	\$16,347	11.85	0.91	1.28	0.27	7.85	24
	A15SR007	130DPQJD	AIR COMPRESSOR, 130 CFM, 100 PSI (ADD HOSE)	77 HP	D-off	\$16,402	11.98	0.91	1.28	0.27	7.96	26
	A15SR004	185	AIR COMPRESSOR, 185 CFM, 100 PSI (ADD HOSE)	78 HP	D-off	\$16,347	12.09	0.91	1.28	0.27	8.06	24
	A15SR005	260	AIR COMPRESSOR, 260 CFM, 100 PSI (ADD HOSE)	80 HP	D-off	\$23,463	13.63	1.32	1.85	0.39	8.27	26
	A15SR008	375HDPQJD	AIR COMPRESSOR, 375 CFM, 150 PSI (ADD HOSE)	123 HP	D-off	\$39,627	21.63	2.22	3.12	0.66	12.71	42
	A15SR009	425DPQJD	AIR COMPRESSOR, 425 CFM, 100 PSI (ADD HOSE)	124 HP	D-off	\$39,627	21.74	2.22	3.12	0.66	12.81	42
	A15SR010	600HDTQCA	AIR COMPRESSOR, 600 CFM, 150 PSI (ADD HOSE)	230 HP	D-off	\$82,501	41.99	4.63	6.49	1.38	23.76	100
	A15SR011	750HHDTQCA	AIR COMPRESSOR, 750 CFM, 175 PSI (ADD HOSE)	300 HP	D-off	\$96,927	52.77	5.45	7.65	1.62	31.00	103
	A15SR002	900XH	AIR COMPRESSOR, 900 CFM, 350 PSI (ADD HOSE)	440 HP	D-off	\$190,778	86.39	10.75	15.10	3.20	45.46	157
	A15SR012	1050DTQCA	AIR COMPRESSOR, 1,050 CFM, 100 PSI (ADD HOSE)	300 HP	D-off	\$95,471	52.50	5.37	7.53	1.60	31.00	105
	A15SR013	1300HDTQCA	AIR COMPRESSOR, 1,300 CFM, 150 PSI (ADD HOSE)	450 HP	D-off	\$166,513	82.99	9.40	13.21	2.79	46.49	156
	A15SR014	1600HDTQCA	AIR COMPRESSOR, 1,600 CFM, 100 PSI (ADD HOSE)	450 HP	D-off	\$181,162	85.82	10.18	14.28	3.04	46.49	162
	A15SR015	1900DTQCA	AIR COMPRESSOR, 1,900 CFM, 100 PSI (ADD HOSE)	525 HP	D-off	\$136,185	86.17	7.62	10.68	2.28	54.24	164

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	NO SPECIFIC MANUFACTURER											
	A15XX019	85G	AIR COMPRESSOR, 85 CFM, 100 PSI (ADD HOSE)	30 HP	G	\$9,578	9.08	0.53	0.74	0.16	6.39	14
	A15XX020	85D	AIR COMPRESSOR, 85 CFM, 100 PSI (ADD HOSE)	30 HP	D-off	\$18,269	6.89	1.03	1.43	0.31	3.10	24
	A15XX021	100G	AIR COMPRESSOR, 100 CFM, 100 PSI (ADD HOSE)	50 HP	G	\$12,724	14.49	0.71	0.99	0.21	10.64	17
	A15XX022	100D	AIR COMPRESSOR, 100 CFM, 125 PSI (ADD HOSE)	35 HP	D-off	\$18,606	7.53	1.04	1.46	0.31	3.62	17
	A15XX023	125G	AIR COMPRESSOR, 125 CFM, 100 PSI (ADD HOSE)	65 HP	G	\$13,419	18.23	0.74	1.04	0.22	13.83	20
	A15XX024	130	AIR COMPRESSOR, 130 CFM, 100 PSI (ADD HOSE)	50 HP	D-off	\$20,931	9.70	1.18	1.65	0.35	5.17	18
	A15XX025	160G	AIR COMPRESSOR, 160 CFM, 125 PSI (ADD HOSE)	60 HP	G	\$14,678	17.28	0.83	1.15	0.25	12.77	23
	A15XX026	175D	AIR COMPRESSOR, 175 CFM, 100 PSI (ADD HOSE)	70 HP	D-off	\$23,532	12.48	1.32	1.85	0.39	7.23	27
	A15XX027	175G	AIR COMPRESSOR, 175 CFM, 125 PSI (ADD HOSE)	90 HP	G	\$15,264	24.64	0.86	1.19	0.26	19.16	24
	A15XX028	185D	AIR COMPRESSOR, 185 CFM, 100 PSI (ADD HOSE)	80 HP	D-off	\$24,033	13.73	1.35	1.89	0.40	8.27	24
	A15XX029	185G	AIR COMPRESSOR, 185 CFM, 125 PSI (ADD HOSE)	70 HP	G	\$16,465	20.03	0.93	1.29	0.28	14.90	23
	A15XX030	250	AIR COMPRESSOR, 250 CFM, 100 PSI (ADD HOSE)	85 HP	D-off	\$31,790	15.74	1.79	2.51	0.53	8.78	31
	A15XX031	300	AIR COMPRESSOR, 300 CFM, 125 PSI (ADD HOSE)	110 HP	D-off	\$46,283	21.33	2.62	3.67	0.78	11.37	37
	A15XX032	375	AIR COMPRESSOR, 375 CFM, 125 PSI (ADD HOSE)	115 HP	D-off	\$42,279	21.19	2.38	3.33	0.71	11.88	37

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>A15</i>	<i>NO SPECIFIC MANUFACTURER (continued)</i>											
	A15XX033	450	AIR COMPRESSOR, 450 CFM, 125 PSI (ADD HOSE)	170 HP	D-off	\$56,981	30.34	3.19	4.45	0.96	17.56	89
	A15XX034	600	AIR COMPRESSOR, 600 CFM, 150 PSI (ADD HOSE)	250 HP	D-off	\$78,690	43.61	4.42	6.19	1.32	25.83	99
	A15XX035	750	AIR COMPRESSOR, 750 CFM, 125 PSI (ADD HOSE)	275 HP	D-off	\$83,629	47.41	4.69	6.58	1.40	28.41	93
	A15XX036	825	AIR COMPRESSOR, 825 CFM, 125 PSI (ADD HOSE)	275 HP	D-off	\$90,140	48.61	5.06	7.10	1.51	28.41	104
	A15XX037	900	AIR COMPRESSOR, 900 CFM, 125 PSI (ADD HOSE)	310 HP	D-off	\$96,099	53.77	5.40	7.58	1.61	32.03	93
	A15XX038	1200	AIR COMPRESSOR, 1,200 CFM, 125 PSI (ADD HOSE)	360 HP	D-off	\$145,986	68.79	8.24	11.57	2.45	37.20	150
	A15XX039	1300	AIR COMPRESSOR, 1,400 CFM, 150 PSI (ADD HOSE)	460 HP	D-off	\$153,095	81.73	8.63	12.11	2.57	47.53	180
	A15XX040	1600	AIR COMPRESSOR, 1,600 CFM, 150 PSI (ADD HOSE)	500 HP	D-off	\$164,265	88.41	9.25	13.00	2.75	51.66	151
	SUBCATEGORY 0.20	SHOP TYPE										
	NO SPECIFIC MANUFACTURER											
	A15XX041	80/15	AIR COMPRESSOR, 22 CFM, 80 GAL (ADD HOSE)	5 HP	E	\$2,382	0.73	0.13	0.17	0.04	0.25	3
	A15XX042	80/25	AIR COMPRESSOR, 28 CFM, 80 GAL (ADD HOSE)	7 HP	E	\$3,195	1.00	0.17	0.23	0.05	0.35	3
	A15XX043	120/35	AIR COMPRESSOR, 41 CFM, 120 GAL (ADD HOSE)	10 HP	E	\$4,803	1.47	0.25	0.34	0.08	0.50	4
	A15XX044	120/55	AIR COMPRESSOR, 58 CFM, 120 GAL (ADD HOSE)	15 HP	E	\$5,618	1.96	0.29	0.40	0.09	0.75	4

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>A15</i>			<i>NO SPECIFIC MANUFACTURER (continued)</i>								
	A15XX045	120/90	AIR COMPRESSOR, 89 CFM, 120 GAL (ADD HOSE)	25 HP	E	\$7,983	3.08	0.42	0.57	0.13	1.26	4
	A15XX046	120/112	AIR COMPRESSOR, 103 CFM, 120 GAL (ADD HOSE)	30 HP	E	\$9,797	3.71	0.51	0.69	0.16	1.51	5
A20	AIR HOSE, TOOLS & EQUIPMENT											
	SUBCATEGORY 0.10		AIR DRILL HOSE									
	NO SPECIFIC MANUFACTURER											
	A20XX001		AIR HOSE, 0.75", 100', HARDROCK			\$1,318	1.04	0.20	0.36	0.02	0.00	1
	A20XX002		AIR HOSE, 1.00", 100', HARDROCK			\$1,524	1.21	0.24	0.41	0.03	0.00	1
	A20XX003		AIR HOSE, 1.25", 100', HARDROCK			\$1,895	1.51	0.30	0.51	0.04	0.00	1
	A20XX004		AIR HOSE, 1.50", 100', HARDROCK			\$2,466	1.96	0.39	0.67	0.05	0.00	1
	A20XX005		AIR HOSE, 2.00", 100', HARDROCK			\$3,500	2.79	0.55	0.95	0.07	0.00	2
	A20XX006		AIR HOSE, 2.50", 100', HARDROCK			\$4,298	3.42	0.67	1.17	0.08	0.00	3
	A20XX007		AIR HOSE, 3.00", 100', HARDROCK			\$5,311	4.22	0.82	1.44	0.10	0.00	4
	A20XX008		AIR HOSE, 4.00", 100', HARDROCK			\$7,105	5.64	1.10	1.93	0.13	0.00	6
	SUBCATEGORY 0.20		SANDBLAST HOSE									
	CLEMCO INDUSTRIES CORPORATION											
	A20CM017		SANDBLAST HOSE, 0.75"ID, 100' LONG USE AS SAND BLASTING ACCESSORY			\$367	0.31	0.06	0.10	0.01	0.00	1
	A20CM018		SANDBLAST HOSE, 1.00"ID, 100' LONG USE AS SAND BLASTING ACCESSORY			\$401	0.34	0.07	0.11	0.01	0.00	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
A20			<i>CLEMCO INDUSTRIES CORPORATION (continued)</i>									
	A20CM020		SANDBLAST HOSE, 1.25"ID, 100' LONG USE AS SAND BLASTING ACCESSORY			\$426	0.37	0.07	0.12	0.01	0.00	1
	A20CM019		SANDBLAST HOSE, 1.50"ID, 100' LONG USE AS SAND BLASTING ACCESSORY			\$520	0.44	0.08	0.14	0.01	0.00	1
	SUBCATEGORY 0.30 SANDBLASTERS, BREAKERS, & MISC. AIR TOOLS											
	CHICAGO PNEUMATIC TOOL CO.											
	A20CK002	CP-0009A	ROTARY / CHIP HAMMER, 8 LB, AIR (ADD 30 CFM COMPRESSOR & BIT COSTS)	20 CFM	A	\$941	0.44	0.09	0.14	0.02	0.00	1
	A20CK001	CP-0014RR	ROTARY / CHIP HAMMER, 15 LB, AIR (ADD 30 CFM COMPRESSOR & BIT COSTS)	32 CFM	A	\$1,551	0.72	0.15	0.23	0.03	0.00	1
	A20CK003	CP-0022	ROCK DRILL, 30 LB, AIR (ADD 50 CFM COMPRESSOR & BIT COSTS)	56 CFM	A	\$1,652	0.77	0.16	0.25	0.03	0.00	1
	A20CK005	CP-0069	ROCK DRILL, 55 LB, AIR (ADD 140 CFM COMPRESSOR & BIT COSTS)	130 CFM	A	\$2,033	0.93	0.18	0.30	0.03	0.00	1
	A20CK006	CP-0111-CHLA	BREAKER-FOUR BOLT, 25 LB (ADD 50 CFM COMPRESSOR & BIT COSTS)	45 CFM	A	\$1,124	0.52	0.11	0.17	0.02	0.00	1
	A20CK008	CP-1230-S1.25	BREAKER-FOUR BOLT, 60 LB (ADD 65 CFM COMPRESSOR & BIT COSTS)	63 CFM	A	\$1,174	0.55	0.11	0.18	0.02	0.00	1
	A20CK010	CP-1240-S1.25	BREAKER-FOUR BOLT, 90 LB (ADD 90 CFM COMPRESSOR & BIT COSTS)	81 CFM	A	\$1,223	0.56	0.11	0.18	0.02	0.00	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
CLEMCO INDUSTRIES CORPORATION												
	A20CM010	PACKAGE TWO	SANDBLASTER, 2 CF CAP, W/0.50" D X 25'L HOSE (ADD 100 CFM COMPRESSOR & NOZZLE COST)	100 CFM	A	\$3,907	1.87	0.37	0.59	0.07	0.00	4
	A20CM011	PACKAGE FOUR	SANDBLASTER, 4 CF CAP, W/1.00"D X 25'L HOSE (ADD 170 CFM COMPRESSOR & NOZZLE COST)	170 CFM	A	\$5,030	2.37	0.46	0.75	0.08	0.00	5
	A20CM012	PACKAGE SIX	SANDBLASTER, 6 CF CAP, W/1.25"D X 25'L HOSE (ADD 200 CFM COMPRESSOR & NOZZLE COST)	200 CFM	A	\$5,653	2.74	0.53	0.85	0.10	0.00	6
	A20CM013		SANDBLASTER, 60 CF CAP, W/1.25"D X 50'L HOSE (ADD 450 CFM COMPRESSOR & NOZZLE COST)	450 CFM	A	\$17,356	8.13	1.54	2.50	0.29	0.00	30
	A20CM014		SANDBLASTER, 120 CF CAP, W/1.25"D X 50'L HOSE (ADD 700 CFM COMPRESSOR & NOZZLE COST)	700 CFM	A	\$21,980	10.00	1.84	2.94	0.37	0.00	35
	A20CM015		SANDBLASTER, 160 CF CAP, W/1.25"D X 50'L HOSE (ADD 900 CFM COMPRESSOR & NOZZLE COST)	900 CFM	A	\$24,911	11.63	2.17	3.50	0.42	0.00	45
	A20CM016		SANDBLAST ABRASIVE STORAGE HOPPER, 700 CF, 8' DEEP, 10' WIDE & 23' HIGH (ADD SAND BLASTER & ACCESSORIES)			\$15,449	7.42	1.42	2.32	0.26	0.00	69
WACKER CORPORATION												
	A20WC002	EHB11/BL/110	BREAKER/DRILL, 40 LB, ELECTRIC (ADD 2 KW GENERATOR & BIT COSTS)	2 HP	E	\$1,108	0.79	0.11	0.17	0.02	0.09	1
	A20WC004	BH 23	BREAKER/DRIVER, 65 LB, W/POWER UNIT (ADD BIT COSTS)	4 HP	G	\$3,193	2.31	0.29	0.48	0.05	0.74	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
NO SPECIFIC MANUFACTURER												
	A20XX021	STANDARD 25-30 LBS	PAVEMENT BREAKER, 25-30 LB, HAND HELD (ADD 100 CFM COMPRESSOR & BIT COSTS)	100 CFM	A	\$1,223	0.56	0.11	0.18	0.02	0.00	1
	A20XX022	SILENCED 35-45 LBS	PAVEMENT BREAKER, 35-45 LB, HAND HELD (ADD 100 CFM COMPRESSOR & BIT COSTS)	100 CFM	A	\$1,424	0.65	0.13	0.21	0.02	0.00	1
	A20XX023	SILENCED 60-65 LBS	PAVEMENT BREAKER, 60-65 LB, HAND HELD (ADD 100 CFM COMPRESSOR & BIT COSTS)	100 CFM	A	\$1,711	0.79	0.16	0.26	0.03	0.00	1
	A20XX024	SILENCED 80-90 LBS	PAVEMENT BREAKER, 80-90 LB, HAND HELD (ADD 100 CFM COMPRESSOR & BIT COSTS)	100 CFM	A	\$1,765	0.81	0.16	0.26	0.03	0.00	1
	A20XX025	55DRY	ROCK DRILL, DRY, 55 LB, HAND HELD (ADD 100 CFM COMPRESSOR & BIT COSTS)	100 CFM	A	\$2,488	1.14	0.23	0.37	0.04	0.00	1
A25	ASPHALT PAVING DISTRIBUTORS											
	SUBCATEGORY 0.00		ASPHALT PAVING DISTRIBUTORS									
	ROSCO, A LeeBoy COMPANY											
	A25RS006	MAXIMIZER 11	ASPHALT DISTRIBUTOR, 1,900 GAL, 400 GPM, TRUCK MTD (ADD 32,000 GVW TRUCK)			\$60,233	20.75	5.54	9.03	1.02	0.00	70
	A25RS008	MAXIMIZER 11	ASPHALT DISTRIBUTOR, 3,000 GAL, 400 GPM, TRUCK MTD (ADD 42,000 GVW TRUCK)			\$69,237	24.32	6.37	10.39	1.17	0.00	97

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	NO SPECIFIC MANUFACTURER											
	A25XX001	1100G	ASPHALT DISTRIBUTOR, 1,100 GAL, 400 GPM, TRUCK MTD (ADD 32,000 GVW TRUCK)			\$50,912	17.20	4.68	7.64	0.86	0.00	64
	A25XX002	2600G	ASPHALT DISTRIBUTOR, 2,600 GAL, 400 GPM, TRUCK MTD (ADD 32,000 GVW TRUCK)			\$59,452	20.84	5.46	8.92	1.00	0.00	89
	A25XX003	3600G	ASPHALT DISTRIBUTOR, 3,600 GAL, 400 GPM, TRUCK MTD (ADD 42,000 GVW TRUCK)			\$65,108	23.27	5.99	9.77	1.10	0.00	104
A30	ASPHALT PAVERS & MISCELLANEOUS ROAD EQUIPMENT											
	SUBCATEGORY 0.10		SELF PROPELLED									
	BARBER-GREENE COMPANY											
	A30BG007	BG230	ASPHALT FINISHER, 8' WIDE SCREED, WHEEL, W/15' 6" SCREED EXTENSION, 190 CF HOPPER	98 HP	D-off	\$303,252	92.18	20.65	31.19	5.05	9.56	314
	A30BG004	BG225C	ASPHALT FINISHER, 8' WIDE SCREED, CRAWLER, W/15' 6" SCREED EXTENSION, 177 CF HOPPER	112 HP	D-off	\$341,430	103.41	23.82	36.28	5.68	10.93	336
	A30BG009	BG240C	ASPHALT PAVER, 10' WIDE SCREED, WHEEL, W/19' 6" SCREED EXTENSION, 215 CF HOPPER	139 HP	D-off	\$329,337	102.07	22.37	33.78	5.48	13.56	377
	A30BG005	BG245C	ASPHALT FINISHER, 10' WIDE SCREED, CRAWLER, W/19' 6" SCREED EXTENSION, 215 CF HOPPER	158 HP	D-off	\$395,807	122.72	27.62	42.05	6.59	15.42	374
	A30BG003	BG260C	ASPHALT FINISHER, 10' WIDE SCREED, WHEEL, W/19' 6" SCREED EXTENSION, 215 CF HOPPER	158 HP	D-off	\$395,237	122.56	26.54	39.92	6.58	15.42	382

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	BLAW KNOX CONSTRUCTION EQUIPMENT CORP.											
	A30BK010	PF-150	ASPHALT PAVER/FINISHER, 8' WIDE SCREED, WHEEL, 107 CF HOPPER	47 HP	D-off	\$157,207	46.92	10.64	16.03	2.62	4.59	154
	A30BK011	PF-161	ASPHALT PAVER/FINISHER, 8' WIDE SCREED, WHEEL, 181 CF HOPPER	107 HP	D-off	\$276,117	84.53	18.75	28.31	4.59	10.44	210
	A30BK013	PF-3172	ASPHALT PAVER/FINISHER, 10' WIDE SCREED, WHEEL, 182 CF HOPPER	145 HP	D-off	\$292,088	92.77	19.90	30.07	4.86	14.15	299
	A30BK015	PF-3200	ASPHALT PAVER/FINISHER, 10' WIDE SCREED, WHEEL, 225 CF HOPPER	184 HP	D-off	\$335,633	108.63	22.81	34.45	5.58	17.95	340
	A30BK017	PF-5500	ASPHALT PAVER/FINISHER, 10' WIDE SCREED, CRAWLER, 218 CF HOPPER	184 HP	D-off	\$354,057	113.09	24.70	37.62	5.89	17.95	340
	A30BK018	PF-5510	ASPHALT PAVER/FINISHER, 10' WIDE SCREED, CRAWLER, 218 CF HOPPER	184 HP	D-off	\$364,221	115.76	25.41	38.70	6.06	17.95	320
	A30BK019	RW 100 A	ASPHALT PAVER, SHOULDER PAVING MACHINE, 1'-10' WIDE, BITUMINOUS & AGGREGATE, WHEEL, 72.5 CF HOPPER	105 HP	D-off	\$215,528	68.07	14.88	22.57	3.59	10.25	245
	A30BK020	RW 195 D	ASPHALT PAVER, SHOULDER PAVING MACHINE, 2'-10' WIDE, BITUMINOUS & AGGREGATE, WHEEL, 73 CF HOPPER	173 HP	D-off	\$277,613	91.94	19.21	29.17	4.62	16.88	330
	A30BK021	TITAN 325 EPM	ASPHALT PAVER, 32.8' WIDE, CRAWLER W/DUAL TAMPER SCREED, 270 CF HOPPER	176 HP	D-off	\$359,248	113.58	25.07	38.17	5.98	17.17	399
	A30BK022	PF-2181	ASPHALT PAVER, 8' WIDE SCREED, WHEEL, 2 WHEEL DRIVE, 182 CF HOPPER	145 HP	D-off	\$273,354	87.85	18.59	28.08	4.55	14.15	283

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>A30</i>			<i>BLAW KNOX CONSTRUCTION EQUIPMENT CORP. (continued)</i>									
	A30BK023	PF-4410	ASPHALT PAVER, 8' WIDE SCREED, CRAWLER, 155 CF HOPPER	145 HP	D-off	\$307,750	96.68	21.47	32.70	5.12	14.15	269
			CATERPILLAR INC. (MACHINE DIVISION)									
	A30CA013	AP-650B	ASPHALT PAVER, 8' WIDE SCREED, CRAWLER, 177 CF HOPPER	121 HP	D-off	\$289,056	89.15	20.17	30.71	4.81	11.81	402
	A30CA002	AP-800C	ASPHALT PAVER, 8' WIDE+2' EXT. PAVEMASTER SCREED, WHEEL, 195 CF HOPPER	107 HP	D-off	\$285,886	86.94	19.46	29.39	4.76	10.44	319
	A30CA014	AP-900B	ASPHALT PAVER, 10' WIDE SCREED, WHEEL, 215 CF HOPPER	153 HP	D-off	\$301,465	96.29	20.43	30.82	5.02	14.93	378
	A30CA008	AP-1000B	ASPHALT PAVER, 10' - 12' WIDE PAVEMASTER SCREED, WHEEL, 215 CF HOPPER	174 HP	D-off	\$333,478	107.03	22.70	34.30	5.55	16.98	468
	A30CA015	AP-1050B	ASPHALT PAVER, 10' WIDE EXTEND-A-MAT SCREED, CRAWLER, 215 CF HOPPER	174 HP	D-off	\$481,781	145.56	33.62	51.19	8.02	16.98	415
	A30CA016	AP-1055B	ASPHALT PAVER, 10' WIDE SCREED, CRAWLER, 215 CF HOPPER	173 HP	D-off	\$374,358	117.24	26.12	39.78	6.23	16.88	413
	A30CA009	AP-1050B	ASPHALT PAVER, 10' - 24' WIDE PAVEMASTER SCREED, CRAWLER, 215 CF HOPPER	173 HP	D-off	\$408,107	126.09	28.47	43.36	6.79	16.88	418
			CHAMPION ROAD MACHINERY-PRO PAV (WIRTGEN)									
	A30CH001	780WB	ASPHALT PAVER, 8' WIDE SCREED, WHEEL, 190 CF HOPPER	110 HP	D-off	\$265,908	82.17	18.03	27.22	4.42	10.73	265
	A30CH002	880WB	ASPHALT PAVER, 8' WIDE SCREED, WHEEL, 190 CF HOPPER	152 HP	D-off	\$290,009	92.98	19.75	29.84	4.83	14.83	315

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
A30	<i>CHAMPION ROAD MACHINERY-PRO PAV (WIRTGEN (continued))</i>											
	A30CH003	880RTB	ASPHALT PAVER, 8' WIDE SCREED, CRAWLER-RUBBER TRACK, 190 CF HOPPER	152 HP	D-off	\$291,907	93.28	20.37	31.02	4.86	14.83	282
	A30CH004	1010WB	ASPHALT PAVER, 10' WIDE SCREED, WHEEL, 205 CF HOPPER	152 HP	D-off	\$305,288	96.95	20.78	31.39	5.08	14.83	305
	A30CH005	1110WB	ASPHALT PAVER, 10' WIDE SCREED, WHEEL, 225 CF HOPPER	173 HP	D-off	\$333,289	106.87	22.69	34.28	5.55	16.88	343
	A30CH006	1110RTB SWIFTRACK	ASPHALT PAVER, 10' WIDE SCREED, CRAWLER-RUBBER TRACK, 225 CF HOPPER	200 HP	D-off	\$388,386	123.87	27.10	41.27	6.46	19.52	402
	GEHL COMPANY											
	A30GC002	1448	ASPHALT PAVER, 8' WIDE SCREED, WHEEL, 80 CF HOPPER	25 HP	D-off	\$38,666	12.91	2.66	4.03	0.64	2.44	67
	A30GC004	1648	ASPHALT PAVER, 9' WIDE SCREED, CRAWLER, 120 CF HOPPER	41 HP	D-off	\$55,496	19.06	3.87	5.90	0.92	4.00	85
	SUBCATEGORY 0.20 TOWED											
	MIDLAND MACHINERY CO											
A30MP001	SP-8	ASPHALT PAVER, SHOULDER PAVING MACHINE, 1'-8' WIDE, BITUMINOUS & AGGREGATE, WHEEL, 80 CF HOPPER	80 HP	D-off	\$133,722	32.86	7.59	10.70	2.24	7.12	185	
A30MP002	SP-10	ASPHALT PAVER, SHOULDER PAVING MACHINE, 1'-10' WIDE, BITUMINOUS & AGGREGATE, WHEEL, 80 CF HOPPER	100 HP	D-off	\$174,002	42.37	9.88	13.92	2.92	8.90	275	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.30		SLURRY SEAL PAVERS (Cold mix)									
			NO SPECIFIC MANUFACTURER									
	A30XX001	MINIMAC	ASPHALT PAVER, SLURRY SEAL PAVER 8' WIDE, SELF PROPELLED, WHEEL, 80 CF HOPPER	110 HP	D-off	\$145,568	30.15	7.18	9.56	2.40	9.16	130
	A30XX002	MACROPAVER 12B	ASPHALT PAVER, SLURRY SEAL PAVER 8' WIDE, TRUCK MTD, 12 CF HOPPER (ADD 40,000 GVW TRUCK)	110 HP	D-off	\$178,236	34.04	8.88	11.88	2.94	9.16	175
	SUBCATEGORY 0.40		MISCELLANEOUS ROAD EQUIPMENT									
			BLAW KNOX CONSTRUCTION EQUIPMENT CORP.									
	A30BK024	MC-330	ASPHALT PAVER, MOBILE CONVEYOR, 60" WIDE BELT, WHEEL (ADD ASPHALT PAVER UNIT)	184 HP	D-off	\$349,297	83.80	19.52	27.32	5.86	16.37	430
			CATERPILLAR INC. (MACHINE DIVISION)									
	A30CA007	BG-650	ASPHALT PAVER, ASPHALT WINDROW ELEVATOR, WHEEL (ADD ASPHALT PAVER UNIT)	107 HP	D-off	\$121,848	33.54	6.77	9.46	2.04	9.52	171
			LEE-BOY									
	A30LD001	3000	ASPHALT PAVER, ASPHALT FORCE FEED LOADER, 30" WIDE BELT, WINDROW OR LOOSE, WHEEL (ADD ASPHALT PAVER UNIT)	110 HP	D-off	\$142,388	37.94	7.84	10.89	2.39	9.79	198

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
ROADTEC (ASTEC INDUSTRIES COMPANY)												
	A30RT001	SB-1500	ASPHALT PAVER, ASPHALT MATERIAL TRANSFER VEHICLE, 15 TON HOPPER, 600 TPH, 65" WIDE CONVEYOR, WHEEL	275 HP	D-off	\$500,158	120.54	28.38	39.97	8.39	24.47	600
	A30RT002	SB-2500B	ASPHALT PAVER, ASPHALT MATERIAL TRANSFER VEHICLE, 25 TON HOPPER, 1000 TPH, 69" WIDE CONVEYOR, WHEEL	275 HP	D-off	\$524,412	125.10	29.73	41.88	8.79	24.47	790
A35	ASPHALT PAVING KETTLES											
	SUBCATEGORY 0.00	ASPHALT PAVING KETTLES										
AEROIL PRODUCTS COMPANY, INC.												
	A35AE001	KEB-80KE	ASPHALT/PAVEMENT KETTLE, 80 GAL, TRAILER W/PUMP & HOSE	5 HP	G	\$10,182	6.00	0.83	1.29	0.18	0.92	9
	A35AE002	KEB-115KE	ASPHALT/PAVEMENT KETTLE, 115 GAL, TRAILER W/PUMP & HOSE	5 HP	G	\$10,566	6.82	0.86	1.34	0.19	0.92	11
	A35AE003	KEB-170KE	ASPHALT/PAVEMENT KETTLE, 170 GAL, TRAILER W/PUMP & HOSE	5 HP	G	\$11,361	7.43	0.94	1.47	0.20	0.92	15
	A35AE004	KEB-260KE	ASPHALT/PAVEMENT KETTLE, 260 GAL, TRAILER W/PUMP & HOSE	5 HP	G	\$12,465	8.65	1.03	1.61	0.22	0.92	19
	A35AE005	KEB-360KE	ASPHALT/PAVEMENT KETTLE, 360 GAL, TRAILER W/PUMP & HOSE	5 HP	G	\$13,692	11.18	1.11	1.73	0.24	0.92	20

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
A40	ASPHALT & CONCRETE MILLERS / PROFILERS / PLANERS / ROTARY GRINDERS											
	SUBCATEGORY 0.00 ASPHALT & CONCRETE MILLERS / PROFILERS / PLANERS / ROTARY GRINDERS											
	CATERPILLAR INC. (MACHINE DIVISION)											
A40CA008	PM-465		ASPHALT COLD PLANER, 75" W X 10" D, CRAWLER (ADD CUTTING TEETH COSTS)	500 HP	D-off	\$479,844	234.26	40.53	63.98	8.54	64.58	505
A40CA009	PM-565B		ASPHALT COLD PLANER, 83" W X 12" D, CRAWLER (ADD CUTTING TEETH COSTS)	625 HP	D-off	\$673,972	317.85	56.93	89.86	12.00	80.72	735
	TEREX - CMI (TEREX ROADBUILDING)											
A40CW001	PR-950		ASPHALT PROFILER, MAX 12.5' W X 15' D, CRAWLER (ADD CUTTING TEETH COSTS)	950 HP	D-off	\$788,700	403.57	66.62	105.16	14.04	122.69	1,205
	ROADTEC (ASTEC INDUSTRIES COMPANY)											
A40RT001	RX-20B		ASPHALT COLD PLANER, 40" W X 10" D, WHEEL (ADD CUTTING TEETH COSTS)	230 HP	D-off	\$328,587	143.09	27.02	42.33	5.85	29.70	324
A40RT002	RX-25		ASPHALT COLD PLANER, 52" W X 8" D, CRAWLER (ADD CUTTING TEETH COSTS)	250 HP	D-off	\$429,283	181.03	36.26	57.24	7.64	32.29	420
A40RT003	RX-45B		ASPHALT COLD PLANER, 78" W X 12" D, CRAWLER (ADD CUTTING TEETH COSTS)	460 HP	D-off	\$526,520	244.22	44.47	70.20	9.37	59.41	617
A40RT005	RX-68B		ASPHALT COLD PLANER, 98" W X 12" D, CRAWLER (ADD CUTTING TEETH COSTS)	800 HP	D-off	\$715,969	357.34	60.48	95.46	12.75	103.32	830

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>A40</i>	<i>ROADTEC (ASTEC INDUSTRIES COMPANY) (continued)</i>											
	A40RT006	RX-70B	ASPHALT COLD PLANER, 150" W X 8" D, CRAWLER (ADD CUTTING TEETH COSTS)	800 HP	D-off	\$792,960	383.32	66.99	105.73	14.12	103.32	920
A45	ASPHALT RECYCLERS & SEALERS											
	SUBCATEGORY 0.00 ASPHALT RECYCLERS & SEALERS											
	AEROIL PRODUCTS COMPANY, INC.											
	A45AE001	HEPR-52V	ASPHALT RESURFACER-PATCHER, 4' WIDE, 17.3 SF, 600,000 BTU INFRA-RED HEATER, TRAILER MTD			\$9,103	10.50	0.87	1.40	0.17	0.00	11
	A45AE002	HEPR-96V	ASPHALT RESURFACER-PATCHER, 8' WIDE, 32.0 SF, 1,200,000 BTU INFRA-RED HEATER, TRAILER MTD			\$17,672	20.90	1.71	2.78	0.32	0.00	16
	A45AE003	HEPR-120V	ASPHALT RESURFACER-PATCHER, 10' WIDE, 40.0 SF, 1,420,000 BTU INFRA-RED HEATER, TRAILER MTD			\$20,790	24.69	2.02	3.28	0.38	0.00	17
	ROSCO, A LeeBoy COMPANY											
	A45RS001	RA-2000	ASPHALT SPRAY PATCHER, 300 GAL, ARTICULATED BOOM - 17' R, TRAILER MTD	80 HP	D-off	\$47,576	26.42	4.63	7.52	0.87	7.12	60
	A45RS002	RA-300	ASPHALT SPRAY PATCHER, 400 GAL, TELESCOPIC BOOM - 22' EXT, TRUCK MTD	210 HP	D-on	\$152,501	83.23	14.99	24.40	2.79	22.20	179

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SEALMASTER, INC.											
	A45SE003	SP300 DUAL	ASPHALT SEALCOATER, 320 GAL, 75 GPM, 108" WIDE DUAL SPRAY, SQUEEGEE, SELF PROPELLED	30 HP	D-off	\$37,404	19.14	3.63	5.90	0.68	2.67	43
	A45SE004	TR-1000	ASPHALT SEALCOATER, 1000 GAL, 50 GPM, 88" WIDE SPRAY BAR, TRAILER MTD	13 HP	G	\$24,150	12.21	2.29	3.69	0.44	2.40	52
B10	BATCH PLANTS, ASPHALT & CONCRETE											
	SUBCATEGORY 0.20 CONCRETE											
	CEMEN TECH											
	B10CC007	MCD2-50HT	BATCH PLANT, CONCRETE DISPENSER, 15 CY/HR MAX, W/TWO AGGREGATE BINS, 2 CY/ 1 CY CEMENT BIN/ 7' LONG SLOPING 8" DIA SCREW WET MIXER/DELIVERER/ 250 GAL WATER TANK/ & METERING PUMP, 2 CY LOAD, TRAILER MTD	18 HP	G	\$47,401	18.88	3.13	4.64	0.81	3.32	80
	B10CC008	MCD5-100H	BATCH PLANT, CONCRETE DISPENSER, 30 CY/HR MAX, W/TWO AGGREGATE BINS, 5.5 CY/ 1.9 CY CEMENT BIN/ 9' LONG SLOPING 9" DIA SCREW WET MIXER/DELIVERER/ 250 GAL WATER TANK/ & METERING PUMP, 5 CY LOAD, TRUCK MTD	163 HP	G	\$128,611	70.80	8.48	12.53	2.21	30.10	132

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B10</i>	<i>CEMEN TECH (continued)</i>											
	B10CC009	MCD8-100H	BATCH PLANT, CONCRETE DISPENSER, 30 CY/HR MAX, W/TWO AGGREGATE BINS, 9.3 CY/ 3.1 CY CEMENT BIN/ 9' LONG SLOPING 12" DIA SCREW WET MIXER/DELIVERER/ 250 GAL WATER TANK/ & METERING PUMP, 8 CY LOAD, TRUCK MTD	200 HP	G	\$145,335	83.20	9.48	13.98	2.49	36.93	194
	B10CC010	MCD8-150H	BATCH PLANT, CONCRETE DISPENSER, 60 CY/HR MAX, W/TWO AGGREGATE BINS, 9.6 CY/ 3.1 CY CEMENT BIN/ 9' LONG SLOPING 12" DIA SCREW WET MIXER/DELIVERER/ 250 GAL WATER TANK/ & METERING PUMP, 8 CY LOAD, TRUCK MTD	200 HP	G	\$156,578	86.34	10.24	15.11	2.68	36.93	204
	B10CC012	210 BBL	BATCH PLANT, SILO, CEMENT, 830 CF, 210 BARREL (BATCH PLANT ATTACHMENT)	18 HP	G	\$21,599	10.07	1.45	2.16	0.37	3.32	35
	B10CC011	HS-240	BATCH PLANT, SILO, CEMENT, 38 TON HORIZONTAL 240 BARREL (BATCH PLANT ATTACHMENT)	20 HP	E	\$22,052	7.96	1.49	2.21	0.38	0.87	45
	B10CC013	300 BBL	BATCH PLANT, SILO, CEMENT, 1,200 CF, 300 BARRL (BATCH PLANT ATTACHMENT)	18 HP	G	\$26,163	11.30	1.76	2.62	0.45	3.32	48
	B10CC014		BATCH PLANT, CEMENT LOADING AUGER, 6" DIA, 19' LONG (BATCH PLANT ATTACHMENT)	5 HP	E	\$6,754	2.57	0.46	0.68	0.12	0.22	10
	CON-E-CO											
	B10CL025	MTM 12	BATCH PLANT, CONCRETE MIXER, 12 CY, TILT DRUM, 11.67' DIA, REMOVABLE AXLES, TRAILER MTD (ADD DRY BATCH PLANT)	200 HP	E	\$274,889	83.41	18.37	27.32	4.71	8.71	130

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>B10</i>			<i>CON-E-CO (continued)</i>								
	B10CL021	VERSA-PLANT 10	BATCH PLANT, CONCRETE AGGREGATE DRY, 40CY/HR, 10 CY AGGREGATE BATCHER, W/30" X 40' LOADING CONVEYOR, SCALES & WATER METER INCLUDED, TRAILER MTD (ADD 5 KW GENERATOR, WATER TANK & WET BATCHER)	35 HP	E	\$86,654	24.34	5.67	8.36	1.49	1.52	190
	B10CL015	PLP MODEL 12	BATCH PLANT, CONCRETE AGGREGATE DRY, 200 CY/HR, W/TWO AGGREGATE BINS, 81 TON, 60 CY/ 36"X20' CONVEYOR/ 3 BIN 12 CY AGGREGATE BATCHER/ 30"X33.5' LOADING CONVEYOR/ & 475 BARREL, 88 TON CEMENT SILO, TRAILER MTD (ADD 110 KW GENERATOR)	30 HP	E	\$161,916	45.74	10.62	15.67	2.78	1.31	380
	B10CL005	LO-PRO 10	BATCH PLANT, CONCRETE AGGREGATE DRY, 275 CY/HR, W/TWO AGGREGATE BINS, 65 TON, 50 CY/ 36"X20' CONVEYOR/ 10 CY AGGREGATE BATCHER/ 36"X36' LOADING CONVEYOR/ & 215 BARREL, 35 TON CEMENT SILO, TRAILER MTD (ADD 140 KW GENERATOR)	120 HP	E	\$300,302	86.57	19.89	29.47	5.15	5.23	410
	B10CL006	LO-PRO 12	BATCH PLANT, CONCRETE AGGREGATE DRY, 275 CY/HR, W/TWO AGGREGATE BINS, 65 TON, 50 CY/ 36"X20' CONVEYOR/ 12 CY AGGREGATE BATCHER/ 36"X36' LOADING CONVEYOR/ & 215 BARREL, 35 TON CEMENT SILO, TRAILER MTD (ADD 140 KW GENERATOR)	120 HP	E	\$305,378	87.88	20.23	29.98	5.24	5.23	426
	B10CL027		BATCH PLANT, CEMENT SILO, 1,910 CF, 475 BARREL (BATCH PLANT ATTACHMENT)			\$22,720	5.84	1.53	2.27	0.39	0.00	144

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B10</i>	<i>CON-E-CO (continued)</i>											
	B10CL042		BATCH PLANT, SCREW CONVEYOR, 6" DIA, 10' LONG (CEMENT SILO ATTACHMENT)	5 HP	E	\$3,241	1.16	0.22	0.32	0.06	0.22	5
	B10CL045		BATCH PLANT, SCREW CONVEYOR, 6" DIA, 20' LONG (CEMENT SILO ATTACHMENT)	10 HP	E	\$4,210	1.73	0.28	0.42	0.07	0.44	11
	B10CL036		BATCH PLANT, SCREW CONVEYOR, 9" DIA, 10' LONG (CEMENT SILO ATTACHMENT)	8 HP	E	\$3,592	1.44	0.24	0.36	0.06	0.35	9
	B10CL040		BATCH PLANT, SCREW CONVEYOR, 9" DIA, 20' LONG (CEMENT SILO ATTACHMENT)	20 HP	E	\$5,017	2.58	0.34	0.50	0.09	0.87	16
	B10CL032		BATCH PLANT, SCREW CONVEYOR, 12" DIA, 10' LONG (CEMENT SILO ATTACHMENT)	10 HP	E	\$4,289	1.75	0.29	0.43	0.07	0.44	10
	B10CL034		BATCH PLANT, SCREW CONVEYOR, 12" DIA, 20' LONG (CEMENT SILO ATTACHMENT)	20 HP	E	\$8,578	3.50	0.58	0.86	0.15	0.87	20
	EXCEL MACHINERY LTD.											
	B10EM001	EXCEL PORT-A-PUG	BATCH PLANT, CONCRETE CONTINUOUS PUGG MILL MIXER, 400 CY/HR MAX, W/12 CY AGGREGATE STORAGE BIN/ 48"X18' METERING CONVEYOR/ CEMENT SILO, 44 TON, 34.8 CY/ 30" X 37' CONVEYOR, TRAILER MTD (ADD 200 KW GENERATOR)	25 HP	G	\$429,762	117.64	28.40	42.06	7.37	4.62	590
	B10EM002		BATCH PLANT, CEMENT SILO, 45 TON HORIZONTAL 350 BARREL (BATCH PLANT ATTACHMENT)	10 HP	E	\$30,125	9.22	1.89	2.74	0.52	0.44	45

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B10</i>			<i>EXCEL MACHINERY LTD. (continued)</i>									
	B10EM003		BATCH PLANT, CEMENT SILO, 2,200 CF (BARREL CAP 550 MAX / 450 MIN) W/DRIVE-THRU TYPE UNDERSTRUCTURE (BATCH PLANT ATTACHMENT)			\$29,973	7.70	2.01	3.00	0.51	0.00	222
			JOHNSON-ROSS (TEREX ROADBUILDING)									
	B10RC007	BANDIT 5	BATCH PLANT, CONCRETE AGGREGATE DRY, 100 CY/HR, W/TWO AGGREGATE BINS, 65 TON, 48 CY/ 36" X 20' CONVEYOR/ 2 BIN 5 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 257 BARREL, 48 TON CEMENT SILO, TRAILER MTD (ADD 100 KW GENERATOR)	15 HP	E	\$140,599	39.37	9.27	13.71	2.41	0.65	3,000
	B10RC032	RUSTLER III	BATCH PLANT, CONCRETE AGGREGATE DRY, 160 CY/HR, W/TWO AGGREGATE BINS, 28 TON, 21 CY/ 2 BIN 12 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 400 BARREL, 75 TON CEMENT SILO, TRAILER MTD (ADD 130 KW GENERATOR)	50 HP	E	\$210,159	61.35	13.81	20.42	3.60	2.18	536
	B10RC006	RUSTLER II	BATCH PLANT, CONCRETE AGGREGATE DRY, 160 CY/HR, W/3 AGGREGATE BINS, 71 TON, 52 CY/ 36" X 20' CONVEYOR/ 3 BIN 12 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ 375 BARREL, 70 TON CEMENT SILO, TRAILER MTD (ADD 130KW GENERATOR)	46 HP	E	\$196,525	57.55	12.90	19.06	3.37	1.98	489

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B10</i>			<i>JOHNSON-ROSS (TEREX ROADBUILDING) (continued)</i>									
	B10RC008	BANDIT 12 BTR	BATCH PLANT, CONCRETE AGGREGATE DRY, 200 CY/HR, W/THREE AGGREGATE BINS, 65 TON, 48 CY/ 36" X 20' CONVEYOR/ 3 BIN 12 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 720 BARREL, 134 TON CEMENT SILO, TRAILER MTD (ADD 100 KW GENERATOR)	30 HP	E	\$163,388	46.21	10.80	15.99	2.80	1.31	250
	B10RC027		BATCH PLANT, CONCRETE MIXER, 4.5 CY, TILT DRUM, SKID MTD (ADD DRY BATCH PLANT)	40 HP	E	\$146,100	42.11	9.81	14.61	2.50	1.74	34
	B10RC028		BATCH PLANT, CONCRETE MIXER, 6.0 CY, TILT DRUM, SKID MTD (ADD DRY BATCH PLANT)	60 HP	E	\$164,197	48.31	11.03	16.42	2.82	2.61	45
	B10RC029		BATCH PLANT, CONCRETE MIXER, 8.0 CY, TILT DRUM, SKID MTD (ADD DRY BATCH PLANT)	80 HP	E	\$185,685	55.36	12.47	18.57	3.18	3.48	60
	B10RC030		BATCH PLANT, CONCRETE MIXER, 10.0 CY, TILT DRUM, SKID MTD (ADD DRY BATCH PLANT)	100 HP	E	\$202,427	62.21	13.59	20.24	3.47	4.36	75
	B10RC031		BATCH PLANT, CONCRETE MIXER, 12.0 CY, TILT DRUM, SKID MTD (ADD DRY BATCH PLANT)	120 HP	E	\$213,845	66.68	14.36	21.38	3.67	5.23	90
	B10RC016	MOBILE MIXER	BATCH PLANT, CONCRETE MIXER, 4.5CY, TILT DRUM TYPE, REVOLVING LIFT STAND, TRAILER MTD (ADD DRY BATCH PLANT & POWER)	75 HP	E	\$239,757	71.58	15.80	23.38	4.11	3.27	420

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
STEPHENS MANUFACTURING CO., INC.												
	B10SN031	DC-12	BATCH PLANT, CONCRETE AGGREGATE DRY, 100 CY/HR, W/2 BIN 12 CY BATCHER/ 24" X 41' LOADING CONVEYOR/ & 311 BARREL, 58 TON CEMENT SILO, TRAILER MTD (ADD 100 KW GENERATOR)	25 HP	E	\$78,853	22.84	4.97	7.24	1.35	1.09	340
	B10SN033	DC COLT	BATCH PLANT, CONCRETE AGGREGATE DRY, 100 CY/HR, W/2 BIN 12 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 311 BARREL, 58 TON CEMENT SILO, TRAILER MTD (ADD 100 KW GENERATOR)	30 HP	E	\$144,431	40.16	9.38	13.80	2.48	1.31	340
	B10SN032	MUSTANG 5	BATCH PLANT, CONCRETE AGGREGATE DRY, 160 CY/HR, W/3 AGGREGATE STORAGE BINS, 29.6 TON, 40 CY/ 3 BIN 5 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 251 BARREL, 47 TON CEMENT SILO, TRAILER MTD (ADD 115 KW GENERATOR)	30 HP	E	\$119,218	33.91	7.67	11.26	2.04	1.31	420
	B10SN034	STALLION	BATCH PLANT, CONCRETE AGGREGATE DRY, 160 CY/HR, W/3 AGGREGATE BIN STORAGE, 70 TON, 48 CY/ 2 BIN 10 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 374 BARREL, 70 TON CEMENT SILO, TRAILER MTD (ADD 100 KW GENERATOR)	20 HP	E	\$156,607	42.61	10.18	15.00	2.68	0.87	360
	B10SN036	MUSTANG 10	BATCH PLANT, CONCRETE AGGREGATE DRY, 160 CY/HR, W/3 AGGREGATE BIN STORAGE, 75 TON, 55 CY/ 2 BIN 10 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 351 BARREL, 65 TON CEMENT SILO, TRAILER MTD (ADD 115 KW GENERATOR)	45 HP	E	\$155,170	44.11	10.09	14.86	2.66	1.96	500

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>B10</i>			<i>STEPHENS MANUFACTURING CO., INC. (continued)</i>								
	B10SN035	THOROUGH-BRED	BATCH PLANT, CONCRETE AGGREGATE DRY, 180 CY/HR, W/4 AGGREGATE BIN STORAGE, 65 TON, 48 CY/2 BIN 12 CY BATCHER/ 30" X 33.5' LOADING CONVEYOR/ & 374 BARREL, 70 TON CEMENT SILO, TRAILER MTD (ADD 100 KW GENERATOR)	30 HP	E	\$163,683	45.24	10.67	15.71	2.81	1.31	300
	SUBCATEGORY 0.30		PUGMILL									
			KOLBERG - PIONEER, INC									
	B10KB001	52 PORTABLE PUGMILL	BATCH PLANT, PUGMILL, CONTINUOUS MIXER, 48" DIA TWIN SHAFT X 6' LONG, W/9 CY FEEDER HOPPER/ 36" X 11.5' BELT FEEDER/ 30" X 27' CONVEYOR/ WATER OR ASPHALT PUMP & METER (ADD 95 KW GENERATOR & ANY MATERIAL FEEDS)	95 HP	E	\$172,273	42.03	9.65	13.52	2.89	4.14	190
	B10KB002	52S PORTABLE PUGMILL	BATCH PLANT, PUGMILL, CONTINUOUS MIXER, 48" DIA TWIN SHAFT X 8' LONG, W/13 CY FEEDER HOPPER/ TWO - 36" X 11.5' BELT FEEDERS/ 2ND 11 CY FEEDER HOPPER/ 30" X 27' CONVEYOR/ WATER OR ASPHALT PUMP & METER (ADD 220 KW GENERATOR & ANY MATERIAL FEEDS)	220 HP	E	\$305,487	77.86	17.19	24.14	5.12	9.58	230

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
B15	BROOMS, STREET SWEEPERS & FLUSHERS												
	SUBCATEGORY 0.00 BROOMS, STREET SWEEPERS & FLUSHERS												
	BROCE MANUFACTURING COMPANY												
B15BM001	RJ-350		BROOM, 8' BROOM PATH, PAVEMENT, SELF PROPELLED	80 HP	D-off	\$44,916	18.74	3.25	5.05	0.72	7.12	45	
	ELGIN SWEEPER COMPANY												
B15EC002	PELICAN P		STREET SWEEPER, 10' BROOM PATH, 3.5 CY HOPPER, 180 GAL WATER TANK, SELF PROPELLED	100 HP	D-off	\$124,198	39.82	8.91	13.81	2.00	8.90	128	
B15EC001	EAGLE F		STREET SWEEPER, 10' BROOM PATH, 4.5 CY HOPPER, 280 GAL WATER TANK, DUAL ENGINE, SELF PROPELLED	49 HP	D-off	170 HP D-on	\$187,231	53.86	13.41	20.78	3.02	7.84	150
B15EC003	BROOM BEAR FL42H		STREET SWEEPER, 12' BROOM PATH, 4.5 CY HOPPER, 350 GAL WATER TANK, SELF PROPELLED	230 HP	D-off		\$176,583	65.31	12.76	19.82	2.85	20.46	213
	M-B COMPANIES, INC.												
B15MB001	MT-AR		STREET SWEEPER, 7' BROOM PATH, W/SPRINKLER AND 152 GAL WATER TANK, PTO DRIVE (ADD 45-100 HP TRACTOR)				\$7,984	2.02	0.58	0.90	0.13	0.00	10
B15MB002	HT		STREET SWEEPER, 7' BROOM PATH, W/SPRINKLER AND 152 GAL WATER TANK, PTO DRIVE (ADD 45-100 HP TRACTOR)				\$9,645	2.46	0.71	1.09	0.16	0.00	12

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B15</i>			<i>M-B COMPANIES, INC. (continued)</i>									
	B15MB003	53T	STREET SWEEPER, 7' BROOM PATH, W/SPRINKLER AND 152 GAL WATER TANK, TOWED, HYDRAULIC (ADD TOWING UNIT)			\$14,038	3.60	1.00	1.53	0.23	0.00	18
	B15MB004	53MH	STREET SWEEPER, 7' BROOM PATH, W/SPRINKLER AND 152 GAL WATER TANK, TOWED (ADD TOWING UNIT)	18 HP	G	\$16,148	7.52	1.14	1.76	0.26	3.32	17
			ROSCO, A LeeBoy COMPANY									
	B15RS005	CHALLENGER II	STREET SWEEPER, 7' BROOM PATH, W/SPRINKLER AND 125 GAL WATER TANK, SELF PROPELLED	80 HP	D-off	\$51,834	20.45	3.72	5.75	0.84	7.12	75
	B15RS001	RB-48	STREET SWEEPER, 8' BROOM PATH, W/SPRINKLER AND 150 GAL WATER TANK, SELF PROPELLED	80 HP	D-off	\$39,794	17.54	2.85	4.42	0.64	7.12	52
			TERRAMITE CONSTRUCTION EQUIPMENT									
	B15TB001	TSS46	STREET SWEEPER, 6' BROOM PATH, W/SPRINKLER AND 2 - 50 GAL WATER TANKS, SELF PROPELLED	37 HP	D-off	\$22,744	9.17	1.62	2.50	0.37	3.29	34
	B15TB002	TSS48	STREET SWEEPER, 8' BROOM PATH, W/SPRINKLER AND 2 - 50 GAL WATER TANKS, SELF PROPELLED	37 HP	D-off	\$22,884	9.21	1.63	2.52	0.37	3.29	34
			WALDON, INC.									
	B15WD001	SWEEPMASTER 250	BROOM, 7.5' BROOM PATH, PAVEMENT, SELF PROPELLED	80 HP	D-off	\$35,696	16.56	2.56	3.96	0.58	7.12	48
	B15WD002	SWEEPMASTER 250	BROOM, 90" BROOM PATH, PAVEMENT, W/SPRINKLER AND 180 GAL WATER TANK, SELF PROPELLED	80 HP	D-off	\$36,981	16.88	2.66	4.11	0.60	7.12	48

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	B20	BRUSH CHIPPERS										
	SUBCATEGORY 0.00	BRUSH CHIPPERS										
		BANDIT INDUSTRIES, INC.										
	B20BN001	65	BRUSH CHIPPER, 6" CAPACITY, DISC TYPE, TRAILER MTD	25 HP	G	\$11,290	8.10	0.81	1.25	0.18	4.62	20
	B20BN002	90W-XP	BRUSH CHIPPER, 9" CAPACITY, DISC TYPE, TRAILER MTD	71 HP	G	\$17,973	19.48	1.29	1.99	0.29	13.11	32
	B20BN003	200XP	BRUSH CHIPPER, 12" CAPACITY, DISC TYPE, TRAILER MTD	140 HP	G	\$22,958	35.22	1.64	2.54	0.37	25.85	58
	B20BN005	1290	BRUSH CHIPPER, 12" CAPACITY, DRUM TYPE, TRAILER MTD	70 HP	G	\$19,697	19.71	1.41	2.18	0.32	12.93	44
	B20BN006	1690	BRUSH CHIPPER, 16" CAPACITY, DRUM TYPE, TRAILER MTD	119 HP	G	\$21,778	30.52	1.56	2.41	0.35	21.98	44
	B20BN007	1890	BRUSH CHIPPER, 18" CAPACITY, DRUM TYPE, TRAILER MTD	125 HP	D-off	\$39,701	22.51	2.81	4.34	0.64	11.12	78
			MORBARK, INC.									
	B20MQ001	2070XL	BRUSH CHIPPER, 10" CAPACITY, DRUM TYPE, TRAILER MTD	86 HP	D-off	\$22,162	14.20	1.60	2.48	0.36	7.65	40
	B20MQ003	13	BRUSH CHIPPER, 13" CAPACITY, DRUM TYPE, TRAILER MTD	140 HP	D-off	\$31,016	21.83	2.23	3.45	0.50	12.46	68
	B20MQ004	2400XL	BRUSH CHIPPER, 18" CAPACITY, DRUM TYPE, TRAILER MTD	250 HP	D-off	\$36,456	34.16	2.58	3.97	0.59	22.24	94
	B20MQ005	22 RXL	BRUSH CHIPPER, LOG CHIPPER, 22" CAPACITY, DISC TYPE, TRAILER MTD	650 HP	D-off	\$383,881	163.70	27.61	42.84	6.19	57.83	700

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
B25	BUCKETS, CLAMSHELL											
	SUBCATEGORY 0.00	BUCKETS, CLAMSHELL										
	HAWCO MANUFACTURING COMPANY, LLC											
	B25HB001	HD-050	BUCKET, CLAMSHELL, 0.5 CY, HEAVY DUTY/DIGGING			\$19,027	4.22	1.38	2.14	0.31	0.00	30
	B25HB003	HD-100	BUCKET, CLAMSHELL, 1.0 CY, HEAVY DUTY/DIGGING			\$30,565	6.78	2.21	3.44	0.49	0.00	48
	B25HB005	HD-150	BUCKET, CLAMSHELL, 1.5 CY, HEAVY DUTY/DIGGING			\$39,744	8.82	2.88	4.47	0.64	0.00	66
	B25HB007	HD-200	BUCKET, CLAMSHELL, 2.0 CY, HEAVY DUTY/DIGGING			\$46,918	10.42	3.40	5.28	0.76	0.00	78
	B25HB008	HD-250	BUCKET, CLAMSHELL, 2.5 CY, HEAVY DUTY/DIGGING			\$54,690	12.13	3.96	6.15	0.88	0.00	91
	B25HB009	HD-300	BUCKET, CLAMSHELL, 3.0 CY, HEAVY DUTY/DIGGING			\$60,282	13.37	4.36	6.78	0.97	0.00	103
	B25HB010	HD-350	BUCKET, CLAMSHELL, 3.5 CY, HEAVY DUTY/DIGGING			\$63,740	14.14	4.62	7.17	1.03	0.00	131
	B25HB011	HD-400	BUCKET, CLAMSHELL, 4.0 CY, HEAVY DUTY/DIGGING			\$65,585	14.56	4.75	7.38	1.06	0.00	145
	B25HB012	HD-450	BUCKET, CLAMSHELL, 4.5 CY, HEAVY DUTY/DIGGING			\$69,509	15.42	5.03	7.82	1.12	0.00	165
	B25HB013	HD-500	BUCKET, CLAMSHELL, 5.0 CY, HEAVY DUTY/DIGGING			\$71,816	15.94	5.20	8.08	1.16	0.00	173
	B25HB014	HD-550	BUCKET, CLAMSHELL, 5.5 CY, HEAVY DUTY/DIGGING			\$74,995	16.64	5.43	8.44	1.21	0.00	178
	B25HB015	HD-600	BUCKET, CLAMSHELL, 6.0 CY, HEAVY DUTY/DIGGING			\$77,868	17.28	5.64	8.76	1.26	0.00	199

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	NO SPECIFIC MANUFACTURER											
	B25XX001	1/4SSN	BUCKET, CLAMSHELL, 0.2 CY, SQUARE NOSE, STANDARD			\$8,603	1.91	0.63	0.97	0.14	0.00	14
	B25XX002	1/2SSN	BUCKET, CLAMSHELL, 0.5 CY, SQUARE NOSE, STANDARD			\$12,820	2.85	0.93	1.44	0.21	0.00	27
	B25XX003	3/4SSN	BUCKET, CLAMSHELL, 0.7 CY, SQUARE NOSE, STANDARD			\$15,827	3.52	1.15	1.78	0.26	0.00	35
	B25XX004	1SSN	BUCKET, CLAMSHELL, 1.0 CY, SQUARE NOSE, STANDARD			\$17,388	3.86	1.26	1.96	0.28	0.00	43
	B25XX005	1-1/4SSN	BUCKET, CLAMSHELL, 1.2 CY, SQUARE NOSE, STANDARD			\$20,244	4.50	1.47	2.28	0.33	0.00	49
	B25XX006	1-1/2SSN	BUCKET, CLAMSHELL, 1.5 CY, SQUARE NOSE, STANDARD			\$22,886	5.07	1.66	2.57	0.37	0.00	64
	B25XX007	1-3/4SSN	BUCKET, CLAMSHELL, 1.7 CY, SQUARE NOSE, STANDARD			\$24,425	5.42	1.77	2.75	0.39	0.00	67
	B25XX008	2SSN	BUCKET, CLAMSHELL, 2.0 CY, SQUARE NOSE, STANDARD			\$28,516	6.33	2.07	3.21	0.46	0.00	76
	B25XX009	2-1/2SSN	BUCKET, CLAMSHELL, 2.5 CY, SQUARE NOSE, STANDARD			\$30,090	6.69	2.19	3.39	0.49	0.00	92
	B25XX010	3SSN	BUCKET, CLAMSHELL, 3.0 CY, SQUARE NOSE, STANDARD			\$32,046	7.12	2.33	3.61	0.52	0.00	98
	B25XX011	3-1/2SSN	BUCKET, CLAMSHELL, 3.5 CY, SQUARE NOSE, STANDARD			\$33,647	7.47	2.44	3.79	0.54	0.00	108
	B25XX012	4SSN	BUCKET, CLAMSHELL, 4.0 CY, SQUARE NOSE, STANDARD			\$37,565	8.34	2.73	4.23	0.61	0.00	119
	B25XX013	4-1/2SSN	BUCKET, CLAMSHELL, 4.5 CY, SQUARE NOSE, STANDARD			\$50,383	11.18	3.65	5.67	0.81	0.00	145
	B25XX014	5SSN	BUCKET, CLAMSHELL, 5.0 CY, SQUARE NOSE, STANDARD			\$53,760	11.93	3.90	6.05	0.87	0.00	154

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>B25</i>			<i>NO SPECIFIC MANUFACTURER (continued)</i>								
	B25XX015	5-1/2SSN	BUCKET, CLAMSHELL, 5.5 CY, SQUARE NOSE, STANDARD			\$64,637	14.34	4.68	7.27	1.04	0.00	158
	B25XX016	6SSN	BUCKET, CLAMSHELL, 6.0 CY, SQUARE NOSE, STANDARD			\$65,252	14.47	4.72	7.34	1.05	0.00	166
	B25XX017	6-1/2SSN	BUCKET, CLAMSHELL, 6.5 CY, SQUARE NOSE, STANDARD			\$70,436	15.63	5.10	7.92	1.14	0.00	177
	B25XX018	7SSN	BUCKET, CLAMSHELL, 7.0 CY, SQUARE NOSE, STANDARD			\$67,032	14.87	4.85	7.54	1.08	0.00	185
	B25XX019	7-1/2SSN	BUCKET, CLAMSHELL, 7.5 CY, SQUARE NOSE, STANDARD			\$74,836	16.61	5.42	8.42	1.21	0.00	192
B30	BUCKETS, CONCRETE											
	SUBCATEGORY 0.10	GENERAL PURPOSE, MANUAL TRIP										
	GAR-BRO MANUFACTURING COMPANY											
	B30GB018	413-G	BUCKET, CONCRETE, GENERAL PURPOSE, 0.5 CY			\$3,234	0.73	0.24	0.38	0.05	0.00	4
	B30GB001	433-G	BUCKET, CONCRETE, GENERAL PURPOSE, 1.0 CY			\$4,081	0.92	0.30	0.48	0.06	0.00	6
	B30GB002	442-G	BUCKET, CONCRETE, GENERAL PURPOSE, 1.5 CY			\$5,341	1.21	0.40	0.63	0.08	0.00	8
	B30GB003	462-G	BUCKET, CONCRETE, GENERAL PURPOSE, 2.0 CY			\$6,586	1.49	0.49	0.78	0.10	0.00	10
	B30GB004	493-G	BUCKET, CONCRETE, GENERAL PURPOSE, 3.0 CY			\$9,518	2.17	0.72	1.13	0.15	0.00	14
	B30GB005	4123-G	BUCKET, CONCRETE, GENERAL PURPOSE, 4.0 CY			\$11,376	2.59	0.86	1.35	0.18	0.00	18

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.20 LAYDOWN											
	GAR-BRO MANUFACTURING COMPANY											
	B30GB006	425-A	BUCKET, CONCRETE, LAYDOWN, 1.0 CY, HEAVY DUTY AIR GATE			\$20,930	4.91	1.58	2.49	0.33	0.00	26
	B30GB007	465-A	BUCKET, CONCRETE, LAYDOWN, 2.0 CY, HEAVY DUTY AIR GATE			\$22,708	5.32	1.70	2.70	0.35	0.00	32
	B30GB008	495-A	BUCKET, CONCRETE, LAYDOWN, 3.0 CY, HEAVY DUTY AIR GATE			\$25,229	5.91	1.89	3.00	0.39	0.00	40
	B30GB009	4125-A	BUCKET, CONCRETE, LAYDOWN, 4.0 CY, HEAVY DUTY AIR GATE			\$28,845	6.76	2.17	3.43	0.45	0.00	51
	B30GB010	4155-A	BUCKET, CONCRETE, LAYDOWN, 5.0 CY, HEAVY DUTY AIR GATE			\$35,765	8.38	2.69	4.25	0.56	0.00	73
	SUBCATEGORY 0.30 LOWBOY											
	CAMLEVER											
	B30CR001	LB-375	BUCKET, CONCRETE, LOWBOY, 0.38 CY, AIR GATE			\$4,799	1.15	0.36	0.57	0.07	0.00	2
	B30CR002	LB-050	BUCKET, CONCRETE, LOWBOY, 0.5 CY, AIR GATE			\$5,145	1.24	0.39	0.61	0.08	0.00	2
	B30CR003	LB-075	BUCKET, CONCRETE, LOWBOY, 0.75 CY, AIR GATE			\$5,562	1.34	0.42	0.66	0.09	0.00	3
	B30CR004	LB-100	BUCKET, CONCRETE, LOWBOY, 1.0 CY, AIR GATE			\$5,768	1.38	0.43	0.68	0.09	0.00	5
	B30CR005	LB-150	BUCKET, CONCRETE, LOWBOY, 1.5 CY, AIR GATE			\$6,793	1.64	0.52	0.81	0.11	0.00	6
	B30CR009	LXB-150	BUCKET, CONCRETE, LOWBOY, 1.5 CY, AIR GATE			\$7,145	1.72	0.54	0.85	0.11	0.00	6

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B30</i>	<i>CAMLEVER (continued)</i>											
	B30CR006	LB-200	BUCKET, CONCRETE, LOWBOY, 2.0 CY, AIR GATE			\$7,998	1.92	0.60	0.95	0.12	0.00	8
	B30CR010	LXB-200	BUCKET, CONCRETE, LOWBOY, 2.0 CY, AIR GATE			\$8,324	2.01	0.63	0.99	0.13	0.00	6
	B30CR011	LXB-300	BUCKET, CONCRETE, LOWBOY, 3.0 CY, AIR GATE			\$9,856	2.37	0.74	1.17	0.15	0.00	6
	B30CR012	LXB-400	BUCKET, CONCRETE, LOWBOY, 4.0 CY, AIR GATE			\$11,374	2.74	0.86	1.35	0.18	0.00	6
	SUBCATEGORY 0.40	LOW SLUMP										
	GAR-BRO MANUFACTURING COMPANY											
	B30GB011	440-A	BUCKET, CONCRETE, LOW SLUMP, 1.0 CY, AIR GATE			\$16,555	3.99	1.25	1.97	0.26	0.00	20
	B30GB012	450-A	BUCKET, CONCRETE, LOW SLUMP, 1.5 CY, AIR GATE			\$17,169	4.14	1.29	2.04	0.27	0.00	21
	B30GB013	460-A	BUCKET, CONCRETE, LOW SLUMP, 2.0 CY, AIR GATE			\$17,832	4.30	1.34	2.12	0.28	0.00	24
	B30GB014	493-A	BUCKET, CONCRETE, LOW SLUMP, 3.0 CY, AIR GATE			\$23,622	5.70	1.78	2.81	0.37	0.00	49
	B30GB015	4139-A	BUCKET, CONCRETE, LOW SLUMP, 4.0 CY, AIR GATE			\$24,487	5.90	1.84	2.91	0.38	0.00	52
	B30GB016	4200-A	BUCKET, CONCRETE, LOW SLUMP, 6.0 CY, AIR GATE			\$35,227	8.48	2.64	4.18	0.55	0.00	78
	B30GB017	4250-A	BUCKET, CONCRETE, LOW SLUMP, 8.0 CY, AIR GATE			\$42,335	10.20	3.18	5.03	0.66	0.00	90

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
B35	BUCKETS, DRAGLINE											
	SUBCATEGORY 0.10		LIGHT WEIGHT									
	HENDRIX MANUFACTURING COMPANY, INC.											
	B35HE001	LS	BUCKET, DRAGLINE, 0.75 CY, LIGHT WEIGHT/PERFORATED			\$7,862	1.74	0.57	0.88	0.13	0.00	15
	B35HE002	LS	BUCKET, DRAGLINE, 1.0 CY, LIGHT WEIGHT/PERFORATED			\$9,219	2.05	0.67	1.04	0.15	0.00	18
	B35HE003	LS	BUCKET, DRAGLINE, 1.5 CY, LIGHT WEIGHT/PERFORATED			\$13,066	2.90	0.95	1.47	0.21	0.00	26
	B35HE004	LS	BUCKET, DRAGLINE, 2.0 CY, LIGHT WEIGHT/PERFORATED			\$15,780	3.50	1.14	1.78	0.25	0.00	32
	B35HE005	LS	BUCKET, DRAGLINE, 2.5 CY, LIGHT WEIGHT/PERFORATED			\$18,074	4.01	1.31	2.03	0.29	0.00	37
	B35HE006	LS	BUCKET, DRAGLINE, 3.0 CY, LIGHT WEIGHT/PERFORATED			\$22,537	5.00	1.63	2.54	0.36	0.00	46
	B35HE007	LS	BUCKET, DRAGLINE, 3.5 CY, LIGHT WEIGHT/PERFORATED			\$24,509	5.45	1.78	2.76	0.40	0.00	50
	B35HE008	LS	BUCKET, DRAGLINE, 4.0 CY, LIGHT WEIGHT/PERFORATED			\$32,176	7.14	2.33	3.62	0.52	0.00	65
	B35HE009	LS	BUCKET, DRAGLINE, 4.5 CY, LIGHT WEIGHT/PERFORATED			\$33,756	7.49	2.44	3.80	0.54	0.00	69
	B35HE010	LS	BUCKET, DRAGLINE, 5.0 CY, LIGHT WEIGHT/PERFORATED			\$39,099	8.68	2.83	4.40	0.63	0.00	85
	B35HE011	LS	BUCKET, DRAGLINE, 6.0 CY, LIGHT WEIGHT/PERFORATED			\$42,331	9.39	3.06	4.76	0.68	0.00	92
	B35HE012	LS	BUCKET, DRAGLINE, 7.0 CY, LIGHT WEIGHT/PERFORATED			\$46,304	10.28	3.36	5.21	0.75	0.00	101

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B35</i>			<i>HENDRIX MANUFACTURING COMPANY, INC. (continued)</i>									
	B35HE013	LS	BUCKET, DRAGLINE, 8.0 CY, LIGHT WEIGHT/PERFORATED			\$51,312	11.38	3.72	5.77	0.83	0.00	112
	B35HE014	LS	BUCKET, DRAGLINE, 9.0 CY, LIGHT WEIGHT/PERFORATED			\$58,712	13.03	4.26	6.61	0.95	0.00	128
	B35HE015	LS	BUCKET, DRAGLINE, 10.0 CY, LIGHT WEIGHT/PERFORATED			\$63,818	14.16	4.62	7.18	1.03	0.00	139
	B35HE016	LS	BUCKET, DRAGLINE, 12.0 CY, LIGHT WEIGHT/PERFORATED			\$76,227	16.92	5.52	8.58	1.23	0.00	166
	B35HE017	LS	BUCKET, DRAGLINE, 14.0 CY, LIGHT WEIGHT/PERFORATED			\$87,698	19.46	6.35	9.87	1.41	0.00	191
			SAUERMAN (NATIONAL OILWELL VARCO)									
	B35SA001	SC-1050-K	BUCKET, DRAGLINE, 1.0 CY, CRESCENT			\$19,459	4.31	1.41	2.19	0.31	0.00	15
	B35SA003	SC-1070-K	BUCKET, DRAGLINE, 2.0 CY, CRESCENT			\$29,198	6.47	2.11	3.28	0.47	0.00	25
	B35SA004	SC-1090-K	BUCKET, DRAGLINE, 3.0 CY, CRESCENT			\$40,057	8.90	2.91	4.51	0.65	0.00	36
	B35SA005	SC-1100-K	BUCKET, DRAGLINE, 4.0 CY, CRESCENT			\$50,243	11.15	3.64	5.65	0.81	0.00	49
	B35SA006	SC-1110-K	BUCKET, DRAGLINE, 5.0 CY, CRESCENT			\$59,226	13.14	4.29	6.66	0.96	0.00	58
	B35SA007	SC-1120-K	BUCKET, DRAGLINE, 6.0 CY, CRESCENT			\$66,660	14.80	4.83	7.50	1.08	0.00	68
	B35SA008	SC-1130-K	BUCKET, DRAGLINE, 8.0 CY, CRESCENT			\$78,739	17.47	5.70	8.86	1.27	0.00	88

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B35</i>			<i>SAUERMAN (NATIONAL OILWELL VARCO) (continued)</i>									
	B35SA009	SC-1140-K	BUCKET, DRAGLINE, 10.0 CY, CRESCENT			\$99,859	22.15	7.23	11.23	1.61	0.00	106
	B35SA010	SC-1150-K	BUCKET, DRAGLINE, 12.0 CY, CRESCENT			\$121,929	27.06	8.83	13.72	1.97	0.00	132
			NO SPECIFIC MANUFACTURER									
	B35XX001	6-1/2L	BUCKET, DRAGLINE, 6.5 CY, LIGHT WEIGHT			\$31,599	7.01	2.29	3.55	0.51	0.00	94
	B35XX002	7-1/2L	BUCKET, DRAGLINE, 7.5 CY, LIGHT WEIGHT			\$35,537	7.88	2.57	4.00	0.57	0.00	106
	B35XX003	8-1/2L	BUCKET, DRAGLINE, 8.5 CY, LIGHT WEIGHT			\$39,281	8.71	2.84	4.42	0.63	0.00	116
	B35XX004	9-1/2L	BUCKET, DRAGLINE, 9.5 CY, LIGHT WEIGHT			\$44,795	9.94	3.24	5.04	0.72	0.00	132
	B35XX005	11L	BUCKET, DRAGLINE, 11.0 CY, LIGHT WEIGHT			\$50,292	11.16	3.64	5.66	0.81	0.00	148
	B35XX006	13L	BUCKET, DRAGLINE, 13.0 CY, LIGHT WEIGHT			\$61,824	13.73	4.48	6.96	1.00	0.00	178
		0.20	MEDIUM WEIGHT									
			HENDRIX MANUFACTURING COMPANY, INC.									
	B35HE018	TS	BUCKET, DRAGLINE, 0.75 CY, MEDIUM WEIGHT			\$8,505	1.69	0.57	0.85	0.14	0.00	17
	B35HE019	TS	BUCKET, DRAGLINE, 1.0 CY, MEDIUM WEIGHT			\$9,736	1.93	0.64	0.97	0.15	0.00	19
	B35HE020	TS	BUCKET, DRAGLINE, 1.5 CY, MEDIUM WEIGHT			\$13,905	2.76	0.92	1.39	0.22	0.00	28

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B35</i>			<i>HENDRIX MANUFACTURING COMPANY, INC. (continued)</i>									
	B35HE021	TS	BUCKET, DRAGLINE, 2.0 CY, MEDIUM WEIGHT			\$17,556	3.50	1.16	1.76	0.28	0.00	36
	B35HE022	TS	BUCKET, DRAGLINE, 2.5 CY, MEDIUM WEIGHT			\$20,243	4.02	1.33	2.02	0.32	0.00	41
	B35HE023	TS	BUCKET, DRAGLINE, 3.0 CY, MEDIUM WEIGHT			\$24,188	4.80	1.59	2.42	0.38	0.00	49
	B35HE024	TS	BUCKET, DRAGLINE, 3.5 CY, MEDIUM WEIGHT			\$26,678	5.30	1.76	2.67	0.42	0.00	54
	B35HE025	TS	BUCKET, DRAGLINE, 4.0 CY, MEDIUM WEIGHT			\$34,568	6.88	2.28	3.46	0.55	0.00	70
	B35HE026	TS	BUCKET, DRAGLINE, 4.5 CY, MEDIUM WEIGHT			\$35,309	7.02	2.33	3.53	0.56	0.00	72
	B35HE027	TS	BUCKET, DRAGLINE, 5.0 CY, MEDIUM WEIGHT			\$42,848	8.51	2.82	4.28	0.68	0.00	93
	B35HE028	TS	BUCKET, DRAGLINE, 6.0 CY, MEDIUM WEIGHT			\$44,303	8.80	2.92	4.43	0.70	0.00	96
	B35HE029	TS	BUCKET, DRAGLINE, 7.0 CY, MEDIUM WEIGHT			\$51,088	10.15	3.37	5.11	0.81	0.00	111
	B35HE030	TS	BUCKET, DRAGLINE, 8.0 CY, MEDIUM WEIGHT			\$56,292	11.19	3.71	5.63	0.89	0.00	122
	B35HE031	TS	BUCKET, DRAGLINE, 9.0 CY, MEDIUM WEIGHT			\$68,505	13.62	4.52	6.85	1.09	0.00	149
	B35HE032	TS	BUCKET, DRAGLINE, 10.0 CY, MEDIUM WEIGHT			\$72,995	14.51	4.81	7.30	1.16	0.00	159
	B35HE033	TS	BUCKET, DRAGLINE, 12.0 CY, MEDIUM WEIGHT			\$93,000	18.49	6.13	9.30	1.48	0.00	202

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
B35	<i>HENDRIX MANUFACTURING COMPANY, INC. (continued)</i>											
	B35HE034	TS	BUCKET, DRAGLINE, 14.0 CY, MEDIUM WEIGHT			\$103,632	20.60	6.83	10.36	1.65	0.00	225
	NO SPECIFIC MANUFACTURER											
	B35XX007	6-1/2M	BUCKET, DRAGLINE, 6.5 CY, MEDIUM WEIGHT			\$35,658	7.10	2.36	3.57	0.57	0.00	101
	B35XX008	7-1/2M	BUCKET, DRAGLINE, 7.5 CY, MEDIUM WEIGHT			\$40,786	8.11	2.69	4.08	0.65	0.00	117
	B35XX009	8-1/2M	BUCKET, DRAGLINE, 8.5 CY, MEDIUM WEIGHT			\$43,917	8.73	2.90	4.39	0.70	0.00	126
	B35XX010	9-1/2M	BUCKET, DRAGLINE, 9.5 CY, MEDIUM WEIGHT			\$52,271	10.39	3.45	5.23	0.83	0.00	152
	B35XX011	11M	BUCKET, DRAGLINE, 11.0 CY, MEDIUM WEIGHT			\$57,813	11.49	3.81	5.78	0.92	0.00	169
	B35XX012	13M	BUCKET, DRAGLINE, 13.0 CY, MEDIUM WEIGHT			\$73,230	14.55	4.82	7.32	1.16	0.00	211
	SUBCATEGORY 0.30 HEAVY WEIGHT											
	HENDRIX MANUFACTURING COMPANY, INC.											
	B35HE035	MH-S	BUCKET, DRAGLINE, 2.75 CY, HEAVY WEIGHT			\$31,822	5.73	1.93	2.86	0.50	0.00	69
	B35HE036	MH-S	BUCKET, DRAGLINE, 3.0 CY, HEAVY WEIGHT			\$33,204	5.99	2.02	2.99	0.52	0.00	72
	B35HE037	MH-S	BUCKET, DRAGLINE, 3.5 CY, HEAVY WEIGHT			\$37,352	6.74	2.27	3.36	0.59	0.00	81
B35HE038	MH-S	BUCKET, DRAGLINE, 4.0 CY, HEAVY WEIGHT			\$50,727	9.15	3.09	4.57	0.80	0.00	110	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>B35</i>			<i>HENDRIX MANUFACTURING COMPANY, INC. (continued)</i>									
	B35HE039	MH-S	BUCKET, DRAGLINE, 4.5 CY, HEAVY WEIGHT			\$56,726	10.23	3.45	5.11	0.89	0.00	123
	B35HE040	MH-S	BUCKET, DRAGLINE, 5.0 CY, HEAVY WEIGHT			\$58,563	10.56	3.56	5.27	0.92	0.00	127
	B35HE041	MH-S	BUCKET, DRAGLINE, 6.0 CY, HEAVY WEIGHT			\$62,715	11.30	3.80	5.64	0.98	0.00	136
	B35HE042	MH-S	BUCKET, DRAGLINE, 7.0 CY, HEAVY WEIGHT			\$80,703	14.55	4.90	7.26	1.27	0.00	175
	B35HE043	MH-S	BUCKET, DRAGLINE, 8.0 CY, HEAVY WEIGHT			\$83,008	14.96	5.04	7.47	1.30	0.00	180
	B35HE044	MH-S	BUCKET, DRAGLINE, 9.0 CY, HEAVY WEIGHT			\$107,913	19.45	6.55	9.71	1.69	0.00	234
	B35HE045	MH-S	BUCKET, DRAGLINE, 10.0 CY, HEAVY WEIGHT			\$111,648	20.13	6.78	10.05	1.75	0.00	243
	B35HE046	MH-S	BUCKET, DRAGLINE, 12.0 CY, HEAVY WEIGHT			\$132,780	23.94	8.06	11.95	2.08	0.00	289
	B35HE047	MH-S	BUCKET, DRAGLINE, 14.0 CY, HEAVY WEIGHT			\$141,236	25.46	8.57	12.71	2.21	0.00	309
			NO SPECIFIC MANUFACTURER									
	B35XX013	3/4H	BUCKET, DRAGLINE, 0.75 CY, HEAVY WEIGHT			\$8,929	1.61	0.54	0.80	0.14	0.00	20
	B35XX014	1H	BUCKET, DRAGLINE, 1.0 CY, HEAVY WEIGHT			\$10,036	1.81	0.61	0.90	0.16	0.00	23
	B35XX015	1-1/2H	BUCKET, DRAGLINE, 1.5 CY, HEAVY WEIGHT			\$14,933	2.68	0.90	1.34	0.23	0.00	35

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>B35</i>			<i>NO SPECIFIC MANUFACTURER (continued)</i>								
	B35XX016	2H	BUCKET, DRAGLINE, 2.0 CY, HEAVY WEIGHT			\$17,070	3.08	1.04	1.54	0.27	0.00	42
	B35XX017	2-1/2H	BUCKET, DRAGLINE, 2.5 CY, HEAVY WEIGHT			\$18,671	3.36	1.13	1.68	0.29	0.00	48
	B35XX018	5-1/2H	BUCKET, DRAGLINE, 5.5 CY, HEAVY WEIGHT			\$40,036	7.22	2.43	3.60	0.63	0.00	113
	B35XX019	6-1/2H	BUCKET, DRAGLINE, 6.5 CY, HEAVY WEIGHT			\$42,792	7.71	2.60	3.85	0.67	0.00	125
	B35XX020	7-1/2H	BUCKET, DRAGLINE, 7.5 CY, HEAVY WEIGHT			\$48,218	8.70	2.93	4.34	0.76	0.00	135
	B35XX021	8-1/2H	BUCKET, DRAGLINE, 8.5 CY, HEAVY WEIGHT			\$52,634	9.50	3.20	4.74	0.83	0.00	159
	B35XX022	9-1/2H	BUCKET, DRAGLINE, 9.5 CY, HEAVY WEIGHT			\$66,193	11.94	4.02	5.96	1.04	0.00	181
	B35XX023	11H	BUCKET, DRAGLINE, 11.0 CY, HEAVY WEIGHT			\$70,970	12.79	4.31	6.39	1.11	0.00	198
C05	CHAIN SAWS											
	SUBCATEGORY 0.00 CHAIN SAWS											
	OLYMPYK CHAIN SAWS											
	C05OL001	941	CHAIN SAW, 16"-18" BAR	2 HP	G	\$350	1.32	0.09	0.16	0.01	0.58	1
	C05OL002	962	CHAIN SAW, 16"-24" BAR	5 HP	G	\$547	2.37	0.14	0.25	0.01	1.19	1
	C05OL003	970	CHAIN SAW, 16"-36" BAR	5 HP	G	\$662	2.74	0.17	0.30	0.02	1.32	1
	C05OL004	980	CHAIN SAW, 16"-42" BAR	6 HP	G	\$720	2.99	0.18	0.32	0.02	1.45	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C10	COMPACTORS, WALK-BEHIND OR REMOTE CONTROLLER											
	SUBCATEGORY 0.10	COMPACTORS, RAMMERS / TAMPERS & VIBRATORY PLATES										
	COMPACTION AMERICA (BOMAG)											
	C10BO001	BT 60/4	COMPACTOR, RAMMER, TAMPER, 11" X 13.2" SHOE, 2,630 LBS IMPACT	3	HP G	\$4,583	3.54	0.63	1.09	0.08	0.76	2
	C10BO003	BP 10/36-2	COMPACTOR, VIBROPLATE, 14.2" X 22" PLATE, 2,250 LBS IMPACT	4	HP G	\$2,512	2.60	0.35	0.60	0.05	1.01	2
	C10BO004	BP 18/45-2	COMPACTOR, VIBROPLATE, 17.7" X 22" PLATE, 4,050 LBS IMPACT	6	HP G	\$2,788	3.32	0.38	0.66	0.05	1.52	2
	C10BO007	BPR 30/38D-3	COMPACTOR, VIBROPLATE, 22.8" X 31.1" PLATE, REVERSIBLE, 7,200 LBS IMPACT	4	HP D-off	\$11,346	7.22	1.55	2.69	0.20	0.49	5
	C10BO008	BPR 55/65D	COMPACTOR, VIBROPLATE, 25.6" X 35.4" PLATE, REVERSIBLE, 11,250 LBS IMPACT	9	HP D-off	\$15,480	10.35	2.12	3.68	0.28	1.11	10
	WACKER CORPORATION											
	C10WC003	DS 70	COMPACTOR, RAMMER, 13" X 13" SHOE, 3,550 LBS IMPACT	4	HP D-off	\$3,791	2.78	0.52	0.90	0.07	0.49	2
	C10WC006	BPU 2540 A	COMPACTOR, VIBROPLATE, 19.5" X 25.5" PLATE, REVERSIBLE, 5,600 LBS IMPACT	6	HP G	\$4,646	4.26	0.63	1.10	0.08	1.39	3
	C10WC007	BPU 3545A	COMPACTOR, VIBROPLATE, 23.5" X 35.5" PLATE, REVERSIBLE, 7,550 LBS IMPACT	9	HP G	\$7,131	6.71	0.98	1.69	0.13	2.28	7
	C10WC008	DPU 4045H	COMPACTOR, VIBROPLATE, 24" X 35.5" PLATE, REVERSIBLE, 9,000 LBS IMPACT	9	HP D-off	\$12,807	8.77	1.75	3.04	0.23	1.11	7

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
C10	<i>WACKER CORPORATION (continued)</i>												
	C10WC015	DPU 7060	COMPACTOR, VIBROPLATE, 25.5" X 42" PLATE, REVERSIBLE, 15,600 LBS IMPACT	14 HP	D-off	\$25,623	17.02	3.51	6.09	0.46	1.73	15	
	SUBCATEGORY 0.20		ROLLERS, VIBRATORY										
	COMPACTION AMERICA (BOMAG)												
	C10BO009	BW 55E	COMPACTOR, ROLLER, VIBRATORY, 22"W X 15.7"DIA, SINGLE SMOOTH DRUM, WALK BEHIND, 2,273 LBS IMPACT	4 HP	G	\$6,476	4.77	0.81	1.38	0.12	1.01	3	
	C10BO015	BW65S-2	COMPACTOR, ROLLER, VIBRATORY, 25.6"W X 15.7"DIA, DOUBLE SMOOTH DRUMS, WALK BEHIND, 2,655 LBS IMPACT	5 HP	D-off	\$14,962	9.14	1.87	3.18	0.28	0.62	13	
	C10BO011	BW 65H	COMPACTOR, ROLLER, VIBRATORY, 25.6"W X 15.7"DIA, DOUBLE SMOOTH DRUMS, WALK BEHIND, 1,980 LBS IMPACT	8 HP	D-off	\$17,422	10.94	2.18	3.70	0.33	0.99	16	
C10BO016	BW75S-2	COMPACTOR, ROLLER, VIBRATORY, 29.5"W X 18.9"DIA, DOUBLE SMOOTH DRUMS, WALK BEHIND, 4,455 LBS IMPACT	9 HP	D-off	\$21,855	13.57	2.73	4.64	0.41	1.11	20		
C10BO013	BMP851	COMPACTOR, TRENCH ROLLER, VIBRATORY, 33.5"W X 19.7"DIA, DOUBLE TAMPING FOOT DRUMS, WALK BEHIND, 18,000 LBS IMPACT	19 HP	D-off	\$46,049	28.61	5.76	9.79	0.86	2.34	45		

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
RAMMAX MACHINERY CO.												
	C10RX001	P23/16FM	COMPACTOR, TRENCH ROLLER, VIBRATORY, 23"W X 14.6"DIA, QUAD PADFOOT DRUMS, WALK BEHIND, 7,875 LBS IMPACT	8 HP	D-off	\$30,129	18.11	3.76	6.40	0.56	0.99	16
	C10RX002	P33/24FMR	COMPACTOR, TRENCH ROLLER, VIBRATORY, 33"W X 21.7"DIA, QUAD PADFOOT DRUMS, WALK BEHIND, 15,652 LBS IMPACT	14 HP	D-off	\$41,707	25.48	5.21	8.86	0.78	1.73	30
	C10RX003	P47/40KM	COMPACTOR, TRENCH ROLLER, VIBRATORY, 47"W X 22"DIA, QUAD PADFOOT DRUMS, RIDE ON, 21,600 LBS IMPACT	33 HP	D-off	\$69,982	44.04	8.75	14.87	1.31	4.07	66
WACKER CORPORATION												
	C10WC010	RSS800A	COMPACTOR, ROLLER, VIBRATORY, 28"W X 22"DIA, SINGLE SMOOTH DRUM, WALK BEHIND, 3,400 LBS IMPACT	11 HP	G	\$9,733	8.58	1.22	2.07	0.18	2.79	11
	C10WC017	RD7H	COMPACTOR, ROLLER, VIBRATORY, 25.5"W X 16.5"DIA, DOUBLE SMOOTH DRUM, WALK BEHIND, 2,925 LBS IMPACT	9 HP	D-off	\$12,896	8.51	1.61	2.74	0.24	1.11	16
	C10WC019	RT 56-SC	COMPACTOR, ROLLER, VIBRATORY, 22"W X 20"DIA, DOUBLE SMOOTH DRUM, WALK BEHIND, 7,000/14,000 LBS IMPACT	20 HP	D-off	\$30,212	19.80	3.78	6.42	0.57	2.47	31
	C10WC016	RT 82-SC	COMPACTOR, TRENCH ROLLER, VIBRATORY, 32"W X 20"DIA, DOUBLE TAMPING FOOT DRUMS, WALK BEHIND, 7,000/14,000 LBS IMPACT	20 HP	D-off	\$31,868	20.73	3.99	6.77	0.60	2.47	33

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C15	CONCRETE CLEANERS / ABRASIVE BLASTERS											
	SUBCATEGORY 0.10 WALK BEHIND											
	US FILTER/BLASTRAC											
C15BL001	1-8 & TURBO VAC		CONCRETE BLASTER CLEANING SYSTEM, WALK BEHIND, 8" PATH (ADD 4 KVA GENERATOR & BLAST MEDIA COST)	2 HP	E	\$9,944	5.31	1.19	1.99	0.19	0.09	2
C15BL003	1-10D & 6-54 DC		CONCRETE BLASTER CLEANING SYSTEM, WALK BEHIND, 10" PATH (ADD 30 KVA GENERATOR & BLAST MEDIA COST)	10 HP	E	\$47,620	24.58	5.67	9.52	0.91	0.47	7
C15BL004	1-15D & 6-54-DC		CONCRETE BLASTER CLEANING SYSTEM, WALK BEHIND, 15" PATH (ADD 30 KVA GENERATOR & BLAST MEDIA COST)	15 HP	E	\$55,725	28.99	6.64	11.15	1.06	0.70	8
C15BL005	2-20D & 8-54-DC		CONCRETE BLASTER CLEANING SYSTEM, WALK BEHIND, 20" PATH (ADD 75 KVA GENERATOR & BLAST MEDIA COST)	30 HP	E	\$81,684	42.52	9.73	16.34	1.56	1.41	12
	EQUIPMENT DEVELOPMENT CO., INC. (EDCO)											
C15ED002	CPM-8		CONCRETE GRINDER, WALK BEHIND, TRAFFIC LINE REMOVER, 8" CUTTING PATH	9 HP	G	\$4,503	4.13	0.54	0.90	0.09	1.77	2
C15ED001	TLR-7		CONCRETE GRINDER, WALK BEHIND, TRAFFIC LINE REMOVER, 7" CUTTING WIDTH	11 HP	G	\$7,276	5.89	0.87	1.46	0.14	2.17	5
	SUBCATEGORY 0.20 TRUCK/TRAILER MOUNTED											
	US FILTER/BLASTRAC											
C15BL006	4800		CONCRETE BLASTER, SELF PROPELLED, 48" PATH	350 HP	D-off	\$6,646	52.22	0.44	0.66	0.11	45.20	255

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
			NO SPECIFIC MANUFACTURER									
	C15XX001		CONCRETE CLEANER/ABRASIVE BLASTER, TRUCK MOUNTED, GINDER/BLASTER, 4" - 16" CLEANING PATH WIDTH	86 HP D-on	180 HP D-off	\$133,873	61.23	8.91	13.22	2.30	25.60	138
C20	CONCRETE BUGGIES											
	SUBCATEGORY 0.00		CONCRETE BUGGIES									
			WACKER CORPORATION									
	C20WC002	WB 16A	CONCRETE BUGGY, 16 CF BUCKET, 2,500 LBS, WALK & RIDE, 4X2	13 HP	G	\$11,579	7.58	1.29	2.13	0.22	2.56	13
			NO SPECIFIC MANUFACTURER									
	C20XX001	10G	CONCRETE BUGGY, 10 CF BUCKET, 1,500 LBS	8 HP	G	\$8,132	5.09	0.91	1.50	0.16	1.58	10
C25	CONCRETE FINISHERS/SCREEDS/SPREADERS											
	SUBCATEGORY 0.10		FINISHERS/TROWELS									
			ALLEN ENGINEERING CORP.									
	C25AJ015	PRO 900	CONCRETE TROWEL, RIDING, 2 - 36" DIA ROTORS, 8 BLADES	20 HP	G	\$12,303	8.87	1.22	1.97	0.23	3.94	7
	C25AJ016	PRO 1050	CONCRETE TROWEL, RIDING, 2 - 42" DIA ROTORS, 8 BLADES	20 HP	G	\$12,907	9.09	1.28	2.07	0.24	3.94	8
	C25AJ018	PRO 1200	CONCRETE TROWEL, RIDING, 2 - 46" DIA ROTORS, 8 BLADES	25 HP	G	\$14,981	10.95	1.47	2.40	0.27	4.93	10
	C25AJ019	SUPER PRO 400	CONCRETE TROWEL, RIDING, 2 - 46" DIA ROTORS, 8 BLADES	28 HP	G	\$21,696	14.01	2.14	3.47	0.40	5.52	13

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
STOW MANUFACTURING, INC.												
	C25ST001	SCT36H80	CONCRETE FINISHER, WALK BEHIND, ROTO TROWEL, 36" DIA ROTOR, 4 BLADES	8 HP	G	\$2,572	2.72	0.26	0.41	0.05	1.58	3
	C25ST002	SCT46H80	CONCRETE FINISHER, WALK BEHIND, ROTO TROWEL, 46" DIA ROTOR, 4 BLADES	9 HP	G	\$2,636	2.95	0.26	0.42	0.05	1.77	3
WACKER CORPORATION												
	C25WC002	CT48ADP	CONCRETE FINISHER, WALK BEHIND, POWER TROWEL, 48" DIA ROTOR, 4 BLADES	8 HP	G	\$3,182	2.94	0.32	0.51	0.06	1.58	3
SUBCATEGORY 0.20 VIBRATORY SCREED												
ALLEN ENGINEERING CORP.												
	C25AJ003	12HED	CONCRETE, VIBRATORY SCREED, 12.5' WIDE	6 HP	G	\$6,545	3.68	0.65	1.05	0.12	1.18	5
	C25AJ001	12 HD	CONCRETE, VIBRATORY SCREED, 20' WIDE	6 HP	G	\$4,637	2.99	0.45	0.74	0.08	1.18	4
	C25AJ004	12HED	CONCRETE, VIBRATORY SCREED, 30' WIDE	8 HP	G	\$9,367	5.14	0.92	1.50	0.17	1.58	8
	C25AJ005	12HED	CONCRETE, VIBRATORY SCREED, 40' WIDE	11 HP	G	\$11,008	6.39	1.08	1.76	0.20	2.17	10
	C25AJ006	12HED	CONCRETE, VIBRATORY SCREED, 50' WIDE	11 HP	G	\$13,076	7.13	1.29	2.09	0.24	2.17	12
	C25AJ007	12HED	CONCRETE, VIBRATORY SCREED, 55' WIDE	11 HP	G	\$13,911	7.43	1.37	2.23	0.25	2.17	13

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.25		VIBRATORY LASER SCREED									
			SOMERO ENTERPRISES, INC.									
	C25SV003	S-100	CONCRETE, VIBRATORY LASER SCREED, 8' WIDE X 12' BOOM	30 HP	D-off	\$143,721	30.35	8.82	12.42	2.61	2.67	72
	C25SV002	SXP (VERSATILE)	CONCRETE, VIBRATORY LASER SCREED, 8' WIDE X 20' BOOM	65 HP	D-off	\$285,894	60.87	17.62	24.85	5.19	5.78	126
	C25SV001	SXP (PRODUCTIVE)	CONCRETE, VIBRATORY LASER SCREED, 12' WIDE X 20' BOOM	65 HP	D-off	\$304,418	64.39	18.74	26.41	5.53	5.78	151
	SUBCATEGORY 0.30		MATERIAL/TOPPING SPREADERS									
			ALLEN ENGINEERING CORP.									
	C25AJ008	SP23H	CONCRETE, MATERIAL/TOPPING SPREADER, 12.5' WIDE	6 HP	G	\$15,764	4.20	0.98	1.38	0.29	1.02	11
	C25AJ009	SP23H	CONCRETE, MATERIAL/TOPPING SPREADER, 20' WIDE	6 HP	G	\$16,744	4.38	1.04	1.47	0.30	1.02	12
	C25AJ010	SP23H	CONCRETE, MATERIAL/TOPPING SPREADER, 30' WIDE	6 HP	G	\$17,896	4.59	1.11	1.57	0.32	1.02	13
	C25AJ011	SP23H	CONCRETE, MATERIAL/TOPPING SPREADER, 40' WIDE	6 HP	G	\$19,169	4.84	1.19	1.68	0.35	1.02	14
	C25AJ012	SP23H	CONCRETE, MATERIAL/TOPPING SPREADER, 50' WIDE	6 HP	G	\$20,350	5.06	1.26	1.78	0.37	1.02	15
	C25AJ013	SP23H	CONCRETE, MATERIAL/TOPPING SPREADER, 60' WIDE	6 HP	G	\$21,559	5.29	1.34	1.89	0.39	1.02	17

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C35	CONCRETE GUNITERS / SHOTCRETERS											
	SUBCATEGORY 0.00 CONCRETE GUNITERS / SHOTCRETERS											
	AIRPLACO EQUIPMENT CO., INC.											
	C35AF002	C-10SL	CONCRETE GUNITER/SHOTCRETER, DRY/SEMI-WET, HOPPER/PUMP/SPRAY, 12 CY/HR, 2" HOSE & 1 GUN (ADD 600 CFM COMPRESSOR)	9 CFM	A	\$14,511	5.87	1.03	1.53	0.26	0.00	6
	C35AF001	1900 HD NUCRETOR	CONCRETE GUNITER/SHOTCRETER, DRY MIX, 2 - 15 CY/HR, W/2 PRESSURIZED TANKS/ 100' - 2" DIA HOSE (ADD 600 CFM COMPRESSOR)	600 CFM	A	\$26,681	7.43	1.90	2.83	0.48	0.00	11
	C35AF004	634 Mix Elevator	CONCRETE GUNITER/SHOTCRETER, DRY BATCH MIXER, 13 CY/HR, W/FEEDER, TRAILER MTD (ADD SHOTCRETE MACHINE)	30 HP	D-off	\$42,829	16.94	3.05	4.55	0.77	3.10	45
	C35AF005	734 Mix Elevator	CONCRETE GUNITER/SHOTCRETER, DRY BATCH MIXER, W/20 CY/HR ELEVATOR FEEDER/ 45 CF SAND HOPPER/ 4 CF CEMENT HOPPER/ & PREDAMPENING SPRAY BAR, TRAILER MTD (ADD SHOTCRETE MACHINE)	54 HP	D-off	\$64,087	25.39	4.54	6.77	1.15	5.58	81
	ALLENTOWN EQUIPMENT											
	C35AL003	GRH-610 ROTARY GUN	CONCRETE GUNITER/SHOTCRETER, ROTARY PUMP, WET/DRY, 1 - 6 CY/HR, W/HOPPER/ 100' - 1.5" DIA HOSE/ & NOZZLE, CART MTD, (ADD 250 - 600 CFM COMPRESSOR)	5 HP	E	\$15,341	4.60	1.03	1.49	0.28	0.25	11

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>C35</i>	<i>ALLEN TOWN EQUIPMENT (continued)</i>											
	C35AL013	AG-15 AUTOMATIC GUN	CONCRETE GUNITER/SHOTCRETER, ROTARY PUMP, WET/DRY, 3 - 15 CY/HR, W/HOPPER/ 100' - 1.5" DIA HOSE/ & NOZZLE (ADD 300 - 900 CFM COMPRESSOR)	9 CFM	A	\$13,071	3.86	0.89	1.32	0.23	0.00	15
	C35AL008	N-2 PNEUMATIC GUN	CONCRETE GUNITER/SHOTCRETER, DRY MIX, 2 - 8 CY/HR, W/2 PRESSURIZED TANKS/ 100' - 1.5" DIA HOSE/ & NOZZLE (ADD 200 - 900 CFM COMPRESSOR)	9 CFM	A	\$25,024	7.01	1.79	2.68	0.45	0.00	13
	C35AL002	R-900 BATCH MIX RIG	CONCRETE GUNITER/SHOTCRETER, DRY BATCH MIXER, 10 TON/HR, W/ELEVATOR FEEDER/ 20 CF CEMENT HOPPER/ 8 CF MIXER/ & PREDAMPENING SPRAY BAR, TRAILER MTD (ADD SHOTCRETE MACHINE OR ROTARY PUMP)	30 HP	D-off	\$43,264	16.00	3.02	4.48	0.78	3.10	47
	C35AL014	POWER CRETER 10	CONCRETE GUNITER/SHOTCRETER, GROUT/MUD JACK/ SHOTCRETE, 10 CY/HR, 2,085 PSI, W/30 GAL HOPPER/ 74 GAL MIXER, TRAILER MTD (ADD 3" HOSE LINE)	61 HP	D-off	\$65,617	25.14	4.68	6.99	1.18	6.30	30
	ALIVA LTD.											
	C35AV008	AL 246	CONCRETE GUNITER/SHOTCRETER, DRY/SEMI-WET, 1.4 - 2.3 CY/HR, W/1 GAL HOPPER/ ROTARY PUMP/ 100' - 1.5" DIA HOSE/ NOZZLE/ & AIR COMPRESSOR	7 HP	E	\$27,916	10.01	2.00	2.99	0.50	0.35	9
	C35AV009	AL 252	CONCRETE GUNITER/SHOTCRETER, DRY/SEMI-WET, 5 - 10 CY/HR, W/4.2 GAL HOPPER/ ROTARY PUMP/ 100' - 2.36" DIA HOSE/ NOZZLE/ & AIR COMPRESSOR	16 HP	E	\$34,076	12.33	2.44	3.65	0.61	0.80	18

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>C35</i>			<i>ALIVA LTD. (continued)</i>								
	C35AV010	AL 262	CONCRETE GUNITER/SHOTCRETER, WET/DRY, 9 - 13 CY/HR, W/4.2 GAL HOPPER/ ROTARY PUMP/ 100' - 2.36" DIA HOSE/ NOZZLE/ & AIR COMPRESSOR	26 HP	E	\$61,386	20.41	4.39	6.58	1.10	1.31	27
	C35AV006	AL 285	CONCRETE GUNITER/SHOTCRETER, WET/DRY, 11 - 27.5 CY/HR, W/6.6 GAL HOPPER/ ROTARY PUMP/ 100' - 2.55" DIA HOSE/ NOZZLE/ & AIR COMPRESSOR	20 HP	E	\$93,724	28.62	6.67	9.97	1.68	1.01	33
	C35AV011	AL 302	CONCRETE GUNITER/SHOTCRETER, SHOTCRETE HYDRAULIC SPRAYER ARM, 25.6' HIGH (ADD TRUCK OR SMALL TRAILER & SHOTCRETE UNIT)	12 HP	E	\$47,567	15.65	3.40	5.10	0.85	0.60	50
	C35AV012	AL 307	CONCRETE GUNITERS / SHOTCRETERS, SHOTCRETE HYDRAULIC SPRAYER ARM, 52.5' HIGH (ADD TRUCK OR SMALL TRAILER & SHOTCRETE UNIT)	20 HP	E	\$140,783	41.75	10.06	15.08	2.52	1.01	68
C40	CONCRETE MIXING UNITS											
	SUBCATEGORY 0.00	CONCRETE MIXING UNITS										
			CEMEN TECH									
	C40CC001	SCD2-50H	CONCRETE MIXERS, STATIONARY CONCRETE DISPENSER, 15 CY/HR, 2 - 4.5 CY MATERIAL CAPACITY	10 HP	E	\$26,151	10.03	2.57	4.18	0.48	0.47	23

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
			MULTIQUIP, INC.									
	C40MU001	WM 70SH8	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 7 CF, TRAILER MTD	8 HP	G	\$3,260	2.93	0.31	0.49	0.06	1.58	8
	C40MU002	WM 120SHH	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 12 CF, TRAILER MTD	13 HP	G	\$6,554	5.22	0.63	1.02	0.12	2.56	11
	C40MU003	MC 64SH8	CONCRETE MIXERS, MIXER, CONCRETE, 6 CF, TRAILER MTD	8 HP	G	\$3,288	2.94	0.31	0.49	0.06	1.58	7
	C40MU004	MC 94SH8	CONCRETE MIXERS, MIXER, CONCRETE, 9 CF, TRAILER MTD	8 HP	G	\$3,751	3.11	0.36	0.57	0.07	1.58	8
			STOW MANUFACTURING, INC.									
	C40ST001	CMS44E	CONCRETE MIXERS, MIXER, CONCRETE, 4 CF, TRAILER MTD	1 HP	E	\$2,209	0.98	0.20	0.32	0.04	0.02	5
	C40ST002	CMS44H	CONCRETE MIXERS, MIXER, CONCRETE, 4 CF, TRAILER MTD	6 HP	G	\$2,411	2.05	0.22	0.35	0.04	1.08	5
	C40ST003	CMS64E	CONCRETE MIXERS, MIXER, CONCRETE, 6 CF, TRAILER MTD	2 HP	E	\$2,826	1.36	0.26	0.42	0.05	0.09	7
	C40ST005	CMS94E	CONCRETE MIXERS, MIXER, CONCRETE, 9 CF, TRAILER MTD	2 HP	E	\$3,691	1.70	0.35	0.56	0.07	0.07	8
			NO SPECIFIC MANUFACTURER									
	C40XX001	8E	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 8 CF, ELECTRIC, PORTABLE	2 HP	E	\$3,522	1.59	0.34	0.56	0.06	0.09	7
	C40XX002	8G	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 8 CF, GAS, PORTABLE	7 HP	G	\$3,761	2.91	0.37	0.60	0.07	1.38	7

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	C40			<i>NO SPECIFIC MANUFACTURER (continued)</i>								
	C40XX003	10E	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 10 CF, ELECTRIC, PORTABLE	3 HP	E	\$5,355	2.32	0.53	0.86	0.10	0.14	9
	C40XX004	10G	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 10 CF, GAS, PORTABLE	8 HP	G	\$5,406	3.72	0.53	0.86	0.10	1.58	10
	C40XX005	12E	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 12 CF, ELECTRIC, PORTABLE	5 HP	E	\$7,039	3.11	0.70	1.13	0.13	0.23	11
	C40XX006	16E	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 16 CF, ELECTRIC, PORTABLE	5 HP	E	\$9,744	4.07	0.96	1.56	0.18	0.23	12
	C40XX007	16G	CONCRETE MIXERS, MIXER, PLASTER/MORTAR, 16 CF, GAS, PORTABLE	9 HP	G	\$9,105	5.26	0.90	1.46	0.17	1.77	13
C45	CONCRETE PAVING MACHINES											
	SUBCATEGORY 0.00		CONCRETE PAVING MACHINES									
	GOMACO CORPORATION											
	C45GO026	C-450	CONCRETE PAVING MACHINES, CYLINDER FINISHER, SINGLE DRUM, FINISHING WIDTH 9'-137'	36 HP	G	\$55,103	27.31	4.66	7.35	0.98	7.66	64
	C45GO027	C-650-F	CONCRETE PAVING MACHINES, CYLINDER FINISHER, DOUBLE DRUM, FINISHING WIDTH 19'-51'	50 HP	D-off	\$70,149	29.46	5.93	9.35	1.25	5.17	91
	C45GO028	C-650-S	CONCRETE PAVING MACHINES, CYLINDER FINISHER, DOUBLE DRUM, FINISHING WIDTH 19'-51'	50 HP	D-off	\$111,402	43.38	9.41	14.85	1.98	5.17	126

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>C45</i>			<i>GOMACO CORPORATION (continued)</i>									
	C45GO029	C-750	CONCRETE PAVING MACHINES, CYLINDER FINISHER, DOUBLE DRUM, FINISHING WIDTH 8'-156'	36 HP	G	\$74,142	33.74	6.27	9.89	1.32	7.66	91
	C45GO013	GT-3200	CONCRETE PAVING MACHINES, CURB/GUTTER SLIPFORM PAVER, CRAWLER, 3-TRACK, 36" WIDE MOLD/FORM	92 HP	D-off	\$127,439	53.66	10.77	16.99	2.27	9.51	130
	C45GO010	COMMANDER II /GT6200	CONCRETE PAVING MACHINES, CURB/GUTTER SLIPFORM PAVER, CRAWLER, 2-TRACK, 36" WIDE MOLD/FORM	92 HP	D-off	\$154,096	62.65	13.02	20.55	2.74	9.51	200
	C45GO014	GT-3600	CONCRETE PAVING MACHINES, CURB/GUTTER SLIPFORM PAVER, CRAWLER, 3-TRACK, 24" WIDE MOLD/FORM	98 HP	D-off	\$176,055	70.75	14.87	23.47	3.13	10.13	210
	C45GO011	COMMANDER III/GT6300	CONCRETE PAVING MACHINES, CURB/GUTTER SLIPFORM PAVER, CRAWLER, 3-TRACK, 36" WIDE MOLD/FORM	185 HP	D-off	\$237,132	101.43	20.03	31.62	4.22	19.11	300
	C45GO012	COMMANDER III	CONCRETE PAVING MACHINES, CURB/GUTTER SLIPFORM PAVER, CRAWLER, 4-TRACK, 36" WIDE MOLD/FORM	169 HP	D-off	\$317,059	126.55	26.78	42.27	5.64	17.46	369
	C45GO016	GP-2600	CONCRETE PAVING MACHINES, SLIPFORM PAVER, CRAWLER, 2-TRACK, 24'-32' PAVING WIDTH	230 HP	D-off	\$344,959	143.02	29.14	45.99	6.14	23.76	750
	C45GO018	GHP-2800	CONCRETE PAVING MACHINES, SLIPFORM PAVER, CRAWLER, 2-TRACK, 24'-32' PAVING WIDTH	335 HP	D-off	\$430,375	183.99	36.35	57.38	7.66	34.61	700

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	C45	<i>GOMACO CORPORATION (continued)</i>										
	C45GO020	GP-4000	CONCRETE PAVING MACHINES, SLIPFORM PAVER, CRAWLER, 2-TRACK, 12'-50' PAVING WIDTH	450 HP	D-off	\$508,124	223.55	42.93	67.75	9.05	46.49	880
	C45GO031	9500	CONCRETE PAVING MACHINES, TRIMMER/PLACER, W/16'-8" TRIMMER HEAD	385 HP	D-off	\$417,114	185.32	35.24	55.62	7.43	39.78	729
	MILLER SPREADER CO.											
	C45MJ001	MC 650	CONCRETE PAVING MACHINES, CURB BUILDER, SLIPFORM PAVER, 6.1 CF HOPPER 6" AUGER	15 HP	G	\$7,474	6.15	0.63	1.00	0.13	3.19	8
	M-B-W, INC.											
	C45MW00	C101	CONCRETE PAVING MACHINES, CURB ONLY SLIPFORM PAVER, RUBBER TIRE, 12"	26 HP	D-off	\$45,849	18.47	3.85	6.06	0.82	2.69	27
	C45MW00	CG200	CONCRETE PAVING MACHINES, CURB/GUTTER SLIPFORM PAVER, RUBBER TIRE, 48"	26 HP	D-off	\$58,222	22.63	4.88	7.68	1.04	2.69	34
C55	CONCRETE PUMPS											
	SUBCATEGORY 0.00 CONCRETE PUMPS											
	MAYCO PUMP - MULTIQUIP INC.											
	C55M3001	C-30HDG	CONCRETE PUMP, 25 CY/HR, SINGLE, TRAILER MTD	46 HP	G	\$23,471	16.59	1.69	2.61	0.38	9.07	27
	C55M3002	LS-400	CONCRETE PUMP, 45 CY/HR, SINGLE, TRAILER MTD	60 HP	D-off	\$52,447	20.60	3.80	5.90	0.85	5.85	42

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>C55</i>			<i>MAYCO PUMP - MULTIQUIP INC. (continued)</i>									
	C55M3003	LS-600	CONCRETE PUMP, 70 CY/HR, SINGLE, TRAILER MTD	106 HP	D-off	\$61,650	28.09	4.46	6.94	0.99	10.34	47
			OLIN ENGINEERING, INC.									
	C55OE006	10 22	CONCRETE PUMP, 22 CY/HR, TRAILER MTD (OPEN LOOP HYDRAULIC SYSTEM)	74 HP	D-off	\$49,645	21.36	3.56	5.52	0.80	7.22	44
	C55OE009	20 80	CONCRETE PUMP, 76 CY/HR, TRAILER MTD TANDEM (CLOSED LOOP HYDRAULIC SYSTEM)	127 HP	D-off	\$93,635	38.89	6.71	10.40	1.51	12.39	72
	C55OE011	15 95	CONCRETE PUMP, 100 CY/HR, TRAILER MTD TANDEM (OPEN LOOP HYDRAULIC SYSTEM)	181 HP	D-off	\$86,685	42.93	6.21	9.62	1.40	17.66	70
	C55OE012	20 100	CONCRETE PUMP, 100 CY/HR, TRAILER MTD TANDEM (CLOSED LOOP HYDRAULIC SYSTEM)	181 HP	D-off	\$109,970	49.16	7.89	12.24	1.77	17.66	81
	C55OE001	4Z 26X	CONCRETE PUMP, PUMP & BOOM, 130 CY/HR, REACH: 72' HORIZONTAL / 85' VERTICAL (ADD 50,000 GVW TRUCK)			\$261,709	70.07	18.94	29.44	4.22	0.00	100
	C55OE002	4Z 36X	CONCRETE PUMP, PUMP & BOOM, 182 CY/HR, REACH: 104' HORIZONTAL / 118' VERTICAL (ADD 50,000 GVW TRUCK)			\$335,690	89.89	24.31	37.77	5.42	0.00	100
	C55OE003	5RZ 47I	CONCRETE PUMP, PUMP & BOOM, 182 CY/HR, REACH: 134' HORIZONTAL / 152' VERTICAL (ADD 50,000 GVW TRUCK)			\$510,553	136.71	36.96	57.44	8.24	0.00	100
			SCHWING AMERICA INC.									
	C55SC001	WP750 D-18X	CONCRETE PUMP, 70 CY/HR, 1,100 PSI, TRAILER MTD	80 HP	D-off	\$71,226	27.81	5.14	7.98	1.15	7.81	69

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>C55</i>			<i>SCHWING AMERICA INC. (continued)</i>								
	C55SC002	BPA 2000HDD-20R	CONCRETE PUMP, 67 CY/HR, 1,565 PSI, TRAILER MTD	177 HP	D-off	\$174,016	65.88	12.53	19.44	2.81	17.27	115
	C55SC005	S 28X	CONCRETE PUMP, 117 CY/HR, 75' BOOM, TRUCK MTD	210 HP	D-on	\$366,717	125.42	26.33	40.82	5.92	24.35	359
	C55SC006	KVM 32XG	CONCRETE PUMP, 117 CY/HR, 92' BOOM, TRUCK MTD	210 HP	D-on	\$438,043	144.52	31.49	48.84	7.07	24.35	470
C60	CONCRETE SAWS (Add cost for sawblade wear)											
	SUBCATEGORY 0.00	CONCRETE SAWS (Add cost for sawblade wear)										
			CUSHION CUT, INC.									
	C60CQ011	FS 6600 D 18	CONCRETE SAW, 6.5" DEPTH, SELF PROPELLED, 14" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	66 HP	D-off	\$21,975	17.23	2.02	3.30	0.37	8.15	19
	C60CQ002	FS 9B	CONCRETE SAW, 5.625" DEPTH, MANUAL, 16" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	9 HP	G	\$2,871	3.60	0.27	0.43	0.05	2.28	2
	C60CQ003	FS 13BUC	CONCRETE SAW, 5.625" DEPTH, MANUAL, 16" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	13 HP	G	\$3,089	4.83	0.28	0.46	0.05	3.30	2
	C60CQ001	FS 3500 G 18	CONCRETE SAW, 6.5" DEPTH, SELF-PROPELLED, 18" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	35 HP	G	\$12,715	14.56	1.17	1.91	0.21	8.87	10
	C60CQ014	FS 3500 E 26	CONCRETE SAW, 10.625" DEPTH, SELF PROPELLED, 26" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	30 HP	E	\$13,650	7.49	1.26	2.05	0.23	1.81	9
	C60CQ012	FS 6600 D 26	CONCRETE SAW, 10.625" DEPTH, SELF PROPELLED, 26" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	66 HP	D-off	\$22,029	17.24	2.02	3.30	0.37	8.15	19

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>C60</i>			<i>CUSHION CUT, INC. (continued)</i>									
	C60CQ010	FS 3500 G 30	CONCRETE SAW, 12.125" DEPTH, SELF PROPELLED, 30" BLADE, W/TRANSAXLE (ADD COST FOR SAWBLADE WEAR & WATER)	35 HP	G	\$13,182	14.73	1.21	1.98	0.22	8.87	12
	C60CQ013	FS 6600 D 36	CONCRETE SAW, 14.875" DEPTH, SELF PROPELLED, 36" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	66 HP	D-off	\$22,215	17.30	2.04	3.33	0.37	8.15	20
	C60CQ016	FS 8400/36	CONCRETE SAW, 14.875" DEPTH, SELF PROPELLED, 36" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	84 HP	D-off	\$28,002	21.92	2.57	4.20	0.47	10.37	20
			FELKER (TARGET)									
	C60FE002	S80/14Z	CONCRETE SAW, 5.00" DEPTH, MANUAL, 14" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	2 HP	G	\$1,481	1.09	0.13	0.22	0.02	0.51	1
	C60FE006	ES 1409	CONCRETE SAW, 4.625" DEPTH, WALK BEHIND, 14" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	9 HP	G	\$3,093	3.67	0.28	0.46	0.05	2.28	2
	C60FE007	ES 1413	CONCRETE SAW, 4.625" DEPTH, WALK BEHIND, 14" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	13 HP	G	\$3,237	4.89	0.30	0.49	0.05	3.30	2
	C60FE009	ECII20H	CONCRETE SAW, 7.50" DEPTH, SELF PROPELLED, 20" BLADE (ADD COST FOR SAWBLADE WEAR & WATER)	20 HP	G	\$10,332	9.40	0.95	1.55	0.17	5.07	6
			BOART LONGYEAR COMPANY									
	C60LY005	FS 13B	CONCRETE SAW, 7.00" DEPTH, WALK BEHIND(ADD COST FOR SAWBLADE WEAR & WATER)	13 HP	G	\$3,037	4.82	0.28	0.46	0.05	3.30	2

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C60	BOART LONGYEAR COMPANY (continued)											
	C60LY001	360-10AP	CONCRETE SAW, RAIL SAW, 15.50" DEPTH, WALL (ADD COMPRESSOR & COST FOR SAWBLADE WEAR & WATER)	10 HP	G	\$26,279	12.14	2.41	3.94	0.44	2.54	2
	C60LY002	360-35HM	CONCRETE SAW, RAIL SAW, 24.50" DEPTH, WALL(ADD COST FOR SAWBLADE WEAR & WATER)	35 HP	G	\$38,852	23.78	3.58	5.83	0.66	8.87	2
	C60LY011	WR-400	CONCRETE SAW, WIRE SAW SYSTEM, HEAVY DUTY (ADD COST FOR SAW WIRE WEAR & WATER)	32 HP	D-off	\$75,221	31.09	6.91	11.28	1.27	3.95	15
C65	CONCRETE VIBRATORS											
	SUBCATEGORY 0.00		CONCRETE VIBRATORS									
	STOW MANUFACTURING, INC.											
	C65ST007	SV-1 115V	CONCRETE VIBRATOR, 1.375" HEAD, 21' SHAFT (ADD 2KV GENERATOR)	1 HP	E	\$902	0.94	0.12	0.20	0.02	0.04	1
	C65ST008	SV-2 115V	CONCRETE VIBRATOR, 2.175" HEAD, 21' SHAFT (ADD 2KV GENERATOR)	2 HP	E	\$942	1.05	0.13	0.21	0.02	0.09	1
	C65ST009	SV-3 115V	CONCRETE VIBRATOR, 2.625" HEAD, 21' SHAFT (ADD 2KV GENERATOR)	3 HP	E	\$1,112	1.28	0.15	0.25	0.02	0.13	1
	C65ST013	G55H	CONCRETE VIBRATOR, 2.325" HEAD, 21' SHAFT, W/GAS MOTOR ON CART	6 HP	G	\$2,054	3.17	0.27	0.46	0.04	1.02	2
	WACKER CORPORATION											
	C65WC005	A 5000	CONCRETE VIBRATOR, 1.75" HEAD, 13' SHAFT, W/GAS MOTOR ON CART	5 HP	G	\$1,864	2.87	0.24	0.42	0.03	0.92	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>C65</i>	<i>WACKER CORPORATION (continued)</i>											
	C65WC004	M 3000	CONCRETE VIBRATOR, 1.75" HEAD, 13' SHAFT, HI-FREQ INTERNAL (ADD 2KV GENERATOR)	3 HP	E	\$981	1.29	0.13	0.22	0.02	0.13	1
	C65WC003	I REN 57	CONCRETE VIBRATOR, 2.50" HEAD, 16.5' SHAFT, HI-FREQ INTERNAL (ADD 2KV GENERATOR)	2 HP	E	\$1,529	1.76	0.20	0.34	0.03	0.09	1
C75	CRANES, HYDRAULIC, SELF-PROPELLED											
	SUBCATEGORY 0.00		CRANES, HYDRAULIC, SELF-PROPELLED									
	BRODERSON MANUFACTURING CORPORATION											
	C75BD007	IC-20-1F	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 2.5 TON, 15' BOOM, 4X2	38 HP	G	\$61,344	17.75	2.81	3.68	0.97	8.09	63
	C75BD008	IC-35-2C	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 4.0 TON, 19.2' BOOM, 4X2	42 HP	G	\$81,496	21.47	3.74	4.91	1.28	8.94	78
	C75BD004	IC-35-2C	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 4.0 TON, 19' BOOM, 4X2, NON-ROTATING OPERATOR'S CAB	42 HP	G	\$84,850	22.06	3.88	5.07	1.34	8.94	79
	C75BD009	IC-80-3G	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 8.5 TON, 30' BOOM, 4X2	69 HP	G	\$110,883	32.25	5.07	6.63	1.75	14.69	172
	C75BD005	IC-80-1G	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 9.0 TON, 20' BOOM, 4X2, NON-ROTATING OPERATOR'S CAB	69 HP	G	\$107,307	31.75	4.90	6.41	1.69	14.69	163
	C75BD006	IC-200-3F	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 15.0 TON, 50' BOOM, 4X2, NON-ROTATING OPERATOR'S CAB	110 HP	G	\$157,141	48.74	7.17	9.37	2.48	23.41	308
	C75BD010	IC-250-3A	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 18.0 TON, 50' BOOM, 4X4	85 HP	D-off	\$185,883	35.98	8.49	11.12	2.93	8.78	384

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C75	<i>BRODERSON MANUFACTURING CORPORATION (continued)</i>											
	C75BD011	RT-300-2B	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 15.0 TON, 60' BOOM, 4X4, 20'0" OFFSET	130 HP	D-off	\$246,271	50.40	11.25	14.73	3.88	13.43	473
	GROVE CRANES (MANITOWOC)											
	C75GV021	YB4410	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 10 TON, 30' BOOM, 4X4, NON-ROTATING OPERATOR'S CAB	62 HP	G	\$123,597	32.34	5.65	7.40	1.95	13.20	173
	C75GV022	YB4415XT	CRANES, HYDRAULIC, SELF-PROPELLED, YARD, 15 TON, 52' BOOM, 4X4, NON-ROTATING OPERATOR'S CAB	110 HP	D-off	\$153,938	34.54	7.01	9.18	2.42	11.37	313
	C75GV028	RT525E	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 25 TON, 75' BOOM, 4X4X4	152 HP	D-off	\$288,356	59.59	13.12	17.15	4.54	15.70	500
	C75GV023	RT530E	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 30 TON, 95' BOOM, 4X4	152 HP	D-off	\$297,225	67.01	13.14	16.92	4.68	15.70	580
	C75GV024	RT640E	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 40 TON, 105' BOOM 4X4	173 HP	D-off	\$452,880	90.83	20.32	26.37	7.13	17.87	650
	C75GV019	RT750E	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 50 TON, 110' BOOM, 4X4	240 HP	D-off	\$516,108	112.04	22.93	29.59	8.13	24.80	876
	C75GV014	RT760	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 60 TON, 110' BOOM, 4X4, W/HOOK BLOCK & BALL	240 HP	D-off	\$516,322	112.06	22.93	29.60	8.13	24.80	909
C75GV025	RT875C	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 70 TON, 110' BOOM 4X4	250 HP	D-off	\$820,806	154.18	36.98	48.09	12.93	25.83	1,091	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>C75</i>	<i>GROVE CRANES (MANITOWOC) (continued)</i>											
	C75GV020	RT875 BXL	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 90 TON, 138' BOOM, 4X4	250 HP	D-off	\$825,641	154.24	37.30	48.58	13.01	25.83	1,119
	C75GV016	RT9130E	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 100 TON, 160' BOOM, 4X4, W/HOOK BLOCK & BALL	300 HP	D-off	\$1,176,698	208.27	53.49	69.89	18.54	31.00	1,364
	PETTIBONE MICHIGAN LLC											
	C75PB002	40RS	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 20 TON, 64.1' BOOM, 4X4X4	185 HP	D-off	\$479,426	89.25	21.84	28.57	7.55	19.11	496
	TADANO AMERICA CORPORATION											
	C75TD003	TR-300XL-4	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 30 TON, 112' BOOM, 4X4	180 HP	D-off	\$384,486	77.07	17.52	22.91	6.06	18.60	537
	C75TD007	TR-500XL-4	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 50 TON, 175' BOOM, 4X4	247 HP	D-off	\$722,567	133.22	32.56	42.35	11.38	25.52	882
	C75TD008	TR-650XL-3	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 65 TON, 180' BOOM, 4X4	247 HP	D-off	\$669,848	132.27	30.13	39.15	10.55	25.52	945
	TEREX CORPORATION											
	C75TE001	RT230	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 30 TON, 94' BOOM, 4X4	130 HP	D-off	\$362,039	66.57	16.56	21.71	5.70	13.43	563
	C75TE002	RT335/40	CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 40 TON, 94' BOOM, 4X4	152 HP	D-off	\$497,200	88.77	22.71	29.75	7.83	15.70	634

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	C80	CRANES, HYDRAULIC, TRUCK MOUNTED										
	SUBCATEGORY 0.01 UNDER 26 TON											
	TEREX CORPORATION											
	C80TE008	CD225	CRANES, HYDRAULIC, TRUCK MTD, ROUGH TERRAIN, 25 TON, 72' BOOM, 4X4	130 HP	D-off	\$284,854	51.37	12.92	16.86	4.49	11.57	525
	NO SPECIFIC MANUFACTURER											
	C80XX001	1700	CRANES, HYDRAULIC, TRUCK MTD, BOOM TRUCK, 17 TON, 80' BOOM, 4X2	245 HP	D-off	\$146,877	43.87	6.66	8.70	2.31	21.80	330
	C80XX002	2300	CRANES, HYDRAULIC, TRUCK MTD, BOOM TRUCK, 23.5 TON, 102' BOOM, 6X2	300 HP	D-off	\$192,194	55.51	8.69	11.32	3.03	26.69	600
	SUBCATEGORY 0.02 26 TON THRU 65 TON											
	GROVE CRANES (MANITOWOC)											
	C80GV025	TMS-500E	CRANES, HYDRAULIC, TRUCK MTD, 40 TON, 95' BOOM, 6X4	300 HP	D-off	\$457,029	83.23	19.17	24.08	7.13	26.69	540
	C80GV006	TMS-700E	CRANES, HYDRAULIC, TRUCK MTD, 50 TON, 110' BOOM, 8X4	400 HP	D-off	\$698,740	121.18	29.33	36.86	10.90	35.59	771
	C80GV029	TMS750E	CRANES, HYDRAULIC, TRUCK MTD, 50 TON, 110' BOOM, 8X4X4	400 HP	D-off	\$697,544	121.83	29.19	36.61	10.88	35.59	947
	C80GV026	GMK 3050	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 55 TON, 125' BOOM, 8X4	348 HP	D-off	\$688,876	115.38	28.86	36.22	10.75	30.96	745
	C80GV030	TMS760E	CRANES, HYDRAULIC, TRUCK MTD, 60 TON, 110' BOOM, 8X4X4	400 HP	D-off	\$698,734	121.97	29.24	36.67	10.90	35.59	949

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
LINK-BELT CONSTRUCTION EQUIPMENT COMPANY													
	C80LI009	HTC-8640 SL	CRANES, HYDRAULIC, TRUCK MTD, 40 TON, 105' BOOM, 6X4X2	350 HP	D-off	\$562,374	100.81	23.55	29.56	8.77	31.14	575	
	C80LI010	HTC-8650 II	CRANES, HYDRAULIC, TRUCK MTD, 50 TON, 110' BOOM, 8X4X4	315 HP	D-off	\$501,332	90.57	20.95	26.25	7.82	28.03	780	
	C80LI011	HTC-8660 II	CRANES, HYDRAULIC, TRUCK MTD, 60 TON, 110' BOOM, 8X4X4	365 HP	D-off	\$572,770	103.97	23.93	29.98	8.94	32.47	831	
TEREX CORPORATION													
	C80TE002	T335/40	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 40 TON, 94' BOOM, 6X4	250 HP	D-off	\$369,916	68.55	15.46	19.38	5.77	22.24	493	
	C80TE003	T 500	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 50 TON, 110' BOOM, 8X4	370 HP	D-off	\$483,185	94.07	20.17	25.25	7.54	32.92	806	
SUBCATEGORY 0.03 66 TON THRU 125 TON													
GROVE CRANES (MANITOWOC)													
	C80GV020	TMS-870	CRANES, HYDRAULIC, TRUCK MTD, 70 TON, 110' BOOM, 8X4	400 HP	D-off	\$856,160	135.21	33.31	40.11	13.25	35.59	9,161	
	C80GV031	TMS875C	CRANES, HYDRAULIC, TRUCK MTD, 75 TON, 110' BOOM, 8X4X4	400 HP	D-off	\$791,189	128.47	30.73	36.97	12.24	35.59	817	
	C80GV032	GMK4090	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 80 TON, 142' BOOM, 8X6X8	422 HP	D-off	\$1,054,256	164.33	40.86	49.10	16.31	37.55	1,184	
TADANO AMERICA CORPORATION													
	C80TD001	ATF-650XL	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 65 TON, 132' BOOM, 8X8	121 HP	D-off	349 HP D-on	\$734,831	102.71	28.38	34.02	11.37	16.72	1,090
	C80TD002	ATF-1000XL	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 100 TON, 138' BOOM, 8X8	158 HP	D-off	375 HP D-on	\$916,644	126.74	35.49	42.61	14.18	20.45	1,070

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.04 OVER 125 TON											
	GROVE CRANES (MANITOWOC)											
	C80GV013	GMK 5240	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 125 TON, 197' BOOM, 10X8	174 HP	D-off 600 HP D-on	\$2,067,459	256.12	75.38	87.10	31.83	25.71	1,180
	C80GV014	GMK 5240	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 165 TON, 197' BOOM, 10X8	174 HP	D-off 600 HP D-on	\$2,072,970	256.71	75.59	87.34	31.92	25.71	1,336
	C80GV015	GMK 5240	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 200 TON, 197' BOOM, 10X8	174 HP	D-off 600 HP D-on	\$2,081,974	257.67	75.92	87.72	32.06	25.71	2,348
	C80GV016	GMK 6350	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 200 TON, 197' BOOM, 12X8	165 HP	D-off 525 HP D-on	\$2,931,264	346.77	106.96	123.66	45.13	23.63	1,425
	TADANO AMERICA CORPORATION											
	C80TD005	ATF-1500XL	CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 150 TON, 162' BOOM, 10X8	533 HP	D-off 503 HP D-on	\$1,100,271	182.78	39.94	46.00	16.94	56.00	1,330
C85	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER MOUNTED											
	SUBCATEGORY 0.12 DRAGLINE, CLAMSHELL, OVER 1.0 CY THRU 2.5 CY											
	LINK-BELT CONSTRUCTION EQUIPMENT CO.											
	C85LB019	LS-208H II	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 80 TON, 100' BOOM (ADD BUCKET)	263 HP	D-off	\$805,249	121.38	33.16	40.26	13.03	19.63	1,390
	TEREX CORPORATION											
	C85TE001	5220	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 50 TON, 100' BOOM (ADD BUCKET)	150 HP	D-off	\$653,652	93.09	26.92	32.68	10.58	11.19	831

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
C85	<i>TEREX CORPORATION (continued)</i>												
	C85TE002	7225	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 85 TON, 100' BOOM (ADD BUCKET)	250 HP	D-off	\$909,323	133.05	37.46	45.47	14.72	18.66	1,259	
	SUBCATEGORY 0.13		DRAGLINE, CLAMSHELL, OVER 2.5 CY THRU 5.0 CY										
	LINK-BELT CONSTRUCTION EQUIPMENT CO.												
	C85LB021	238 HYLAB 5	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 150 TON, 100' BOOM (ADD BUCKET)	284 HP	D-off	\$1,306,362	175.66	50.00	58.06	20.97	21.19	3,357	
	C85LB022	LS-248H II	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 200 TON, 120' BOOM (ADD BUCKET)	237 HP	D-off	\$1,510,336	195.63	57.82	67.13	24.25	17.68	3,242	
	MANITOWOC ENGINEERING CO.												
C85MA001	222HD	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 3.5 CY, 80' BOOM (ADD BUCKET)	350 HP	D-off	\$1,035,406	149.43	39.63	46.02	16.62	26.12	1,988		
C85MA002	777	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 5.0 CY, 130' BOOM (ADD BUCKET)	340 HP	D-off	\$1,268,525	175.83	48.56	56.38	20.37	25.37	3,815		
TEREX CORPORATION													
C85TE003	9225	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 150 TON, 100' BOOM (ADD BUCKET)	335 HP	D-off	\$1,145,640	161.07	43.85	50.92	18.39	25.00	2,482		

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.14 DRAGLINE, CLAMSHELL, OVER 5.0 CY											
	LINK-BELT CONSTRUCTION EQUIPMENT CO.											
	C85LB023	LS-278H	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 250 TON, 120' BOOM (ADD BUCKET)	440 HP	D-off	\$1,779,428	235.38	64.03	71.18	28.44	32.83	4,064
	MANITOWOC ENGINEERING CO.											
	C85MA003	999	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 7.0 CY, 140' BOOM (ADD BUCKET)	375 HP	D-off	\$1,889,498	242.34	67.98	75.58	30.19	27.98	5,100
	C85MA009	888	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, DRAGLINE/CLAMSHELL, 10 CY, 70' BOOM (ADD BUCKET)	340 HP	D-off	\$1,660,619	213.84	59.75	66.42	26.54	25.37	3,397
	SUBCATEGORY 0.22 LIFTING, 26 TON THRU 50 TON											
	KOBELCO AMERICA INC.											
	C85KC007	CK550	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 50 TON, 30' BOOM, LIFTING	178 HP	D-off	\$600,506	73.53	22.99	26.69	9.64	9.71	1,001
	SUBCATEGORY 0.23 LIFTING, 51 TON THRU 150 TON											
	KOBELCO AMERICA INC.											
	C85KC004	CK550	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 55 TON, 160' BOOM, LIFTING	178 HP	D-off	\$648,965	77.59	23.78	27.58	9.99	9.71	1,071
	C85KC005	CK850	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 85 TON, 180' BOOM, LIFTING	213 HP	D-off	\$748,647	89.96	27.44	31.82	11.53	11.61	1,729

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C85	<i>KOBELCO AMERICA INC. (continued)</i>											
	C85KC003	CK1000	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 100 TON, 200' BOOM, LIFTING	265 HP	D-off	\$1,028,027	121.90	37.68	43.69	15.83	14.45	1,899
	LINK-BELT CONSTRUCTION EQUIPMENT CO.											
	C85LB013	LS-208H II	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 80 TON, 190' BOOM, LIFTING	263 HP	D-off	\$828,325	101.16	30.35	35.20	12.75	14.34	1,390
	C85LB014	218 HSL	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	284 HP	D-off	\$943,675	114.34	34.59	40.11	14.53	15.49	1,790
	C85LB015	238 HYLAB 5	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 150 TON, 240' BOOM, LIFTING	284 HP	D-off	\$1,306,362	151.76	47.87	55.52	20.11	15.49	3,357
	LINK-BELT CONSTRUCTION EQUIPMENT COMPANY											
	C85LI001	LS-138H SERIES II	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 80 TON, 40' TUBULAR BOOM, LIFTING	207 HP	D-off	\$677,604	82.28	24.83	28.80	10.43	11.29	1,464
	MANITOWOC ENGINEERING CO.											
	C85MA004	222HD	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 100 TON, 210' BOOM, LIFTING	350 HP	D-off	\$1,023,687	126.53	37.52	43.51	15.76	19.09	2,354
C85MA008	555	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 100 TON, 260' BOOM, LIFTING	335 HP	D-off	\$1,015,379	124.77	37.21	43.15	15.63	18.27	3,121	
C85MA005	555	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 150 TON, 250' BOOM, LIFTING	335 HP	D-off	\$959,097	118.97	35.15	40.76	14.77	18.27	2,744	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
TEREX CORPORATION												
	C85TE008	HC 80	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 80 TON, 200' BOOM, LIFTING	184 HP	D-off	\$686,551	81.82	25.16	29.18	10.57	10.03	1,430
	C85TE009	HC 110	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 100 TON, 230' BOOM, LIFTING	230 HP	D-off	\$846,238	101.05	31.02	35.97	13.03	12.54	1,911
	C85TE010	HC 125	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 125 TON, 240' BOOM, LIFTING	240 HP	D-off	\$1,123,124	130.22	41.16	47.73	17.29	13.09	2,128
	SUBCATEGORY 0.24		LIFTING, OVER 150 TON									
KOBELCO AMERICA INC.												
	C85KC008	CK2000	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 200 TON, 50' BOOM, LIFTING	316 HP	D-off	\$1,363,728	155.31	47.24	52.69	20.89	17.23	3,622
	C85KC006	CK2500	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 250 TON, 280' BOOM, LIFTING	279 HP	D-off	\$1,921,420	208.84	66.56	74.24	29.44	15.21	4,985
LINK-BELT CONSTRUCTION EQUIPMENT CO.												
	C85LB016	248 HYLAB 5	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 200 TON, 280' BOOM, LIFTING	284 HP	D-off	\$1,650,010	182.01	57.16	63.75	25.28	15.49	3,242
	C85LB017	LS-278H	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 250 TON, 330' BOOM, LIFTING	440 HP	D-off	\$1,862,622	212.63	64.52	71.96	28.54	23.99	4,064

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT		
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL			
MANITOWOC ENGINEERING CO.														
	C85MA006	777	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 200 TON, 260' BOOM, LIFTING	340 HP	D-off		\$1,333,055	153.68	46.17	51.50	20.42	18.54	3,929	
	C85MA010	888	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 230 TON, 300' BOOM, LIFTING	340 HP	D-off		\$1,701,901	190.57	58.96	65.76	26.08	18.54	3,697	
	C85MA007	999	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 250 TON, 260' BOOM, LIFTING	375 HP	D-off		\$1,880,778	210.56	65.16	72.67	28.82	20.45	4,942	
TEREX CORPORATION														
	C85TE011	HC 210	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 210 TON, 280' BOOM, LIFTING	315 HP	D-off		\$1,657,876	184.65	57.43	64.05	25.40	17.18	3,708	
C90	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MOUNTED													
	SUBCATEGORY 0.04 OVER 125 TON													
LINK-BELT CONSTRUCTION EQUIPMENT CO.														
	C90LB001	HC-238H II	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MTD, 150 TON, 260' BOOM, 8X4	197 HP	D-off	430 HP	D-on	\$1,494,773	186.55	53.48	59.17	23.89	20.90	1,913
	C90LB002	HC-248H	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MTD, 200 TON, 280' BOOM, 8X4	248 HP	D-off	430 HP	D-on	\$1,687,266	210.44	60.39	66.86	26.96	24.41	2,476
	C90LB003	HC-278 H II	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MTD, 300 TON, 330' BOOM, 12X6	430 HP	D-off	430 HP	D-on	\$2,710,896	334.76	97.07	107.50	43.32	36.95	3,385

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C95	CRANES, TOWER											
	SUBCATEGORY 0.00 CRANES, TOWER											
	PECCO AND WOLFF TOWER CRANES (MORROW)											
	C95AP004	SK200	TOWER CRANE, 3.4 TON @ 181' RADIUS 42.6' HEIGHT (ADD 95KW GENERATOR & T-SECTION)	128 HP	E	\$525,487	70.79	20.12	23.35	8.44	5.57	970
	C95AP005	S16-35 TOWER SECTION	TOWER CRANE OPTION, 1.1' T-TRANSITION S35 -S16 (ADD SK 140 - SK 225 TOWER CRANE)			\$16,879	1.87	0.65	0.75	0.27	0.00	16
	C95AP006	S35 TOWER SECTION	TOWER CRANE OPTION, 19.33' TOWER SECTION (ADD TO SK 140 - SK 400 TOWER CRANE)			\$32,626	3.61	1.25	1.45	0.52	0.00	89
	C95AP007	SK400	TOWER CRANE, 3.3 TON @ 245' RADIUS, 56.7' HEIGHT (ADD 160 KW GENERATOR & T-SECTION)	213 HP	E	\$830,123	111.25	31.78	36.89	13.33	9.28	1,783
	C95AP008	S35 CLIMBING UNIT	TOWER CRANE OPTION, 29.2' CLIMBING UNIT (ADD TO SK 200 - SK 400 TOWER CRANE)			\$130,680	14.99	5.01	5.81	2.10	0.00	248
	C95AP009	S35-60 TOWER SECTION	TOWER CRANE OPTION, 19.4' T-TRANSITION S60 S35 (ADD SK 225 - SK 560 TOWER CRANE)			\$43,711	4.84	1.67	1.94	0.70	0.00	99
	C95AP010	SK560	TOWER CRANE, 2.8 TON @ 265' RADIUS, 76.5' HEIGHT (ADD 161 KW GENERATOR & T-SECTION)	217 HP	E	\$1,108,571	142.38	42.44	49.27	17.80	9.45	1,557
	C95AP011	S60 TOWER SECTION	TOWER CRANE OPTION, 19.33' TOWER SECTION (ADD TO SK 225 - SK 560 TOWER CRANE)			\$40,933	4.54	1.57	1.82	0.66	0.00	99

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C95			<i>PECCO AND WOLFF TOWER CRANES (MORROW) (continued)</i>									
	C95AP012	S60 CLIMB UNIT	TOWER CRANE OPTION, 32.8' CLIMBING UNIT (ADD TO SK 225 - SK 560 TOWER CRANE)			\$162,368	18.50	6.22	7.22	2.61	0.00	258
	C95AP013	SN355	TOWER CRANE, 3.8 TON @ 197' RADIUS, 110' TALL, LUFFING (ADD 300 KW GENERATOR & T-SECTION)	354 HP	E	\$1,059,171	146.06	40.55	47.07	17.01	15.42	2,748
	C95AP014	SN35 TOWER SECTION	TOWER CRANE OPTION, 14.75' TOWER SECTION (ADD TO SN 141 - SN 355 TOWER CRANE)			\$37,235	4.12	1.43	1.65	0.60	0.00	89
	C95AP015	SN35 CLIMBING UNIT	TOWER CRANE OPTION, 29.2' CLIMBING UNIT (ADD TO SN 141 - SN 355 TOWER CRANE)			\$141,876	16.23	5.44	6.31	2.28	0.00	248
	C95AP016	S35N-60 TOWER SECTION	TOWER CRANE OPTION, 19.4' T-TRANSITION S60 S35N (ADD SN 141 - SK 355 TOWER CRANE)			\$49,776	5.52	1.91	2.21	0.80	0.00	99
	C95AP017	SK140	TOWER CRANE, 3.1 TON @ 151' RADIUS, 85.0' HEIGHT (ADD 95KW GENERATOR & T-SECTION)	125 HP	E	\$447,909	60.99	17.15	19.91	7.19	5.44	1,309
	C95AP018	S16 TOWER SECTION	TOWER CRANE OPTION, 14.75' TOWER SECTION (ADD TO SK 140 - SK 200 TOWER CRANE)			\$15,780	1.74	0.60	0.70	0.25	0.00	55
	C95AP019	S16 CLIMBING UNIT	TOWER CRANE OPTION, 29.2' CLIMBING UNIT (ADD TO SK140 - SK 200 TOWER CRANE)			\$88,398	10.30	3.39	3.93	1.42	0.00	165
	C95AP020	SN141	TOWER CRANE, 1.6 TON @ 147' RADIUS, 89' TALL, LUFFING (ADD 200 KW GENERATOR & T-SECTION)	223 HP	E	\$494,021	72.67	18.91	21.96	7.93	9.71	1,082

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>C95</i>			<i>PECCO AND WOLFF TOWER CRANES (MORROW) (continued)</i>								
	C95AP021	SN160-16	TOWER CRANE, 2.8 TON @ 164' RADIUS, 88' TALL, LUFFING (ADD 250 KW GENERATOR & T-SECTION)	258 HP	E	\$773,264	106.97	29.61	34.37	12.42	11.24	1,179
	C95AP022	PH5000-12	TOWER CRANE OPTION, 24 PERSON / 2.4 TON MATERIAL ELEVATOR/HOIST (ADD 4.9' MAST SECTION & 18 KW GENERATOR)	24 HP	E	\$118,782	15.78	4.55	5.28	1.91	1.05	130
	C95AP023	MAST SECTION	TOWER CRANE OPTION, 4.9' MAST-> PERSON/MATERIAL ELEVATOR/HOIST (ADD WALL TIE & CABLE GUIDE @30')			\$2,803	0.31	0.11	0.12	0.05	0.00	3
			MORROW EQUIPMENT COMPANY, LLC									
	C95LH022	97K	TOWER CRANE, HORIZONTAL BOOM, JIB CRANE, 13.2 TON MAX, 1.9 TON @ 148' RADIUS, 66' HEIGHT, SELF/ERECTING, W/FIVE - 7' 10" TOWER SECTIONS/ & ROAD TRANSPORT EQUIPMENT (ADD 40KW GENERATOR)	35 HP	E	\$406,908	49.79	15.50	17.93	6.53	1.52	1,593
	C95LH023	140K	TOWER CRANE, HORIZONTAL BOOM, JIB CRANE, 11.0 TON MAX, 1.7 TON @ 180' RAD 146' HEIGHT, SELF/ERECTING, W/EIGHT - 9' 10" TOWER SECTIONS/ & ROAD TRANSPORT EQUIPMENT (ADD 60KW GENERATOR)	65 HP	E	\$568,227	70.75	21.66	25.08	9.12	2.83	1,836
	C95LH003	132 HC	TOWER CRANE, HORIZONTAL BOOM, JIB CRANE, 8.8 TON MAX, 2.4 TON @ 168' RADIUS, 147.8' HEIGHT, W/FOURTEEN - 8' 2" TOWER SECTIONS (ADD 85 KW GENERATOR)	109 HP	E	\$458,367	61.09	17.55	20.37	7.36	4.75	1,156

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
C95			<i>MORROW EQUIPMENT COMPANY, LLC (continued)</i>									
	C95LH005	200 HC	TOWER CRANE, HORIZONTAL BOOM, JIB CRANE, 11.0 TON MAX, 2.5 TON @ 201' RADIUS, 162.7' HEIGHT, W/NINE - 13' 7" TOWER SECTIONS (ADD 110 KW GENERATOR)	148 HP	E	\$596,382	80.01	22.84	26.51	9.58	6.45	1,374
	C95LH011	390 HC	TOWER CRANE, HORIZONTAL BOOM, JIB CRANE, 17.6 TON MAX, 3.3 TON @ 246' RADIUS, 199.1' HEIGHT, W/NINE - 19' 0" TOWER SECTIONS (ADD 170 KW GENERATOR)	223 HP	E	\$1,114,019	143.38	42.65	49.51	17.89	9.71	2,744
	C95LH013	550 HC20	TOWER CRANE, HORIZONTAL BOOM, JIB CRANE, 22.0 TON MAX, 3.8 TON @ 265' RADIUS, 237.5' HEIGHT, W/TWELVE - 19' 0" TOWER SECTIONS (ADD 170 KW GENERATOR)	223 HP	E	\$1,422,610	177.58	54.46	63.23	22.84	9.71	3,765
	C95LH015	550 HC-L	TOWER CRANE, 26.4 TON MAX, 3/4 TON @ 197' RADIUS, 210' HEIGHT, LUFFING, W/SIX 19' 0" TOWER SECTIONS (ADD 480 KW GENERATOR)	317 HP	E	\$1,895,985	238.34	72.58	84.27	30.44	13.81	5,075
D10	DRILLS, HYDRAULIC TRACK (Add cost for drill steel and bit wear)											
	SUBCATEGORY 0.10	DRILLS, AIR TRACK (Add cost for drill steel and bit wear)										
	INGERSOLL RAND ROCK DRILL DIV											
	D10IR003	ECM350/VL140	DRILL, AIR TRACK, CRAWLER, 2.5-4.0" DIA, 12' FEED (ADD COST FOR DRILL STEEL AND BIT WEAR, ADD 750 CFM COMPRESSOR)	750 CFM	A	\$162,955	26.13	7.12	8.73	2.75	0.00	129

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
SULLIVAN-PALATEK, INC.												
	D10SU002	RAM EXT, VCR360	DRILL, AIR TRACK, CRAWLER, 2.5-4.0" DIA, 12' FEED (ADD COST FOR DRILL STEEL AND BIT WEAR, ADD 750 CFM COMPRESSOR)	750 CFM	A	\$200,636	32.00	8.76	10.75	3.38	0.00	152
	D10SU003	RAM EXT, VCR361	DRILL, AIR TRACK, CRAWLER, 3.0-4.0" DIA, 12' FEED (ADD COST FOR DRILL STEEL AND BIT WEAR, ADD 900 CFM COMPRESSOR)	900 CFM	A	\$206,122	32.86	9.00	11.04	3.48	0.00	205
SUBCATEGORY 0.20 DRILLS, HYDRAULIC TRACK (Add cost for drill steel and bit wear)												
INGERSOLL RAND ROCK DRILL DIV												
	D10IR005	ECM590/YH80A	DRILL, HYDRAULIC TRACK, CRAWLER, 2.5-4.5" DIA, 14' DRIFTER TRAVEL, SELF-CONTAINED (ADD COST FOR DRILL STEEL AND BIT WEAR)	215 HP	D-off	\$437,106	118.66	23.95	32.78	7.56	23.45	245
SULLIVAN-PALATEK, INC.												
	D10SU005	SCORPION VCR360	DRILL, HYDRAULIC TRACK, CRAWLER, 5.25" DIA, 12' FEED (ADD COST FOR DRILL STEEL AND BIT WEAR)	260 HP	D-off	\$224,326	79.18	12.29	16.82	3.88	28.36	265
	D10SU006	SCORPION VCR361	DRILL, HYDRAULIC TRACK, CRAWLER, 6.5" DIA, 12' FEED (ADD COST FOR DRILL STEEL AND BIT WEAR)	260 HP	D-off	\$227,002	79.76	12.45	17.03	3.93	28.36	265

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
D15	DRILLS, HORIZONTAL BORING & GROUND PIERCING (Add cost for drill steel and bit wear)											
	SUBCATEGORY 0.00	DRILLS, HORIZONTAL BORING & GROUND PIERCING (Add cost for drill steel and bit wear)										
	BOR-IT MANUFACTURING COMPANY INC.											
	D15BI001	12 MIGHT MAX	DRILL, HORIZONTAL BORING, 12" DIA, COMBINED HEAD 28,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	12 HP	G	\$15,189	6.10	0.83	1.14	0.26	2.70	18
	D15BI002	20 POWER HOUSE II	DRILL, HORIZONTAL BORING, 20" DIA, COMBINED HEAD 44,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	20 HP	D-off	\$27,023	7.84	1.49	2.03	0.47	2.18	15
	D15BI003	24 BRUTE	DRILL, HORIZONTAL BORING, 24" DIA, COMBINED HEAD 84,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	30 HP	D-off	\$41,063	11.85	2.25	3.08	0.71	3.27	38
	D15BI004	30 POWER PLUS	DRILL, HORIZONTAL BORING, 30" DIA, COMBINED HEAD 170,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	45 HP	D-off	\$64,089	18.29	3.52	4.81	1.11	4.91	70
	D15BI005	36 WORKHORSE	DRILL, HORIZONTAL BORING, 36" DIA, COMBINED HEAD 225,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	62 HP	D-off	\$82,432	24.02	4.52	6.18	1.43	6.76	90
	D15BI006	48 TERMINATOR	DRILL, HORIZONTAL BORING, 48" DIA, COMBINED HEAD 525,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	119 HP	D-off	\$138,516	42.18	7.60	10.39	2.40	12.98	170

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>D15</i>			<i>BOR-IT MANUFACTURING COMPANY INC. (continued)</i>								
	D15BI008	54 TERMINATOR II	DRILL, HORIZONTAL BORING, 54" DIA, COMBINED HEAD 32,700,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	189 HP	D-off	\$171,479	57.29	9.40	12.86	2.97	20.61	250
	D15BI007	60	DRILL, HORIZONTAL BORING, 60" DIA, COMBINED HEAD 1,100,000 LBS THRUST, W/100' AUGER TRACK (ADD COST FOR DRILL STEEL AND BIT WEAR)	189 HP	D-off	\$183,739	59.74	10.07	13.78	3.18	20.61	250
			NO SPECIFIC MANUFACTURER									
	D15XX001	MC-500H	DRILL, HORIZONTAL BORING, 3" - 6" DIA, 15,000 LBS THRUST, HYDRAULIC MOTOR (ADD COST FOR DRILL STEEL AND BIT WEAR)			\$8,356	1.67	0.46	0.63	0.14	0.00	10
	D15XX002	H-12/RM-12	DRILL, HORIZONTAL BORING, 4" - 12" DIA, 24,000 LBS THRUST, HYDRAULIC MOTOR (ADD COST FOR DRILL STEEL AND BIT WEAR)			\$12,541	2.50	0.69	0.94	0.22	0.00	12
D20	DRILLS, CORE, COLUMN MOUNTED (Add cost for drill steel and bit wear)											
	SUBCATEGORY 0.00	DRILLS, CORE, COLUMN MOUNTED (Add cost for drill steel and bit wear)										
			ACKER DRILL COMPANY INC.									
	D20AD005	630-E	DRILL, CORE, COLUMN MOUNTED, 4" DIA MAX CORE HOLE (ADD COST FOR DRILL STEEL AND BIT WEAR)	2 HP	E	\$5,683	1.76	0.37	0.53	0.10	0.11	1
	D20AD002	930-E	DRILL, CORE, COLUMN MOUNTED, 10" DIA MAX CORE HOLE (ADD COST FOR DRILL STEEL AND BIT WEAR)	2 HP	E	\$5,788	1.78	0.37	0.54	0.10	0.11	2

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>D20</i>	<i>ACKER DRILL COMPANY INC. (continued)</i>											
	D20AD006	1040-E	DRILL, CORE, COLUMN MOUNTED, 10" DIA MAX CORE HOLE (ADD COST FOR DRILL STEEL AND BIT WEAR)	4 HP	E	\$9,398	2.95	0.61	0.88	0.17	0.21	1
	D20AD007	1200-G	DRILL, CORE, COLUMN MOUNTED, 12" DIA MAX CORE HOLE (ADD COST FOR DRILL STEEL AND BIT WEAR)	8 HP	E	\$15,524	5.13	1.00	1.46	0.27	0.43	3
	CUSHION CUT, INC.											
	D20CQ001	HCD24/12	DRILL, CORE, COLUMN MOUNTED, 1"-24" BIT DIA (ADD COST FOR DRILL STEEL AND BIT WEAR)	16 HP	G	\$13,958	8.69	0.91	1.31	0.25	3.61	5
	BOART LONGYEAR COMPANY											
	D20LY001	752	DRILL, CORE, COLUMN MOUNTED, 1.5"-6" BIT DIA, W/E4-230/110 MOTOR (110V) (ADD COST FOR DRILL STEEL AND BIT WEAR)	3 HP	E	\$8,378	2.74	0.55	0.79	0.15	0.16	2
	D20LY002	42N	DRILL, CORE, COLUMN MOUNTED, 0.5"-36" BIT DIA, W/A4-350 MOTOR (ADD COST FOR DRILL STEEL AND BIT WEAR AND ADD 185 CFM AIR COMPRESSOR)	185 CFM	A	\$8,676	2.66	0.56	0.81	0.15	0.00	3
D25	DRILLS, CORE & DOWELLING (Add cost for drill steel and bit wear)											
	SUBCATEGORY 0.00	DRILLS, CORE & DOWELLING (Add cost for drill steel and bit wear)										
	ACKER DRILL COMPANY INC.											
	D25AD004	ACEW	DRILL, CORE, SKID MTD, 725' MAX DRILL DEPTH (ADD COST FOR DRILL STEEL AND BIT WEAR)	28 HP	D-off	\$81,146	20.51	4.45	6.09	1.40	3.05	35

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>D25</i>			<i>ACKER DRILL COMPANY INC. (continued)</i>									
	D25AD003	BUSH MASTER	DRILL, CORE, SKID MTD, 1500' MAX DRILL DEPTH (ADD COST FOR DRILL STEEL AND BIT WEAR)	69 HP	D-off	\$101,731	29.81	5.58	7.63	1.76	7.53	45
			E-Z DRILL, INC.									
	D25EZ002	210 B	DRILL, CORE, SKID MTD, 0.6"-2.5" DIA., 18" DEPTH, HORIZONTAL DOWELLING ASSEMBLY (ADD COST FOR DRILL STEEL AND BIT WEAR, ADD 100 CFM COMPRESSOR)	100 CFM	A	\$6,738	1.93	0.35	0.46	0.12	0.00	3
	D25EZ003	210 B SRA	DRILL, CORE, SKID MTD, 0.6"-2.5" DIA., 18" DEPTH, HORIZONTAL DOWELLING ASSEMBLY (ADD COST FOR DRILL STEEL AND BIT WEAR, ADD 100 CFM COMPRESSOR)	100 CFM	A	\$7,165	2.02	0.38	0.51	0.12	0.00	3
	D25EZ001	210 B SR HORIZONTAL	DRILL, CORE, SKID MTD, 0.6"-2.5" DIA., 18" DEPTH, HORIZONTAL DOWELLING ASSEMBLY (ADD COST FOR DRILL STEEL AND BIT WEAR, ADD 100 CFM COMPRESSOR)	100 CFM	A	\$7,677	2.12	0.42	0.58	0.13	0.00	3
	D25EZ005	210-3 SRA	DRILL, CORE, SELF PROPELLED, 0.6"-2.5" DIA., 18" DEPTH, DOWELLING MACHINE (ADD COST FOR DRILL STEEL AND BIT WEAR, ADD 100 CFM COMPRESSOR)	100 CFM	A	\$26,443	6.86	1.43	1.93	0.46	0.00	12

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
D30	DRILLS, EARTH / AUGER (Add cost for drill steel and cutting edge wear)											
	SUBCATEGORY 0.00	DRILLS, EARTH / AUGER (Add cost for drill steel and cutting edge wear)										
	HYDRAULIC POWER SYSTEMS, INC.											
	D30HD001	H-15	DRILL, AUGER, HYDRAULIC, W/60' 8" X 21" LEADS, 15,000 FT-LBS TORQUE (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR AND CRANE)	210 HP	D-off	\$78,345	44.22	4.30	5.88	1.36	22.90	146
	D30HD002	H-35VT	DRILL, AUGER, HYDRAULIC, W/60' 8" X 27" LEADS, 33,000 FT-LBS TORQUE (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR AND CRANE)	270 HP	D-off	\$117,248	60.76	6.43	8.79	2.03	29.45	200
	D30HD003	H-50VT	DRILL, AUGER, HYDRAULIC, W/60' 8" X 33" LEADS, 50,000 FT-LBS TORQUE (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR AND CRANE)	335 HP	D-off	\$152,586	77.17	8.36	11.44	2.64	36.54	269
	FOREMOST MOBILE DRILLING COMPANY, INC.											
	D30MR001	MINUTEMAN	DRILL, EARTH / AUGER, W/AUGER KIT, 3" DIA, 30' DEPTH, 350 FT-LBS TORQUE, PORTABLE (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR)	8 HP	G	\$12,516	4.70	0.69	0.94	0.22	1.80	4
	D30MR003	B-31	DRILL, EARTH / AUGER, HYDRAULIC AUGER, 14" DIA, 30' DEPTH, 3,500 FT-LBS TORQUE, TRAILER MOUNTED (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR)	58 HP	D-off	\$85,010	25.05	4.63	6.31	1.47	6.33	42

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>D30</i>			<i>FOREMOST MOBILE DRILLING COMPANY, INC. (continued)</i>								
	D30MR005	B-53	DRILL, EARTH / AUGER, MULTI-PURPOSE, 6" DIA, 245' DEPTH, 5,955 FT-LBS TORQUE, W/21,000 GVW TRUCK (W/PTO DRIVE)(ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR)	100 HP D-off	230 HP D-on	\$204,944	60.00	11.13	15.17	3.54	14.83	120
	D30MR006	B-58	DRILL, EARTH / AUGER, MULTI-PURPOSE, 8" DIA, 250' DEPTH, 7,000 FT-LBS TORQUE W/33,000 GVW TRUCK (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR)	115 HP D-off	260 HP D-on	\$211,185	63.71	11.47	15.63	3.65	16.97	130
	D30MR007	B-61HT	DRILL, EARTH / AUGER, MULTI-PURPOSE, 8" DIA, 375' DEPTH, 20,000 FT-LBS TORQUE W/33,000 GVW TRUCK (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR)	115 HP D-off	260 HP D-on	\$267,290	75.57	14.54	19.84	4.62	16.97	205
D35	DRILLS, ROTARY BLASTHOLE (Add cost for drill steel and bit wear)											
	SUBCATEGORY 0.11	DIESEL, 4.5" THRU 9.875" DIAMETER	HOLE (Add cost for drill steel and bit wear)									
	DRILTECH, INC. (SANDVIK)											
	D35DT001	D25KS	DRILL, ROTARY BLASTHOLE, 5"-6.75" DIA., 27,000 LB PULLDOWN, CRAWLER, 88' DEEP(ADD COST FOR DRILL STEEL AND BIT WEAR)	450 HP D-off		\$595,146	151.42	26.72	34.01	9.71	49.08	620
	D35DT002	D245S	DRILL, ROTARY BLASTHOLE, 5"-8" DIA., 40,000 LB PULLDOWN, CRAWLER, 148' DEEP (ADD COST FOR DRILL STEEL AND BIT WEAR)	450 HP D-off		\$610,908	153.91	27.42	34.91	9.96	49.08	720

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
<i>D35</i>			<i>DRILTECH, INC. (SANDVIK) (continued)</i>										
	D35DT003	D45KS	DRILL, ROTARY BLASTHOLE, 6"-9" DIA., 45,000 LB PULLDOWN, CRAWLER, 208' DEEP (ADD COST FOR DRILL STEEL AND BIT WEAR)	450 HP	D-off	\$686,163	165.84	30.80	39.21	11.19	49.08	1,050	
	D35DT004	D50KS	DRILL, ROTARY BLASTHOLE, 6"-9.875" DIA., 50,000 LB PULLDOWN, CRAWLER, 148' DEEP (ADD COST FOR DRILL STEEL AND BIT WEAR)	525 HP	D-off	\$728,832	182.12	32.72	41.65	11.89	57.26	1,050	
	D35DT005	D55SP	DRILL, ROTARY BLASTHOLE, 6.75"-10" DIA., 45,000 LB PULLDOWN, CRAWLER, 55' DEEP (SINGLE PASS) (ADD COST FOR DRILL STEEL AND BIT WEAR)	760 HP	D-off	\$1,137,194	276.66	51.04	64.98	18.55	82.89	1,320	
			REEDRILL (TEREX)										
	D35RD001	SK5AD	DRILL, ROTARY BLASTHOLE, 4"-7" DIA, 12,000 LBS PULL BACK, TRUCK MTD, 148' DEEP (ADD COST FOR DRILL STEEL AND BIT WEAR)	400 HP	D-off	350 HP D-on	\$449,425	128.90	20.17	25.68	7.33	49.59	525
			SUBCATEGORY 0.12 DIESEL, OVER 9.875" DIAMETER (Add cost for drill steel and bit wear)										
			DRILTECH, INC. (SANDVIK)										
	D35DT006	D75KS	DRILL, ROTARY BLASTHOLE, 9"-11" DIA., 75,000 LB PULLDOWN, CRAWLER, 173' DEEP (ADD COST FOR DRILL STEEL AND BIT WEAR)	760 HP	D-off	\$1,006,358	221.72	38.53	44.73	16.16	82.89	1,400	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
INGERSOLL RAND ROTARY DRILL DIV												
	D35IB004	T3W	DRILL, ROTARY BLASTHOLE, WATER WELL 6"-24" DIA, 30,000 LB PULL BACK, TRUCK MTD (ADD COST FOR DRILL STEEL AND BIT WEAR)	465 HP	D-off 380 HP D-on	\$632,006	145.65	24.08	27.86	10.15	57.19	660
	D35IB003	TH-60	DRILL, ROTARY BLASTHOLE, WATER WELL, 12" DIA, 26,500 LBS PULL BACK, TRUCK MTD (ADD COST FOR DRILL STEEL AND BIT WEAR)	475 HP	D-off 380 HP D-on	\$662,559	150.64	25.27	29.25	10.64	58.28	600
	D35IB005	T3W DEEPHOLE	DRILL, ROTARY BLASTHOLE, WATER WELL 6"-18" DIA, 50,000 LB PULL BACK, TRUCK MTD (ADD COST FOR DRILL STEEL AND BIT WEAR)	575 HP	D-off 380 HP D-on	\$732,253	171.98	27.92	32.31	11.76	69.19	688
	D35IB006	T4W	DRILL, ROTARY BLASTHOLE, WATER WELL 6"-20" DIA, 70,000 LB PULL BACK, TRUCK MTD (ADD COST FOR DRILL STEEL AND BIT WEAR)	600 HP	D-off 305 HP D-on	\$769,728	178.37	29.35	33.98	12.36	70.64	688
F10	FORK LIFTS											
	SUBCATEGORY 0.00 FORK LIFTS											
	JCB INC.											
	F10JC001	930-4	FORK LIFT, ROUGH TERRAIN, 6,000 LBS @ 28' HIGH STRAIGHT MAST, 4X4	75 HP	D-off	\$72,408	20.80	4.03	5.64	1.21	6.67	150
	F10JC002	940-4	FORK LIFT, ROUGH TERRAIN, 8,000 LBS @ 30' HIGH STRAIGHT MAST, 4X4	75 HP	D-off	\$78,787	21.95	4.40	6.15	1.32	6.67	165

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
G10	GENERATOR SETS											
	SUBCATEGORY 0.10 PORTABLE											
	WACKER CORPORATION											
	G10WC00	GP 3800A	GENERATOR SET, PORTABLE, 3.7 KW, 120/240V, 60 HZ	8 HP	G	\$2,189	2.11	0.17	0.25	0.04	1.48	2
	G10WC00	GP 5600A	GENERATOR SET, PORTABLE, 5.6 KW, 120/240V, 60 HZ	11 HP	G	\$2,528	2.78	0.18	0.28	0.04	2.03	2
	G10WC00	GS 8.5V	GENERATOR SET, PORTABLE, 8.5 KW, 120/240V, 60 HZ, WITH ELECTRIC START	16 HP	G	\$4,696	4.27	0.35	0.53	0.08	2.95	2
	G10WC00	GS 9.7V	GENERATOR SET, PORTABLE, 9.7 KW, 120/240V, 60 HZ, WITH ELECTRIC START	18 HP	G	\$3,799	4.48	0.28	0.43	0.06	3.32	2
	NO SPECIFIC MANUFACTURER											
	G10XX001	1000	GENERATOR SET, PORTABLE, 1 KW	1 HP	G	\$1,001	0.42	0.08	0.11	0.02	0.18	1
	G10XX004	D4500	GENERATOR SET, PORTABLE, 5 KW	9 HP	D-off	\$5,721	2.10	0.41	0.64	0.09	0.80	3
	G10XX002	10000	GENERATOR SET, PORTABLE, 10 KW	19 HP	G	\$4,902	4.92	0.36	0.55	0.08	3.51	6
	G10XX003	10000D	GENERATOR SET, PORTABLE, 10 KW	23 HP	D-off	\$11,103	4.65	0.81	1.25	0.18	2.05	9
	SUBCATEGORY 0.20 SKID MOUNTED											
	CATERPILLAR INC. (MACHINE DIVISION)											
	G10CA020	3304 PKG - P 304DE03	GENERATOR SET, SKID MTD, 113 EKW, 240/480V, 60 HZ PGS PRIME	174 HP	D-off	\$27,541	22.20	1.67	2.48	0.43	15.48	37

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>G10</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	G10CA012	3306 PKG - 306DE39	GENERATOR SET, SKID MTD, 210 EKW, 240 VOLT, 60 HZ PGS PRIME	314 HP	D-off	\$34,539	37.25	2.10	3.11	0.54	27.94	50
	G10CA013	3406 PKG - 306DE30	GENERATOR SET, SKID MTD, 275 EKW, 480 VOLT, 60 HZ PGS PRIME	405 HP	D-off	\$44,565	48.04	2.71	4.01	0.70	36.03	68
	G10CA014	3406 PKG - 406DE30	GENERATOR SET, SKID MTD, 365 EKW, 240/480V, 60 HZ PGS PRIME	536 HP	D-off	\$58,306	63.45	3.54	5.25	0.91	47.69	72
	G10CA015	3412 PKG - 412DE3H	GENERATOR SET, SKID MTD, 455 EKW, 240/480V, 60 HZ PGS PRIME	687 HP	D-off	\$80,703	82.43	4.90	7.26	1.27	61.12	93
	G10CA016	3412 PKG - 412DE30	GENERATOR SET, SKID MTD, 545 EKW, 240/480V, 60 HZ PGS PRIME	817 HP	D-off	\$98,498	98.50	5.97	8.86	1.54	72.69	100
	G10CA017	3508 PKG - 508DE34	GENERATOR SET, SKID MTD, 725 EKW, 480 VOLT, 60 HZ PGS PRIME	1,085 HP	D-off	\$154,994	135.72	9.41	13.95	2.43	96.89	181
	G10CA018	3512 PKG - 512DE1F	GENERATOR SET, SKID MTD, 1000 EKW, 480 VOLT, 60 HZ PGS PRIME	1,445 HP	D-off	\$196,912	178.25	11.95	17.72	3.09	128.38	236
	G10CA019	3516 PKG - 516DE35	GENERATOR SET, SKID MTD, 1600 EKW, 480 VOLT, 60 HZ PGS PRIME	2,304 HP	D-off	\$328,801	287.30	19.95	29.59	5.15	204.99	291
			NO SPECIFIC MANUFACTURER									
	G10XX005	25G	GENERATOR SET, SKID MTD, 25 KW	36 HP	G	\$17,556	10.61	1.07	1.58	0.28	6.65	16
	G10XX006	35G	GENERATOR SET, SKID MTD, 35 KW	50 HP	G	\$15,483	13.06	0.94	1.39	0.24	9.23	17
	G10XX007	50G	GENERATOR SET, SKID MTD, 50 KW	70 HP	G	\$23,354	18.61	1.42	2.10	0.37	12.93	26
	G10XX008	75D	GENERATOR SET, SKID MTD, 75 KW	107 HP	D-off	\$28,656	15.84	1.74	2.58	0.45	9.52	38
	G10XX009	100D	GENERATOR SET, SKID MTD, 100 KW	143 HP	D-off	\$24,701	18.63	1.50	2.22	0.39	12.72	42
	G10XX010	125D	GENERATOR SET, SKID MTD, 125 KW	200 HP	D-off	\$36,551	26.43	2.22	3.29	0.57	17.79	44

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
G10			<i>NO SPECIFIC MANUFACTURER (continued)</i>									
	G10XX011	200D	GENERATOR SET, SKID MTD, 200 KW	375 HP	D-off	\$40,307	44.29	2.45	3.63	0.63	33.36	60
	G10XX012	300D	GENERATOR SET, SKID MTD, 300 KW	428 HP	D-off	\$48,182	50.98	2.93	4.34	0.76	38.08	105
	G10XX013	400D	GENERATOR SET, SKID MTD, 400 KW	570 HP	D-off	\$60,472	67.18	3.67	5.44	0.95	50.71	150
	G10XX014	500D	GENERATOR SET, SKID MTD, 500 KW	713 HP	D-off	\$86,421	86.05	5.24	7.78	1.35	63.44	170
	G10XX015	750D	GENERATOR SET, SKID MTD, 750 KW	1,050 HP	D-off	\$141,768	129.43	8.60	12.76	2.22	93.42	215
	G10XX016	1000D	GENERATOR SET, SKID MTD, 1,000 KW	1,425 HP	D-off	\$199,720	177.01	12.12	17.97	3.13	126.78	250
G15	GRADERS, MOTOR											
	SUBCATEGORY 0.00		GRADERS, MOTOR									
	CATERPILLAR INC. (MACHINE DIVISION)											
	G15CA001	120-H	GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	125 HP	D-off	\$223,907	40.81	9.50	11.46	3.77	10.40	299
	G15CA007	135-H	GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	135 HP	D-off	\$237,186	43.44	10.07	12.15	3.99	11.24	309
	G15CA003	12-H	GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	140 HP	D-off	\$262,519	47.09	11.15	13.46	4.42	11.65	336
	G15CA004	140-H	GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/5 RIPPER/SCARIFIERS	165 HP	D-off	\$280,541	51.83	11.91	14.37	4.72	13.73	347
	G15CA008	143-H	GRADER, MOTOR, ARTICULATED, 6X6, AWD, 12' BLADE W/5 RIPPER/SCARIFIERS	185 HP	D-off	\$324,624	59.43	13.80	16.65	5.47	15.40	364

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>G15</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	G15CA009	160-H	GRADER, MOTOR, ARTICULATED, 6X4, 14' BLADE W/5 RIPPER/SCARIFIERS	185 HP	D-off	\$303,821	56.68	12.91	15.58	5.12	15.40	372
	G15CA010	163-H	GRADER, MOTOR, ARTICULATED, 6X6, AWD, 14' BLADE W/5 RIPPER/SCARIFIERS	200 HP	D-off	\$351,082	64.18	14.92	18.02	5.91	16.65	388
	G15CA005	14-H	GRADER, MOTOR, ARTICULATED, 6X4, 14' BLADE W/7 SHANK RIPPER	215 HP	D-off	\$384,849	71.83	16.20	19.44	6.48	17.89	448
	G15CA006	16-H	GRADER, MOTOR, ARTICULATED, 6X4, 16' BLADE W/7 SHANK RIPPER	275 HP	D-off	\$550,951	99.77	23.24	27.92	9.28	22.89	594
			DEERE & COMPANY									
	G15JD008	670CH	GRADER, MOTOR, ARTICULATED, 6X4, AWD, 12' BLADE W/5 RIPPER/SCARIFIERS	151 HP	D-off	\$244,156	46.96	10.28	12.33	4.11	12.57	343
	G15JD009	672CH (HFWD)	GRADER, MOTOR, ARTICULATED, 6X6, AWD, 12' BLADE W/5 RIPPER/SCARIFIERS	156 HP	D-off	\$280,806	52.36	11.85	14.23	4.73	12.98	353
	G15JD010	770CH	GRADER, MOTOR, ARTICULATED, 6X4, AWD, 12' BLADE W/5 RIPPER/SCARIFIERS	185 HP	D-off	\$281,786	54.94	11.89	14.28	4.75	15.40	353
	G15JD011	772CH (HFWD)	GRADER, MOTOR, ARTICULATED, 6X6, AWD, 12' BLADE W/5 RIPPER/SCARIFIERS	205 HP	D-off	\$317,945	61.69	13.43	16.15	5.35	17.06	363

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H10	HAMMERS, HYDRAULIC (Demolition tool) (Add cost for point wear)											
	SUBCATEGORY 0.00	HAMMERS, HYDRAULIC (Demolition tool) (Add cost for point wear)										
	NPK CONSTRUCTION EQUIPMENT											
	H10NP001	E-200	HAMMERS, HYDRAULIC, 150 FT-LBS, IMPACT FREQUENCY 700 BPM (ADD 150-250 HP HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$7,330	2.97	0.62	0.98	0.13	0.00	2
	H10NP002	E-201	HAMMERS, HYDRAULIC, 200 FT-LBS, IMPACT FREQUENCY 750 BPM (ADD 60-75 HP HYDRAULIC EXCAVATOR H25 OR L50)(ADD COST FOR POINT WEAR)			\$8,139	3.24	0.69	1.09	0.14	0.00	2
	H10NP003	E-202	HAMMERS, HYDRAULIC, 350 FT-LBS, IMPACT FREQUENCY 800 BPM (ADD 60-75HP HYDRAULIC EXCAVATOR H25 OR L50)(ADD COST FOR POINT WEAR)			\$12,195	4.86	1.04	1.63	0.22	0.00	4
	H10NP004	E-203	HAMMERS, HYDRAULIC, 500 FT-LBS, IMPACT FREQUENCY 800 BPM (ADD 60-75 HP HYDRAULIC EXCAVATOR H25 OR L50)(ADD COST FOR POINT WEAR)			\$15,672	6.03	1.33	2.09	0.28	0.00	4
	H10NP005	E-204	HAMMERS, HYDRAULIC, 750 FT-LBS, IMPACT FREQUENCY 700 BPM (ADD 75-100 HP HYDRAULIC EXCAVATOR H25 OR L50)(ADD COST FOR POINT WEAR)			\$20,784	8.00	1.76	2.77	0.37	0.00	7
	H10NP006	E-205	HAMMERS, HYDRAULIC, 1,300 FT-LBS, IMPACT FREQUENCY 750 BPM (ADD 95-125 HP HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$27,969	10.42	2.37	3.73	0.50	0.00	11

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H10</i>			<i>NPK CONSTRUCTION EQUIPMENT (continued)</i>									
	H10NP008	E-207	HAMMERS, HYDRAULIC, 2,000 FT-LBS, IMPACT FREQUENCY 550 BPM (ADD 95-125 HP HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$42,467	15.55	3.59	5.66	0.76	0.00	19
	H10NP009	E-208	HAMMERS, HYDRAULIC, 2,500 FT-LBS, IMPACT FREQUENCY 550 BPM (ADD 95-125 HP HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$54,246	19.51	4.59	7.23	0.97	0.00	28
	H10NP015	E-210A	HAMMERS, HYDRAULIC, 3,000 FT-LBS, IMPACT FREQUENCY 670 BPM (ADD 20-28 TON HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$66,076	23.50	5.59	8.81	1.18	0.00	34
	H10NP016	E-216	HAMMERS, HYDRAULIC, 5,500 FT-LBS, IMPACT FREQUENCY 500 BPM (ADD 28-43 TON HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$91,170	31.94	7.70	12.16	1.62	0.00	56
	H10NP017	E-220	HAMMERS, HYDRAULIC, 8,000 FT-LBS, IMPACT FREQUENCY 430 BPM (ADD 33-50 TON HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$118,988	41.31	10.06	15.87	2.12	0.00	68
	H10NP018	E-260A	HAMMERS, HYDRAULIC, 20,000 FT-LBS, IMPACT FREQUENCY 330 BPM (ADD 80-130 TON HYDRAULIC EXCAVATOR H25)(ADD COST FOR POINT WEAR)			\$276,337	94.27	23.34	36.84	4.92	0.00	170

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H13	HAZARDOUS/TOXIC WASTE EQUIPMENT											
	SUBCATEGORY 0.11	COMPACTORS (Compression force) 0 THRU 50 TONS										
	CONSOLIDATED BALING MACHINE COMPANY, INC											
	H13CB001	DOS RAW W1	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, RADIOLOGICAL WASTE, 12.5 TON, LOW LEVEL	5	HP E	\$24,218	5.20	1.42	2.06	0.39	0.22	25
	H13CB002	DOS RAW W2	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, RADIOLOGICAL WASTE, 20 TON, LOW LEVEL	10	HP E	\$26,163	5.90	1.53	2.22	0.42	0.44	25
	WASTE CONTROL SYSTEMS, INC.											
	H13CO002	8041CC	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 37 TON HAZARD WASTE IN-DRUM , EXPLOSION PROOF	5	HP E	\$13,044	3.07	0.77	1.11	0.21	0.22	167
	ENVIRO-PAK											
	H13EP001	4000HM	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 30 TON HAZARDOUS WASTE, HAZ-MAT STORAGE CONTAINER 40"X40"X40"	5	HP E	\$23,972	5.15	1.41	2.04	0.39	0.22	32
	TEEMARK CORPORATION											
	H13TH001	DPC60-E50	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 30 TON DRUM CRUSHER	5	HP E	\$13,634	2.93	0.80	1.16	0.22	0.22	20
	H13TH002	DPC60-D90	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 30 TON DRUM CRUSHER, TRAILER MOUNTED	9	HP D-off	\$25,598	5.75	1.48	2.14	0.41	0.80	32

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H13	<i>TEEMARK CORPORATION (continued)</i>											
	H13TH003	DPC85-D90	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 42.5 TON DRUM CRUSHER, TRAILER MOUNTED	9 HP	D-off	\$29,069	6.40	1.69	2.43	0.47	0.80	47
	ADVANCED ENVIRONMENTAL SOLUTIONS											
	H13YB001	CCYC	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 700 PSI OPERATING PRESSURE, FINAL COMPACTED SIZE 39.4" X 39.4" X 39.4"	50 HP	E	\$370,522	73.83	21.76	31.49	6.01	2.18	320
	H13YB002	CCYC-HD-E	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 1,000 PSI OPERATING PRESSURE, FINAL COMPACTED SIZE 39.4" X 39.4" X 39.4"	50 HP	E	\$370,522	73.83	21.76	31.49	6.01	2.18	320
	H13YB003	CMC-HD	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 1,200 PSI OPERATING PRESSURE, FINAL COMPACTED SIZE 39.4" X 39.4" X 39.4"	50 HP	E	\$370,522	73.83	21.76	31.49	6.01	2.18	320
	SUBCATEGORY 0.12 COMPACTORS (Compression force) OVER 50 TONS											
	WASTE CONTROL SYSTEMS, INC.											
	H13CO003	8551	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 85 TON HAZARD WASTE IN-DRUM	3 HP	E	\$26,763	4.90	1.33	1.78	0.44	0.13	270
	H13CO004	8564	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 85 TON HAZARD WASTE IN-DRUM, W/HEPA FILTER	3 HP	E	\$38,276	7.08	1.91	2.55	0.63	0.13	290
H13CO006	8560-EX	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 85 TON HAZARD WASTE IN-DRUM, W/HEPA FILTER & SS PLATEN & CHAMBER	3 HP	E	\$54,510	9.63	2.72	3.63	0.90	0.13	300	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H13	<i>WASTE CONTROL SYSTEMS, INC. (continued)</i>											
	H13CO005	8560-EXL	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 85 TON HAZARD WASTE IN-DRUM, EXPLOSION PROOF, W/LIQUID REMOVAL SYSTEM	3 HP	E	\$64,237	11.40	3.20	4.28	1.06	0.13	310
	ENVIRO-PAK											
	H13EP002	9600HM	HAZARDOUS/TOXIC WASTE EQUIPMENT, COMPACTOR, 250 TON HAZARDOUS WASTE, B-25 METAL STORAGE CONTAINER 4'X4'X6'	8 HP	E	\$39,824	7.45	1.99	2.65	0.66	0.33	100
	SUBCATEGORY 0.21		FILTER PRESSES, STATIONARY									
	KOMLINE-SANDERSON ENGINEERING CO.											
	H13AY015	L/S 1200/25	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 25 CF MEMBRANE, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$64,006	12.60	3.63	5.12	1.07	0.00	112
H13AY016	K/F 1200/25	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 25 CF CONVENTIONAL, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$41,869	8.25	2.38	3.35	0.70	0.00	108	
H13AY013	L/S 1200/50	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 50 CF MEMBRANE, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$108,457	21.37	6.16	8.68	1.82	0.00	173	
H13AY014	K/F 1200/50	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 50 CF CONVENTIONAL, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$59,083	11.64	3.36	4.73	0.99	0.00	168	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>KOMLINE-SANDERSON ENGINEERING CO. (continued)</i>									
	H13AY011	L/S 1200/75	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 75 CF MEMBRANE, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$134,953	26.58	7.66	10.80	2.26	0.00	194
	H13AY012	K/F 1200/75	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 75 CF CONVENTIONAL, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$70,004	13.78	3.97	5.60	1.17	0.00	188
	H13AY009	L/S 1200/100	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 100 CF MEMBRANE, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$161,005	31.71	9.14	12.88	2.70	0.00	199
	H13AY010	K/F 1200/100	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 100 CF CONVENTIONAL, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$83,044	16.35	4.71	6.64	1.39	0.00	191
	H13AY007	L/S 1200/125	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 125 CF MEMBRANE, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$180,911	35.63	10.27	14.47	3.03	0.00	216
	H13AY008	K/F 1200/125	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 125 CF CONVENTIONAL, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$89,967	17.72	5.11	7.20	1.51	0.00	207
	H13AY017	L/S 1200/150	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 150 CF MEMBRANE, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$200,874	39.57	11.41	16.07	3.37	0.00	235

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>KOMLINE-SANDERSON ENGINEERING CO. (continued)</i>									
	H13AY018	K/F 1200/150	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 150 CF CONVENTIONAL, 1,200 MM SQ (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$103,395	20.36	5.87	8.27	1.73	0.00	224
	H13AY019		HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, FILTER PRESS PLATE SHIFTING UNIT, 1,200 MM SQ, MECHANIZED	1 HP	E	\$13,031	2.88	0.74	1.04	0.22	0.04	5
	H13AY020	SLC-500	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, PLC CONTROL PANEL - PLATE SHIFTING, COMPUTER AUTOMATED	1 HP	E	\$16,834	3.63	0.96	1.35	0.28	0.04	2
			USFILTER PERRIN PRODUCTS									
	H13PR001	PLC 25-1000	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 25 CF STANDARD FILTER PRESS, 1,000 MM SQ	3 HP	E	\$100,672	20.03	5.72	8.05	1.69	0.13	125
	H13PR003	PLC 115-1200	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 115 CF STANDARD FILTER PRESS, 1,200 MM SQ	5 HP	E	\$180,272	35.84	10.23	14.42	3.02	0.22	460
	H13PR005	PLC 180-1500	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 180 CF STANDARD FILTER PRESS, 1,500 MM SQ	5 HP	E	\$235,233	46.67	13.35	18.82	3.94	0.22	680
	H13PR007	PLC 270-1500	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 270 CF MAXI FILTER PRESS, 1,500 MM SQ	10 HP	E	\$282,738	56.37	16.05	22.62	4.74	0.44	1,100

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>USFILTER PERRIN PRODUCTS (continued)</i>									
	H13PR022	BPR 1200-15H	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 47" WIDE FILTER BELT PRESS, 2 HP	2 HP	E	\$207,461	41.01	11.78	16.60	3.48	0.09	191
	H13PR023	BPR 1600-15H	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 63" WIDE FILTER BELT PRESS, 3 HP	3 HP	E	\$237,630	47.00	13.49	19.01	3.98	0.13	258
	H13PR024	BPR 2000-15H	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 78.75" WIDE FILTER BELT PRESS, 3 HP	3 HP	E	\$263,620	52.12	14.97	21.09	4.42	0.13	319
	H13PR025	BPR 2500-15H	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 98.5" WIDE FILTER BELT PRESS, 3 HP	3 HP	E	\$316,669	62.57	17.98	25.33	5.31	0.13	515
	H13PR026	BPR 3000-15H	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, STATIONARY, 118" WIDE FILTER BELT PRESS, 4 HP	4 HP	E	\$385,842	76.26	21.91	30.87	6.47	0.17	594
	SUBCATEGORY 0.22	FILTER PRESSES, MOBILE										
			KOMLINE-SANDERSON ENGINEERING CO.									
	H13AY031	L/S 1200/25M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 25 CF MEMBRANE, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$79,367	15.31	4.58	6.57	1.29	0.00	112
	H13AY032	K/F 1200/25M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 25 CF CONVENTIONAL, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$53,371	10.36	3.05	4.36	0.87	0.00	109

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>KOMLINE-SANDERSON ENGINEERING CO. (continued)</i>									
	H13AY029	L/S 1200/50M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 50 CF MEMBRANE, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$120,487	23.12	6.98	10.06	1.95	0.00	193
	H13AY030	K/F 1200/50M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 50 CF CONVENTIONAL, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$71,114	13.73	4.09	5.87	1.15	0.00	188
	H13AY027	L/S 1200/75M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 75 CF MEMBRANE, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$148,245	28.40	8.61	12.42	2.40	0.00	214
	H13AY028	K/F 1200/75M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 75 CF CONVENTIONAL, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$83,296	16.05	4.80	6.90	1.35	0.00	208
	H13AY025	L/S 1200/100M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 100 CF MEMBRANE, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$175,558	33.60	10.22	14.74	2.85	0.00	219
	H13AY026	K/F 1200/100M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 100 CF CONVENTIONAL, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$97,597	18.77	5.64	8.12	1.58	0.00	211

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>KOMLINE-SANDERSON ENGINEERING CO. (continued)</i>									
	H13AY023	L/S 1200/125M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 125 CF MEMBRANE, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$196,726	37.62	11.46	16.54	3.19	0.00	236
	H13AY024	K/F 1200/125M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 125 CF CONVENTIONAL, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$105,782	20.32	6.12	8.81	1.71	0.00	227
	H13AY021	L/S 1200/150M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 150 CF MEMBRANE, 1,200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$216,250	41.33	12.60	18.20	3.50	0.00	255
	H13AY022	K/F 1200/150M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 150 CF CONVENTIONAL, 1200 MM SQ, TRAILER MOUNTED (ADD 100 CFM COMPRESSOR)	100 CFM	A	\$118,791	22.80	6.89	9.92	1.93	0.00	244
			KOCH-WATER									
	H13KP001	BFP-0500	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, FILTER BELT PRESS, 20" (0.5M) WIDE, 0.6 - 2.0 TONS/HR, TRAILER MOUNTED (STAND ALONE UNIT, INCLUDES POLYMER FEED PUMP, BOOSTER PUMP, SLUDGE PUMP, AND DISCHARGE CONVEYOR)	13 HP	E	\$82,482	16.58	4.82	6.96	1.34	0.54	40

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>	<i>KOCH-WATER (continued)</i>											
	H13KP002	BFP-1000	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, FILTER BELT PRESS, 39" (1.0M) WIDE, 3.0 - 6.5 TONS/HR, TRAILER MOUNTED (STAND ALONE UNIT, INCLUDES POLYMER FEED PUMP, BOOSTER PUMP, SLUDGE PUMP, AND DISCHARGE CONVEYOR)	16 HP	E	\$93,554	18.89	5.47	7.90	1.52	0.68	48
	H13KP003	BFP-1500	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, FILTER BELT PRESS, 59" (1.5M) WIDE, 6.0 - 14.0 TONS/HR, TRAILER MOUNTED (STAND ALONE UNIT, INCLUDES POLYMER FEED PUMP, BOOSTER PUMP, SLUDGE PUMP, AND DISCHARGE CONVEYOR)	22 HP	E	\$110,022	22.45	6.43	9.30	1.78	0.96	55
	H13KP004	BFP-2000	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, FILTER BELT PRESS, 79" (2.0M) WIDE, 14.0 - 20.0 TONS/HR, TRAILER MOUNTED (STAND ALONE UNIT, INCLUDES POLYMER FEED PUMP, BOOSTER PUMP, SLUDGE PUMP, AND DISCHARGE CONVEYOR)	28 HP	E	\$126,574	26.00	7.41	10.71	2.05	1.22	65
	USFILTER PERRIN PRODUCTS											
	H13PR002	PLC 25-1000M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 25 CF STANDARD FILTER PRESS, 1,000 MM SQ, TRAILER MOUNTED (COMPLETE)	3 HP	E	\$280,921	55.33	16.40	23.70	4.55	0.13	145
	H13PR006	180-1500M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 180 CF STANDARD FILTER PRESS, 1,500 MM SQ, TRAILER MOUNTED	5 HP	E	\$249,115	49.43	14.54	21.00	4.04	0.22	705

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>USFILTER PERRIN PRODUCTS (continued)</i>									
	H13PR011	BPR 1200-15H-M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 47" FILTER BELT PRESS, TRAILER MOUNTED (STAND ALONE UNIT, ADD APPURTENANCES SUCH AS FEED PUMPS, POLYMER SYSTEM, WASH WATER BOOSTER PUMP, CONVEYOR ETC.)	2 HP	E	\$388,377	75.71	22.71	32.83	6.29	0.09	235
	H13PR012	BPR 1600-15H-M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 63" FILTER BELT PRESS, TRAILER MOUNTED (STAND ALONE UNIT, ADD APPURTENANCES SUCH AS FEED PUMPS, POLYMER SYSTEM, WASH WATER BOOSTER PUMP, CONVEYOR ETC.)	3 HP	E	\$417,754	81.36	24.44	35.33	6.77	0.13	302
	H13PR013	BPR 2000-15H-M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 78.75" FILTER BELT PRESS, TRAILER MOUNTED (STAND ALONE UNIT, ADD APPURTENANCES SUCH AS FEED PUMPS, POLYMER SYSTEM, WASH WATER BOOSTER PUMP, CONVEYOR ETC.)	5 HP	E	\$443,314	86.37	25.94	37.50	7.19	0.22	319
	H13PR014	BPR 2500-15H-M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 98.5" FILTER BELT PRESS, TRAILER MOUNTED (STAND ALONE UNIT, ADD APPURTENANCES SUCH AS FEED PUMPS, POLYMER SYSTEM, WASH WATER BOOSTER PUMP, CONVEYOR ETC.)	8 HP	E	\$496,363	96.65	29.05	42.01	8.04	0.35	515

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H13	<i>USFILTER PERRIN PRODUCTS (continued)</i>											
	H13PR015	BPR 3000-15H-M	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, 118" FILTER BELT PRESS, TRAILER MOUNTED (STAND ALONE UNIT, ADD APPURTENANCES SUCH AS FEED PUMPS, POLYMER SYSTEM, WASH WATER BOOSTER PUMP, CONVEYOR ETC.)	8 HP	E	\$565,536	109.81	33.12	47.89	9.17	0.35	594
	SOMAT WASTE REDUCTION TECHNOLOGY											
	H13S5001	1PB-6D	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, PUSHER SCREW PRESS, 6-15 GPM CAPACITY, TRAILER MOUNTED	3 HP	E	\$55,770	10.80	3.27	4.74	0.90	0.13	14
	H13S5002	1PB-9D	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, PUSHER SCREW PRESS, 15-40 GPM CAPACITY, TRAILER MOUNTED	5 HP	E	\$87,530	16.99	5.14	7.44	1.42	0.22	35
	H13S5003	2PB-9D	HAZARDOUS/TOXIC WASTE EQUIPMENT, FILTER PRESS, MOBILE, PUSHER SCREW PRESS, 30-80 GPM CAPACITY, TRAILER MOUNTED	5 HP	E	\$103,932	20.10	6.10	8.83	1.68	0.22	40
	SUBCATEGORY 0.30 CENTRIFUGES											
BOCK ENGINEERED PRODUCTS, INC.												
H13BC013	GP 35	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, TIMER, 35 LB DRY WT.	3 HP	E	\$15,324	6.53	1.82	3.06	0.29	0.13	9	
H13BC010	305 TX	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, TIMER, 35 LB DRY WT.	3 HP	E	\$16,210	6.91	1.93	3.24	0.31	0.13	6	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>BOCK ENGINEERED PRODUCTS, INC. (continued)</i>									
	H13BC012	GP 60	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, TIMER, 60 LB DRY WT.	3	HP E	\$16,926	7.21	2.02	3.39	0.32	0.13	9
	H13BC006	605 TX	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, TIMER, 60 LB DRY WT.	3	HP E	\$21,192	8.97	2.52	4.24	0.40	0.13	9
	H13BC011	GP 100	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, TIMER, 100 LB DRY WT.	5	HP E	\$20,699	8.91	2.47	4.14	0.40	0.22	12
	H13BC003	GP 130	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, TIMER, 130 LB DRY WT.	5	HP E	\$22,728	9.75	2.71	4.55	0.43	0.22	12
	H13BC009	355	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, MANUAL CONTROL, EXPLOSION PROOF, 35 LB	3	HP E	\$27,496	11.58	3.28	5.50	0.53	0.13	6
	H13BC007	655	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, MANUAL CONTROL, EXPLOSION PROOF, 60 LB	3	HP E	\$32,803	13.78	3.91	6.56	0.63	0.13	9
	H13BC008	755	HAZARDOUS/TOXIC WASTE EQUIPMENT, CENTRIFUGE, FIXED SPEED, MANUAL CONTROL, EXPLOSION PROOF, 100 LB	5	HP E	\$40,144	16.96	4.79	8.03	0.77	0.22	12

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.40 SHREDDERS											
	GRANUTE-SATURN SYSTEMS(MAC CORPORATION)											
	H13MN001	52-32HT	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 32" X 52" OPENING, TRAILER MTD, W/DIESEL GENERATOR SET/ BELT-TYPE INFEED & DISCHARGE CONVEYORS	150 HP	E	\$348,694	82.86	20.31	29.31	5.65	6.53	200
	H13MN002	62-40HT	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 38" X 62" OPENING, TRAILER MTD, W/DIESEL GENERATOR SET, HOOK-TYPE INFEED FOR TIRES, & DISCHARGE CONVEYOR	200 HP	E	\$408,768	99.18	23.79	34.32	6.63	8.71	300
	H13MN003	62-40HT	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 38" X 62" OPENING, TRAILER MTD, W/DIESEL GENERATOR SET, CRANE GRAPPLE & DISCHARGE CONVEYOR SYSTEM	200 HP	E	\$462,756	111.05	26.96	38.91	7.50	8.71	300
	H13MN004	72-46HT	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 45" X 72" OPENING, TRAILER MTD, W/DIESEL GENERATOR SET, CRANE GRAPPLE & DISCHARGE CONVEYOR SYSTEM	300 HP	E	\$528,453	131.74	30.82	44.49	8.57	13.07	400
	SHRED-TECH LIMITED											
	H13SH001	ST-25E	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 29" X 42" OPENING, TRAILER MTD. (ADD COST FOR CONVEYOR SYSTEM, POWER SUPPLY, AND TRAILER)	20 HP	E	\$54,304	12.23	3.19	4.62	0.88	0.87	20

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H13</i>			<i>SHRED-TECH LIMITED (continued)</i>									
	H13SH002	ST-25EL	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 29" X 46" OPENING, TRAILER MTD. (ADD COST FOR CONVEYOR SYSTEM, POWER SUPPLY, AND TRAILER)	20 HP	E	\$50,983	11.56	3.00	4.33	0.83	0.87	23
	H13SH003	ST-50	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 40" X 55" OPENING, TRAILER MTD. (ADD COST FOR CONVEYOR SYSTEM, POWER SUPPLY, AND TRAILER)	40 HP	E	\$87,819	20.26	5.15	7.46	1.42	1.74	45
	H13SH004	ST-50L	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 40" X 65" OPENING, TRAILER MTD. (ADD COST FOR CONVEYOR SYSTEM, POWER SUPPLY, AND TRAILER)	40 HP	E	\$91,678	21.05	5.39	7.79	1.49	1.74	50
	H13SH005	ST-100	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 63" X 70" OPENING, TRAILER MTD. (ADD COST FOR CONVEYOR SYSTEM, POWER SUPPLY, AND TRAILER)	100 HP	E	\$148,136	36.29	8.70	12.59	2.40	4.36	200
	H13SH006	ST-500	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 66" X 96" OPENING, TRAILER MTD. (ADD COST FOR CONVEYOR SYSTEM, POWER SUPPLY, AND TRAILER)	300 HP	E	\$472,969	114.63	27.77	40.20	7.67	13.07	420
	H13SH007	ST-500L	HAZARDOUS/TOXIC WASTE EQUIPMENT, SHREDDER, 66" X 115" OPENING, TRAILER MTD. (ADD COST FOR CONVEYOR SYSTEM, POWER SUPPLY, AND TRAILER)	600 HP	E	\$614,865	162.56	36.10	52.26	9.97	26.13	440

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.71 WASTE HANDLING EQUIPMENT, DRUM HANDLING											
	BASCO											
	H13BB001	VELT 55/35	HAZARDOUS/TOXIC WASTE EQUIPMENT, WASTE HANDLING EQUIPMENT, DRUM HANDLING, DRUM FILLER, 55 GAL TOP FILL	10 HP	E	\$20,748	11.97	2.60	4.41	0.39	0.44	11
	H13BB002	2B	HAZARDOUS/TOXIC WASTE EQUIPMENT, WASTE HANDLING EQUIPMENT, DRUM CLEANER, 12 DRUM/HR CAP INTERIOR	15 HP	E	\$18,585	11.43	2.33	3.95	0.35	0.65	19
H20	HOISTS & AIR WINCHES											
	SUBCATEGORY 0.00 HOISTS & AIR WINCHES											
	INGERSOLL RAND MATERIAL HANDLING											
	H20BE002	FA2.5	AIR WINCH, MANUAL BRAKE, 24" DRUM, 5,000 LBS CAP, 145 FPM (ADD 700 CFM COMPRESSOR)	700 CFM	A	\$38,593	8.10	2.37	3.43	0.65	0.00	10
	H20BE003	FA5	AIR WINCH, MANUAL BRAKE, 24" DRUM, 10,000 LBS CAP, 65 FPM (ADD 700 CFM COMPRESSOR)	700 CFM	A	\$47,892	10.11	2.94	4.26	0.81	0.00	19
	H20BE004	FA10	AIR WINCH, AUTOMATIC BRAKE, 24" DRUM, 22,000 LBS CAP, 30 FPM (ADD 800 CFM COMPRESSOR)	800 CFM	A	\$52,829	11.21	3.24	4.70	0.89	0.00	35

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H25	HYDRAULIC EXCAVATORS, CRAWLER MOUNTED											
	SUBCATEGORY 0.10	0 LBS THRU 12,500 LBS (COMPACT EXCAVATORS)										
	CATERPILLAR INC. (MACHINE DIVISION)											
	H25CA034	301.8	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 3,800 LBS, 0.04 CY BUCKET, 7.50' MAX DIGGING DEPTH	18 HP	D-off	\$37,740	9.57	2.44	3.54	0.67	1.60	37
	H25CA035	303 CR	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 7,500 LBS, 0.11 CY BUCKET, 9.08' MAX DIGGING DEPTH	30 HP	D-off	\$44,491	12.18	2.88	4.17	0.79	2.67	76
	H25CA036	305 CR	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 10,800 LBS, 0.17 CY BUCKET, 11.08' MAX DIGGING DEPTH	47 HP	D-off	\$71,430	19.43	4.61	6.70	1.26	4.18	115
	Komatsu America International Company											
	H25KM018	PC20MR-2	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 4,800 LBS, 0.05 CY BUCKET, 8'11" MAX DIGGING DEPTH	20 HP	D-off	\$48,171	11.91	3.11	4.52	0.85	1.78	51
	H25KM021	PC40MR-2	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 10,000 LBS, 0.18 CY BUCKET, 12'9" MAX DIGGING DEPTH	39 HP	D-off	\$65,230	17.34	4.21	6.12	1.15	3.47	106
	H25KM022	PC58UU-3	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 11,400 LBS, 0.29 CY BUCKET, 13'1" MAX DIGGING DEPTH	40 HP	D-off	\$83,148	21.12	5.37	7.80	1.47	3.56	115
	H25KM023	PC78US-6	HYDRAULIC EXCAVATOR, CRAWLER, 6,200 LBS, 0.37 CY BUCKET, 12'4" MAX DIGGING DEPTH	54 HP	D-off	\$102,691	26.54	6.63	9.63	1.81	4.80	159

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	MELROE COMPANY/BOBCAT											
	H25ME001	323	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 3,600 LBS, 0.04 CY BUCKET, 7'6" MAX DIGGING DEPTH	13 HP	D-off	\$29,589	7.41	1.91	2.77	0.52	1.18	37
	H25ME002	331	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 7,200 LBS, 0.10 CY BUCKET, 10'2" MAX DIGGING DEPTH	40 HP	D-off	\$42,632	12.83	2.75	4.00	0.75	3.56	72
	H25ME003	337	HYDRAULIC EXCAVATOR, CRAWLER-RUBBER TRACK, 11,000 LBS, 0.18 CY BUCKET, 12' MAX DIGGING DEPTH	48 HP	D-off	\$59,354	17.05	3.83	5.56	1.05	4.27	110
	SUBCATEGORY 0.11	OVER 12,500 LBS THRU 40,000 LBS										
	CATERPILLAR INC. (MACHINE DIVISION)											
	H25CA038	307D	HYDRAULIC EXCAVATOR, CRAWLER, 14,310 LBS, 0.48 CY BUCKET, 15.25' MAX DIGGING DEPTH	54 HP	D-off	\$102,745	25.41	6.34	9.07	1.80	4.80	159
	H25CA020	311-CU	HYDRAULIC EXCAVATOR, CRAWLER, 24,640 LBS, 0.60 CY BUCKET, 16.50' MAX DIGGING DEPTH	79 HP	D-off	\$132,010	33.65	8.15	11.65	2.32	7.03	258
	H25CA021	312-D L	HYDRAULIC EXCAVATOR, CRAWLER, 26,900 LBS, 0.68 CY BUCKET, 18.16' MAX DIGGING DEPTH	84 HP	D-off	\$133,074	34.35	8.21	11.74	2.34	7.47	288
	KOBELCO AMERICA INC.											
	H25KC017	70SR	HYDRAULIC EXCAVATOR, CRAWLER, 16,400 LBS, 0.33 CY BUCKET, 14.75' MAX DIGGING DEPTH	54 HP	D-off	\$112,599	27.32	6.95	9.94	1.98	4.80	168
	H25KC016	135SR LC	HYDRAULIC EXCAVATOR, CRAWLER, 30,870 LBS, 0.60 CY BUCKET, 19.58' MAX DIGGING DEPTH	94 HP	D-off	\$160,408	40.67	9.90	14.15	2.82	8.36	319

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
Komatsu America International Company												
	H25KM027	PC128UU-2	HYDRAULIC EXCAVATOR, CRAWLER, 12,200 LBS, 0.58 CY BUCKET, 16' 0" MAX DIGGING DEPTH	86 HP	D-off	\$199,233	47.37	12.29	17.58	3.50	7.65	295
	H25KM001	PC 120-6	HYDRAULIC EXCAVATOR, CRAWLER, 26,950 LBS, 0.75 CY BUCKET, 18.08' MAX DIGGING DEPTH	89 HP	D-off	\$141,533	36.50	8.73	12.49	2.48	7.92	265
	H25KM003	PC 160LC-7	HYDRAULIC EXCAVATOR, CRAWLER, 39,400 LBS, 1.12 CY BUCKET, 19.58' MAX DIGGING DEPTH	110 HP	D-off	\$218,422	53.53	13.47	19.27	3.83	9.79	395
LINK-BELT CONSTRUCTION EQUIPMENT COMPANY												
	H25LI003	130 LX	HYDRAULIC EXCAVATOR, CRAWLER, 27,100 LBS, 0.50 CY BUCKET, 18' 2" MAX DIGGING DEPTH	89 HP	D-off	\$146,679	37.49	9.04	12.94	2.57	7.92	271
	H25LI005	160 LX	HYDRAULIC EXCAVATOR, CRAWLER, 35,275 LBS, 0.66 CY BUCKET, 20' 1" MAX DIGGING DEPTH	101 HP	D-off	\$171,853	43.60	10.60	15.16	3.02	8.99	362
SUBCATEGORY 0.12 OVER 40,000 LBS THRU 100,000 LBS												
CATERPILLAR INC. (MACHINE DIVISION)												
	H25CA040	319CL	HYDRAULIC EXCAVATOR, CRAWLER, 40,600 LBS, 1.00 CY BUCKET, 22.50' MAX DIGGING DEPTH	125 HP	D-off	\$143,869	34.44	6.95	8.99	2.45	11.12	405
	H25CA022	320D	HYDRAULIC EXCAVATOR, CRAWLER, 43,800 LBS, 1.50 CY BUCKET, 21.75' MAX DIGGING DEPTH	128 HP	D-off	\$213,722	45.27	10.32	13.36	3.64	11.39	444

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H25	<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>											
	H25CA023	320DL	HYDRAULIC EXCAVATOR, CRAWLER, 49,000 LBS, 0.80 CY BUCKET, 39.0' MAX DIGGING DEPTH, LONG REACH BOOM	128 HP	D-off	\$305,406	59.08	14.76	19.09	5.21	11.39	536
	KOBELCO AMERICA INC.											
	H25KC019	SK210 LC	HYDRAULIC EXCAVATOR, CRAWLER, 48,000 LBS, 1.13 CY BUCKET, 22.00' MAX DIGGING DEPTH	143 HP	D-off	\$249,515	52.19	12.05	15.59	4.25	12.72	480
	H25KC020	SK210 LC	HYDRAULIC EXCAVATOR, CRAWLER, 53,400 LBS, 0.63 CY BUCKET, 39' MAX DIGGING DEPTH, LONG REACH BOOM	143 HP	D-off	\$271,435	55.49	13.11	16.96	4.63	12.72	534
	H25KC021	SK250 LC	HYDRAULIC EXCAVATOR, CRAWLER, 55,100 LBS, 1.875 CY BUCKET, 23.08' MAX DIGGING DEPTH	176 HP	D-off	\$287,060	61.23	13.86	17.94	4.89	15.66	551
	H25KC022	SK250 LC	HYDRAULIC EXCAVATOR, CRAWLER, 59,100 LBS, 0.50 CY BUCKET, 23' MAX DIGGING DEPTH, LONG REACH BOOM	176 HP	D-off	\$324,991	66.94	15.70	20.31	5.54	15.66	591
	H25KC023	SK330 LC	HYDRAULIC EXCAVATOR, CRAWLER, 77,800 LBS, 2.05 CY BUCKET, 24.58' MAX DIGGING DEPTH	238 HP	D-off	\$403,734	85.14	19.50	25.23	6.88	21.17	778
SUBCATEGORY 0.13 OVER 100,000 LBS THRU 160,000 LBS												
KOBELCO AMERICA INC.												
H25KC024	SK400 LC	HYDRAULIC EXCAVATOR, CRAWLER, 101,900 LBS 3.06 CY BUCKET, 25.58' MAX DIGGING DEPTH	306 HP	D-off	\$508,078	94.69	20.42	23.82	8.51	27.22	1,019	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H25	<i>KOBELCO AMERICA INC. (continued)</i>											
	H25KC026	SK480LC	HYDRAULIC EXCAVATOR, CRAWLER, 108,000 LBS, 2.25 CY BUCKET, 25.58' MAX DIGGING DEPTH	315 HP	D-off	\$532,294	98.68	21.39	24.95	8.91	28.03	1,080
	Komatsu America International Company											
	H25KM015	PC 600 LC-7	HYDRAULIC EXCAVATOR, CRAWLER, 133,160 LBS, 4.25 CY BUCKET, 27.83' MAX DIGGING DEPTH	384 HP	D-off	\$913,564	154.76	36.70	42.82	15.29	34.16	1,332
	SUBCATEGORY 0.14 OVER 160,000 LBS											
	Komatsu America International Company											
	H25KM009	PC 750LC-7	HYDRAULIC EXCAVATOR, CRAWLER, 171,070 LBS, 4.05 CY BUCKET, 27.66' MAX DIGGING DEPTH	454 HP	D-off	\$1,094,470	171.33	39.75	43.20	18.15	40.39	1,750
	H25KM033	PC1800-6	HYDRAULIC EXCAVATOR, CRAWLER, 396,800 LBS, 15.70 CY BUCKET, 30'5" MAX DIGGING DEPTH	908 HP	D-off	\$2,191,629	342.99	79.61	86.51	36.35	80.78	3,968
	SUBCATEGORY 0.21 ATTACHMENTS, MOBILE SHEARS											
	CATERPILLAR INC. (MACHINE DIVISION)											
H25CA055	S305	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, SCRAP, 9.4" JAW OPENING (ADD 10,000 LB HYDRAULIC EXCAVATOR)			\$19,616	6.80	1.73	2.78	0.34	0.00	15	
H25CA057	S320B	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, SCRAP, 15.4" JAW OPENING (ADD 20,000 LB HYDRAULIC EXCAVATOR)			\$82,143	27.58	7.24	11.64	1.42	0.00	57	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H25</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	H25CA052	S230	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, SCRAP, 22.0" JAW OPENING (ADD 35,000 LB HYDRAULIC EXCAVATOR)			\$103,301	35.17	9.11	14.63	1.79	0.00	84
	H25CA053	S250	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, SCRAP, 28.0" JAW OPENING (ADD 45,000 LB HYDRAULIC EXCAVATOR)			\$140,687	47.46	12.41	19.93	2.44	0.00	158
	H25CA054	S280	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, SCRAP, 32.0" JAW OPENING (ADD 100,000 LB HYDRAULIC EXCAVATOR)			\$180,765	61.93	15.94	25.61	3.13	0.00	191
	H25CA056	S2130	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, SCRAP, 43.0" JAW OPENING (ADD 100,000 LB HYDRAULIC EXCAVATOR)			\$294,409	98.98	25.96	41.71	5.10	0.00	307
			LABOUNTY MANUFACTURING,									
	H25LU001	MSD 7	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 10" JAW OPENING (ADD 10,000 LB HYDRAULIC EXCAVATOR)			\$26,170	8.93	2.31	3.71	0.45	0.00	10
	H25LU002	MSD 7R	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 10" JAW OPENING (ADD 14,000 LB HYDRAULIC EXCAVATOR)			\$29,493	10.12	2.60	4.18	0.51	0.00	11
	H25LU003	MSD 15	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 18" JAW OPENING (ADD 20,000 LB HYDRAULIC EXCAVATOR)			\$45,670	15.69	4.03	6.47	0.79	0.00	30
	H25LU004	MSD 15R	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 18" JAW OPENING (ADD 25,000 LB HYDRAULIC EXCAVATOR)			\$53,094	18.21	4.68	7.52	0.92	0.00	35

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H25</i>			<i>LABOUNTY MANUFACTURING, (continued)</i>									
	H25LU005	MSD 30 - III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 22" JAW OPENING (ADD 25,000 LB HYDRAULIC EXCAVATOR)			\$66,626	22.82	5.87	9.44	1.15	0.00	50
	H25LU006	MSD 30R - III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 22" JAW OPENING (ADD 35,000 LB HYDRAULIC EXCAVATOR)			\$93,328	31.93	8.23	13.22	1.62	0.00	67
	H25LU007	MSD 40-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 27" JAW OPENING (ADD 40,000 LB HYDRAULIC EXCAVATOR)			\$79,736	27.40	7.03	11.30	1.38	0.00	70
	H25LU008	MSD 40R-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 27" JAW OPENING (ADD 45,000 LB HYDRAULIC EXCAVATOR)			\$104,279	35.59	9.20	14.77	1.81	0.00	90
	H25LU009	MSD 50-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 32" JAW OPENING (ADD 45,000 LB HYDRAULIC EXCAVATOR)			\$114,559	39.04	10.10	16.23	1.98	0.00	109
	H25LU010	MSD 50R-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 32" JAW OPENING (ADD 60,000 LB HYDRAULIC EXCAVATOR)			\$137,726	46.90	12.15	19.51	2.39	0.00	140
	H25LU011	MSD 70-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 35" JAW OPENING (ADD 60,000 LB HYDRAULIC EXCAVATOR)			\$136,327	46.44	12.02	19.31	2.36	0.00	130
	H25LU012	MSD 70R-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 35" JAW OPENING (ADD 75,000 LB HYDRAULIC EXCAVATOR)			\$166,976	56.92	14.72	23.65	2.89	0.00	164
	H25LU013	MSD 100-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 38" JAW OPENING (ADD 75,000 LB HYDRAULIC EXCAVATOR)			\$172,304	58.76	15.19	24.41	2.98	0.00	150
	H25LU014	MSD 100R-III SV	HYDRAULIC EXCAVATOR, ATTACHMENT, MOBILE SHEARS, 38" JAW OPENING (ADD 75,000 LB HYDRAULIC EXCAVATOR)			\$200,600	68.39	17.68	28.42	3.47	0.00	180

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.22 ATTACHMENTS, MATERIAL HANDLING											
	BALDERSON, INC.											
	H25BS001		HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, 0.50 CY BUCKET, W/TIPS (ADD 25,000-50,000 LB HYDRAULIC EXCAVATOR)			\$5,276	1.57	0.44	0.70	0.09	0.00	10
	H25BS002		HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, 0.75 CY BUCKET, W/TIPS (ADD 25,000-50,000 LB HYDRAULIC EXCAVATOR)			\$6,140	1.84	0.52	0.82	0.11	0.00	16
	H25BS003		HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, 1.25 CY BUCKET, W/TIPS (ADD 25,000-60,000 LB HYDRAULIC EXCAVATOR)			\$6,795	2.04	0.58	0.91	0.12	0.00	30
	H25BS004		HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, 1.50 CY BUCKET, W/TIPS (ADD 50,000-60,000 LB HYDRAULIC EXCAVATOR)			\$8,245	2.47	0.70	1.10	0.15	0.00	22
	H25BS005		HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, 3.25 CY BUCKET, W/TIPS (ADD 50,000-75,000 LB HYDRAULIC EXCAVATOR)			\$12,981	3.89	1.10	1.73	0.23	0.00	52
	LABOUNTY MANUFACTURING,											
	H25LU023	TW 100	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, GRAPPLE, 1.25CY, 4-TINE/ 5-TINE (ADD 25,000 LB HYDRAULIC EXCAVATOR)			\$36,082	11.05	3.05	4.81	0.64	0.00	16

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H25</i>			<i>LABOUNTY MANUFACTURING, (continued)</i>									
	H25LU024	TW 110	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, GRAPPLE, 3.50CY, 4-TINE/ 5-TINE (ADD 35,000 LB HYDRAULIC EXCAVATOR)			\$18,208	5.75	1.54	2.43	0.32	0.00	28
	H25LU025	120 TR	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, GRAPPLE, 3.50CY, 4-TINE/ 5-TINE (ADD 45,000 LB HYDRAULIC EXCAVATOR)			\$22,325	7.09	1.89	2.98	0.40	0.00	35
	H25LU026	140 TW	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, GRAPPLE, 5.50CY, 4-TINE/ 5-TINE (ADD 60,000 LB HYDRAULIC EXCAVATOR)			\$25,489	8.13	2.15	3.40	0.45	0.00	48
	H25LU027	160 TR	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, GRAPPLE, 6.50CY, 4-TINE/ 5-TINE (ADD 75,000 LB HYDRAULIC EXCAVATOR)			\$28,569	9.16	2.42	3.81	0.51	0.00	58
	H25LU028	TW 170	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, GRAPPLE, 9.00CY, 4-TINE/ 5-TINE (ADD 100,000 LB HYDRAULIC EXCAVATOR)			\$46,992	14.78	3.98	6.27	0.84	0.00	78
	H25LU034	RDG 60	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, ROTATING GRAPPLE, 1.75 CY (ADD 38,000-70,000 LB HYDRAULIC EXCAVATOR)			\$67,699	21.08	5.73	9.03	1.21	0.00	35
	H25LU035	RDG 90	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, ROTATING GRAPPLE, 1.25 CY (ADD 70,000-140,000 LB HYDRAULIC EXCAVATOR)			\$81,358	25.27	6.88	10.85	1.45	0.00	69

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H25	<i>LABOUNTY MANUFACTURING, (continued)</i>											
	H25LU036	RDG 120	HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, ROTATING GRAPPLE, 2.00 CY (ADD 120,000-160,000 LB HYDRAULIC EXCAVATOR)			\$93,913	29.12	7.93	12.52	1.67	0.00	100
	WAIN-ROY, INC.											
	H25WN001		HYDRAULIC EXCAVATOR, ATTACHMENT, MATERIAL HANDLING, BUCKET, 36" CONCRETE/PAVEMENT REMOVAL (ADD 75,000 LB HYDRAULIC EXCAVATOR)			\$7,522	2.25	0.63	1.00	0.13	0.00	16
	SUBCATEGORY 0.23 ATTACHMENTS, CONCRETE PULVERIZERS											
CATERPILLAR INC. (MACHINE DIVISION)												
H25CA058	CR3	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, CRUSHER, 16.0" JAW OPENING (ADD 40,000 LB MIN HYDRAULIC EXCAVATOR)			\$21,745	7.99	1.92	3.08	0.38	0.00	6	
H25CA059	P16	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 30.0" JAW OPENING (ADD 40,000 LB MIN HYDRAULIC EXCAVATOR)			\$79,718	28.06	7.03	11.29	1.38	0.00	53	
H25CA060	P28	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 34.0" JAW OPENING (ADD 40,000 LB MIN HYDRAULIC EXCAVATOR)			\$117,513	41.24	10.37	16.65	2.04	0.00	87	
H25CA061	CR28	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, CRUSHER, 36.0" JAW OPENING (ADD 45,000 LB MIN HYDRAULIC EXCAVATOR)			\$102,623	36.11	9.05	14.54	1.78	0.00	81	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H25</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	H25CA062	P60	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 45.0" JAW OPENING (ADD 45,000 LB MIN HYDRAULIC EXCAVATOR)			\$188,554	65.86	16.63	26.71	3.27	0.00	194
	H25CA063	CR35	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, CRUSHER, 47.0" JAW OPENING (ADD 50,000 LB MIN HYDRAULIC EXCAVATOR)			\$134,417	47.20	11.85	19.04	2.33	0.00	111
	H25CA064	CR50	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, CRUSHER, 63.0" JAW OPENING (ADD 50,000 LB MIN HYDRAULIC EXCAVATOR)			\$163,760	57.42	14.44	23.20	2.84	0.00	155
			KENT DEMOLITION TOOLS									
	H25KN001	KF12 TLB	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE BREAKER, 2,000 FT-LB, W/4.25" DIA. POINT (ADD 16,000-24,000 LB HYDRAULIC EXCAVATOR)			\$28,866	10.44	2.55	4.09	0.50	0.00	19
	H25KN002	KF19 QT	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE BREAKER, 3,000 FT-LB, W/4.75" DIA. POINT (ADD 26,000-36,000 LB HYDRAULIC EXCAVATOR)			\$40,083	14.31	3.53	5.68	0.69	0.00	31
	H25KN003	KF22 QT	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE BREAKER, 4,000 FT-LB, W/5.25" DIA. POINT (ADD 36,000-50,000 LB HYDRAULIC EXCAVATOR)			\$48,859	17.33	4.31	6.92	0.85	0.00	38
	H25KN004	KF27 QT	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE BREAKER, 5,000 FT-LB, W/5.51" DIA. POINT (ADD 50,000-64,000 LB HYDRAULIC EXCAVATOR)			\$56,169	19.85	4.95	7.96	0.97	0.00	43

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H25			<i>KENT DEMOLITION TOOLS (continued)</i>									
	H25KN006	KF70 QT	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE BREAKER, 10,000 FT-LB, W/7.09 " DIA. POINT (ADD 80,000 LB HYDRAULIC EXCAVATOR)			\$113,572	40.13	10.02	16.09	1.97	0.00	103
			LABOUNTY MANUFACTURING,									
	H25LU046	CP 40 C	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 30" JAW OPENING (ADD 40,000 LB HYDRAULIC EXCAVATOR)			\$33,844	12.16	2.99	4.79	0.59	0.00	29
	H25LU047	CP 60 S	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 36" JAW OPENING (ADD 60,000 LB HYDRAULIC EXCAVATOR)			\$38,883	13.99	3.43	5.51	0.67	0.00	30
	H25LU048	CP 80 S	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 42" JAW OPENING (ADD 75,000 LB HYDRAULIC EXCAVATOR)			\$41,806	15.10	3.68	5.92	0.72	0.00	45
	H25LU049	CP 100 S	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 48" JAW OPENING (ADD 100,000 LB HYDRAULIC EXCAVATOR)			\$50,584	18.23	4.47	7.17	0.88	0.00	62
	H25LU050	CP 120 S	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 54" JAW OPENING (ADD 140,000 LB HYDRAULIC EXCAVATOR)			\$76,623	27.29	6.76	10.85	1.33	0.00	99
	H25LU040	UP 45 SV	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, CRACKING JAWS, 45" JAW OPENING (ADD 55,000 LB HYDRAULIC EXCAVATOR)			\$142,033	49.68	12.52	20.12	2.46	0.00	105

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H25</i>	<i>LABOUNTY MANUFACTURING, (continued)</i>											
	H25LU041	UP 75 SV	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, CRACKING JAWS, 49" JAW OPENING (ADD 80,000 LB HYDRAULIC EXCAVATOR)			\$174,198	60.76	15.36	24.68	3.02	0.00	127
	H25LU042	UP 90	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, CRACKING JAWS, 62" JAW OPENING (ADD 75,000 LB HYDRAULIC EXCAVATOR)			\$210,315	73.94	18.54	29.79	3.64	0.00	171
	H25LU053	UP 45 SV	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 36" JAW OPENING (ADD 55,000 LB HYDRAULIC EXCAVATOR)			\$149,411	52.23	13.18	21.17	2.59	0.00	105
	H25LU054	UP 75 SV	HYDRAULIC EXCAVATOR, ATTACHMENT, CONCRETE PULVERIZER, 40" JAW OPENING (ADD 80,000 LB HYDRAULIC EXCAVATOR)			\$183,915	64.11	16.22	26.05	3.19	0.00	126
	SUBCATEGORY 0.24		ATTACHMENTS, COMPACTORS									
	ALLIED CONSTRUCTION PRODUCTS											
	H25AU001	4700 W/SWIVEL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 18" X 12" PLATE, 3,000 LBS FORCE (ADD 15,000-20,000 LB HYDRAULIC EXCAVATOR)			\$7,473	2.58	0.66	1.06	0.13	0.00	4
	H25AU002	8700C W/SWIVEL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 34" X 24" PLATE, 6,400 LBS FORCE (ADD 20,000-30,000 LB HYDRAULIC EXCAVATOR)			\$8,650	2.98	0.77	1.23	0.15	0.00	9

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H25</i>			<i>ALLIED CONSTRUCTION PRODUCTS (continued)</i>									
	H25AU003	9700C W/SWIVEL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 40" X 29" PLATE, 13,000 LBS FORCE (ADD 25,000-50,000 LB HYDRAULIC EXCAVATOR)			\$12,099	4.16	1.07	1.71	0.21	0.00	16
	H25AU004	9800 W/SWIVEL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 46" X 34" PLATE, 20,000 LBS FORCE (ADD 40,000-75,000 LB HYDRAULIC EXCAVATOR)			\$18,842	6.50	1.67	2.67	0.33	0.00	23
	H25AU005	9801 W/SWIVEL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 46" X 34" PLATE, 22,000 LBS FORCE (ADD 50,000-75,000 LB HYDRAULIC EXCAVATOR)			\$18,888	6.51	1.67	2.68	0.33	0.00	23
			AMERICAN COMPACTION EQUIPMENT, INC.									
	H25AX001	DC-24BL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 23" WIDE, SHEEPS FOOT, 3 RIMS - 38" DIA (ADD 25,000-50,000 LB HYDRAULIC EXCAVATOR)			\$7,813	2.70	0.70	1.11	0.14	0.00	25
	H25AX003	DC-24EX	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 23" WIDE, SHEEPS FOOT, 3 RIMS - 42" DIA (ADD 50,000-75,000 LB HYDRAULIC EXCAVATOR)			\$9,438	3.25	0.83	1.34	0.16	0.00	33
	H25AX005	DC-24EXL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 23" WIDE, SHEEPS FOOT, 3 RIMS - 48" DIA (ADD 75,000-110,000 LB HYDRAULIC EXCAVATOR)			\$10,684	3.68	0.95	1.51	0.19	0.00	39
	H25AX002	DC-36BL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 35" WIDE, SHEEPS FOOT, 4 RIMS - 38" DIA (ADD 50,000-75,000 LB HYDRAULIC EXCAVATOR)			\$9,222	3.18	0.82	1.31	0.16	0.00	33

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H25</i>			<i>AMERICAN COMPACTION EQUIPMENT, INC. (continued)</i>									
	H25AX004	DC-36EX	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 35" WIDE, SHEEPS FOOT, 4 RIMS - 42" DIA (ADD 50,000-75,000 LB HYDRAULIC EXCAVATOR)			\$11,443	3.94	1.01	1.62	0.20	0.00	43
	H25AX006	DC-36EXL	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 36" WIDE, SHEEPS FOOT, 4 RIMS - 48" DIA (ADD 75,000-110,000 LB HYDRAULIC EXCAVATOR)			\$13,232	4.55	1.17	1.87	0.23	0.00	53
			KENT DEMOLITION TOOLS									
	H25KN007	KHP-35 ME-S	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 12" X 26" PLATE, 3000 LB FORCE (ADD 14,000-25,000 LB HYDRAULIC EXCAVATOR)			\$5,814	2.15	0.51	0.82	0.10	0.00	4
	H25KN009	KHP-135FT - II	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 28" X 40" PLATE, 13500 LB FORCE (ADD 25,000-50,000 LB HYDRAULIC EXCAVATOR)			\$12,137	4.33	1.07	1.72	0.21	0.00	14
	H25KN010	KHP-210FT - II	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 34" X 46" PLATE, 21000 LB FORCE (ADD 40,000-75,000 LB HYDRAULIC EXCAVATOR)			\$16,783	5.93	1.48	2.38	0.29	0.00	23
			WAIN-ROY, INC.									
	H25WN002	24-3 (15-22.5 TON)	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 24" WIDE, SHEEPSFOOT, 3 RIMS - 33" DIA (ADD 15-22.5 TON HYDRAULIC EXCAVATOR)			\$8,070	2.78	0.71	1.14	0.14	0.00	22

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
	<i>H25</i>			<i>WAIN-ROY, INC. (continued)</i>									
	H25WN003	36-4 (15-22.5 TON)	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 36" WIDE, SHEEPSFOOT, 4 RIMS - 33" DIA (ADD 15-22.5 TON HYDRAULIC EXCAVATOR)			\$8,877	3.06	0.78	1.26	0.15	0.00	26	
	H25WN004	24-3 (22.5-30 TON)	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 24" WIDE, SHEEPSFOOT, 3 RIMS - 39" DIA (ADD 22.5-30 TON HYDRAULIC EXCAVATOR)			\$9,739	3.36	0.86	1.38	0.17	0.00	31	
	H25WN005	36-4 (22.5-30 TON)	HYDRAULIC EXCAVATOR, ATTACHMENT, COMPACTOR, 36" WIDE, SHEEPSFOOT, 4 RIMS - 39" DIA (ADD 22.5-30 TON HYDRAULIC EXCAVATOR)			\$11,095	3.82	0.98	1.57	0.19	0.00	38	
H30	HYDRAULIC EXCAVATORS, WHEEL MOUNTED												
	SUBCATEGORY 0.01		0 THRU 1.0 CY										
	CATERPILLAR INC. (MACHINE DIVISION)												
	H30CA005	M318D	HYDRAULIC EXCAVATORS, WHEEL, 33,700 LBS, 1.00 CY BUCKET, 1-PIECE BOOM, 19' DIGGING DEPTH, 4X4	151 HP	D-off	\$202,217	51.25	12.80	18.45	3.57	12.57	393	
	H30CA007	M315D	HYDRAULIC EXCAVATORS, WHEEL, 35,100 LBS, 0.70 CY BUCKET, 1-PIECE BOOM, 17' 7" DIGGING DEPTH, 4X4X2	121 HP	D-off	\$171,303	43.21	10.70	15.36	3.02	10.07	352	
	GRADALL COMPANY												
	H30GA006	XL4100 III	HYDRAULIC EXCAVATORS, WHEEL, 44,851 LBS, 0.75 CY BUCKET, TELESCOPIC BOOM, 22' 6" DIGGING DEPTH, 6X4	233 HP	D-off	D-on	\$293,050	75.07	18.64	26.94	5.17	19.39	475

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
H30	<i>GRADALL COMPANY (continued)</i>											
	H30GA007	XL 3300 III	HYDRAULIC EXCAVATORS, WHEEL, 15,270 LBS, 0.68 CY BUCKET, TELESCOPIC BOOM, 4X4X2	138 HP	D-off	\$206,444	50.34	13.15	19.02	3.64	11.49	393
	SUBCATEGORY 0.02		OVER 1.0 CY									
H30	GRADALL COMPANY											
	H30GA008	XL 5100 III	HYDRAULIC EXCAVATORS, WHEEL, 22,800 LBS, 1.25 CY BUCKET, TELESCOPIC BOOM, 25' 4" DIGGING DEPTH, 6X4	163 HP	D-off 230 HP D-on	\$326,349	75.29	17.44	23.59	5.64	17.49	550
	Komatsu America International Company											
H30KM001	PW170ES-6	HYDRAULIC EXCAVATORS, WHEEL, 37,600 LBS, 1.12 CY BUCKET, 1-PIECE BOOM, 18' 8" DIGGING DEPTH, 4X4	123 HP	D-off	\$246,924	50.90	13.41	18.27	4.27	10.24	376	
H35	HYDRAULIC SHOVELS, CRAWLER MOUNTED											
	SUBCATEGORY 0.12		DIESEL, OVER 5.0 CY									
H35	HITACHI CONSTRUCTION MACHINERY											
	H35HI006	EX1200-5	HYDRAULIC SHOVEL, CRAWLER, 8.5 CY BUCKET, FRONT SHOVEL, 17' 3" DIGGING DEPTH	641 HP	D-off	\$1,346,311	256.70	55.45	67.32	21.79	57.03	2,447
	O & K ORENSTEIN & KOPPEL INC.											
H35OK001	RH 40 E	HYDRAULIC SHOVEL, CRAWLER, 9.20 CY BUCKET, BACKHOE, 28' 10" DIGGING DEPTH	607 HP	D-off	\$853,648	181.51	35.15	42.68	13.81	54.00	2,204	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>H35</i>	<i>O & K ORENSTEIN & KOPPEL INC. (continued)</i>											
	H35OK003	RH 90 C	HYDRAULIC SHOVEL, CRAWLER, 13.10 CY BUCKET, BACKHOE, 31' 1" DIGGING DEPTH	1,018HP	D-off	\$1,733,028	348.46	71.37	86.65	28.04	90.57	3,594
	H35OK004	RH 120 C	HYDRAULIC SHOVEL, CRAWLER, 17.00 CY BUCKET, FRONT SHOVEL, 7' 7" DIGGING DEPTH	1,280HP	D-off	\$2,764,875	523.75	113.86	138.24	44.74	113.88	5,842
	H35OK005	RH 200	HYDRAULIC SHOVEL, CRAWLER, 34.00 CY BUCKET, BACKHOE, 30' 6" DIGGING DEPTH	2,250HP	D-off	\$5,212,705	972.17	214.67	260.64	84.35	200.18	10,582
L10	LAND CLEARING EQUIPMENT											
	SUBCATEGORY 0.00		LAND CLEARING EQUIPMENT									
	BALDERSON, INC.											
	L10BS004	BBL7	LAND CLEARING EQUIPMENT, ROCK & ROOT RAKE, 12.0' WIDE, 9 TEETH (ADD 200 - 250 HP TRACTOR DOZER)			\$10,244	2.27	0.58	0.82	0.17	0.00	24
	L10BS005	BRK8	LAND CLEARING EQUIPMENT, ROCK & ROOT RAKE 12.5' WIDE, 9 TEETH (ADD 275 - 325 HP TRACTOR DOZER)			\$27,213	5.67	1.55	2.18	0.46	0.00	72
	L10BS002	BMA8	LAND CLEARING EQUIPMENT, MULTI-APPLICATION RAKE, 12.5' WIDE, 9 TEETH (ADD 275 - 325 HP TRACTOR DOZER)			\$29,664	6.15	1.69	2.37	0.50	0.00	68
	L10BS007	988 DTC	LAND CLEARING EQUIPMENT, LOGGING FORK, 92" TINES (ADD 400 - 450 HP FE LOADER)			\$38,163	8.03	2.17	3.05	0.64	0.00	90

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
			BUSH HOG									
	L10BU009	FH174	LAND CLEARING EQUIPMENT, FLAIL MOWER, 62" WIDE, 0.5 - 5" HEIGHT (ADD FARM 30 - 60 HP TRACTOR)			\$5,105	1.91	0.30	0.41	0.09	0.00	10
	L10BU005	SM-60	LAND CLEARING EQUIPMENT, ROTARY CUTTER, 5' WIDE-SIDE MTD (ADD FARM 50 HP TRACTOR)			\$9,617	3.00	0.55	0.77	0.16	0.00	17
	L10BU010	287	LAND CLEARING EQUIPMENT, ROTARY CUTTER, 7' WIDE, 1.5 - 12" HEIGHT (ADD FARM 40 HP TRACTOR)			\$4,910	1.76	0.28	0.39	0.08	0.00	11
	L10BU011	3210	LAND CLEARING EQUIPMENT, ROTARY CUTTER, 10.5' WIDE, 2 - 14" HEIGHT (ADD FARM 70 HP TRACTOR)			\$10,576	3.59	0.61	0.85	0.18	0.00	25
	L10BU012	3715	LAND CLEARING EQUIPMENT, ROTARY CUTTER, 15' WIDE, 2 - 14" HEIGHT (ADD FARM 80 HP TRACTOR)			\$21,677	6.27	1.23	1.73	0.36	0.00	50
	L10BU013	2720	LAND CLEARING EQUIPMENT, ROTARY CUTTER, 20' WIDE, 2 - 14" HEIGHT (ADD FARM 90 HP TRACTOR)			\$22,519	6.94	1.28	1.80	0.38	0.00	56
			ROME PLOW CO.									
	L10RM001	RV8N	LAND CLEARING EQUIPMENT, V-TREE CUTTER (ADD 275 - 325 HP TRACTOR DOZER)			\$52,847	10.83	3.01	4.23	0.89	0.00	134
	L10RM002	MA-152R-8S	LAND CLEARING EQUIPMENT, MULTI-APPLICATION RAKE, 12' 8" WIDE, 9 TEETH (ADD 275 - 325 HP TRACTOR DOZER)			\$47,979	9.46	2.72	3.84	0.80	0.00	150

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	VERMEER MANUFACTURING CO.											
	L10VE010	SC 252	LAND CLEARING EQUIPMENT, STUMPER, 16" DIA WHEEL, TRAILER MTD	27 HP	G	\$12,694	7.65	0.71	1.00	0.21	4.56	11
	L10VE002	SC 352	LAND CLEARING EQUIPMENT, STUMPER, 18" DIA WHEEL, TRAILER MTD	35 HP	G	\$23,248	11.28	1.31	1.83	0.39	5.92	22
	L10VE009	SC 802	LAND CLEARING EQUIPMENT, STUMPER, 28" DIA WHEEL, TRAILER MTD	78 HP	D-off	\$36,545	14.43	2.06	2.90	0.61	6.49	40
	L10VE005	TS-30	LAND CLEARING EQUIPMENT, TREE SPADE, 30" DIA, 26" DEPTH, TRAILER MTD	13 HP	G	\$12,669	4.98	0.70	0.98	0.21	2.20	38
	L10VE006	TS-44A	LAND CLEARING EQUIPMENT, TREE SPADE, 44" DIA, 40" DEPTH, TRAILER MTD	20 HP	G	\$32,760	10.28	1.85	2.59	0.55	3.38	66
	L10VE007	TS-50	LAND CLEARING EQUIPMENT, TREE SPADE, 50" DIA, 48" DEPTH (ADD 13,800 GVW TRUCK)			\$28,462	7.12	1.62	2.28	0.48	0.00	81
L15	LANDSCAPING EQUIPMENT											
	SUBCATEGORY 0.00	LANDSCAPING EQUIPMENT										
BOWIE INDUSTRIES, INC.												
	L15BW001	LANCER 500	LANDSCAPING EQUIPMENT, 500 GAL, HYDROMULCHER, TRAILER MTD	25 HP	G	\$16,738	13.30	2.06	3.49	0.31	5.63	25
	L15BW002	VICTOR 800	LANDSCAPING EQUIPMENT, 800 GAL, HYDROMULCHER, TRAILER MTD	35 HP	G	\$30,211	21.52	3.71	6.28	0.57	7.89	48
	L15BW003	VICTOR 1100	LANDSCAPING EQUIPMENT, 1,100 GAL, HYDROMULCHER, GOOSENECK TRAILER MTD	50 HP	G	\$34,749	27.18	4.27	7.24	0.65	11.27	60

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
L15	<i>BOWIE INDUSTRIES, INC. (continued)</i>											
	L15BW004	IMPERIAL 3000	LANDSCAPING EQUIPMENT, 3,000 GAL, HYDROMULCHER, TRUCK MTD (ADD 55,000 GVW TRUCK)	90 HP	D-off	\$49,468	31.90	6.19	10.51	0.93	9.82	88
	FINN CORPORATION											
	L15FG001	T330	LANDSCAPING EQUIPMENT, 3,000 GAL, HYDROSEEDER, TRUCK MTD (INCLUDES 56,000 GVW TRUCK)	115 HP	D-off 310 HP D-off	\$186,681	99.24	23.33	39.67	3.49	17.88	96
	L15FG002	B260T	LANDSCAPING EQUIPMENT, MULCHER, STRAW BLOWER, 20 TONS PER HOUR, TRAILER MOUNTED	115 HP	D-off	\$43,109	32.15	5.34	9.06	0.81	12.54	48
	HOFFCO-COMET											
	L15HZ001	PH980E	POST HOLE DRILL, UP TO 8" DIA, 30" DEEP, ONE MAN OPERATION	3 HP	G	\$819	1.10	0.11	0.17	0.02	0.68	1
	DEERE & COMPANY											
L15JD001	F725	LANDSCAPING EQUIPMENT, LAWNMOWER, 54" DECK, SIDE DISCHARGE RIDING, 4X2	20 HP	G	\$11,112	10.19	1.03	1.64	0.21	4.51	12	
L15JD005	MX5	LANDSCAPING EQUIPMENT, ROTARY MOWER, 60" WIDE, MEDIUM DUTY, PTO DRIVE (ADD 45 - 100 HP AGRICULTURAL TRACTOR)			\$2,290	0.98	0.29	0.49	0.04	0.00	8	
L15JD006	609	LANDSCAPING EQUIPMENT, ROTARY MOWER, 60" WIDE, HEAVY DUTY, PTO DRIVE (ADD 45 - 100 HP AGRICULTURAL TRACTOR)			\$4,216	1.80	0.53	0.90	0.08	0.00	12	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
			TORO									
	L15TO001	22188 - PRO-LINE 21"	LANDSCAPING EQUIPMENT, LAWNMOWER, 21" DECK, REAR BAGGER, PUSH MOWER	6 HP	G	\$1,315	2.05	0.16	0.28	0.02	1.35	1
	L15TO002	30092 MID-SIZE	LANDSCAPING EQUIPMENT, LAWNMOWER, 32" DECK, SIDE DISCHARGE, WALK BEHIND MOWER	15 HP	G	\$4,036	5.50	0.47	0.77	0.08	3.38	6
	L15TO003	74448	LANDSCAPING EQUIPMENT, LAWNMOWER, 48" DECK, SIDE DISCHARGE, RIDING MOWER	21 HP	G	\$7,766	8.58	0.93	1.56	0.15	4.73	12
	L15TO004	74449	LANDSCAPING EQUIPMENT, LAWNMOWER, 52" DECK W/Z100 TRACTOR, SIDE DISCHARGE, RIDING MOWER	21 HP	G	\$8,290	8.79	1.00	1.68	0.16	4.73	13
	L15TO006	74253	LANDSCAPING EQUIPMENT, LAWNMOWER, 60" DECK W/Z500 TRACTOR, SIDE DISCHARGE, RIDING MOWER	29 HP	G	\$15,213	13.80	1.83	3.10	0.28	6.54	15
	L15TO007	74254	LANDSCAPING EQUIPMENT, LAWNMOWER, 72" DECK, W/Z500 TRACTOR, SIDE DISCHARGE, RIDING MOWER	29 HP	G	\$15,714	14.00	1.89	3.20	0.29	6.54	17
			WILLMAR EQUIPMENT COMPANY									
	L15WI001	S-200	LANDSCAPING EQUIPMENT, SPREADER, 70 CF DRY CHEMICAL (ADD 55 HP FARM TRACTOR)			\$8,280	3.55	0.99	1.68	0.15	0.00	15

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	L20	LIGHTING SETS, TRAILER MOUNTED										
	SUBCATEGORY 0.10	METALLIC VAPOR										
		ALLMAND BROTHERS INC.										
	L20AB017	MAXI-LITE 7.5/8	LITE SET, TRAILER MTD., 4/1250W, W/7.5 KW GEN, ELECTRIC MAST WINCH	13 HP	D-off	\$13,685	6.19	0.90	1.34	0.23	1.58	21
	L20AB018	MAXI-LITE 7.5/8 CSA	LITE SET, TRAILER MTD., 4/1,000W, W/8 KW GEN, ELECTRIC MAST WINCH	14 HP	D-off	\$15,212	6.80	1.01	1.49	0.26	1.68	21
	L20AB019	MAXI-LITE 7.5/8 CSA	LITE SET, TRAILER MTD., 6/1,000W, W/8 KW GEN, ELECTRIC MAST WINCH	14 HP	D-off	\$17,789	7.64	1.18	1.75	0.30	1.68	21
	L20AB020	NIGHT-LITE PRO	LITE SET, TRAILER MTD., 4/1,000W, W/6 KW GEN, MANUAL MAST WINCH	12 HP	D-off	\$11,572	5.26	0.77	1.13	0.20	1.35	20
	L20AB021	NIGHT-LITE PRO CSA	LITE SET, TRAILER MTD., 4/1,000W, W/8 KW GEN, MANUAL MAST WINCH	14 HP	D-off	\$12,214	5.82	0.81	1.19	0.21	1.68	20
	L20AB022	NIGHT-LITE PRO V	LITE SET, TRAILER MTD., 4/1,000W, W/7.5 KW GEN, ELECTRIC MAST WINCH	13 HP	D-off	\$13,760	6.23	0.92	1.35	0.24	1.58	21
	L20AB023	ECLIPSE 2220/SE ALT	LITE SET, TRAILER MTD., 15 LED LAMP, FLASHING ARROW, W/TWO 8D BATTERIES AND 50W SOLAR ARRAY			\$5,698	1.86	0.38	0.55	0.10	0.00	12
	L20AB024	ECLIPSE 2220/SE APF	LITE SET, TRAILER MTD., 25 LED LAMP, FLASHING ARROW, W/TWO 8D BATTERIES AND 50W SOLAR ARRAY			\$6,092	1.98	0.40	0.59	0.10	0.00	12

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
L25	LINE STRIPING EQUIPMENT											
	SUBCATEGORY 0.00 LINE STRIPING EQUIPMENT											
	JCL EQUIPMENT CO.											
L25JE001	4-B		LINE STRIPING EQUIPMENT, STRIPER, INTERMEDIATE, 2 GUNS, SELF PROPELLED, SINGLE COLOR	13 HP	G	\$11,726	6.78	0.79	1.17	0.20	3.13	15
L25JE002	ROAD RUNNER		LINE STRIPING EQUIPMENT, STRIPER, INTERMEDIATE, 3 GUNS, TRUCK MOUNTED (11,000 LB GVW), TWO COLORS	230 HP	D-off	\$99,767	58.26	6.64	9.85	1.71	27.06	116
	M-B COMPANIES, INC.											
L25MB002	5-10		LINE STRIPING EQUIPMENT, STRIPER, 1 GUN, WALK-BEHIND, SINGLE COLOR	5 HP	G	\$6,198	4.17	0.36	0.50	0.11	1.21	6
L25MB005	5-12A		LINE STRIPING EQUIPMENT, STRIPER, 2 GUNS, WALK BEHIND, SINGLE COLOR	10 HP	G	\$11,242	6.92	0.69	1.00	0.19	2.41	6
L25MB007	220		LINE STRIPING EQUIPMENT, STRIPER, INTERMEDIATE, 3-4 GUNS, SELF PROPELLED, THREE COLORS	23 HP	G	\$52,387	22.00	3.52	5.24	0.90	5.54	30
L25MB006	245		LINE STRIPING EQUIPMENT, STRIPER, INTERMEDIATE, 3 GUNS, SELF PROPELLED, TWO COLORS	60 HP	G	\$93,270	43.70	6.27	9.33	1.60	14.46	48
L25MB004	VANMARK 360		LINE STRIPING EQUIPMENT, STRIPER, INTERMEDIATE, 3-4 GUNS, W/11,000 LBS GVW TRUCK, TWO COLORS	190 HP	G	\$154,112	95.86	10.29	15.29	2.64	45.79	133

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
L25	<i>M-B COMPANIES, INC. (continued)</i>											
	L25MB008	360	LINE STRIPING EQUIPMENT, STRIPER, INTERMEDIATE, 3-4 GUNS, THERMAL 120 GAL, TRUCK MTD, TWO COLORS	190 HP	D-off	\$167,716	74.02	11.09	16.41	2.88	22.36	80
L30	LOADERS, BELT (Conveyor belts) & ACCESSORIES											
	SUBCATEGORY 0.00 LOADERS, BELT (Conveyor belts) & ACCESSORIES											
	HEWITT-ROBINS											
	L30HW015	V-11 6X16FT, TD	LOADER, CONVEYOR BELT & ACCESSORIES, SCREENING PLANT, W/6' X 16' VIBRATORY SLOPE TRIPLE DECK SCREENS/36"X 16.5' UNDER SCREEN CONVEYOR/ 7 CY HOPPER/ & FEEDER	25 HP	E	\$143,061	31.64	8.00	11.19	2.40	1.09	138
	KOLBERG - PIONEER, INC											
	L30KB001	11-2450	LOADER, CONVEYOR BELT & ACCESSORIES, COVEYOR 50', MOBILE, CONCRETE & AGGREGATE, 24" WIDE	15 HP	E	\$34,267	8.16	1.90	2.65	0.57	0.65	57
	L30KB002	11-2460	LOADER, CONVEYOR BELT & ACCESSORIES, CONVEYOR, 60', MOBILE, CONCRETE & AGGREGATE, 24" WIDE	15 HP	E	\$36,116	8.55	2.01	2.80	0.61	0.65	62
	METSO MINERALS											
	L30RA001	CV50D	LOADER, CONVEYOR BELT & ACCESSORIES, GRIZZLY SINGLE SCREEN, 40 CY/HR TRAILER MTD	25 HP	D-off	\$74,117	17.99	4.16	5.83	1.24	2.22	130

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUPERIOR INDUSTRIES, AN ASTEC COMPANY											
	L30S4001	36"X35' FEED CONVEY	LOADER, CONVEYOR BELT & ACCESSORIES, BELT FEEDER	15 HP	E	\$18,825	4.89	1.08	1.51	0.32	0.65	33
	L30S4002	RUN-ON HYDRAULIC LEG	LOADER, CONVEYOR BELT & ACCESSORIES, 4 HYDRAULIC JACK LEGS			\$21,395	4.45	1.22	1.71	0.36	0.00	28
	L30S4003	SIDE SKIRTING UPPER	LOADER, CONVEYOR BELT & ACCESSORIES, SIDE GUARD, ONE SIDE, UPPER			\$1,652	0.34	0.10	0.13	0.03	0.00	9
	L30S4004	SIDE SKIRTING LOWER	LOADER, CONVEYOR BELT & ACCESSORIES, SIDE GUARD, ONE SIDE, LOWER			\$2,723	0.57	0.16	0.22	0.05	0.00	9
TELSMITH INC.												
	L30TS001	PTC 24IN X 50FT	LOADER, CONVEYOR BELT & ACCESSORIES, CONVEYOR, TRUSS FRAME, 24"W X 50'L, WHEEL MTD, 300 TPH	12 HP	E	\$38,008	8.89	2.07	2.85	0.64	0.52	10
L35	LOADERS, FRONT END, CRAWLER TYPE											
	SUBCATEGORY 0.00 LOADERS, FRONT END, CRAWLER TYPE											
CATERPILLAR INC. (MACHINE DIVISION)												
	L35CA013	939-C	LOADER, FRONT END, CRAWLER, 1.50 CY BUCKET	90 HP	D-off	\$125,656	37.28	7.14	10.05	2.11	8.78	209
	L35CA005	953-D	LOADER, FRONT END, CRAWLER, 2.25 CY BUCKET	148 HP	D-off	\$206,261	61.22	11.71	16.50	3.46	14.44	334
	L35CA014	963-D	LOADER, FRONT END, CRAWLER, 3.20 CY BUCKET	160 HP	D-off	\$281,190	78.97	15.96	22.50	4.71	15.61	433

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>L35</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>								
	L35CA007	973-C	LOADER, FRONT END, CRAWLER, 3.70 CY BUCKET	242 HP	D-off	\$385,851	110.78	21.91	30.87	6.47	23.61	581
			Komatsu America International Company									
	L35KM006	D75S-5	LOADER, FRONT END, CRAWLER, 3.30 CY BUCKET	200 HP	D-off	\$455,611	121.59	25.87	36.45	7.64	19.52	485
L40	LOADERS, FRONT END, WHEEL TYPE											
	SUBCATEGORY 0.11	ARTICULATED, 0 THRU 225 HP										
	CATERPILLAR INC. (MACHINE DIVISION)											
	L40CA032	904B	LOADER, FRONT END, WHEEL, 0.80 CY BUCKET, ARTICULATED, 4X4	52 HP	D-off	\$47,526	14.20	2.67	3.68	0.83	4.63	98
	L40CA033	906	LOADER, FRONT END, WHEEL, 1.00 CY BUCKET, ARTICULATED, 4X4	68 HP	D-off	\$62,188	18.46	3.52	4.87	1.08	6.05	109
	L40CA034	908	LOADER, FRONT END, WHEEL, 1.30 CY BUCKET, ARTICULATED, 4X4	76 HP	D-off	\$72,822	23.47	4.00	5.45	1.27	6.76	133
	L40CA019	914G	LOADER, FRONT END, WHEEL, 1.70 CY BUCKET, ARTICULATED, 4X4	95 HP	D-off	\$101,929	28.86	5.81	8.07	1.77	8.45	175
	L40CA022	924Hz	LOADER, FRONT END, WHEEL, 2.20 CY BUCKET, ARTICULATED, 4X4	128 HP	D-off	\$141,389	39.39	8.09	11.26	2.46	11.39	242
	L40CA015	928Hz	LOADER, FRONT END, WHEEL, 2.60 CY BUCKET, ARTICULATED, 4X4	149 HP	D-off	\$140,551	41.31	8.05	11.19	2.45	13.26	276
	L40CA023	938H	LOADER, FRONT END, WHEEL, 3.65 CY BUCKET, ARTICULATED, 4X4	180 HP	D-off	\$172,825	51.62	9.76	13.49	3.01	16.01	332
	L40CA024	950H	LOADER, FRONT END, WHEEL, 3.50 CY BUCKET, ARTICULATED, 4X4	197 HP	D-off	\$217,586	62.51	12.23	16.87	3.79	17.53	404

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
L40	<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>											
	L40CA025	962H	LOADER, FRONT END, WHEEL, 4.00 CY BUCKET, ARTICULATED, 4X4	211 HP	D-off	\$230,993	66.34	13.00	17.96	4.02	18.77	427
	CASE CORPORATION											
	L40CS009	621D	LOADER, FRONT END, WHEEL, 2.5 CY BUCKET, ARTICULATED, 4X4	136 HP	D-off	\$158,376	44.00	9.00	12.47	2.76	12.10	261
	L40CS010	721D	LOADER, FRONT END, WHEEL, 3.0 CY BUCKET, ARTICULATED, 4X4	181 HP	D-off	\$188,598	53.97	10.74	14.92	3.28	16.10	306
	L40CS011	821C	LOADER, FRONT END, WHEEL, 3.5 CY BUCKET, ARTICULATED, 4X4	187 HP	D-off	\$238,095	65.28	13.41	18.54	4.14	16.64	379
	Komatsu America International Company											
	L40KM015	WA95-3	LOADER, FRONT END, WHEEL, 1.40 CY BUCKET, ARTICULATED, 4X4	75 HP	D-off	\$88,798	24.24	5.00	6.91	1.54	6.67	128
	L40KM003	WA250-5	LOADER, FRONT END, WHEEL, 3.00 CY BUCKET, ARTICULATED, 4X4	139 HP	D-off	\$151,247	42.46	8.64	12.02	2.63	12.37	241
	SUBCATEGORY 0.12 ARTICULATED, OVER 225 HP											
CATERPILLAR INC. (MACHINE DIVISION)												
L40CA007	980G II	LOADER, FRONT END, WHEEL, 6.00 CY BUCKET, ARTICULATED, 4X4	300 HP	D-off	\$472,065	102.76	20.92	26.40	7.72	26.69	660	
L40CA018	990 SERIES II	LOADER, FRONT END, WHEEL, 11.00 CY BUCKET, ARTICULATED, 4X4	618 HP	D-off	\$1,171,765	222.95	51.80	65.25	19.17	54.98	1,628	
L40CA009	992-G	LOADER, FRONT END, WHEEL, 16.00 CY BUCKET, ARTICULATED, 4X4	800 HP	D-off	\$1,620,635	305.07	71.05	89.08	26.51	71.18	2,023	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
Komatsu America International Company												
	L40KM008	WA500-3	LOADER, FRONT END, WHEEL, 6.50 CY BUCKET, ARTICULATED, 4X4	335 HP	D-off	\$471,830	101.16	20.91	26.38	7.72	29.80	671
	L40KM009	WA600-3	LOADER, FRONT END, WHEEL, 8.00 CY BUCKET, ARTICULATED, 4X4	490 HP	D-off	\$672,883	141.62	29.58	37.13	11.01	43.60	1,019
	L40KM010	WA700-3	LOADER, FRONT END, WHEEL, 11.10 CY BUCKET, ARTICULATED, 4X4	684 HP	D-off	\$1,094,203	218.96	48.23	60.66	17.90	60.86	1,574
	L40KM011	WA800-3	LOADER, FRONT END, WHEEL, 13.10 CY BUCKET, ARTICULATED, 4X4	853 HP	D-off	\$1,404,921	281.35	61.13	76.30	22.98	75.89	2,230
SUBCATEGORY 0.20 SKID STEER												
CATERPILLAR INC. (MACHINE DIVISION)												
	L40CA028	216B	LOADER, FRONT END, WHEEL, SKID-STEER, 13.0 CF, 60" BUCKET, 4X4	49 HP	D-off	\$31,445	13.20	2.03	2.98	0.54	4.78	54
	L40CA029	226B	LOADER, FRONT END, WHEEL, SKID-STEER, 13.0 CF, 60" BUCKET, 4X4	54 HP	D-off	\$34,824	14.52	2.26	3.32	0.60	5.27	58
	L40CA030	236B	LOADER, FRONT END, WHEEL, SKID-STEER, 14.0 CF, 66" BUCKET, 4X4	59 HP	D-off	\$39,562	16.41	2.55	3.73	0.68	5.76	71
	L40CA031	246C	LOADER, FRONT END, WHEEL, SKID-STEER, 15.4 CF, 72" BUCKET, 4X4	74 HP	D-off	\$38,540	17.80	2.48	3.63	0.66	7.22	74
MELROE COMPANY/BOBCAT												
	L40ME016	S70	LOADER, FRONT END, WHEEL, SKID-STEER, 6.5 CF, 44" BUCKET, 4X4	24 HP	D-off	\$16,682	6.62	1.10	1.61	0.29	2.29	28
	L40ME017	S100	LOADER, FRONT END, WHEEL, SKID-STEER, 6.7 CF, 48" BUCKET, 4X4	36 HP	D-off	\$20,830	9.02	1.36	1.99	0.36	3.46	41
	L40ME012	S175	LOADER, FRONT END, WHEEL, SKID-STEER, 14.3 CF, 60" BUCKET	46 HP	D-off	\$27,313	11.55	1.80	2.66	0.47	4.49	62

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>L40</i>			<i>MELROE COMPANY/BOBCAT (continued)</i>									
	L40ME021	S130	LOADER, FRONT END, WHEEL, SKID-STEER, 13.0 CF, 54" BUCKET, 4X4	49 HP	D-off	\$23,890	11.46	1.53	2.23	0.41	4.78	52
	L40ME022	S220	LOADER, FRONT END, WHEEL, SKID-STEER, 16.3 CF, 66" BUCKET, 4X4	75 HP	D-off	\$34,985	16.82	2.27	3.34	0.60	7.32	75
	L40ME023	S300	LOADER, FRONT END, WHEEL, SKID-STEER, 23.3 CF, 78" BUCKET, 4X4	81 HP	D-off	\$38,841	18.36	2.54	3.73	0.67	7.90	83
	SUBCATEGORY 0.31 TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP											
	CATERPILLAR INC. (MACHINE DIVISION)											
	L40CA013	IT14G	LOADER, WHEEL, INTEGRATED TOOL CARRIER, 1.75 CY LOADER; 6,303 LB @ 12.17' HIGH, FORK LIFT, OR 1,841 LB @ 22.42' HIGH, MATERIAL HANDLING ARM	90 HP	D-off	\$119,018	32.01	6.44	8.75	2.06	8.01	180
	L40CA012	IT38H	LOADER, WHEEL, INTEGRATED TOOL CARRIER, 2.50 CY LOADER; 10,640 LB @ 12.58' HIGH FORK LIFT, OR 3,195 LB @ 23.25' HIGH, MATERIAL HANDLING ARM	145 HP	D-off	\$189,568	50.69	10.30	14.03	3.28	12.90	279
	L40CA014	IT62G II	LOADER, WHEEL, INTEGRATED TOOL CARRIER, 4.25 CY LOADER; 13,670 LB @ 12.42' HIGH, FORK LIFT, OR 5,040 LB @ 22.67' HIGH, MATERIAL HANDLING ARM	200 HP	D-off	\$264,128	70.33	14.36	19.57	4.57	17.79	454

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
L50	LOADERS / BACKHOE, WHEEL TYPE											
	SUBCATEGORY 0.00	LOADERS / BACKHOE, WHEEL TYPE										
	CATERPILLAR INC. (MACHINE DIVISION)											
L50CA001	416E	LOADER / BACKHOE, WHEEL, 1.00 CY FRONT END BUCKET, 18" DIP, 4.5 CF, 14.5' DIGGING DEPTH, 4X2		78 HP	D-off	\$63,324	19.69	3.37	4.53	1.10	5.37	162
L50CA004	446D	LOADER / BACKHOE, WHEEL, 1.50 CY FRONT END BUCKET, 36" DIP, 19 CF, 17.1' DIGGING DEPTH, 4X2		110 HP	D-off	\$149,920	38.90	8.01	10.83	2.59	7.58	193
	CASE CORPORATION											
L50CS005	580 SUPER M SERIES 2	LOADER / BACKHOE, WHEEL, 1.00 CY FRONT END BUCKET, 24" DIP, 6.2 CF, 14.25' DIGGING DEPTH, 4X4		90 HP	D-off	\$95,034	26.75	5.06	6.84	1.64	6.20	143
L50CS006	590 SUPER M SERIES 2	LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE		98 HP	D-off	\$114,012	31.12	6.08	8.22	1.97	6.75	153
	JCB INC.											
L50JC001	212S (4WS)	LOADER / BACKHOE, WHEEL, 0.80 CY FRONT END BUCKET, 24" DIP, 4.3 CF, 12' DIGGING DEPTH, 4X4		67 HP	D-off	\$71,947	20.01	3.88	5.27	1.24	4.61	120
L50JC002	214S (2WD)	LOADER / BACKHOE, WHEEL, 1.25 CY FRONT END BUCKET, 24" DIP, 7.1 CF, 14.6' DIGGING DEPTH, 4X2		92 HP	D-off	\$82,356	24.65	4.37	5.90	1.42	6.34	158
L50JC003	214S (4WS)	LOADER / BACKHOE, WHEEL, 1.40 CY FRONT END BUCKET, 24" DIP, 7.1 CF, 14.6' DIGGING DEPTH, 4X4		100 HP	D-off	\$99,617	28.82	5.28	7.12	1.72	6.89	164

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>L50</i>	<i>JCB INC. (continued)</i>											
	L50JC005	215S (4WS)	LOADER / BACKHOE, WHEEL, 1.40 CY FRONT END BUCKET, 24" DIP, 7.1 CF, 20.1' DIGGING DEPTH, 4X4	100 HP	D-off	\$115,258	31.67	6.14	8.30	1.99	6.89	176
	L50JC007	217S (4WS)	LOADER / BACKHOE, WHEEL, 1.60 CY FRONT END BUCKET, 24" DIP, 7.1 CF, 21.5' DIGGING DEPTH, 4X4	100 HP	D-off	\$146,870	37.51	7.86	10.63	2.54	6.89	178
L55	LOADER / BACKHOE, ATTACHMENTS											
	SUBCATEGORY 0.00	LOADER / BACKHOE, ATTACHMENTS										
	KENT DEMOLITION TOOLS											
	L55KN001	KB-555	LOADER / BACKHOE, ATTACHMENT, AIR RAM, 500 FT-LB, W/2.5" DIA. POINT (ADD 175 CFM COMPRESSOR & LDR/BH)	175 CFM	A	\$6,937	2.85	0.58	0.92	0.12	0.00	6
	L55KN002	KB-999	LOADER / BACKHOE, ATTACHMENT, AIR RAM, 1000 FT-LB, W/ 3.5" DIA. POINT (ADD 250 CFM COMPRESSOR & LDR/BH)	250 CFM	A	\$14,179	5.83	1.20	1.89	0.25	0.00	10
	L55KN004	KF6TLB	LOADER / BACKHOE, ATTACHMENT, HYDRA RAM, 1000 FT-LB, W/3" DIA. POINT (ADD 12,000-14,000 LB LDR/BH)			\$13,109	4.41	1.11	1.75	0.23	0.00	7
	L55KN005	KF9TLB	LOADER / BACKHOE, ATTACHMENT, HYDRA RAM, 1500 FT-LB, W/3.5" DIA. POINT (ADD 14,000-20,000 LB LDR/BH)			\$19,355	6.51	1.63	2.58	0.34	0.00	11
	L55KN006	KF12TLB	LOADER / BACKHOE, ATTACHMENT, HYDRA RAM, 2000 FT-LB, W/4.25" DIA. POINT (ADD 20,000-30,000 LB LDR/BH)			\$28,866	9.71	2.44	3.85	0.51	0.00	19

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
L60	LOG SKIDDERS											
	SUBCATEGORY 0.00 LOG SKIDDERS											
	CATERPILLAR INC. (MACHINE DIVISION)											
L60CA014	517 GRAPPLE		LOG SKIDDER, 8 SF GRAPPLE, CABLE 41,050 LBS LINE-PULL AND WINCH, CRAWLER	120 HP	D-off	\$289,539	64.74	17.00	24.61	4.69	10.68	405
L60CA013	525 B		LOG SKIDDER, 11 SF GRAPPLE, CABLE 43,000 LBS LINE-PULL AND WINCH, WHEEL, 4X2	160 HP	D-off	\$232,112	59.47	13.25	18.97	3.76	14.24	358
L60CA010	527 CABLE		LOG SKIDDER, CABLE, 69,200 LBS LINE-PULL AND WINCH, BLADE, CRAWLER	150 HP	D-off	\$331,727	75.43	19.48	28.20	5.38	13.35	407
L60CA011	527 GRAPPLE		LOG SKIDDER, 10 SF GRAPPLE, CABLE 69,200 LBS LINE-PULL AND WINCH, CRAWLER	150 HP	D-off	\$396,649	87.27	23.29	33.72	6.43	13.35	473
	DEERE & COMPANY											
L60JD001	540G II - SKIDDER		LOG SKIDDER, CABLE, 40,525 LBS LINE-PULL WINCH AND BLADE, WHEEL, 4X4	119 HP	D-off	\$156,324	42.22	8.77	12.48	2.53	10.59	219
L60JD003	548G III - GRAPPLE		LOG SKIDDER, 8.0 SF GRAPPLE WITH BLADE, WHEEL, 4X4	119 HP	D-off	\$152,605	41.54	8.55	12.16	2.47	10.59	217
L60JD004	648G III - GRAPPLE		LOG SKIDDER, 10.4 SF GRAPPLE WITH BLADE, WHEEL, 4X4	160 HP	D-off	\$201,932	55.67	11.22	15.90	3.27	14.24	266
L60JD002	640G III - SKIDDER		LOG SKIDDER, CABLE, 48,867 LBS LINE-PULL WINCH AND BLADE, WHEEL, 4X4	151 HP	D-off	\$185,084	50.64	10.46	14.92	3.00	13.43	239

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>L60</i>	<i>DEERE & COMPANY (continued)</i>											
	L60JD006	643H	LOG SKIDDER, LOG FELLER/BUNCHER, 18" DIA TREE SAW CUTTER, WHEEL, 4X4	170 HP	D-off	\$243,796	63.85	13.77	19.64	3.95	15.12	320
	L60JD008	653G	LOG SKIDDER, LOG FELLER/BUNCHER, 28" DIA TREE SAW CUTTER, CRAWLER	170 HP	D-off	\$349,730	80.69	20.54	29.73	5.67	15.12	410
	L60JD007	843G	LOG SKIDDER, LOG FELLER/BUNCHER, 20" DIA TREE SAW CUTTER, WHEEL, 4X4	200 HP	D-off	\$266,394	70.96	15.10	21.56	4.32	17.79	323
M10	MARINE EQUIPMENT (NON DREDGING)											
	SUBCATEGORY 0.41 WORK FLOATS (NON-DREDGING)											
	MARINE INLAND FABRICATORS											
	M10MZ001		MARINE EQUIPMENT, WORK BARGE, SECTIONAL, MEDIUM DUTY, 40' X 8' X 4', 23 TON			\$19,930	5.22	1.84	2.99	0.34	0.00	143
	M10MZ003		MARINE EQUIPMENT, WORK BARGE, SECTIONAL, MEDIUM DUTY, 40' X 10' X 4', 30 TON			\$24,479	6.40	2.25	3.67	0.41	0.00	173
	SUBCATEGORY 0.42 WORK BARGES (SECTIONAL, NON-DREDGING)											
	MARINE INLAND FABRICATORS											
	M10MZ005	RAKE	MARINE EQUIPMENT, WORK BARGE, SECTIONAL, MEDIUM DUTY, W/ONE BUCKHEAD AND SPUDS, 40' X 12' X 4', 36 TON			\$28,091	1.89	0.83	0.84	0.41	0.00	193

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>M10</i>			<i>MARINE INLAND FABRICATORS (continued)</i>									
	M10MZ007		MARINE EQUIPMENT, WORK BARGE, SECTIONAL, MEDIUM DUTY, 40' X 12' X 5', 51 TON			\$29,418	1.98	0.87	0.88	0.43	0.00	217
			NO SPECIFIC MANUFACTURER									
	M10XX001		MARINE EQUIPMENT, WORK BARGE, SECTIONAL, BOW AND STERN SECTIONS			\$6,160	0.41	0.18	0.18	0.09	0.00	1
	M10XX002		MARINE EQUIPMENT, WORK BARGE, SECTIONAL, LOADING RAMPS			\$19,122	1.28	0.57	0.57	0.28	0.00	1
	M10XX003		MARINE EQUIPMENT, WORK BARGE, SECTIONAL, MID-SECTION, 20' X 10' X 5'			\$23,091	1.55	0.69	0.69	0.34	0.00	1
	M10XX004		MARINE EQUIPMENT, WORK BARGE, SECTIONAL, MID-SECTION, 40' X 10' X 5'			\$37,410	2.51	1.10	1.12	0.54	0.00	1
		SUBCATEGORY 0.45	FLAT-DECK OR CARGO BARGE (NON-DREDGING)									
			NO SPECIFIC MANUFACTURER									
	M10XX005		MARINE EQUIPMENT, FLAT-DECK CARGO BARGE, 120' X 30' X 7.25', 400 TON			\$161,326	5.10	3.03	1.70	2.18	0.00	1
	M10XX006		MARINE EQUIPMENT, FLAT-DECK CARGO BARGE, 120' X 45' X 7', 800 TON			\$227,075	7.19	4.27	2.40	3.07	0.00	1
	M10XX007		MARINE EQUIPMENT, FLAT-DECK CARGO BARGE, 140' X 45' X 7', 900 TON			\$288,837	9.14	5.43	3.05	3.90	0.00	1
	M10XX008		MARINE EQUIPMENT, FLAT-DECK CARGO BARGE, 150' X 45' X 9', 1,100 TON			\$400,852	12.67	7.53	4.23	5.41	0.00	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.48 ALL OTHER BARGES (NON-DREDGING)											
	NO SPECIFIC MANUFACTURER											
	M10XX016	OPEN 195	MARINE EQUIPMENT, ALL OTHER BARGES, HOPPER, 195' X 35' X 12', 1,400 TON			\$241,053	17.37	7.17	7.63	3.35	0.00	1
	M10XX017	OPEN 200	MARINE EQUIPMENT, ALL OTHER BARGES, HOPPER, 200' X 35' X 12', 1,600 TON			\$254,864	18.36	7.58	8.07	3.54	0.00	1
	M10XX018	CLOSED 195	MARINE EQUIPMENT, ALL OTHER BARGES, HOPPER, 195' X 35' X 12', 1,400 TON (COVERED)			\$317,433	22.87	9.44	10.05	4.41	0.00	1
	M10XX019	CLOSED 200	MARINE EQUIPMENT, ALL OTHER BARGES, HOPPER, 200' X 35' X 12', 1,600 TON (COVERED)			\$324,356	23.38	9.65	10.27	4.51	0.00	1
	SUBCATEGORY 0.51 BOATS & LAUNCHES, 0 THRU 250 HP											
	MARINE INLAND FABRICATORS											
	M10MZ010	COLT	MARINE EQUIPMENT, BOATS & LAUNCHES, TRUCKABLE WORKBOAT W/PILOT HOUSE & PUSH KNEES, INBOARD, 20.25' X 8' X 3'	140 HP	D-off	\$49,328	20.33	2.08	2.62	0.77	12.46	95
	M10MZ011	MUSTANG	MARINE EQUIPMENT, BOATS & LAUNCHES, TRUCKABLE WORKBOAT W/PILOT HOUSE & PUSH KNEES, INBOARD, 25.25' X 10' X 3.5'	210 HP	D-off	\$71,062	30.14	3.00	3.78	1.11	18.68	190

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
SEARK MARINE												
	M10SM005	18' - 72 SERIES	MARINE EQUIPMENT, BOATS & LAUNCHES, 18' RIVER RUNNER, VEE HULL, NO CABIN, CAP 1,350 LBS, OUTBOARD, 18' X 7.9' X 0.5'	115 HP	G	\$26,593	27.29	1.12	1.41	0.41	21.24	15
	M10SM008	19' - UTILITY SERIES	MARINE EQUIPMENT, BOATS & LAUNCHES, 19' ROUSTABOUT, TRI HULL, NO CABIN, CAP 2,600 LBS, OUTBOARD, 19.4' X 8.5' X 0.8'	200 HP	G	\$48,180	47.69	2.03	2.56	0.75	36.93	17
	M10SM001	17' - UTILITY SERIES	MARINE EQUIPMENT, BOATS & LAUNCHES, 17' LITTLE GIANT, W/CABIN TRI-HULL, CAP 2,000 LBS, OUTBOARD, 17.5' X 7.25' X 0.7'	150 HP	G	\$57,465	38.30	2.43	3.05	0.90	27.70	18
	M10SM003	21' - UTILITY SERIES	MARINE EQUIPMENT, BOATS & LAUNCHES, 21' LITTLE GIANT, W/CABIN TRI-HULL, CAP 2,800 LBS, OUTBOARD, 21.4' X 8.5' X 1'	200 HP	G	\$71,327	50.43	3.01	3.79	1.11	36.93	24
	M10SM004	23' - UTILITY SERIES	MARINE EQUIPMENT, BOATS & LAUNCHES, 23' LITTLE GIANT, W/CABIN TRI-HULL, CAP 3,400 LBS, OUTBOARD, 23.4' X 8.5' X 1.2'	250 HP	G	\$76,656	61.57	3.24	4.07	1.20	46.17	28
NO SPECIFIC MANUFACTURER												
	M10XX010	12	MARINE EQUIPMENT, BOATS & LAUNCHES, 12' TENDER, 7' BEAM, INBOARD ENGINE	75 HP	D-off	\$48,284	13.48	2.04	2.57	0.75	6.67	1
	M10XX009	13	MARINE EQUIPMENT, BOATS & LAUNCHES, 13' RUNABOUT, 5' BEAM, OUTBOARD ENGINE	50 HP	G	\$14,610	12.23	0.62	0.78	0.23	9.23	13
	M10XX011	14	MARINE EQUIPMENT, BOATS & LAUNCHES, 14' TENDER, 7' BEAM, INBOARD ENGINE	100 HP	D-off	\$55,627	16.94	2.35	2.96	0.87	8.90	13

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>M10</i>	<i>NO SPECIFIC MANUFACTURER (continued)</i>											
	M10XX012	100	MARINE EQUIPMENT, BOATS & LAUNCHES, 16', SHALLOW DRAFT, INLAND TUG	100 HP	D-off	\$56,665	17.06	2.39	3.01	0.88	8.90	13
	M10XX013	115	MARINE EQUIPMENT, BOATS & LAUNCHES, 22', SHALLOW DRAFT, INLAND TUG	115 HP	D-off	\$73,488	20.60	3.10	3.90	1.15	10.23	23
	M10XX014	175	MARINE EQUIPMENT, BOATS & LAUNCHES, 18', W/STEERING NOZZLE, INLAND TUG	175 HP	D-off	\$101,411	30.12	4.28	5.39	1.58	15.57	60
	M10XX015	250	MARINE EQUIPMENT, BOATS & LAUNCHES, 26', W/STEERING NOZZLE, INLAND TUG	250 HP	D-off	\$127,306	40.94	5.37	6.76	1.99	22.24	83
	SUBCATEGORY 0.53 BOATS & LAUNCHES, 251 THRU 500 HP											
	NO SPECIFIC MANUFACTURER											
	M10XX021	380	MARINE EQUIPMENT, BOATS & LAUNCHES, 40', STANDARD RUDDER, INLAND TUG	380 HP	D-off	\$336,221	78.10	13.43	16.81	5.02	33.81	100
	M10XX022	435	MARINE EQUIPMENT, BOATS & LAUNCHES, 45' LENGTH, 16' BEAM, 5' 0" DRAFT, PUSH BOAT	435 HP	D-off	\$382,430	89.11	15.26	19.12	5.70	38.70	100
	M10XX023	400	MARINE EQUIPMENT, BOATS & LAUNCHES, 48' LENGTH, 20' BEAM, 6' 6" DRAFT PUSH BOAT	400 HP	D-off	\$511,827	100.42	20.43	25.59	7.63	35.59	100
	M10XX024	435	MARINE EQUIPMENT, BOATS & LAUNCHES, 58' LENGTH, 21' BEAM, 6' 0" DRAFT, PUSH BOAT	435 HP	D-off	\$729,687	129.17	29.12	36.48	10.88	38.70	130

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
P10	PILE HAMMER ACCESSORIES - EXTRACTORS & BOX LEADS											
	SUBCATEGORY 0.00	PILE HAMMER ACCESSORIES - EXTRACTORS & BOX LEADS										
	INTERNATIONAL CONSTRUCTION EQUIPMENT,INC											
P10IC001	216	PILE HAMMER ACCESSORIES, PILE EXTRACTOR, 30 TON LINE PULL (ADD LEADS & CRANE)		175 HP	D-off	\$110,411	48.16	8.10	11.96	2.12	15.57	130
P10IC002	416L	PILE HAMMER ACCESSORIES, PILE EXTRACTOR, 40 TON LINE PULL (ADD LEADS & CRANE)		300 HP	D-off	\$173,833	78.31	12.76	18.83	3.34	26.69	207
P10IC005	1412B	PILE HAMMER ACCESSORIES, PILE EXTRACTOR, 150 TON LINE PULL (ADD LEADS & CRANE)		800 HP	D-off	\$460,795	208.05	33.81	49.92	8.85	71.18	593
P10IC010		PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'				\$17,209	4.74	1.26	1.86	0.33	0.00	101
P10IC012		PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 32" X 88'				\$24,415	6.73	1.79	2.64	0.47	0.00	155
P10IC011		PILE HAMMER ACCESSORIES, PILE LEADS, FIXED, 26" X 86', W/SPOTTER		13 HP	D-off	\$33,196	10.48	2.44	3.60	0.64	1.16	134
P10IC013		PILE HAMMER ACCESSORIES, PILE LEADS, FIXED, 32" X 88', W/SPOTTER		13 HP	G	\$41,478	14.17	3.05	4.49	0.80	2.40	193

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
P20	PILE HAMMERS, DOUBLE ACTING											
	SUBCATEGORY 0.10 DIESEL											
	INTERNATIONAL CONSTRUCTION EQUIPMENT, INC											
	P20IC002	422	PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)			\$100,276	36.72	8.10	12.53	1.83	0.00	122
	P20IC003	520	PILE HAMMER, DOUBLE ACTING, DIESEL, 30,000 FT-LBS, MAX STROKE 5' 11" (ADD LEADS & CRANE)			\$102,278	38.01	8.26	12.78	1.87	0.00	156
	P20IC004	640	PILE HAMMER, DOUBLE ACTING, DIESEL, 40,000 FT-LBS, MAX STROKE 6' 8" (ADD LEADS & CRANE)			\$109,390	41.14	8.84	13.67	2.00	0.00	187
	MKT MANUFACTURING, INC.											
	P20MK001	DA-15C	PILE HAMMER, DOUBLE ACTING, DIESEL, 8,200 FT-LBS, MAX STROKE 10' 6" (ADD LEADS & CRANE)			\$60,895	22.39	4.92	7.61	1.11	0.00	60
	SUBCATEGORY 0.20 PNUEMATIC (STEAM/AIR)											
	MKT MANUFACTURING, INC.											
	P20MK002	5	PILE HAMMER, DOUBLE ACTING, PNUEMATIC (STEAM/AIR), 1,000 FT-LBS, MAX STROKE 7" (ADD 250 CFM COMPRESSOR, LEADS & CRANE)	250 CFM	A	\$18,152	6.94	1.53	2.42	0.32	0.00	16
	P20MK003	6	PILE HAMMER, DOUBLE ACTING, PNUEMATIC (STEAM/AIR), 2,500 FT-LBS, MAX STROKE 8.75" (ADD 400 CFM COMPRESSOR, LEADS & CRANE)	400 CFM	A	\$22,981	9.16	1.94	3.06	0.41	0.00	30

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>P20</i>			<i>MKT MANUFACTURING, INC. (continued)</i>								
	P20MK004	7	PILE HAMMER, DOUBLE ACTING, PNEUMATIC (STEAM/AIR), 4,150 FT-LBS, MAX STROKE 9.5" (ADD 450 CFM COMPRESSOR, LEADS & CRANE)	450 CFM	A	\$28,616	11.42	2.42	3.82	0.51	0.00	51
	P20MK005	9B3	PILE HAMMER, DOUBLE ACTING, PNEUMATIC (STEAM/AIR), 8,750 FT-LBS, MAX STROKE 17" (ADD 600 CFM COMPRESSOR, LEADS & CRANE)	600 CFM	A	\$48,045	18.32	4.07	6.41	0.86	0.00	71
	P20MK006	10B3	PILE HAMMER, DOUBLE ACTING, PNEUMATIC (STEAM/AIR), 13,100 FT-LBS, MAX STROKE 19" (ADD 750 CFM COMPRESSOR, LEADS & CRANE)	750 CFM	A	\$53,569	21.52	4.52	7.14	0.95	0.00	110
	P20MK007	11B3	PILE HAMMER, DOUBLE ACTING, PNEUMATIC (STEAM/AIR), 19,150 FT-LBS, MAX STROKE 19" (ADD 900 CFM COMPRESSOR, LEADS & CRANE)	900 CFM	A	\$58,899	23.42	4.98	7.85	1.05	0.00	142
P25	PILE HAMMERS, SINGLE ACTING											
	SUBCATEGORY 0.10	DIESEL										
			PILECO, INC.									
	P25DL001	D6-32	PILE HAMMER, SINGLE ACTING, DIESEL, 10,500 FT-LBS (ADD LEADS & CRANE)			\$54,752	19.38	4.62	7.30	0.97	0.00	40
	P25DL003	D12-42	PILE HAMMER, SINGLE ACTING, DIESEL, 31,320 FT-LBS (ADD LEADS & CRANE)			\$65,797	23.35	5.56	8.77	1.17	0.00	63
	P25DL004	D19-42	PILE HAMMER, SINGLE ACTING, DIESEL, 42,800 FT-LBS (ADD LEADS & CRANE)			\$75,402	27.18	6.37	10.05	1.34	0.00	88

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>P25</i>			<i>PILECO, INC. (continued)</i>									
	P25DL005	D25-32	PILE HAMMER, SINGLE ACTING, DIESEL, 58,248 FT-LBS (ADD LEADS & CRANE)			\$103,877	37.62	8.78	13.85	1.85	0.00	130
	P25DL006	D30-32	PILE HAMMER, SINGLE ACTING, DIESEL, 69,898 FT-LBS (ADD LEADS & CRANE)			\$107,674	39.55	9.10	14.36	1.92	0.00	141
	P25DL008	D46-32	PILE HAMMER, SINGLE ACTING, DIESEL, 107,177 FT-LBS (ADD LEADS & CRANE)			\$132,882	50.04	11.23	17.72	2.37	0.00	207
	P25DL009	D62-22	PILE HAMMER, SINGLE ACTING, DIESEL, 165,000 FT-LBS (ADD LEADS & CRANE)			\$199,744	73.84	16.88	26.63	3.56	0.00	283
	P25DL010	D80-23	PILE HAMMER, SINGLE ACTING, DIESEL, 225,000 FT-LBS (ADD LEADS & CRANE)			\$290,745	106.13	24.57	38.77	5.18	0.00	382
	P25DL011	D100-13	PILE HAMMER, SINGLE ACTING, DIESEL, 300,000 FT-LBS (ADD LEADS & CRANE)			\$310,958	114.58	26.27	41.46	5.54	0.00	459
			INTERNATIONAL CONSTRUCTION EQUIPMENT,INC									
	P25IC001	30S	PILE HAMMER, SINGLE ACTING, DIESEL, 22,500 FT-LBS (ADD LEADS & CRANE)			\$68,500	25.26	5.79	9.13	1.22	0.00	73
	P25IC002	42S	PILE HAMMER, SINGLE ACTING, DIESEL, 42,000 FT-LBS (ADD LEADS & CRANE)			\$76,361	29.15	6.45	10.18	1.36	0.00	91
	P25IC003	60S	PILE HAMMER, SINGLE ACTING, DIESEL, 60,000 FT-LBS (ADD LEADS & CRANE)			\$110,240	41.51	9.31	14.70	1.96	0.00	159

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>P25</i>	<i>INTERNATIONAL CONSTRUCTION EQUIPMENT, INC (continued)</i>											
	P25IC004	80S	PILE HAMMER, SINGLE ACTING, DIESEL, 80,000 FT-LBS (ADD LEADS & CRANE)			\$122,953	46.69	10.39	16.39	2.19	0.00	220
	P25IC005	100S	PILE HAMMER, SINGLE ACTING, DIESEL, 100,000 FT-LBS (ADD LEADS & CRANE)			\$152,368	57.54	12.87	20.32	2.71	0.00	220
	P25IC006	120S	PILE HAMMER, SINGLE ACTING, DIESEL, 120,000 FT-LBS (ADD LEADS & CRANE)			\$188,140	70.54	15.90	25.09	3.35	0.00	274
	MKT MANUFACTURING, INC.											
	P25MK001	DE-33/30/20C	PILE HAMMER, SINGLE ACTING, DIESEL, 33,000 FT-LBS (ADD LEADS & CRANE)			\$67,368	25.18	5.69	8.98	1.20	0.00	81
	P25MK003	DE-70/50C	PILE HAMMER, SINGLE ACTING, DIESEL, 70,000 FT-LBS (ADD LEADS & CRANE)			\$111,938	41.83	9.46	14.93	1.99	0.00	153
	SUBCATEGORY 0.20 PNUEMATIC (STEAM/AIR)											
	VULCAN FOUNDATION EQUIPMENT, INC											
	P25VU002	306	PILE HAMMER, SINGLE ACTING, PNUEMATIC (STEAM/AIR), 18,000 FT-LBS (ADD 750 CFM COMPRESSOR, LEADS & CRANE)	750 CFM	A	\$71,961	27.29	6.35	10.19	1.25	0.00	121
	P25VU003	505	PILE HAMMER, SINGLE ACTING, PNUEMATIC (STEAM/AIR), 25,000 FT-LBS (ADD 600 CFM COMPRESSOR, LEADS & CRANE)	600 CFM	A	\$88,193	32.88	7.78	12.49	1.53	0.00	127

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>P25</i>			<i>VULCAN FOUNDATION EQUIPMENT, INC (continued)</i>									
	P25VU004	506	PILE HAMMER, SINGLE ACTING, PNUEMATIC (STEAM/AIR), 32,500 FT-LBS (ADD 900 CFM COMPRESSOR, LEADS & CRANE)	900 CFM	A	\$90,275	33.60	7.96	12.79	1.56	0.00	140
	P25VU005	508	PILE HAMMER, SINGLE ACTING, PNUEMATIC (STEAM/AIR), 40,000 FT-LBS (ADD 900 CFM COMPRESSOR, LEADS & CRANE)	900 CFM	A	\$121,540	44.38	10.72	17.22	2.11	0.00	202
	P25VU010	510	PILE HAMMER, SINGLE ACTING, PNUEMATIC (STEAM/AIR), 50,000 FT-LBS (ADD 1,050 CFM COMPRESSOR, LEADS & CRANE)	1,050CFM	A	\$125,110	44.05	11.03	17.72	2.17	0.00	222
	P25VU011	512	PILE HAMMER, SINGLE ACTING, PNUEMATIC (STEAM/AIR), 60,000 FT-LBS (ADD 1,200 CFM COMPRESSOR, LEADS & CRANE)	1,200CFM	A	\$126,799	44.85	11.18	17.96	2.20	0.00	242
P30	PILE HAMMERS, DRIVER/ EXTRACTOR, VIBRATORY											
	SUBCATEGORY 0.00	PILE HAMMERS, DRIVER/ EXTRACTOR, VIBRATORY										
	MKT MANUFACTURING, INC.											
	P30MK001	V-5C/HP-185	PILE HAMMER, DRIVER/EXTRACTOR, VIBRATORY, 53 TON FORCE DRIVE (ADD LEADS & CRANE)	185 HP	D-off	\$95,793	50.96	8.10	12.77	1.71	16.46	120
	P30MK003	V-20B/HP-365	PILE HAMMER, DRIVER/EXTRACTOR, VIBRATORY, 98.5 TON FORCE DRIVE (ADD LEADS & CRANE)	325 HP	D-off	\$165,482	88.59	13.98	22.06	2.95	28.92	220

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>P30</i>			<i>MKT MANUFACTURING, INC. (continued)</i>								
	P30MK004	V-35/HP-630	PILE HAMMER, DRIVER/EXTRACTOR, VIBRATORY, 200 TON FORCE DRIVE (ADD LEADS & CRANE)	630 HP	D-off	\$279,053	157.67	23.58	37.21	4.97	56.05	327
P35	PIPELAYERS											
	SUBCATEGORY 0.00 PIPELAYERS											
	CATERPILLAR INC. (MACHINE DIVISION)											
	P35CA001	561M	PIPELAYER, 18' BOOM, 40,000 LBS CAPACITY	110 HP	D-off	\$224,332	39.77	10.07	12.82	3.66	5.37	358
	P35CA008	572-R	PIPELAYER, 20' BOOM, 90,000 LBS CAPACITY	230 HP	D-off	\$411,928	74.63	18.49	23.54	6.72	11.22	669
	P35CA009	583-R	PIPELAYER, 20' BOOM, 140,000 LBS CAPACITY	305 HP	D-off	\$528,538	96.31	23.72	30.20	8.62	14.88	984
	P35CA006	589	PIPELAYER, 28' BOOM, 230,000 LBS CAPACITY	420 HP	D-off	\$686,023	126.39	30.79	39.20	11.19	20.49	1,450
P40	PLATFORMS & MAN-LIFTS											
	SUBCATEGORY 0.00 PLATFORMS & MAN-LIFTS											
	BIL-JAX, INC.											
	P40BX001	SKYRIDER 15	MAN-LIFT, TELESCOPIC MAST, 14.8' HEIGHT, 500 LBS, 24 VOLT DC, RECHARGABLE BATTERIES, SELF PROPELLED, 2.2' X 4' PLATFORM			\$13,391	3.21	0.98	1.51	0.22	0.00	18

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	TEREX CORPORATION											
	P40TE003	TA50RT	MAN-LIFT, ARTICULATED BOOM, 55' HEIGHT, 500 LBS, 29' REACH, 4X4, SELF PROPELLED, 2.2' X 5' PLATFORM	32 HP	D-off	\$91,071	24.82	6.46	9.98	1.47	2.20	154
	P40TE004	TA60RT	MAN-LIFT, ARTICULATED BOOM, 66' HEIGHT, 500 LBS, 33' REACH, 4X4, SELF PROPELLED, 3' X 6' PLATFORM	44 HP	D-off	\$105,359	28.94	7.52	11.63	1.70	3.03	241
	P40TE005	TB42	MAN-LIFT, STRAIGHT BOOM, 43' HEIGHT, 650 LBS, 37' REACH, 4X4, SELF PROPELLED, 3' X 6' PLATFORM	66 HP	D-off	\$80,127	24.88	5.67	8.75	1.29	4.55	131
	P40TE006	TB66	MAN-LIFT, STRAIGHT BOOM, 66' HEIGHT, 650 LBS, 51' REACH, 4X4, SELF PROPELLED, 3' X 6' PLATFORM	66 HP	D-off	\$108,038	31.35	7.70	11.92	1.74	4.55	250
	P40TE007	TB85	MAN-LIFT, STRAIGHT BOOM, 86' HEIGHT, 600 LBS, 70' REACH, 4X4, SELF PROPELLED, 3' X 6' PLATFORM	66 HP	D-off	\$179,863	48.24	12.90	20.00	2.90	4.55	373
	P40TE008	TB100	MAN-LIFT, STRAIGHT BOOM, 92' HEIGHT, 500 LBS, 67' REACH, 4X4, SELF PROPELLED, 3' X 6' PLATFORM	76 HP	D-off	\$199,859	53.69	14.34	22.24	3.22	5.23	393
	P40TE009	TB110	MAN-LIFT, STRAIGHT BOOM, 110' HEIGHT, 500 LBS, 74' REACH, 4X4, SELF PROPELLED, 3' X 6' PLATFORM	76 HP	D-off	\$222,546	59.04	15.99	24.80	3.59	5.23	420
	P40TE010	T-292	MAN-LIFT, LINE-TRUCK, W/AERIAL 2' X 2.5' PLATFORM, 300 LBS, 34' HEIGHT, 23' RAD	210 HP	D-off	\$76,123	34.51	5.44	8.41	1.23	14.46	115
	P40TE011	T-38P	MAN-LIFT, LINE-TRUCK, W/AERIAL 2' X 2.5' PLATFORM, 300 LBS, 43' HEIGHT, 26' RAD	210 HP	D-off	\$83,884	36.63	5.93	9.16	1.35	14.46	128
	P40TE012	Digger DerrickC-4045	MAN-LIFT, LINE-TRUCK, W/13.7 TON, 45' HIGH-BOOM TILT POLE CLAWS, & 1.5' DIA AUGER	210 HP	D-off	\$126,397	46.64	9.02	13.95	2.04	14.46	268

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>TEREX CORPORATION (continued)</i>											
P40	P40TE013	5FC-52	MAN-LIFT, LINE-TRUCK, W/AERIAL 2' X 4' PLATFORM, 700 LBS, 57' HEIGHT, 35' RAD	210 HP	D-off	\$115,453	44.05	8.22	12.71	1.86	14.46	215
	P40TE014	5FC-55	MAN-LIFT, LINE-TRUCK, W/AERIAL 2' X 2.5' PLATFORM, 500 LBS, 60' HEIGHT, 38' RAD	210 HP	D-off	\$117,908	44.63	8.40	12.99	1.90	14.46	248
	P40TE015	6H-65	MAN-LIFT, LINE-TRUCK, W/AERIAL 2' X 4' PLATFORM, 750 LBS, 70' HEIGHT, 39' RAD	210 HP	D-off	\$133,494	48.29	9.52	14.74	2.15	14.46	255
P45	PUMPS, GROUT											
	SUBCATEGORY 0.00 PUMPS, GROUT											
	AIRPLACO EQUIPMENT CO., INC.											
	P45AF002	HG-5	PUMP, GROUT, HAND PUMP, 12 CF/HR, 0-100 PSI, W/O HOPPER (ADD HOSES)			\$851	0.22	0.06	0.09	0.01	0.00	1
	P45AF003	HG-9	PUMP, GROUT, HAND PUMP, 15 CF/HR, 0-100 PSI, W/5 GAL HOPPER (ADD HOSES)			\$1,170	0.30	0.08	0.12	0.02	0.00	1
	P45AF008	HGA-530	PUMP, GROUT, 50 CF/HR, 0-250 PSI, SKID MTD, W/5 GAL HOPPER AND 30 GAL MIXER (ADD 50 CFM COMPRESSOR & HOSE)	5 CFM	A	\$7,696	2.12	0.54	0.82	0.13	0.00	4
	P45AF005	HJ-15 SG	PUMP, GROUT, HIGH PRESSURE SINGLE CYLINDER GROUT PUMP, 110 CF/HR, 400 PSI, GROUT-MUD JACKING-SHOTCRETE, TRAILER MTD, W/30 GAL HOPPER AND 30 GAL MIXER (ADD 200 CFM COMPRESSOR & 2" HOSE)	11 HP	G	\$11,844	6.49	0.81	1.22	0.20	2.96	5

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>P45</i>			<i>AIRPLACO EQUIPMENT CO., INC. (continued)</i>									
	P45AF009	MP-2J6/GM-70DA	PUMP, GROUT, 160 CF/HR, 1 - 225 PSI, SKID MTD, W/15 GAL HOPPER/ & TWO 70 GAL MIXERS (ADD 350 CFM COMPRESSOR & HOSE)	350 CFM	A	\$25,656	6.83	1.80	2.73	0.43	0.00	5
	P45AF006	HJ-15 DG	PUMP, GROUT, HIGH PRESSURE DUAL CYLINDER GROUT PUMP, 180 CF/HR, 0-300 PSI, GROUT-MUD JACKING-SHOTCRETE, TRAILER MTD, W/30 GAL HOPPER AND 30 GAL MIXER (ADD 200 CFM COMPRESSOR & 2" HOSE)	11 HP	G	\$15,344	7.41	1.06	1.59	0.26	2.96	7
	P45AF010	HJ-25	PUMP, GROUT, HIGH PRESSURE DUAL CYLINDER GROUT PUMP, 180 CF/HR, 0 - 400 PSI, GROUT-MUD JACK-PLASTER, TRAILER MTD, W/100 GAL HOPPER AND 45 GAL MIXER/ 2" HOSE	18 HP	G	\$30,390	13.49	2.11	3.19	0.51	4.85	23
	P45AF011	HJ-36 CRG	PUMP, GROUT, HIGH PRESSURE DUAL CYLINDER GROUT PUMP, 250 CF/HR, 0 - 250 PSI, GROUT-MUD JACK-SHOTCRETE, TRAILER MTD, W/120 GAL HOPPER/ 90 GAL MIXER/ 2" HOSE	35 HP	G	\$54,202	24.92	3.76	5.72	0.90	9.42	49
	P45AF007	P-280 HD	PUMP, GROUT, HIGH VOLUME DUAL CYLINDER GROUT PUMP, 756 CF/HR CONCRETE, 486 CF/HR SHOTCRETE, TRAILER MTD, W/1200 GAL HOPPER (ADD HOSE 2" - 3" DIA)	30 HP	D-off	\$33,506	13.12	2.33	3.53	0.56	3.87	25

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
ALLENTOWN EQUIPMENT												
	P45AL015	POWER CRETER MAGNUM	PUMP, GROUT, GROUT-MUD JACK-SHOTCRE, HIGH PRESSURE DUAL CYLINDER GROUT PUMP, 135 CF/HR, 0 - 1,770 PSI, TRAILER MTD, W/75 GAL HOPPER/ 82 GAL MIXER/ 3" HOSE	46 HP	D-off	\$60,158	22.43	4.18	6.36	1.00	5.94	35
CHEMGROUT, INC.												
	P45CG001	CG-050	PUMP, GROUT, MINI, AIR, 40 CF/HR, 225 PSI, PORTABLE, SKID MTD (ADD 15 CFM - 100 PSI COMPRESSOR)	15 CFM	A	\$4,088	1.12	0.29	0.43	0.07	0.00	1
	P45CG002	CG-550P	PUMP, GROUT, MIXER, AIR, 40 CF/HR, 225 PSI, SKID MTD (ADD 85 CFM - 100 PSI COMPRESSOR)	85 CFM	A	\$6,639	1.84	0.47	0.71	0.11	0.00	3
	P45CG003	CG-500/2C6 VERSATILE	PUMP, GROUT, MIXER, AIR, 160 CF/HR, 160 PSI, SKID MTD, 15 GAL HOPPER & 2 - 70 GAL MIXING TANKS (ADD 250 CFM - 100 PSI COMPRESSOR)	230 CFM	A	\$15,455	4.20	1.08	1.64	0.26	0.00	12
	P45CG007	CG-570 / 3C6 / H	PUMP, GROUT, THICK MIX/SPRAY, 64 CF/HR, 261 PSI, SKID MTD, 15 GAL HOPPER & 45 GAL MIXING TANK, W/AIR COMPRESSOR, POWER UNIT	16 HP	G	\$22,549	10.82	1.58	2.40	0.38	4.31	13
	P45CG006	CG-570 / 3C6	PUMP, GROUT, THICK MIX/SPRAY, 64 CF/HR, 261 PSI, TRAILER MTD, 15 GAL HOPPER & 45 GAL MIXING TANK, W/AIR COMPRESSOR, POWER UNIT	16 HP	G	\$28,136	12.28	1.95	2.95	0.47	4.31	15
OLIN ENGINEERING, INC.												
	P45OE002	5 40	PUMP, GROUT PUMP, 1,134 CF/HR, 750 PSI, 37 GAL HOPPER, TRAILER MTD, W/POWER UNIT	55 HP	D-off	\$35,018	17.14	2.41	3.65	0.58	7.10	42

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>P45</i>			<i>OLIN ENGINEERING, INC. (continued)</i>								
	P45OE003	5 65	PUMP, GROUT PUMP, 1,836 CF/HR, 1100 PSI, 37 GAL HOPPER, TRAILER MTD, W/POWER UNIT	84 HP	D-off	\$45,385	24.06	3.14	4.75	0.76	10.85	48
	P45OE004	5 85	PUMP, GROUT PUMP, 2,295 CF/HR, 1100 PSI, 37 GAL HOPPER, TRAILER MTD, W/POWER UNIT	120 HP	D-off	\$54,238	31.59	3.75	5.70	0.90	15.50	56
	P45OE005	5 140CA	PUMP, GROUT PUMP, 3,780 CF/HR, 900 PSI, 37 GAL HOPPER, TRAILER MTD TANDEM, W/POWER UNIT	181 HP	D-off	\$73,395	45.45	5.05	7.66	1.22	23.38	100
P50	PUMPS, WATER, CENTRIFUGAL, TRASH											
	SUBCATEGORY 0.11	ENGINE DRIVE										
	WACKER CORPORATION											
	P50WC001	PT 2A	PUMP, WATER, CENTRIFUGAL, TRASH, ENGINE DRIVE, 2" DIA, 205 GPM @ 100' HEAD (ADD HOSES)	10 HP	G	\$1,361	3.22	0.09	0.14	0.02	2.54	1
	P50WC002	PT 3A	PUMP, WATER, CENTRIFUGAL, TRASH, ENGINE DRIVE, 3" DIA, 425 GPM @ 95' HEAD (ADD HOSES)	15 HP	D-off	\$1,611	2.54	0.11	0.16	0.03	1.85	2
	P50WC003	PTS 4V	PUMP, WATER, CENTRIFUGAL, TRASH, ENGINE DRIVE, 4" DIA, 705 GPM @ 106' HEAD (ADD HOSES)	16 HP	D-off	\$3,729	3.19	0.25	0.37	0.06	1.97	3
	P50WC004	PT 6LT	PUMP, WATER, CENTRIFUGAL, TRASH, ENGINE DRIVE, 6" DIA, 1,300 GPM @ 100' HEAD, TRAILER MTD (ADD HOSES)	33 HP	D-off	\$17,379	8.96	1.16	1.72	0.30	4.07	25

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
NO SPECIFIC MANUFACTURER												
	P50XX001	6" DIESEL	PUMP, WATER, CENTRIFUGAL, TRASH, ENGINE DRIVE, 6" DIA, 1,165 GPM, AIR COOLED (ADD HOSES)	60 HP	D-off	\$24,305	14.49	1.64	2.43	0.42	7.40	22
	P50XX002	8" DIESEL	PUMP, WATER, CENTRIFUGAL, TRASH, ENGINE DRIVE, 8" DIA, 2,085 GPM, WATER COOLED (ADD HOSES)	70 HP	D-off	\$44,827	20.91	3.01	4.48	0.77	8.64	35
	P50XX003	10" DIESEL	PUMP, WATER, CENTRIFUGAL, TRASH, ENGINE DRIVE, 10" DIA, 2,665 GPM, WATER COOLED (ADD HOSES)	85 HP	D-off	\$48,140	23.87	3.24	4.81	0.83	10.49	43
SUBCATEGORY 0.31 HOSES, PUMP, SUCTION & DISCHARGE												
GORMAN-RUPP COMPANY												
	P50GR001		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 2" DIA X 20' WITH COUPLING (PER SECTION)			\$216	0.14	0.03	0.05	0.00	0.00	1
	P50GR002		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 3" DIA X 20' WITH COUPLING (PER SECTION)			\$365	0.24	0.05	0.08	0.01	0.00	1
	P50GR003		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 4" DIA X 20' WITH COUPLING (PER SECTION)			\$509	0.33	0.07	0.11	0.01	0.00	1
	P50GR004		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20' WITH COUPLING (PER SECTION)			\$1,130	0.74	0.15	0.25	0.02	0.00	1
	P50GR005		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 2" DIA X 50' WITH COUPLING (PER SECTION)			\$383	0.26	0.06	0.09	0.01	0.00	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>P50</i>			<i>GORMAN-RUPP COMPANY (continued)</i>								
	P50GR006		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 3" DIA X 50' WITH COUPLING (PER SECTION)			\$721	0.47	0.09	0.16	0.01	0.00	1
	P50GR007		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 4" DIA X 50' WITH COUPLING (PER SECTION)			\$1,195	0.79	0.16	0.27	0.02	0.00	2
	P50GR008		PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50' WITH COUPLING (PER SECTION)			\$2,524	1.67	0.34	0.57	0.05	0.00	3
P55	PUMPS, WATER, SUBMERSIBLE											
	SUBCATEGORY 0.01		ENGINE DRIVE									
	GRIFFIN DEWATERING CORP.											
	P55GF001	4MH	PUMP, WATER, SUBMERSIBLE, ENGINE DRIVE, 4" DIA, 400 GPM @ 20' HEAD, SKID MTD (INCLUDES POWER UNIT MODEL 250)(ADD HOSES)	21 HP	D-off	\$21,119	8.42	1.42	2.11	0.36	2.59	19
	P55GF002	6T	PUMP, WATER, SUBMERSIBLE, ENGINE DRIVE, 6" DIA, 2,000 GPM @ 20' HEAD, SKID MTD (INCLUDES POWER UNIT MODEL 400)(ADD HOSES)	72 HP	D-off	\$23,576	16.38	1.58	2.36	0.40	8.89	31
	SUBCATEGORY 0.02		ELECTRIC DRIVE									
	GORMAN-RUPP COMPANY											
	P55GR001	S2A1	PUMP, WATER, SUBMERSIBLE, ELECTRIC, 2" DIA, 138 GPM @ 20' HEAD (ADD HOSES)	2 HP	E	\$3,861	0.97	0.27	0.41	0.06	0.12	2

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>P55</i>			<i>GORMAN-RUPP COMPANY (continued)</i>								
	P55GR002	S3A1	PUMP, WATER, SUBMERSIBLE, ELECTRIC, 3" DIA, 278 GPM @ 20' HEAD (ADD HOSES)	5 HP	E	\$4,779	1.43	0.34	0.51	0.08	0.30	3
	P55GR003	S4A1	PUMP, WATER, SUBMERSIBLE, ELECTRIC, 4" DIA, 860 GPM @ 40' HEAD (ADD HOSES)	25 HP	E	\$15,258	5.38	1.06	1.62	0.25	1.51	12
	P55GR004	S6A1	PUMP, WATER, SUBMERSIBLE, ELECTRIC, 6" DIA, 1,950 GPM @ 40' HEAD (ADD HOSES)	60 HP	E	\$22,890	10.08	1.60	2.43	0.38	3.62	14
			WACKER CORPORATION									
	P55WC001	PS2 500	PUMP, WATER, SUBMERSIBLE, ELECTRIC, 2" DIA, 66 GPM @ 39' HEAD (ADD HOSES)	1 HP	E	\$405	0.17	0.03	0.04	0.01	0.06	1
	P55WC002	PS2 750	PUMP, WATER, SUBMERSIBLE, ELECTRIC, 2" DIA, 100 GPM @ 52' HEAD (ADD HOSES)	1 HP	E	\$548	0.21	0.04	0.06	0.01	0.06	1
P60	PUMPS, WATER, CENTRIFUGAL, DEWATERING											
	SUBCATEGORY 0.11	SKID MOUNTED, ENGINE DRIVE										
			RIVERSIDE PUMP MANUFACTURING									
	P60HO002	S2B	PUMP, WATER, CENTRIFUGAL, DEWATERING, SKID MOUNTED, ENGINE DRIVE, 2" DIA, 150 GPM @ 22' HEAD (ADD HOSES)	4 HP	G	\$932	1.24	0.07	0.09	0.02	0.89	1
	P60HO003	TP3B	PUMP, WATER, CENTRIFUGAL, DEWATERING, SKID MOUNTED, ENGINE DRIVE, 3" DIA, 293 GPM @ 20' HEAD (ADD HOSES)	8 HP	G	\$1,656	2.72	0.12	0.17	0.03	2.03	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	WACKER CORPORATION											
	P60WC001	PG 2A	PUMP, WATER, CENTRIFUGAL, DEWATERING, SKID MOUNTED, ENGINE DRIVE, 2" DIA, 159 GPM @ 98' HEAD (ADD HOSES)	4 HP	G	\$684	1.32	0.05	0.07	0.01	1.01	1
	P60WC002	PG 3A	PUMP, WATER, CENTRIFUGAL, DEWATERING, SKID MOUNTED, ENGINE DRIVE, 3" DIA, 264 GPM @ 98' HEAD (ADD HOSES)	6 HP	G	\$899	1.95	0.07	0.09	0.02	1.52	1
	SUBCATEGORY 0.21 WHEEL MOUNTED, ENGINE DRIVE											
	GRIFFIN DEWATERING CORP.											
	P60GF003	250/4"MH	PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 4" DIA, 400 GPM @ 60' HEAD (ADD HOSES)	21 HP	D-off	\$23,858	8.81	1.59	2.35	0.41	2.59	19
	P60GF008	400/6"T	PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,040 GPM @ 60' HEAD (ADD HOSES)	72 HP	D-off	\$26,315	16.74	1.75	2.60	0.45	8.89	31
	P60GF004	400/6"T	PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 2,000 GPM @ 60' HEAD (ADD HOSES)	72 HP	D-off	\$26,315	16.74	1.75	2.60	0.45	8.89	31
	P60GF005	600/8"T	PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 8" DIA, 3,410 GPM @ 60' HEAD (ADD HOSES)	113 HP	D-off	\$30,346	23.60	2.02	3.00	0.52	13.95	39
	P60GF006	825/12"T	PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 12" DIA, 4,410 GPM @ 60' HEAD (ADD HOSES)	140 HP	D-off	\$46,924	31.48	3.13	4.65	0.80	17.28	39

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	GORMAN-RUPP COMPANY											
	P60GR001	14C2-F3L	PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 4" DIA, 600 GPM @ 80' HEAD (ADD HOSES)	47 HP	D-off	\$24,880	12.79	1.66	2.46	0.43	5.80	20
	P60GR002	16C2-F4L	PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	101 HP	G	\$28,969	36.17	1.94	2.87	0.50	25.61	20
P65	PUMPS, WATER, DIAPHRAGM											
	SUBCATEGORY 0.11 SKID MOUNTED, ENGINE DRIVE											
	RIVERSIDE PUMP MANUFACTURING											
	P65HO001	DP2B	PUMP, WATER, DIAPHRAGM, SKID MTD, 2" DIA, 33 GPM @ 25' HEAD (ADD HOSES)	4 HP	G	\$1,665	1.42	0.12	0.17	0.03	0.89	1
	P65HO002	DP3B	PUMP, WATER, DIAPHRAGM, SKID MTD, 3" DIA, 80 GPM @ 25' HEAD (ADD HOSES)	4 HP	G	\$1,944	1.47	0.13	0.19	0.03	0.89	2
	SUBCATEGORY 0.21 WHEEL MOUNTED, ENGINE DRIVE											
	GORMAN-RUPP COMPANY											
	P65GR001	3D-13	PUMP, WATER, DIAPHRAGM, WHEEL, 2" DIA SUCTION X 3" DIA DISCHARGE, 56 GPMH @ 25' HEAD (ADD HOSES)	5 HP	G	\$4,407	2.50	0.26	0.36	0.08	1.27	2
	P65GR002	3D-B	PUMP, WATER, DIAPHRAGM, WHEEL, 3" DIA, 560 GPM @ 25' HEAD (ADD HOSES)	2 HP	G	\$5,183	1.66	0.31	0.44	0.09	0.38	2

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
P65	<i>GORMAN-RUPP COMPANY (continued)</i>											
	P65GR003	4D-B	PUMP, WATER, DIAPHRAGM, WHEEL, 4" DIA, 74 GPM @ 25' HEAD (ADD HOSES)	3	HP G	\$12,409	3.73	0.80	1.18	0.21	0.76	3
	WACKER CORPORATION											
	P65WC001	PDT 2A	PUMP, WATER, DIAPHRAGM, WHEEL, 2" DIA, 50 GPM @ 25' HEAD (ADD HOSES)	4	HP G	\$1,752	1.55	0.12	0.18	0.03	1.01	1
	P65WC002	PDT 3A	PUMP, WATER, DIAPHRAGM, WHEEL, 3" DIA, 88 GPM @ 25' HEAD (ADD HOSES)	4	HP G	\$1,904	1.58	0.13	0.19	0.03	1.01	2
P70	PUMPS, WATER (For core drills)											
	SUBCATEGORY	0.01	ENGINE DRIVE									
	NO SPECIFIC MANUFACTURER											
	P70XX001	75-7.6	PUMP, WATER, FOR CORE DRILLS, 7.6 GPM, 75 PSI, MANUAL, SKID (ADD HOSES)	2	HP G	\$3,384	1.34	0.22	0.32	0.06	0.51	1
	P70XX002	225-17.5	PUMP, WATER, FOR CORE DRILLS, 17.5 GPM, 225 PSI, MANUAL, SKID (ADD HOSES)	6	HP G	\$8,808	3.70	0.58	0.83	0.16	1.52	1

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
R10	RIPPERS & HYDRAULIC BANK SLOPERS (Add cost for point wear)											
	SUBCATEGORY 0.00	RIPPERS & HYDRAULIC BANK SLOPERS (Add cost for point wear)										
	CATERPILLAR INC. (MACHINE DIVISION)											
	R10CA006	D-5C111	RIPPER, SHANK, EACH (ADD D-5 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$287	0.07	0.02	0.03	0.00	0.00	1
	R10CA022	D6R11-174-9198	RIPPER SHANK, EACH (ADD D6R11 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$1,129	0.27	0.08	0.11	0.02	0.00	2
	R10CA023	D6R II - 9J-8926	RIPPER, SHANK, EACH (ADD D-6 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$1,139	0.27	0.08	0.11	0.02	0.00	2
	R10CA010	D-7R	RIPPER, SHANK, EACH (ADD D-7 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$1,833	0.44	0.12	0.18	0.03	0.00	2
	R10CA013	D-8R	RIPPER, SHANK, EACH (ADD D-8 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$4,097	0.99	0.28	0.41	0.07	0.00	7
	R10CA016	D-9R	RIPPER, SHANK, EACH (ADD D-9 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$4,125	1.00	0.28	0.41	0.07	0.00	8
	R10CA019	D-10R	RIPPER, SHANK, EACH (ADD D-10 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$6,707	1.86	0.45	0.67	0.11	0.00	12
	R10CA001	D-3	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-3 TRACTOR DOZER & COST FOR POINT WEAR)			\$10,656	2.67	0.72	1.07	0.18	0.00	13

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R10</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	R10CA003	D-4C SERIES III	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-4 TRACTOR DOZER & COST FOR POINT WEAR)			\$10,656	2.67	0.72	1.07	0.18	0.00	13
	R10CA005	D-5C SERIES III	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-5 TRACTOR DOZER & COST FOR POINT WEAR)			\$10,656	2.67	0.72	1.07	0.18	0.00	13
	R10CA007	D-6R II	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-6 TRACTOR DOZER & COST FOR POINT WEAR)			\$24,583	6.05	1.65	2.46	0.42	0.00	40
	R10CA009	D-7R	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-7 TRACTOR DOZER & COST FOR POINT WEAR)			\$45,803	11.20	3.08	4.58	0.79	0.00	77
	R10CA011	D-8R	RIPPER, 1-SHANK & BEAM, HYDRAULIC (ADD D-8 TRACTOR DOZER & RIPPER & COST FOR POINT WEAR)			\$49,858	12.20	3.35	4.99	0.85	0.00	91
	R10CA012	D-8R	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-8 TRACTOR DOZER & COST FOR POINT WEAR)			\$58,785	14.37	3.95	5.88	1.01	0.00	102
	R10CA014	D-9R	RIPPER, 1-SHANK & BEAM, HYDRAULIC (ADD D-9 TRACTOR DOZER & COST FOR POINT WEAR)			\$63,970	15.70	4.30	6.40	1.10	0.00	102
	R10CA015	D-9R	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-9 TRACTOR DOZER & COST FOR POINT WEAR)			\$72,582	17.78	4.87	7.26	1.24	0.00	91
	R10CA017	D-10R	RIPPER, 1-SHANK & BEAM, HYDRAULIC (ADD D-10 TRACTOR DOZER & COST FOR POINT WEAR)			\$97,504	23.88	6.55	9.75	1.67	0.00	161

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>R10</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>								
	R10CA018	D-10R	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-10 TRACTOR DOZER & COST FOR POINT WEAR)			\$116,215	28.43	7.80	11.62	1.99	0.00	179
	R10CA020	D-11R	RIPPER, 1-SHANK & BEAM, HYDRAULIC (ADD D-11 TRACTOR DOZER & COST FOR POINT WEAR)			\$116,599	28.54	7.83	11.66	2.00	0.00	72
	R10CA021	D-11R	RIPPER, 3-SHANKS & BEAM, HYDRAULIC (ADD D-11 TRACTOR DOZER & COST FOR POINT WEAR)			\$120,671	29.55	8.11	12.07	2.07	0.00	103
R15	ROLLERS, STATIC, TOWED, PNEUMATIC											
	SUBCATEGORY 0.00	ROLLERS, STATIC, TOWED, PNEUMATIC										
	SOUTHWEST CONSTRUCTION EQUIPMENT CO.											
	R15SO001	C-50	ROLLER, STATIC, TOWED, PNEUMATIC, 60 TON, 9.8' WIDE, 4 TIRE (ADD TOWING UNIT)			\$136,925	24.45	7.27	9.94	2.30	0.00	309
	R15SO002	C-75	ROLLER, STATIC, TOWED, PNEUMATIC, 75 TON, 10.5' WIDE, 4 TIRE (ADD TOWING UNIT)			\$151,066	26.64	7.45	9.83	2.53	0.00	347
	R15SO003	C-100XL	ROLLER, STATIC, TOWED, PNEUMATIC, 100 TON, 10.5' WIDE, 4 TIRE (ADD TOWING UNIT)			\$208,250	37.03	10.69	14.40	3.49	0.00	551

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
R20	ROLLERS, STATIC, TOWED, STEEL DRUM											
	SUBCATEGORY 0.00 ROLLERS, STATIC, TOWED, STEEL DRUM											
	REYNOLDS INTERNATIONAL, L.P.											
	R20RI002	DD-48X60	ROLLER, STATIC, TOWED, 2 STEEL DRUMS, 10-15 TON, 48" WIDE X 60" DIA, PADFOOT (ADD TOWING UNIT)			\$35,498	6.98	2.02	2.84	0.60	0.00	177
	SOUTHWEST CONSTRUCTION EQUIPMENT CO.											
	R20SO001	2DH-RR	ROLLER, STATIC, TOWED, 2 STEEL DRUMS, 10-20 TON, 60" WIDE X 60" DIA, SHEEPSFOOT (ADD TOWING UNIT)			\$76,411	14.72	4.34	6.11	1.28	0.00	200
R30	ROLLERS, STATIC, SELF-PROPELLED											
	SUBCATEGORY 0.01 PNEUMATIC											
	COMPACTION AMERICA (BOMAG)											
	R30BO004	BW11RH	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 13.50 TON, 68" WIDE, 9 TIRE, ASPHALT COMPACTOR	85 HP	D-off	\$87,894	30.64	5.76	8.60	1.46	9.27	100
	R30BO003	BW24R	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 30.00 TON, 78" WIDE, 8 TIRE, ASPHALT COMPACTOR	110 HP	D-off	\$145,903	46.58	9.83	14.80	2.43	12.00	290
	CATERPILLAR INC. (MACHINE DIVISION)											
	R30CA010	PS-150B	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 14.25 TON, 68" WIDE, 9 TIRE, ASPHALT COMPACTOR	70 HP	D-off	\$83,342	27.35	5.74	8.69	1.39	7.63	85

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R30</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	R30CA011	PS-200B	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 20.00 TON, 68" WIDE, 9 TIRE, ASPHALT COMPACTOR	105 HP	D-off	\$95,790	34.45	6.56	9.94	1.59	11.45	87
	R30CA014	PS-360B	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 27.55 TON, 90" WIDE, 7 TIRE, ASPHALT COMPACTOR	105 HP	D-off	\$162,483	50.68	11.11	16.82	2.70	11.45	352
			ROSCO, A LeeBoy COMPANY									
	R30RS003	TRU-PAC 915	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 6-15 TON, 68" WIDE, 9 TIRES, ASPHALT/SOIL COMPACTOR	80 HP	D-off	\$65,970	24.62	4.48	6.75	1.10	8.72	115
			SAKAI AMERICA, INC.									
	R30SI002	TS200	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 16 TON, 81" WIDE, 9 TIRE, ASPHALT COMPACTOR	91 HP	D-off	\$110,104	36.15	7.41	11.16	1.83	9.92	187
	R30SI003	TS600C	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 16 TON, 81" WIDE, 9 TIRE, ASPHALT COMPACTOR	95 HP	D-off	\$136,106	42.46	9.23	13.93	2.26	10.36	187
	R30SI004	TS650C	ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 27 TON, 82" WIDE, 7 TIRE, ASPHALT COMPACTOR	108 HP	D-off	\$180,704	53.98	12.38	18.73	3.01	11.78	281
			SUBCATEGORY 0.02 SMOOTH DRUM									
			COMPACTION AMERICA (BOMAG)									
	R30BO005	BW5AS	ROLLER, STATIC, SELF-PROPELLED, SMOOTH DRUM, DOUBLE DRUM, 6 TON, 40" WIDE ASPHALT COMPACTOR	47 HP	D-off	\$78,885	20.96	4.64	6.71	1.28	5.13	130

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R30</i>			<i>COMPACTION AMERICA (BOMAG) (continued)</i>									
	R30B006	BW9AS	ROLLER, STATIC, SELF-PROPELLED, SMOOTH DRUM, DOUBLE DRUM, 10 TON, 50" WIDE ASPHALT COMPACTOR	83 HP	D-off	\$93,743	28.16	5.51	7.97	1.52	9.05	162
	R30B007	BW11AS	ROLLER, STATIC, SELF-PROPELLED, SMOOTH DRUM, DOUBLE DRUM, 14 TON, 54" WIDE ASPHALT COMPACTOR	78 HP	D-off	\$110,834	30.87	6.51	9.42	1.80	8.51	215
			ROSCO, A LeeBoy COMPANY									
	R30RS001	300 B	ROLLER, STATIC, SELF-PROPELLED, SMOOTH DRUM, DOUBLE DRUM, 1.5 TON, 34" WIDE, ASPHALT COMPACTOR	16 HP	G	\$14,859	6.86	0.87	1.26	0.24	3.61	26
	R30RS002	400	ROLLER, STATIC, SELF-PROPELLED, SMOOTH DRUM, DOUBLE DRUM, 2 TON, 40" WIDE, ASPHALT COMPACTOR	40 HP	D-off	\$29,514	10.54	1.74	2.51	0.48	4.36	37
			SAKAI AMERICA, INC.									
	R30SI005	R2H-2	ROLLER, STATIC, SELF-PROPELLED, SMOOTH DRUM, 3 DRUMS, 14 TON, 64" WIDE, ASPHALT COMPACTOR	75 HP	D-off	\$118,520	32.00	6.96	10.07	1.92	8.18	207
			SUBCATEGORY 0.03 TAMPING FOOT, LANDFILL & SOIL COMPACTORS									
			COMPACTION AMERICA (BOMAG)									
	R30B0009	BC672RB	ROLLER, STATIC, SELF-PROPELLED, LANDFILL/SOIL COMPACTOR, SHEEPSFOOT, 4X4, 35 TON, 63" DIA, 19.58' WIDTH PER 2-PASS, W/BLADE	442 HP	D-off	\$596,131	148.77	29.70	39.74	9.83	48.20	710

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R30</i>			<i>COMPACTION AMERICA (BOMAG) (continued)</i>									
	R30B008	BC772RB	ROLLER, STATIC, SELF-PROPELLED, LANDFILL/SOIL COMPACTOR, SHEEPSFOOT, 4X4, 40 TON, 63" DIA, 19.58' WIDTH PER 2-PASS, W/BLADE	442 HP	D-off	\$629,434	154.11	31.36	41.96	10.38	48.20	812
			CATERPILLAR INC. (MACHINE DIVISION)									
	R30CA003	815-F	ROLLER, STATIC, SELF-PROPELLED, LANDFILL/SOIL COMPACTOR, SHEEPSFOOT, 4X4, 23 TON, 56" DIA, 14.25' WIDTH PER 2-PASS, W/BLADE	240 HP	D-off	\$366,650	87.66	18.26	24.44	6.04	26.17	449
	R30CA012	816-F	ROLLER, STATIC, SELF-PROPELLED, LANDFILL/SOIL COMPACTOR, TAMPING FOOT, CHOPPER, 4X4, 25.0 TON, 14.75' WIDTH PER 2-PASS, W/BLADE	220 HP	D-off	\$371,628	86.07	18.52	24.78	6.13	23.99	509
	R30CA006	825-G II	ROLLER, STATIC, SELF-PROPELLED, LANDFILL/SOIL COMPACTOR, SHEEPSFOOT, 4X4, 35 TON, 51" DIA, 16.00' WIDTH PER 2-PASS, W/BLADE	315 HP	D-off	\$551,425	126.32	27.47	36.76	9.09	34.35	734
	R30CA013	826-G II	ROLLER, STATIC, SELF-PROPELLED, LANDFILL/SOIL COMPACTOR, TAMPING FOOT, CHOPPER, 4X4, 36.5 TON, 15.66' WIDTH PER 2-PASS, W/BLADE	315 HP	D-off	\$573,885	129.92	28.59	38.26	9.46	34.35	771
	R30CA009	836 G	ROLLER, STATIC, SELF-PROPELLED, LANDFILL/SOIL COMPACTOR, TAMPING FOOT, CHOPPER, 4X4, 50.0 TON, 18.58' WIDTH PER 2-PASS, W/BLADE	473 HP	D-off	\$757,225	178.34	37.72	50.48	12.48	51.59	1,166

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
R40	ROLLERS, VIBRATORY, TOWED											
	SUBCATEGORY 0.00 ROLLERS, VIBRATORY, TOWED											
	COMPACTION AMERICA (BOMAG)											
	R40BO001	BW6	ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SMOOTH, 13,000 LB OPER. WT., 26,550 LB (13.3 TONS) CENTRIFUGAL FORCE, 67" WIDE (ADD 180 HP TOWING UNIT)	50 HP	D-off	\$81,092	25.92	5.45	8.11	1.39	6.17	128
	R40BO002	BW6S	ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 15,000 LB OPER. WT., 26,550 LB (13.3 TONS) CENTRIFUGAL FORCE, 67" WIDE (ADD 180 HP TOWING UNIT)	50 HP	D-off	\$90,710	28.16	6.10	9.07	1.56	6.17	148
R45	ROLLERS, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM											
	SUBCATEGORY 0.00 ROLLERS, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM											
	COMPACTION AMERICA (BOMAG)											
	R45BO004	BW120AD-4	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 2.9 TON, 47.2" WIDE, 2X1, ASPHALT COMPACTOR	33 HP	D-off	\$54,593	19.72	3.67	5.46	0.94	4.07	57
	R45BO005	BW138AD	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 4.6 TON, 54.3" WIDE, 2X1, ASPHALT COMPACTOR	46 HP	D-off	\$67,027	24.98	4.50	6.70	1.15	5.68	92
	R45BO006	BW151AD-4	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	108 HP	D-off	\$138,708	53.50	9.32	13.87	2.38	13.33	158

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R45</i>	<i>COMPACTION AMERICA (BOMAG) (continued)</i>											
	R45BO007	BW161AD-4 HF	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 10.4 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	131 HP	D-off	\$160,590	62.76	10.78	16.06	2.75	16.17	209
	R45BO008	BW190AD-4 HF	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 12.6 TON, 79.0" WIDE, 2X1, ASPHALT COMPACTOR	205 HP	D-off	\$167,796	75.15	11.27	16.78	2.88	25.30	252
	CATERPILLAR INC. (MACHINE DIVISION)											
	R45CA001	CB-214D	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 2.5 TON, 39.4" WIDE, 2X1, ASPHALT COMPACTOR	32 HP	D-off	\$47,531	17.62	3.19	4.75	0.81	3.95	81
	R45CA002	CB-224D	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 2.7 TON, 47.2" WIDE, 2X1, ASPHALT COMPACTOR	32 HP	D-off	\$54,016	19.42	3.63	5.40	0.93	3.95	58
	R45CA005	CB-434C	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 6.6 TON, 56" WIDE, 2X1, ASPHALT COMPACTOR	70 HP	D-off	\$130,638	45.92	8.77	13.06	2.24	8.64	137
	R45CA007	CB-534C	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 10.0 TON, 67" WIDE, 2X1, ASPHALT COMPACTOR	105 HP	D-off	\$160,162	59.01	10.76	16.02	2.75	12.96	233
	R45CA010	CB-634D	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 13.2 TON, 84" WIDE, 2X1, ASPHALT COMPACTOR	145 HP	D-off	\$198,971	75.34	13.36	19.90	3.41	17.89	283
	ROSCO, A LeeBoy COMPANY											
	R45RS001	300B	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 2.0 TON, 36" WIDE, ASPHALT COMPACTOR	20 HP	D-off	\$18,974	8.06	1.28	1.90	0.33	2.47	26

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
SAKAI AMERICA, INC.												
	R45SI008	SW320-1	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 3.0 TON, 47" WIDE, 2X1, ASPHALT COMPACTOR	35 HP	D-off	\$36,521	15.01	2.46	3.65	0.63	4.32	28
	R45SI009	SW652	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 58" WIDE, 2X1, ASPHALT COMPACTOR	78 HP	D-off	\$100,387	38.70	6.74	10.04	1.72	9.63	157
	R45SI010	SW850-3	ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 14.0 TON, 79" WIDE, 2X1, ASPHALT COMPACTOR	127 HP	D-off	\$133,567	54.74	8.97	13.36	2.29	15.67	124
R50	ROLLERS, VIBRATORY, SELF-PROPELLED, SINGLE DRUM											
	SUBCATEGORY 0.00	ROLLERS, VIBRATORY, SELF-PROPELLED, SINGLE DRUM										
COMPACTION AMERICA (BOMAG)												
	R50BO005	BW124DH-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 2.9 TON, 47.2" WIDE, 3X2, SOIL COMPACTOR	50 HP	D-off	\$67,177	22.84	4.09	5.79	1.19	4.45	60
	R50BO010	BW124PDH-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 2.9 TON, 47.2" WIDE, 3X2, SOIL COMPACTOR	50 HP	D-off	\$69,216	22.95	4.40	6.36	1.22	4.45	60
	R50BO006	BW145D-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 5.5 TON, 56.1" WIDE, 3X2, SOIL COMPACTOR	75 HP	D-off	\$91,249	31.00	5.86	8.50	1.61	6.67	110
	R50BO011	BW145PDH-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 5.8 TON, 56.1" WIDE, 3X2, SOIL COMPACTOR	75 HP	D-off	\$98,137	32.77	6.31	9.15	1.73	6.67	118
	R50BO007	BW177D-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 7.9 TON, 66.4" WIDE, 3X2, SOIL COMPACTOR	75 HP	D-off	\$125,946	40.02	8.05	11.65	2.22	6.67	159

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R50</i>			<i>COMPACTION AMERICA (BOMAG) (continued)</i>									
	R50BO012	BW177PDH-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 8.3 TON, 66.4" WIDE, 3X2, SOIL COMPACTOR	101 HP	D-off	\$141,948	46.77	9.09	13.15	2.51	8.99	166
	R50BO008	BW213DH-4	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 11.5 TON, 83.9" WIDE, 3X2, SOIL COMPACTOR	155 HP	D-off	\$166,810	58.97	10.51	15.13	2.94	13.79	269
	R50BO013	BW213PDH-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 14.1 TON, 83.9" WIDE, 3X2, SOIL COMPACTOR	131 HP	D-off	\$178,816	59.64	11.29	16.26	3.16	11.66	283
	R50BO009	BW219DH-4	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 20.6 TON, 83.9" WIDE, 3X2, SOIL COMPACTOR	195 HP	D-off	\$236,056	80.76	14.98	21.62	4.17	17.35	412
			CATERPILLAR INC. (MACHINE DIVISION)									
	R50CA001	CS-323C	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 4.6 TON, 50" WIDE, 3X2, SOIL COMPACTOR	70 HP	D-off	\$86,650	29.38	5.54	8.02	1.53	6.23	97
	R50CA003	CS-431C	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 6.9 TON, 66" WIDE, 3X2, SOIL COMPACTOR	97 HP	D-off	\$116,927	39.94	7.46	10.79	2.06	8.63	138
	R50CA005	CS-433E	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 7.1 TON, 66" WIDE, 3X2, SOIL COMPACTOR	100 HP	D-off	\$126,849	42.80	8.10	11.72	2.24	8.90	147
	R50CA009	CS-563E	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 12.2 TON, 84" WIDE, 3X2, SOIL COMPACTOR	150 HP	D-off	\$161,282	57.03	10.17	14.64	2.85	13.35	253
	R50CA011	CS-583E	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 16.5 TON, 84" WIDE, 3X2, SOIL COMPACTOR	150 HP	D-off	\$198,370	66.53	12.56	18.12	3.50	13.35	340

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R50</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	R50CA002	CP-323C (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 4.6 TON, 50" WIDE, 3X2, SOIL COMPACTOR	70 HP	D-off	\$100,849	33.02	6.46	9.36	1.78	6.23	105
	R50CA010	CP-563E (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 12.5 TON, 84" WIDE, 3X2 SOIL COMPACTOR	150 HP	D-off	\$192,588	65.05	12.19	17.58	3.40	13.35	262
	R50CA004	CP-433E (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 7.1 TON, 66" WIDE, 3X2, SOIL COMPACTOR	100 HP	D-off	\$139,740	46.10	8.94	12.93	2.47	8.90	150
	R50CA012	CP-563E (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, PAD FOOT, 12.5 TON, 84" WIDE, 3X2, SOIL COMPACTOR	150 HP	D-off	\$192,926	65.14	12.22	17.61	3.41	13.35	275
			INGERSOLL RAND ROAD MACHINERY DIV									
	R50IP001	SD-45D	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 4.9 TON, 54" WIDE, SOIL COMPACTOR	80 HP	D-off	\$89,634	31.29	5.68	8.20	1.58	7.12	104
			SAKAI AMERICA, INC.									
	R50SI024	TW350 Combo	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 1.5 TON, 39.5" WIDE, 2X1, ASPHALT COMPACTOR	28 HP	D-off	\$57,013	17.57	3.63	5.23	1.01	2.49	25
	R50SI025	TW500 Combo	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 3.9 TON, 51" WIDE, 2X1, ASPHALT COMPACTOR	30 HP	D-off	\$70,432	21.21	4.49	6.49	1.24	2.67	36
	R50SI006	SV201D	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 4.8 TON, 54" WIDE, 3X2, SOIL COMPACTOR	60 HP	D-off	\$75,171	25.54	4.76	6.85	1.33	5.34	41

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
R50	SAKAI AMERICA, INC. (continued)											
	R50SI007	SV201T (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 4.9 TON, 54" WIDE, 3X2, SOIL COMPACTOR	60 HP	D-off	\$80,492	26.90	5.10	7.35	1.42	5.34	43
	R50SI022	SV400D-2	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 7.7 TON, 67" WIDE, 3X2, SOIL COMPACTOR	100 HP	D-off	\$103,771	36.90	6.61	9.55	1.83	8.90	156
	R50SI026	TW750 Combo	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 8.7 TON, 66" WIDE, 2X1, ASPHALT COMPACTOR	104 HP	D-off	\$140,451	46.62	9.01	13.05	2.48	9.25	100
	R50SI023	SV400TB-2 (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 9.6 TON, 67" WIDE, 3X2, SOIL COMPACTOR	100 HP	D-off	\$115,090	39.81	7.34	10.62	2.03	8.90	72
	R50SI013	SV510D-3	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 11.5 TON, 84" WIDE, 3X2, SOIL COMPACTOR	148 HP	D-off	\$125,478	47.68	7.84	11.26	2.21	13.17	507
	R50SI016	SV510T-3 (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 11.9 TON, 60" WIDE, 3X2, SOIL COMPACTOR	148 HP	D-off	\$133,003	49.61	8.33	11.96	2.35	13.17	110
	R50SI017	SV510TF-3 (PADS)	ROLLER, VIBRATORY, SELF-PROPELLED, SINGLE DRUM, SMOOTH, 14.3 TON, 85" WIDE, 3X2, SOIL COMPACTOR	148 HP	D-off	\$144,088	52.44	9.04	13.00	2.54	13.17	131
R55	ROOFING EQUIPMENT											
	SUBCATEGORY 0.00 ROOFING EQUIPMENT											
	AEROIL PRODUCTS COMPANY, INC.											
	R55AE001	EZ LOAD 270	ROOFING EQUIPMENT, KETTLE, 270 GAL, W/PUMP, TRAILER MTD	8 HP	G	\$8,003	7.22	0.69	1.09	0.14	1.35	20

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>R55</i>			<i>AEROIL PRODUCTS COMPANY, INC. (continued)</i>									
	R55AE002	EZ LOAD 410	ROOFING EQUIPMENT, KETTLE, 410 GAL, W/PUMP, TRAILER MTD	8 HP	G	\$9,738	9.45	0.84	1.33	0.17	1.35	25
	R55AE003	EZ LOAD 680	ROOFING EQUIPMENT, KETTLE, 680 GAL, W/PUMP, TRAILER MTD	8 HP	G	\$13,215	12.10	1.12	1.78	0.23	1.35	39
	R55AE004	EZ LOAD 1000	ROOFING EQUIPMENT, KETTLE, 1,000 GAL, W/PUMP, TRAILER MTD	8 HP	G	\$17,521	13.75	1.45	2.30	0.30	1.35	54
	R55AE008	RHINO S PEELER	ROOFING EQUIPMENT, ROOF PEELER, 16" WIDE, WALK BEHIND, POWERED WHEEL 2X2	8 HP	G	\$5,634	3.22	0.48	0.76	0.10	1.35	6
	R55AE009	MKI9	ROOFING EQUIPMENT, 1-BLADE CUTTER, 3.75" DEEP, WALK BEHIND (ADD BLADE COST)	9 HP	G	\$2,041	2.31	0.19	0.29	0.04	1.52	2
	R55AE010	MK216R	ROOFING EQUIPMENT, 2-BLADE CUTTER, 20" WIDE, 3.75" DEEP, WALK BEHIND (ADD BLADE COST)	16 HP	G	\$3,740	4.12	0.33	0.53	0.06	2.70	3
	R55AE011	BUFFALO 800	ROOFING EQUIPMENT, MATERIAL BUGGY, 36" WIDE, WALK BEHIND GRAVEL SPREADER, HOPPER 800 LBS, 8 CF, 4X2	5 HP	G	\$3,841	2.09	0.30	0.46	0.07	0.85	4
			GARLOCK EQUIPMENT CO.									
	R55GL017	SUPER MINI SAW	ROOFING EQUIPMENT, 1-BLADE CUTTER, 18" HEIGHT & 2" WALL CLEARANCE	5 HP	G	\$2,084	1.59	0.19	0.30	0.04	0.85	2
	R55GL016	DUST MASTER ULTRA CU	ROOFING EQUIPMENT, 1-BLADE CUTTER, W/WATER DAMPENING SYSTEM AND H.E.P.A. VACUUM SYSTEM	9 HP	G	\$5,853	3.48	0.52	0.83	0.10	1.52	3
	R55GL011	ENFORCER TWIN CUTTER	ROOFING EQUIPMENT, 2-BLADE CUTTER, 30" WIDE, SELF PROPELLED (ADD BLADE COST)	16 HP	G	\$6,254	4.91	0.56	0.89	0.11	2.70	4

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>R55</i>			<i>GARLOCK EQUIPMENT CO. (continued)</i>								
	R55GL018	NO.12	ROOFING EQUIPMENT, SCRATCHER, 4.5" WIDE	5 HP	G	\$2,148	1.60	0.19	0.30	0.04	0.85	1
	R55GL019	NO. 30	ROOFING EQUIPMENT, SCRATCHER, 13" WIDE	8 HP	G	\$4,171	2.77	0.37	0.59	0.07	1.35	3
	R55GL009	ROTARY PLANER	ROOFING EQUIPMENT, ROTARY PLANER, 12" WIDE	11 HP	G	\$2,565	2.73	0.22	0.36	0.04	1.77	2
	R55GL008	ROCK MASTER SWEEPER	ROOFING EQUIPMENT, POWER SWEEPER, 48" WIDE	11 HP	G	\$5,409	3.68	0.43	0.68	0.09	1.86	2
	R55GL015	MODEL 1000	ROOFING EQUIPMENT, HYDRAULIC HOIST, W/175' CABLE, 1,000 LB CAP	9 HP	G	\$10,546	4.91	0.93	1.49	0.18	1.52	8
	R55GL007	SUPER MAX HYDR HOIST	ROOFING EQUIPMENT, HYDRAULIC SWING HOIST, W/275' CABLE, 1,400 LB CAP	18 HP	G	\$12,875	7.30	1.13	1.82	0.22	3.04	10
	R55GL013	MODEL 30	ROOFING EQUIPMENT, KETTLE, 30 GAL, WHEEL MTD			\$1,455	0.64	0.09	0.12	0.03	0.00	3
	R55GL014	MODEL 90	ROOFING EQUIPMENT, KETTLE, 90 GAL, SKID MTD			\$3,312	1.37	0.30	0.47	0.06	0.00	7
	R55GL001	MODEL 115	ROOFING EQUIPMENT, KETTLE, 115 GAL, TRAILER MTD			\$3,814	1.66	0.33	0.52	0.07	0.00	8
	R55GL002	MODEL 175	ROOFING EQUIPMENT, KETTLE, 175 GAL, W/PUMP, TRAILER MTD	5 HP	G	\$7,459	3.70	0.64	1.01	0.13	0.85	17
	R55GL012	MODEL 300	ROOFING EQUIPMENT, KETTLE, 300 GAL, W/PUMP, TRAILER MTD	9 HP	G	\$11,740	6.01	1.01	1.62	0.20	1.52	23
	R55GL003	MODEL 412	ROOFING EQUIPMENT, KETTLE, 412 GAL, W/PUMP, TRAILER MTD	9 HP	G	\$14,939	6.97	1.28	2.04	0.26	1.52	30
	R55GL004	MODEL 612	ROOFING EQUIPMENT, KETTLE, 612 GAL, W/PUMP, TRAILER MTD	9 HP	G	\$17,959	8.18	1.57	2.51	0.31	1.52	40

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S10 SCRAPERS, ELEVATING												
	SUBCATEGORY 0.01 0 THRU 200 HP											
	CATERPILLAR INC. (MACHINE DIVISION)											
S10CA001	613-C	SERIES II	SCRAPER, ELEVATING LOADING, 11 CY, 13 TON, 7.7' CUT WIDTH, 4X2 - SINGLE POWERED	175 HP	D-off	\$280,445	75.07	15.62	21.83	4.70	15.57	336
	SUBCATEGORY 0.02 OVER 200 HP											
	CATERPILLAR INC. (MACHINE DIVISION)											
S10CA002	615-C	SERIES II	SCRAPER, ELEVATING LOADING, 17 CY, 19 TON, 9.5' CUT WIDTH, 4X2 - SINGLE POWERED	265 HP	D-off	\$430,936	103.87	18.79	22.98	7.30	23.58	526
S10CA003	623-G		SCRAPER, ELEVATING LOADING, 23 CY, 25 TON, 11.5' CUT WIDTH, 4X2 - SINGLE POWERED	365 HP	D-off	\$637,672	144.22	28.43	35.25	10.80	32.47	810
S15 SCRAPERS, CONVENTIONAL												
	SUBCATEGORY 0.00 SCRAPERS, CONVENTIONAL											
	CATERPILLAR INC. (MACHINE DIVISION)											
S15CA001	621-G		SCRAPER, CONVENTIONAL, STANDARD LOADING, 21 CY, 24 TON, 9.1' CUT WIDTH, 4X2 - SINGLE POWERED	365 HP	D-off	\$560,349	115.42	23.38	28.55	9.10	30.38	714
S15CA002	631-G		SCRAPER, CONVENTIONAL, STANDARD LOADING, 34 CY, 37.5 TON, 11.5' CUT WIDTH, 4X2 - SINGLE POWERED	450 HP	D-off	\$844,608	163.42	35.31	43.20	13.71	37.45	1,020

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
	<i>S15</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	S15CA003	651-E	SCRAPER, CONVENTIONAL, STANDARD LOADING, 44 CY, 52 TON, 12.6' CUT WIDTH, 4X2 - SINGLE POWERED	550 HP	D-off	\$1,047,254	200.38	43.90	53.79	17.00	45.78	1,323	
	S15JU001	4206DTIS28	ATI-Bell SCRAPER, CONVENTIONAL, STANDARD LOADING, 28 CY, 32 TON, 14' CUT WIDTH, 4X4 - SINGLE POWERED, TRACTOR EQUIPPED WITH ATI RUBBER TRACKS	422 HP	D-off	\$561,145	113.98	23.81	29.39	9.11	35.12	940	
	S15JU002	4206DTIS33	SCRAPER, CONVENTIONAL, STANDARD LOADING, 33 CY, 37 TON, 14' CUT WIDTH, 4X4 - SINGLE POWERED, TRACTOR EQUIPPED WITH ATI RUBBER TRACKS	422 HP	D-off	\$580,722	116.49	24.65	30.43	9.43	35.12	953	
S20	SCRAPERS, TANDEM POWERED												
	SUBCATEGORY 0.00		SCRAPERS, TANDEM POWERED										
	CATERPILLAR INC. (MACHINE DIVISION)												
	S20CA001	627-G	SCRAPER, TANDEM POWERED, STANDARD LOADING, 21 CY, 24 TON, 9.1' CUT WIDTH, 4X4, D-9 ASSISTED LOADING	330 HP	D-off	225 HP D-off	\$636,289	148.95	26.63	32.60	10.33	47.78	791
	S20CA002	627-G PP	SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	330 HP	D-off	225 HP D-off	\$667,071	153.01	27.95	34.24	10.83	47.78	824

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>S20</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>								
	S20CA003	637-G	SCRAPER, TANDEM POWERED, STANDARD LOADING, 34 CY, 37.5 TON, 11.5' CUT WIDTH, 4X4, D-10 ASSISTED LOADING	450 HP D-off	250 HP D-off	\$1,068,866	224.54	44.93	55.16	17.35	60.28	1,084
	S20CA004	637-G PP	SCRAPER, TANDEM POWERED, STANDARD LOADING, 34 CY, 37.5 TON, 11.5' CUT WIDTH, 4X4, PUSH-PULL	450 HP D-off	250 HP D-off	\$1,112,742	230.33	46.81	57.50	18.06	60.28	1,117
	S20CA005	657-E	SCRAPER, TANDEM POWERED, STANDARD LOADING, 44 CY, 52 TON, 12.6' CUT WIDTH, 4X4, D-11 ASSISTED LOADING	550 HP D-off	400 HP D-off	\$1,265,526	289.32	52.52	63.96	20.54	81.80	1,516
	S20CA006	657-E PP	SCRAPER, TANDEM POWERED, STANDARD LOADING, 44 CY, 52 TON, 12.6' CUT WIDTH, 4X4, PUSH-PULL	550 HP D-off	400 HP D-off	\$1,392,246	293.08	58.70	72.19	22.60	81.80	1,550
S25	SCRAPERS, TRACTOR DRAWN											
	SUBCATEGORY 0.00	SCRAPERS, TRACTOR DRAWN										
		DEERE & COMPANY										
	S25JD001	1510C	SCRAPER, TOWED, STANDARD LOADING, 11 CY, 17 TON, 10' CUT WIDTH (ADD 225 HP TRACTOR)			\$54,963	10.44	2.59	3.36	0.91	0.00	168
	S25JD002	1814C	SCRAPER, TOWED, STANDARD LOADING, 14 CY, 23 TON, 14' CUT WIDTH (ADD 360HP TRACTOR)			\$68,849	12.90	3.21	4.13	1.14	0.00	213

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	REYNOLDS INTERNATIONAL, L.P.											
	S25RI001	14CS10	SCRAPER, TOWED, PIVOT DUMP, 10.7-14 CY, 15 TON, 10' CUT WIDTH (ADD 250 - 300 HP TRACTOR)			\$45,353	8.46	2.22	2.93	0.75	0.00	138
	S25RI002	17C12 (RG)	SCRAPER, TOWED, PIVOT DUMP, 13-17 CY, 17 TON, 12' CUT WIDTH (ADD 350 - 400 HP TRACTOR)			\$51,262	9.46	2.49	3.27	0.85	0.00	170
	ROME PLOW CO.											
	S25RM003	R56H	SCRAPER, TOWED, 9-12 CY, 12.5 TON, 8.5' CUT WIDTH (ADD 120-165 HP TRACTOR)			\$95,588	18.56	4.36	5.56	1.58	0.00	203
	S25RM001	R67H	SCRAPER, TOWED, 12-17 CY, 17 TON, 9.9' CUT WIDTH (ADD 165-215 HP TRACTOR)			\$126,336	23.09	5.89	7.61	2.08	0.00	238
	S25RM002	R89H	SCRAPER, TOWED, 18-26 CY, 25 TON, 10.8' CUT WIDTH (ADD 285-370 HP TRACTOR)			\$186,524	33.81	8.61	11.06	3.08	0.00	382
S30	SCREENING & CRUSHING PLANTS											
	SUBCATEGORY 0.10 CONVEYORS											
	KOLBERG - PIONEER, INC											
	S30KB034	12-3050	SCREENING & CRUSHING PLANTS, FEEDER CONVEYOR, 30" WIDE X 50' LONG, 7 CY HOPPER & 6' FEED, PORTABLE, 500 TPH	15 HP	E	\$55,124	11.12	3.19	4.65	0.86	0.65	15

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S30			<i>KOLBERG - PIONEER, INC (continued)</i>									
	S30KB035	12-3070	SCREENING & CRUSHING PLANTS, FEEDER CONVEYOR, 30" WIDE X 70' LONG, 7 CY HOPPER & 6' FEED, PORTABLE, 500 TPH	20 HP	E	\$62,873	12.90	3.64	5.30	0.99	0.87	18
	S30KB036	12-3650	SCREENING & CRUSHING PLANTS, FEEDER CONVEYOR, 36" WIDE X 50' LONG, 7 CY HOPPER & 6' FEED, PORTABLE, 750 TPH	20 HP	E	\$59,092	12.18	3.42	4.98	0.93	0.87	16
	S30KB041	12-3670	SCREENING & CRUSHING PLANTS, FEEDER CONVEYOR, 36" WIDE X 70' LONG, 7 CY HOPPER & 6' FEED, PORTABLE, 750 TPH	20 HP	E	\$67,629	13.78	3.91	5.69	1.06	0.87	19
	S30KB001	13-2480	SCREENING & CRUSHING PLANTS, CONVEYOR, STACKING, 24" WIDE X 80' LONG, PORTABLE, 250 TPH	10 HP	E	\$36,362	7.34	2.09	3.04	0.57	0.44	14
	S30KB002	13-24100	SCREENING & CRUSHING PLANTS, CONVEYOR, STACKING, 24" WIDE X 100' LONG, PORTABLE, 250 TPH	15 HP	E	\$46,927	9.62	2.71	3.94	0.74	0.65	18
	S30KB003	13-3080	SCREENING & CRUSHING PLANTS, CONVEYOR, STACKING, 30" WIDE X 80' LONG, PORTABLE, 500 TPH	20 HP	E	\$38,595	8.41	2.27	3.32	0.61	0.87	20
	S30KB004	13-30100	SCREENING & CRUSHING PLANTS, CONVEYOR, STACKING, 30" WIDE X 100' LONG, PORTABLE, 500 TPH	25 HP	E	\$58,822	12.49	3.33	4.81	0.92	1.09	25
	S30KB005	13-3680	SCREENING & CRUSHING PLANTS, CONVEYOR, STACKING, 36" WIDE X 80' LONG, PORTABLE, 750 TPH	25 HP	E	\$45,255	9.97	2.59	3.75	0.71	1.09	30
	S30KB006	13-36100	SCREENING & CRUSHING PLANTS, CONVEYOR, STACKING, 36" WIDE X 100' LONG, PORTABLE, 750 TPH	30 HP	E	\$66,859	14.29	3.81	5.51	1.05	1.31	38

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S30			<i>KOLBERG - PIONEER, INC (continued)</i>									
	S30KB007	31-2480	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 24" WIDE X 80' LONG, WHEEL MTD, 750 TPH	10 HP	E	\$41,879	8.36	2.43	3.54	0.66	0.44	22
	S30KB008	31-24100	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 24" WIDE X 100' LONG, PORTABLE, 250 TPH	15 HP	E	\$51,474	10.44	3.00	4.38	0.81	0.65	27
	S30KB009	31-24125	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 24" WIDE X 125' LONG, PORTABLE, 250 TPH	15 HP	E	\$71,251	14.10	4.08	5.92	1.12	0.65	33
	S30KB010	31-3080	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 30" WIDE X 80' LONG, PORTABLE, 500 TPH	20 HP	E	\$44,041	9.41	2.53	3.67	0.69	0.87	32
	S30KB011	31-30100	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 30" WIDE X 100' LONG, PORTABLE, 550 TPH	25 HP	E	\$62,815	13.19	3.65	5.33	0.98	1.09	39
	S30KB012	31-30125	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 30" WIDE X 125' LONG, PORTABLE, 500 TPH	25 HP	E	\$75,975	15.64	4.35	6.31	1.19	1.09	47
	S30KB013	31-3680	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 36" WIDE X 80' LONG, PORTABLE, 750 TPH	25 HP	E	\$51,071	11.04	2.94	4.28	0.80	1.09	42

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S30			<i>KOLBERG - PIONEER, INC (continued)</i>									
	S30KB014	31-36100	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 36" WIDE X 100' LONG, PORTABLE, 750 TPH	30 HP	E	\$68,258	14.52	3.97	5.79	1.07	1.31	59
	S30KB015	31-36125	SCREENING & CRUSHING PLANTS, CONVEYOR, SIDE FOLDING STACKER, 36" WIDE X 125' LONG, PORTABLE, 750 TPH	40 HP	E	\$92,306	19.62	5.33	7.75	1.45	1.74	70
	S30KB018	35-24150	SCREENING & CRUSHING PLANTS, CONVEYOR, FIXED HEIGHT STACKER, 24" WIDE X 150' LONG, PORTABLE, 750 TPH	25 HP	E	\$105,011	20.95	6.21	9.12	1.65	1.09	39
	S30KB021	35-30150	SCREENING & CRUSHING PLANTS, CONVEYOR, FIXED HEIGHT STACKER, 30" WIDE X 150' LONG, PORTABLE, 1,500 TPH	40 HP	E	\$121,832	25.01	7.21	10.59	1.91	1.74	56
	S30KB024	35-36150	SCREENING & CRUSHING PLANTS, CONVEYOR, FIXED HEIGHT STACKER, 36" WIDE X 150' LONG, PORTABLE, 2,000 TPH	60 HP	E	\$139,845	29.61	8.28	12.17	2.19	2.61	84
	S30KB025	36-24100	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 24" WIDE X 100' LONG, PORTABLE, 750 TPH	20 HP	E	\$75,078	15.12	4.42	6.48	1.18	0.87	52
	S30KB026	36-24125	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 24" WIDE X 120' LONG, PORTABLE, 750 TPH	20 HP	E	\$89,162	17.71	5.26	7.72	1.40	0.87	57

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S30			<i>KOLBERG - PIONEER, INC (continued)</i>									
	S30KB027	36-24150	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 24" WIDE X 150' LONG, PORTABLE, 750 TPH	25 HP	E	\$112,593	22.34	6.67	9.80	1.77	1.09	65
	S30KB028	36-30100	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 30" WIDE X 100' LONG, PORTABLE, 1,500 TPH	30 HP	E	\$85,430	17.68	5.03	7.38	1.34	1.31	64
	S30KB029	36-30125	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 30" WIDE X 120' LONG, PORTABLE, 1,500 TPH	30 HP	E	\$102,737	20.84	6.07	8.91	1.61	1.31	71
	S30KB030	36-30150	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 30" WIDE X 150' LONG, PORTABLE, 1,500 TPH	40 HP	E	\$128,894	26.31	7.64	11.23	2.02	1.74	82
	S30KB031	36-36100	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 36" WIDE X 100' LONG, PORTABLE, 2,000 TPH	50 HP	E	\$110,943	23.64	6.57	9.65	1.74	2.18	82
	S30KB032	36-36125	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 36" WIDE X 120' LONG, PORTABLE, 2,000 TPH	50 HP	E	\$130,713	27.30	7.74	11.38	2.05	2.18	93
	S30KB033	36-36150	SCREENING & CRUSHING PLANTS, CONVEYOR, ADJUSTABLE HEIGHT RADIAL STACKER, 36" WIDE X 150' LONG, PORTABLE, 2,000 TPH	60 HP	E	\$150,702	31.61	8.94	13.15	2.36	2.61	110

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>S30</i>	<i>KOLBERG - PIONEER, INC (continued)</i>											
	S30KB042	1430-60-25	SCREENING & CRUSHING PLANTS, SURGE BIN, 25CY, BELT FEEDER, & 30' WIDE X 60' LONG CONVEYOR, PORTABLE, 1,500 TPH	30 HP	E	\$93,345	19.11	5.52	8.12	1.46	1.31	18
	S30KB054	1936-2	SCREENING & CRUSHING PLANTS, SURGE BIN, 25CY, BELT FEEDER, & 30' WIDE X 40' LONG CONVEYOR, PORTABLE, 1,500 TPH	15 HP	E	\$95,538	18.54	5.66	8.32	1.50	0.65	18
	S30KB053	1436-60-25	SCREENING & CRUSHING PLANTS, SURGE BIN, 25CY, BELT FEEDER, & 36" WIDE X 60' LONG CONVEYOR, PORTABLE, 2,000 TPH	40 HP	E	\$96,456	20.34	5.70	8.38	1.51	1.74	20
	S30KB043	1936-3	SCREENING & CRUSHING PLANTS, SURGE BIN, 25CY, BELT FEEDER, & 36" WIDE X 40' LONG CONVEYOR, PORTABLE, 2,000 TPH	15 HP	E	\$137,907	26.33	8.22	12.11	2.16	0.65	20
	S30KB044	1936-4	SCREENING & CRUSHING PLANTS, SURGE BIN, 25CY, BELT FEEDER, & 36" WIDE X 40' LONG CONVEYOR, PORTABLE, 2,000 TPH	15 HP	E	\$169,279	32.08	10.12	14.93	2.65	0.65	20
	PUTZMEISTER INC.											
	S30PU001	TELEBELT TB 50	SCREENING & CRUSHING PLANTS, CONVEYOR, 16" WIDE X 50' LONG, 1 CY HOPPER & TREMIE, 2X4, TRUCK MTD, 80 CY/HR	215 HP	D-off	\$250,591	67.60	15.08	22.29	3.93	19.13	201
	S30PU002	TELEBELT TB 80	SCREENING & CRUSHING PLANTS, CONVEYOR, 18" WIDE X 80' LONG, 3 CY HOPPER & TREMIE, 4X6, TRUCK MTD, 360 CY/HR	350 HP	D-off	\$486,714	124.53	29.31	43.36	7.63	31.14	332

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>S30</i>			<i>PUTZMEISTER INC. (continued)</i>									
	S30PU003	TELEBELT TB 110	SCREENING & CRUSHING PLANTS, CONVEYOR, 18" WIDE X 106' LONG, 3 CY HOPPER & TREMIE, 4X8, TRUCK MTD, 360 CY/HR	350 HP	D-off	\$628,461	150.56	37.89	56.07	9.85	31.14	592
			TELSMITH INC.									
	S30TS001	PTC 24IN X 50FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 24" WIDE X 50' LONG, WHEEL MTD, 300 TPH	12 HP	E	\$38,008	7.78	2.22	3.23	0.60	0.52	10
	S30TS002	PTC 24IN X 70FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 24" WIDE X 70' LONG, WHEEL MTD, 300 TPH	17 HP	E	\$51,573	10.61	3.02	4.41	0.81	0.74	13
	S30TS003	PTC 30IN X 50FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 30" WIDE X 50' LONG, WHEEL MTD, 590 TPH	17 HP	E	\$39,385	8.38	2.29	3.33	0.62	0.74	12
	S30TS004	PTC 30IN X 70FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 30" WIDE X 70' LONG, WHEEL MTD, 1,000 TPH	22 HP	E	\$53,356	11.27	3.11	4.53	0.84	0.96	17
	S30TS005	PTC 36IN X 50FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 36" WIDE X 50' LONG, WHEEL MTD, 750 TPH	22 HP	E	\$41,538	9.09	2.40	3.50	0.65	0.96	19
	S30TS006	PTC 36IN X 70FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 36" WIDE X 70' LONG, WHEEL MTD, 1,200 TPH	27 HP	E	\$56,207	12.13	3.26	4.75	0.88	1.18	26
	S30TS007	PTC 42IN X 50FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 42" WIDE X 50' LONG, WHEEL MTD, 1,000 TPH	32 HP	E	\$49,708	11.24	2.89	4.21	0.78	1.39	25
	S30TS008	PTC 42IN X 70FT	SCREENING & CRUSHING PLANTS, CONVEYOR, TRUSS FRAME, 42" WIDE X 70' LONG, WHEEL MTD, 1,000 TPH	42 HP	E	\$83,367	18.09	4.89	7.16	1.31	1.83	25

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.20		CRUSHERS - VERTICAL & HORIZONTAL SHAFT IMPACTOR									
			HEWITT-ROBINS									
	S30HW001	MODEL 13654V	SCREENING & CRUSHING PLANTS, CRUSHER - SHAFT IMPACTOR, 36"X54", SINGLE ROTOR, 250 TPH, W/3' X 16' FEEDER/ 4' GRIZZLY/ 24" X 8' REJECTION CONVEYOR/ & 36" X 37' DISCHARGE END DELIVERY CONVEYOR, TRAILER MTD (ADD 250 KW GENERATOR)	250 HP	E	\$327,706	48.03	10.57	11.53	4.80	10.89	804
	S30HW002	MODEL 14866V	SCREENING & CRUSHING PLANTS, CRUSHER - SHAFT IMPACTOR, 48"X66" SINGLE ROTOR, 350 TPH, W/4'X16' FEEDER/ 6' GRIZZLY/ 30" X 9.5' REJECTION CONVEYOR/ & 48" X43' DISCHARGE END DELIVERY CONVEYOR, TRAILER MTD (ADD 350 KW GENERATOR)	350 HP	E	\$442,073	65.51	14.27	15.59	6.47	15.24	1,280
	S30HW013	MODEL H4832S	SCREENING & CRUSHING PLANTS, CRUSHER - SHAFT IMPACTOR, SECONDARY, 48"X32" HAMMERMILL, 500 TPH, W/3' X 37' FEED CONVEYOR/ 5' X 16' VIBRATORY HORIZONTAL TRIPLE DECK SCREEN/ 36"X30' RETURN CONVEYOR/ & ROTOR LIFT, TRAILER MTD (ADD 450 KW GENERATOR)	450 HP	E	\$397,445	67.55	12.85	14.05	5.82	19.60	600
			KOLBERG - PIONEER, INC									
	S30KB045	CS-4250	SCREENING & CRUSHING PLANTS, CRUSHER - SHAFT IMPACTOR, 42" X 52", 500 TPH, W/18' X 42" VIBRATORY FEEDER/ ADJUSTABLE GRIZZLY/ & BYPASS FEED, TRAILER MTD	360 HP	D-off	\$566,563	90.31	18.38	20.18	8.29	32.03	548

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	TELSMITH INC.											
	S30TS009	4246	SCREENING & CRUSHING PLANTS, CRUSHER - SHAFT IMPACTOR, 46" X 59", 600 TPH	300 HP	E	\$300,958	51.01	9.83	10.83	4.41	13.07	595
	S30TS010	4856	SCREENING & CRUSHING PLANTS, CRUSHER - SHAFT IMPACTOR, 56" X 85", 1,100 TPH	400 HP	E	\$439,199	71.60	14.34	15.81	6.43	17.42	942
	S30TS011	6071	SCREENING & CRUSHING PLANTS, CRUSHER - SHAFT IMPACTOR, 71" X 100", 2,100 TPH	800 HP	E	\$728,039	128.90	23.77	26.21	10.66	34.84	1,950
	SUBCATEGORY 0.21	CRUSHERS - CONE										
	KOLBERG - PIONEER, INC											
	S30KB046	1200 LS	SCREENING & CRUSHING PLANTS, CRUSHERS - CONE, SECONDARY, 120 TPH @ 3/8" -> 250 TPH @ 1", 42" X 50" IMPACT CRUSHER, W/HOPPER/ & 36" X 32' END DELIVERY CONVEYOR, TRAILER MTD (ADD 210KW GENERATOR)	272 HP	E	\$392,316	58.97	12.68	13.87	5.74	11.85	810
	S30KB047	1400 LS	SCREENING & CRUSHING PLANTS, CRUSHERS - CONE, SECONDARY PLANT, 630 TPH @ 1" -> 1,050 TPH @ 2.5", 42" X 50" IMPACT CRUSHER, W/HOPPER/ & 42" X 32' END DELIVERY CONVEYOR, TRAILER MTD (INCLUDES GENERATOR)	315 HP	E	\$493,517	72.15	16.01	17.58	7.22	13.72	741

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.22		CRUSHERS - JAW									
			HEWITT-ROBINS									
	S30HW005	MODEL J1524PF	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 15"X24", 21 TPH @ 1" -> 54 TPH @ 3", W/2.5' X 8' FEEDER/ 2' GRIZZLY/ & 24" X 20' END DELIVERY CONVEYOR, TRAILER MTD (ADD 40 KW GENERATOR)	40 HP	E	\$178,216	17.24	5.74	6.25	2.61	1.74	86
	S30HW006	MODEL J1536V	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 15"X36", 45 TPH @1.5" -> 150 TPH @ 6", W/3' X 14' FEEDER/ 4' GRIZZLY/ & 30" X 31' END DELIVERY CONVEYOR, TRAILER MTD (ADD 40 KW GENERATOR)	100 HP	E	\$296,471	30.57	9.59	10.50	4.34	4.36	128
	S30HW007	MODEL J2036V	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 20" X 36", 65 TPH @ 2" -> 223 TPH @ 7", W/3' X 14' FEEDER/ 4' GRIZZLY/ & 30" X 31' END DELIVERY CONVEYOR, TRAILER MTD (ADD 40 KW GENERATOR)	125 HP	E	\$322,035	34.20	10.42	11.42	4.71	5.44	128
	S30HW009	MODEL J2142V	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 21" X 42", 183 TPH @ 4" -> 345 TPH @ 8", W/3.5' X 16' FEEDER/ 4' GRIZZLY/ & 36" X 34' END DELIVERY CONVEYOR, TRAILER MTD (ADD 40 KW GENERATOR)	150 HP	E	\$349,112	38.22	11.27	12.31	5.11	6.53	152
	S30HW011	MODEL J2248V	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 22" X 48", 115 TPH @ 2.5" -> 240 TPH @ 6", W/4' X 16' FEEDER/ 4' GRIZZLY/ & 48" X 37' END DELIVERY CONVEYOR (ADD 40 KW GENERATOR)	200 HP	E	\$416,923	46.97	13.46	14.72	6.10	8.71	168

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S30	<i>HEWITT-ROBINS (continued)</i>											
	S30HW008	MODEL J2436V	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 24" X 36", 95 TPH @ 2.5" -> 230 TPH @ 6", W/3' X 14' FEEDER/ 4' GRIZZLY/ & 30" X 31' END DELIVERY CONVEYOR, TRAILER MTD (ADD 40 KW GENERATOR)	125 HP	E	\$336,384	35.34	10.89	11.94	4.92	5.44	128
	S30HW010	MODEL J3042V	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 30" X 42", 200 TPH @ 4" -> 390 TPH @ 8", W/3.5' X 16' FEEDER/ 6' GRIZZLY/ & 36" X 55' END DELIVERY CONVEYOR, TRAILER MTD (ADD 40 KW GENERATOR)	200 HP	E	\$425,038	47.58	13.73	15.02	6.22	8.71	156
	S30HW012	MODEL J3048V	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 30" X 48", 340 TPH @ 5" -> 615 TPH @ 10", W/4' X 16' FEEDER/ 4' GRIZZLY/ & 48" X 37' END DELIVERY CONVEYOR, TRAILER MTD (ADD 40 KW GENERATOR)	200 HP	E	\$492,371	53.08	15.91	17.40	7.21	8.71	168
	KOLBERG - PIONEER, INC											
	S30KB055	CS-1536	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 15" X 36", 45 TPH @ 1.5" -> 150 TPH @ 6", W/36" X 14' VIBRATING FEEDER/ ADJUSTABLE GRIZZLY & BYPASS/ HOPPER/ & 36" X 22' END DELIVERY CONVEYOR, TRAILER MTD, INCLUDES GENERATOR	245 HP	D-off	\$369,039	54.30	11.96	13.11	5.40	21.80	548

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S30	<i>KOLBERG - PIONEER, INC (continued)</i>											
	S30KB058	1524-2416 DUPLEX PL	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 15" X 36", 200 TPH @ 1/4" -> 250 TPH @ 6", W/36" X 14' VIBRATING FEEDER/ ADJUSTABLE GRIZZLY & BYPASS/ HOPPER/ SCREEN CONVEYOR/ & TRIPLE VIBRATORY SCREENS, TRAILER MTD	130 HP	E	\$396,221	40.41	12.86	14.11	5.80	5.66	391
	S30KB056	CS-2036	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 20" X 36", 65 TPH @ 2" -> 223 TPH @ 7", W/36" X 14' VIBRATING FEEDER/ ADJUSTABLE GRIZZLY & BYPASS/ HOPPER/ & 36" X 22' END DELIVERY CONVEYOR, TRAILER MTD, INCLUDES GENERATOR	245 HP	D-off	\$378,354	55.05	12.27	13.45	5.54	21.80	590
	S30KB059	2036-3024 DUPLEX PL	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 20" X 36", 270 TPH @ 1/4" -> 320 TPH @ 7", W/36" X 14' RECIPROCATING PLATE FEEDER/ 12' LONG ADJUSTABLE GRIZZLY & BYPASS/ HOPPER/ & 18" X 15' SCREEN CONVEYOR, TRAILER MTD (ADD 300KW GENERATOR)	300 HP	E	\$619,185	69.33	20.10	22.07	9.06	13.07	415
	S30KB057	CS-2436	SCREENING & CRUSHING PLANTS, JAW CRUSHER, 24" X 36", 95 TPH @ 2.5" -> 230 TPH @ 6", W/36" X 16' VIBRATING FEEDER/ ADJUSTABLE GRIZZLY & BYPASS/ HOPPER/ & 36" X 22' END DELIVERY CONVEYOR, TRAILER MTD, INCLUDES GENERATOR	245 HP	D-off	\$421,253	58.46	13.67	14.99	6.17	21.80	701

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
		SUBCATEGORY 0.30		SCREENING PLANT								
			HEWITT-ROBINS									
	S30HW014	V-11 6X16FT, DD	SCREENING & CRUSHING PLANTS, SCREENING PLANT, 6' X 16' VIBRATORY SLOPE DOUBLE DECK SCREENS, W/36" X 16.5' UNDER SCREEN CONVEYOR/ 7 CY HOPPER/ & FEEDER, TRAILER MTD	15 HP	E	\$129,924	26.26	7.76	11.44	2.04	0.65	101
	S30HW016	V-11 6X20FT, DD	SCREENING & CRUSHING PLANTS, SCREENING PLANT, 6' X 20' VIBRATORY SLOPE DOUBLE DECK SCREENS, W/36" X 16.5' UNDER SCREEN CONVEYOR/ 7 CY HOPPER/ & FEEDER, TRAILER MTD	20 HP	E	\$135,241	27.62	8.08	11.92	2.12	0.87	115
	S30HW015	V-11 6X16FT, TD	SCREENING & CRUSHING PLANTS, SCREENING PLANT, 6' X 16' VIBRATORY SLOPE TRIPLE DECK SCREENS W/36" X 16.5' UNDER SCREEN CONVEYOR/ 7 CY HOPPER/ & FEEDER, TRAILER MTD	25 HP	E	\$143,061	29.47	8.55	12.62	2.24	1.09	138
	S30HW017	V-11 6X20FT, TD	SCREENING & CRUSHING PLANTS, SCREENING PLANT, 6' X 20' VIBRATORY SLOPE TRIPLE DECK SCREENS W/36" X 16.5' UNDER SCREEN CONVEYOR/ 7 CY HOPPER/ & FEEDER, TRAILER MTD,	25 HP	E	\$145,900	30.03	8.73	12.88	2.29	1.09	167
	S30HW018	V-11 8X20FT, TD	SCREENING & CRUSHING PLANTS, SCREENING PLANT, 8' X 20' VIBRATORY SLOPE TRIPLE DECK SCREENS, W/48" X 15.5' UNDER SCREEN CONVEYOR/ 7 CY HOPPER/ & FEEDER, TRAILER MTD	40 HP	E	\$174,189	36.51	10.33	15.20	2.73	1.74	243

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	KOLBERG - PIONEER, INC											
	S30KB048	616 E-3	SCREENING & CRUSHING PLANTS, SCREENING PLANT, 6' X 16', VIBRATORY SLOPE TRIPLE DECK SCREENS, W/HOPPER/ 36" X 28.5' FEEDER CONVEYOR/ 48" X27' UNDER SCREEN CONVEYOR/ & 24" X 20' SIDE DELIVERY CONVEYOR, TRAILER MTD	85 HP	E	\$176,803	39.92	10.55	15.56	2.77	3.70	280
	S30KB049	620 E-3	SCREENING & CRUSHING PLANTS, SCREENING PLANT, 6' X 20' VIBRATORY SLOPE TRIPLE DECK SCREENS, W/HOPPER/ 42" X 34' FEEDER CONVEYOR/ 60" X 25' UNDER SCREEN CONVEYOR/ & 30" X 15' SIDE DELIVERY CONVEYOR, TRAILER MTD	90 HP	E	\$208,590	46.58	12.08	17.61	3.27	3.92	355
	S30KB050	1822	SCREENING & CRUSHING PLANTS, WASHING/SCREENING PLANT, 6' X 16' VIBRATORY SLOPE TRIPLE DECK SCREENS, W/HOPPER / 3 PRODUCT CHUTES/ ONE FINES CHUTE TO 8' X 32' CLASSIFYING TANK/ 36" DIA X 32' SLOPED SCREW & CHUTE, TRAILER MTD (ADD WATER & FEEDER)	250 HP	E	\$251,268	65.05	15.07	22.26	3.94	10.89	416
	S30KB051	1830	SCREENING & CRUSHING PLANTS, WASHING/SCREENING PLANT, 6' X 20' VIBRATORY SLOPED TRIPLE DECK SCREENS, W/HOPPER/ 3 PRODUCT CHUTES/ ONE FINES CHUTE/ 8' X 32' CLASSIFYING TANK/ & 44" DIA X 32' SLOPED SCREW & CHUTE, TRAILER MTD (ADD WATER & FEEDER)	250 HP	E	\$318,207	78.07	19.05	28.11	4.99	10.89	420

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>S30</i>			<i>KOLBERG - PIONEER, INC (continued)</i>								
	S30KB052	7208-32 S/P	SCREENING & CRUSHING PLANTS, CLASSIFYING PLANT (SAND SORT) 8'W X 32'L TANK & 44" DIA SCREW	250 HP	E	\$332,306	80.82	20.08	29.73	5.21	10.89	450
			METSO MINERALS									
	S30RA002	CV 50D	SCREENING & CRUSHING PLANTS, GRIZZLY-SINGLE SCREEN, 120 CY/HR, TRAILER MTD	25 HP	D-off	\$74,117	16.91	4.45	6.58	1.16	2.22	130
	S30RA003	CV 90D	SCREENING & CRUSHING PLANTS, GRIZZLY-SINGLE SCREEN, 200 CY/HR, TRAILER MTD	49 HP	D-off	\$117,139	27.69	7.02	10.35	1.84	4.36	195
S35	SNOW REMOVAL EQUIPMENT											
	SUBCATEGORY 0.00	SNOW REMOVAL EQUIPMENT										
			AMERICAN ROAD MACHINERY, INC.									
	S35AR001	112	SNOW REMOVAL EQUIPMENT, SNOW PLOW, REVERSIBLE (ADD DUMP TRUCK)			\$5,056	1.16	0.35	0.51	0.09	0.00	15
	S35AR002	713	SNOW REMOVAL EQUIPMENT, SNOW PLOW, 1-WAY TRIP (ADD DUMP TRUCK)			\$7,168	1.64	0.48	0.72	0.12	0.00	20

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S40	SOIL & ROAD STABILIZERS											
	SUBCATEGORY 0.00	SOIL & ROAD STABILIZERS										
	COMPACTION AMERICA (BOMAG)											
	S40BO002	MPH-362 R-2 RECYCLER	SOIL & ROAD STABILIZER, 12" DEEP X 79" WIDE, HYDROSTATIC RECLAIMER/ SOIL STABILIZER, 4X2	360 HP	D-off	\$402,445	116.95	22.59	31.67	6.75	35.13	390
	S40BO003	MPH-362 S-2	SOIL & ROAD STABILIZER, 14" DEEP X 79" WIDE, HYDROSTATIC RECLAIMER/ SOIL STABILIZER, 4X2	360 HP	D-off	\$394,201	115.38	22.12	31.01	6.61	35.13	390
	S40BO004	MPH-362 SDM-2	SOIL & ROAD STABILIZER, 21" DEEP X 79" WIDE, HYDROSTATIC RECLAIMER/ SOIL STABILIZER, 4X2	360 HP	D-off	\$386,928	114.00	21.71	30.43	6.49	35.13	390
	CATERPILLAR INC. (MACHINE DIVISION)											
	S40CA001	RR-250B	SOIL & ROAD STABILIZER, 12" DEEP X 96" WIDE, HYDROSTATIC RECLAIMER/ SOIL STABILIZER, 4X2	309 HP	D-off	\$366,524	104.63	20.61	28.93	6.14	30.15	370
	S40CA002	SS-250B	SOIL & ROAD STABILIZER, 18" DEEP X 96" WIDE, HYDROSTATIC RECLAIMER/ SOIL STABILIZER, 4X2	309 HP	D-off	\$351,095	101.28	19.61	27.43	5.89	30.15	308
	S40CA003	RM-300	SOIL & ROAD STABILIZER, 18" DEEP X 96" WIDE, HYDROSTATIC ROAD RECLAIMER/ SOIL STABILIZER, 4X4	350 HP	D-off	\$295,768	101.61	15.86	21.79	4.96	34.15	518
	S40CA004	RM-500	SOIL & ROAD STABILIZER, 16" DEEP X 96" WIDE, HYDROSTATIC ROAD RECLAIMER/ SOIL STABILIZER, 4X4	540 HP	D-off	\$489,971	157.41	27.10	37.78	8.21	52.69	599

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
S45	SPLITTERS, ROCK & CONCRETE											
	SUBCATEGORY 0.00 SPLITTERS, ROCK & CONCRETE											
	ELCO INTERNATIONAL INC.											
	S45DA004	02-2	SPLITTER, ROCK & CONCRETE, 220 TON SFORCE, 1.75" DIA, SIZE 2, 5 GAL, 12" DEEP HOLE REQ'D (ADD 80 CFM COMPRESSOR)	80 CFM	A	\$12,278	4.39	1.04	1.64	0.22	0.00	1
	S45DA005	02-9	SPLITTER, ROCK & CONCRETE, 220 TON SFORCE, 1.75" DIA, SIZE 9, 5 GAL, 18" DEEP HOLE REQ'D (ADD 80 CFM COMPRESSOR)	80 CFM	A	\$14,676	5.19	1.24	1.96	0.26	0.00	1
	S45DA007	02-12	SPLITTER, ROCK & CONCRETE, 385 TON SFORCE, 1.75" DIA, SIZE 12, 5 GAL, 26" DEEP HOLE REQ'D (ADD 80 CFM COMPRESSOR)	80 CFM	A	\$15,469	5.46	1.31	2.06	0.28	0.00	1
T10	TRACTOR BLADES & ATTACHMENTS (including agricultural)											
	SUBCATEGORY 0.00 TRACTOR BLADES & ATTACHMENTS (including agricultural)											
	CATERPILLAR INC. (MACHINE DIVISION)											
	T10CA001	D3-61-9722	TRACTOR ATTACHMENTS, BLADE, POWER ANGLE, HYDRAULIC, FOR D3, 1.65 CY (ADD D3 TRACTOR)			\$13,718	2.64	0.78	1.10	0.23	0.00	22
	T10CA002	D3-PA 30B	TRACTOR ATTACHMENTS, POWER WINCH, W/250' CABLE, FOR D3 (ADD D3 TRACTOR)			\$20,441	3.89	1.16	1.64	0.34	0.00	21
	T10CA004	D4-104-5683	TRACTOR ATTACHMENTS, BLADE, POWER ANGLE, HYDRAULIC, FOR D4, 2.17 CY (ADD D4 TRACTOR)			\$15,180	2.90	0.86	1.21	0.25	0.00	24

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T10			CATERPILLAR INC. (MACHINE DIVISION) (continued)									
	T10CA005	D4-PA 30B	TRACTOR ATTACHMENTS, POWER WINCH, W/250' CABLE, FOR D4 (ADD D4 TRACTOR)			\$20,441	3.89	1.16	1.64	0.34	0.00	21
	T10CA007	D5 N - ANGLE BLADE	TRACTOR ATTACHMENTS, BLADE, POWER ANGLE, HYDRAULIC, FOR D5, 2.53 CY (ADD D5 TRACTOR)			\$22,862	4.33	1.30	1.83	0.38	0.00	26
	T10CA008	D5-PA 55	TRACTOR ATTACHMENTS, POWER WINCH, FOR D5 (ADD D5 TRACTOR)			\$30,456	5.75	1.73	2.44	0.51	0.00	26
	T10CA009	D6-108-3970	TRACTOR ATTACHMENTS, BLADE, STRAIGHT, HYDRAULIC, FOR D6, 5.09 CY (ADD D6 TRACTOR)			\$28,182	5.32	1.60	2.25	0.47	0.00	57
	T10CA010	D6-108-3982	TRACTOR ATTACHMENTS, BLADE, POWER ANGLE, HYDRAULIC, FOR D6, 4.16 CY (ADD D6 TRACTOR)			\$30,894	5.83	1.76	2.47	0.52	0.00	69
	T10CA011	D6-PA56 WINCH	TRACTOR ATTACHMENTS, POWER WINCH, W/CABLE, FOR D6 (ADD D6 TRACTOR)			\$42,311	7.95	2.40	3.38	0.71	0.00	27
	T10CA012	D7-S	TRACTOR ATTACHMENTS, BLADE, STRAIGHT, HYDRAULIC, FOR D7, 6.75 CY (ADD D7 TRACTOR)			\$41,432	7.78	2.35	3.31	0.69	0.00	77
	T10CA013	D7-U	TRACTOR ATTACHMENTS, BLADE, UNIVERSAL, HYDRAULIC, FOR D7, 10.09 CY (ADD D7 TRACTOR)			\$45,514	8.55	2.58	3.64	0.76	0.00	86
	T10CA014	D7-A	TRACTOR ATTACHMENTS, BLADE, POWER ANGLE, HYDRAULIC, FOR D7, 5.08 CY (ADD D7 TRACTOR)			\$37,937	7.14	2.16	3.03	0.64	0.00	78
	T10CA015	D7-PA57 WINCH	TRACTOR ATTACHMENTS, POWER WINCH, W/CABLE, FOR D7 (ADD D7 TRACTOR)			\$55,731	10.47	3.16	4.46	0.93	0.00	45

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>T10</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	T10CA016	D8-SU	TRACTOR ATTACHMENTS, BLADE, STRAIGHT, HYDRAULIC, FOR D8, 6.09 CY (ADD D8 TRACTOR)			\$55,235	10.41	3.14	4.42	0.93	0.00	107
	T10CA017	D8-U	TRACTOR ATTACHMENTS, BLADE, UNIVERSAL, HYDRAULIC, FOR D8, 15.30 CY (ADD D8 TRACTOR)			\$60,034	11.31	3.41	4.80	1.01	0.00	124
	T10CA018	D8-A	TRACTOR ATTACHMENTS, BLADE, POWER ANGLE, HYDRAULIC, FOR D8, 6.09 CY (ADD D8 TRACTOR)			\$53,258	10.04	3.02	4.26	0.89	0.00	123
	T10CA019	D8-PP	TRACTOR ATTACHMENTS, BLADE, PUSH PLATE, FOR D8 (ADD D8 TRACTOR)			\$1,548	0.34	0.09	0.12	0.03	0.00	5
	T10CA020	D8, PA58VS WINCH	TRACTOR ATTACHMENTS, POWER WINCH, W/CABLE, FOR D8 (ADD D8 TRACTOR)			\$55,600	10.50	3.16	4.45	0.93	0.00	50
	T10CA021	D9-SU	TRACTOR ATTACHMENTS, BLADE, SEMI-U, HYDRAULIC, FOR D9, 17.70 CY (ADD D9 TRACTOR)			\$75,018	14.16	4.26	6.00	1.26	0.00	143
	T10CA022	D9-U	TRACTOR ATTACHMENTS, BLADE, UNIVERSAL, HYDRAULIC, FOR D9, 21.40 CY (ADD D9 TRACTOR)			\$81,149	15.29	4.61	6.49	1.36	0.00	137
	T10CA023	D9, PA59VS WINCH	TRACTOR ATTACHMENTS, POWER WINCH, W/CABLE, FOR D9 (ADD D9 TRACTOR)			\$74,970	14.16	4.26	6.00	1.26	0.00	86
	T10CA024	D10-SU ABRASION	TRACTOR ATTACHMENTS, BLADE, SEMI-U, HYDRAULIC, FOR D10, 24.20 CY (ADD D10 TRACTOR)			\$113,093	21.34	6.43	9.05	1.90	0.00	357
	T10CA025	D10-U ABRASION	TRACTOR ATTACHMENTS, BLADE, UNIVERSAL, HYDRAULIC, FOR D10, 28.70 CY (ADD D10 TRACTOR)			\$119,192	22.49	6.77	9.54	2.00	0.00	251

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T10	CATERPILLAR INC. (MACHINE DIVISION) <i>(continued)</i>											
	T10CA026	D11-SU	TRACTOR ATTACHMENTS, BLADE, STRAIGHT, HYDRAULIC, FOR D11, 35.50 CY (ADD D11 TRACTOR)			\$162,638	30.68	9.24	13.01	2.73	0.00	367
	T10CA027	D11-U	TRACTOR ATTACHMENTS, BLADE, UNIVERSAL, HYDRAULIC, FOR D11, 45.00 CY (ADD D11 TRACTOR)			\$175,490	33.09	9.96	14.04	2.94	0.00	423
	DEERE & COMPANY											
	T10JD001	915 V-RIPPER	TRACTOR ATTACHMENTS, DEEP TILLER, 5x7 V SHAPED, 175" WIDE, 7 SHANKS (ADD 200HP TRACTOR W/PTO)			\$13,545	2.79	0.75	1.04	0.23	0.00	17
T15	TRACTORS, CRAWLER (DOZER) (includes blade)											
	SUBCATEGORY 0.01		0 THRU 225 HP									
	CATERPILLAR INC. (MACHINE DIVISION)											
	T15CA002	D-3G LGP	TRACTOR, CRAWLER (DOZER), 70 HP, LOW GROUND PRESSURE, W/2.0 CY SEMI-U BLADE (ADD ATTACHMENTS)	70 HP	D-off	\$95,758	28.07	5.06	6.70	1.71	6.83	175
	T15CA020	D-4G XL	TRACTOR, CRAWLER (DOZER), 80 HP, POWERSHIFT, W/2.18 CY SEMI-U BLADE (ADD ATTACHMENTS)	80 HP	D-off	\$120,336	34.38	6.36	8.42	2.15	7.81	181
	T15CA005	D-4G LGP	TRACTOR, CRAWLER (DOZER), 80 HP, LOW GROUND PRESSURE, W/2.39 CY SEMI-U BLADE (ADD ATTACHMENTS)	80 HP	D-off	\$117,972	33.88	6.23	8.26	2.10	7.81	184
	T15CA021	D-5G XL	TRACTOR, CRAWLER (DOZER), 90 HP, POWERSHIFT, W/2.85 CY POWER ANGLE BLADE (ADD ATTACHMENTS)	90 HP	D-off	\$124,649	36.41	6.59	8.73	2.22	8.78	195

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>T15</i>			<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>									
	T15CA022	D-5G LGP	TRACTOR, CRAWLER (DOZER), 90 HP, LOW GROUND PRESSURE, W/3.04 CY POWER ANGLE BLADE (ADD ATTACHMENTS)	90 HP	D-off	\$131,939	37.95	6.97	9.24	2.35	8.78	203
	T15CA024	D-5M XL	TRACTOR, CRAWLER (DOZER), 110 HP, POWERSHIFT, W/3.37 CY SEMI-U BLADE (ADD ATTACHMENTS)	110 HP	D-off	\$168,659	47.94	8.92	11.81	3.01	10.73	277
	T15CA008	D-6N PS XL FTC	TRACTOR, CRAWLER (DOZER), 145 HP, POWERSHIFT, W/5.60 CY SEMI-U BLADE (ADD ATTACHMENTS)	145 HP	D-off	\$234,551	65.77	12.39	16.42	4.18	14.15	321
	T15CA023	D-6R	TRACTOR, CRAWLER (DOZER), 165 HP, LOW GROUND PRESSURE, POWERSHIFT, W/5.09 CY SEMI-U BLADE (ADD ATTACHMENTS)	165 HP	D-off	\$333,774	88.92	17.63	23.36	5.95	16.10	519
	T15CA009	D-6R WHA	TRACTOR, CRAWLER (DOZER), 165 HP, W/14.3 CY BLADE, TRASH/WASTE HANDLING ARRANGEMENT	165 HP	D-off	\$333,774	88.92	17.63	23.36	5.95	16.10	519
	T15CA011	D-6R LGP	TRACTOR, CRAWLER (DOZER), 165 HP, LOW GROUND PRESSURE, W/5.09 CY SEMI-U BLADE (ADD ATTACHMENTS)	185 HP	D-off	\$326,907	89.73	17.27	22.88	5.83	18.05	461
			CASE CORPORATION									
	T15CS004	550H WT	TRACTOR, CRAWLER (DOZER), 67 HP, POWERSHIFT, W/1.90 CY UNIVERSAL BLADE (ADD ATTACHMENTS)	67 HP	D-off	\$107,232	30.15	5.67	7.51	1.91	6.54	146
	T15CS007	1150H WT	TRACTOR, CRAWLER (DOZER), 119 HP, POWERSHIFT, W/3.90 CY UNIVERSAL BLADE (ADD ATTACHMENTS)	119 HP	D-off	\$187,123	52.84	9.89	13.10	3.34	11.61	263

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
			DEERE & COMPANY									
	T15JD005	450H LT	TRACTOR, CRAWLER (DOZER), 70 HP, POWERSHIFT, W/2.00 CY ANGLE BLADE (ADD ATTACHMENTS)	70 HP	D-off	\$86,169	26.05	4.56	6.03	1.54	6.83	155
	T15JD006	450H LGP	TRACTOR, CRAWLER (DOZER), 74 HP, LOW GROUND PRESSURE, W/2.15 CY ANGLE BLADE (ADD ATTACHMENTS)	74 HP	D-off	\$102,272	29.89	5.40	7.16	1.82	7.22	165
	T15JD007	650H	TRACTOR, CRAWLER (DOZER), 90 HP, POWERSHIFT, W/2.60 CY ANGLE BLADE (ADD ATTACHMENTS)	90 HP	D-off	\$117,455	34.89	6.20	8.22	2.09	8.78	185
	T15JD008	750C-II LT	TRACTOR, CRAWLER (DOZER), 140 HP, POWERSHIFT, W/5.60 CY ANGLE BLADE (ADD ATTACHMENTS)	140 HP	D-off	\$207,092	59.41	10.94	14.50	3.69	13.66	317
	T15JD009	750C-II LGP	TRACTOR, CRAWLER (DOZER), 140 HP, LOW GROUND PRESSURE, W/4.84 CY ANGLE BLADE (ADD ATTACHMENTS)	140 HP	D-off	\$218,215	61.76	11.53	15.28	3.89	13.66	365
	T15JD010	850C	TRACTOR, CRAWLER (DOZER), 185 HP, POWERSHIFT, W/7.44 CY SEMI-U BLADE (ADD ATTACHMENTS)	185 HP	D-off	\$269,839	77.70	14.26	18.89	4.81	18.05	404
	T15JD011	850C LGP	TRACTOR, CRAWLER (DOZER), 185 HP, LOW GROUND PRESSURE, W/7.14 CY SEMI-U BLADE (ADD ATTACHMENTS)	185 HP	D-off	\$291,941	82.36	15.42	20.44	5.20	18.05	420

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.02		226 HP THRU 425 HP									
			CATERPILLAR INC. (MACHINE DIVISION)									
	T15CA012	D-7R SERIES II	TRACTOR, CRAWLER (DOZER), 240 HP, POWERSHIFT, W/8.98 CY SEMI-U BLADE (ADD ATTACHMENTS)	240 HP	D-off	\$386,901	97.49	18.18	23.21	6.57	23.42	563
	T15CA014	D-7R II LGP	TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	240 HP	D-off	\$458,137	110.62	21.54	27.49	7.79	23.42	530
	T15CA016	D-8R II	TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	310 HP	D-off	\$504,405	126.79	23.70	30.26	8.57	30.25	898
	T15CA017	D-9R	TRACTOR, CRAWLER (DOZER), 410 HP, POWERSHIFT, W/17.7 CY SEMI-U BLADE (ADD ATTACHMENTS)	410 HP	D-off	\$670,812	168.38	31.53	40.25	11.40	40.01	1,033
			Komatsu America International Company									
	T15KM008	D155AX-5	TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/11.5 CY SEMI-U BLADE	310 HP	D-off	\$577,018	140.18	27.12	34.62	9.81	30.25	803
	SUBCATEGORY 0.03		OVER 425 HP									
			CATERPILLAR INC. (MACHINE DIVISION)									
	T15CA018	D-10R	TRACTOR, CRAWLER (DOZER), 580 HP, POWERSHIFT, W/28.7 CY SEMI-U BLADE (ADD ATTACHMENTS)	580 HP	D-off	\$952,896	202.91	40.88	50.82	15.47	48.27	1,421
	T15CA019	D-11R	TRACTOR, CRAWLER (DOZER), 850 HP, POWERSHIFT, W/44.0 CY SEMI-U BLADE (ADD ATTACHMENTS)	850 HP	D-off	\$1,479,515	310.57	63.48	78.91	24.02	70.75	2,029

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T20	TRACTORS, WHEEL TYPE (DOZER)											
	SUBCATEGORY 0.00 TRACTORS, WHEEL TYPE (DOZER)											
	CATERPILLAR INC. (MACHINE DIVISION)											
	T20CA001	814-F	TRACTOR, WHEEL (DOZER), 240 HP, ARTICULATING, 4X4, W/3.77 CY STRAIGHT BLADE	240 HP	D-off	\$353,234	69.96	16.03	20.94	5.56	19.98	479
	T20CA002	824-G II	TRACTOR, WHEEL (DOZER), 339 HP, ARTICULATING, 4X4, W/6.70 CY STRAIGHT BLADE	339 HP	D-off	\$510,482	105.11	22.78	29.47	8.04	28.21	633
	T20CA003	834-G	TRACTOR, WHEEL (DOZER), 481 HP, ARTICULATING, 4X4, W/10.33 CY STRAIGHT BLADE	481 HP	D-off	\$762,030	152.05	33.42	42.83	12.00	40.03	902
T25	TRACTORS, AGRICULTURAL											
	SUBCATEGORY 0.10 CRAWLER											
	CATERPILLAR INC. (MACHINE DIVISION)											
	T25CA006	CH 65E	TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	267 HP	D-off	\$205,050	67.55	12.04	17.43	3.32	23.75	331
	T25CA007	CH 75E	TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 292 HP, 3 POINT HITCH	292 HP	D-off	\$224,767	73.99	13.20	19.11	3.64	25.98	341
	T25CA008	CH 85E	TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 353 HP, 3 POINT HITCH	353 HP	D-off	\$243,289	83.77	14.28	20.68	3.94	31.41	350

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.20 WHEEL											
	DEERE & COMPANY											
	T25JD015	5103	TRACTOR, AGRICULTURAL, WHEEL, 45 HP, 4X2, PTO, 3 POINT HITCH	45 HP	D-off	\$18,358	8.68	1.20	1.77	0.31	4.00	39
	T25JD016	5225	TRACTOR, AGRICULTURAL, WHEEL, 56 HP, 4X2, PTO, 3 POINT HITCH	56 HP	D-off	\$26,392	11.58	1.75	2.62	0.44	4.98	39
	T25JD017	5225 W/609 MOWER	TRACTOR, AGRICULTURAL, WHEEL, 56 HP, 4X2, PTO, 3 POINT HITCH, WITH 60" HEAVY DUTY ROTARY MOWER	56 HP	D-off	\$30,461	12.50	2.04	3.06	0.51	4.98	51
	T25JD018	5325	TRACTOR, AGRICULTURAL, WHEEL, 67 HP, 4X2, PTO, 3 POINT HITCH	67 HP	D-off	\$37,468	15.16	2.52	3.80	0.62	5.96	49
	T25JD019	5425	TRACTOR, AGRICULTURAL, WHEEL, 81 HP, 4X2, PTO, 3 POINT HITCH	81 HP	D-off	\$39,973	17.17	2.68	4.01	0.67	7.21	54
	T25JD008	7230	TRACTOR, AGRICULTURAL, WHEEL, 110 HP, 4X4, PTO, 3 POINT HITCH	110 HP	D-off	\$84,809	30.15	5.76	8.70	1.41	9.79	115
	T25JD020	5525	TRACTOR, AGRICULTURAL, WHEEL, 91 HP, 4X2, PTO, 3 POINT HITCH	91 HP	D-off	\$43,270	19.18	2.68	3.91	0.72	8.10	59
	T25JD009	7630	TRACTOR, AGRICULTURAL, WHEEL, 175 HP, 4X4, PTO, 3 POINT HITCH	175 HP	D-off	\$103,314	40.77	7.05	10.66	1.72	15.57	155
	T25JD010	8130	TRACTOR, AGRICULTURAL, WHEEL, 225 HP, 4X4, PTO, 3 POINT HITCH	225 HP	D-off	\$118,334	49.30	7.91	11.88	1.97	20.02	215
	T25JD012	9230	TRACTOR, AGRICULTURAL, WHEEL, 325 HP, 4X4, PTO, 3 POINT HITCH	325 HP	D-off	\$176,112	72.58	11.24	16.62	2.93	28.92	329
	T25JD013	9430	TRACTOR, AGRICULTURAL, WHEEL, 425 HP, 4X4, PTO, 3 POINT HITCH	425 HP	D-off	\$220,314	92.45	14.33	21.31	3.67	37.81	349
	T25JD014	8330	TRACTOR, AGRICULTURAL, WHEEL, 275 HP, 4X4, PTO, 3 POINT HITCH	275 HP	D-off	\$157,445	63.05	10.64	16.03	2.62	24.47	211

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T30	TRENCHERS, CHAIN TYPE CUTTER											
	SUBCATEGORY 0.00 TRENCHERS, CHAIN TYPE CUTTER											
	DITCH WITCH(The Charles Machine Works)I											
	T30DW012	1230	TRENCHER, CHAIN TYPE CUTTER, 36" DEEP X 6" WIDE, WALK BEHIND	13 HP	G	\$9,191	4.97	0.61	0.89	0.16	2.40	8
	T30DW013	1820	TRENCHER, CHAIN TYPE CUTTER, 48" DEEP X 16" WIDE, WALK BEHIND	18 HP	G	\$12,962	6.93	0.84	1.23	0.22	3.32	13
	T30DW014	3610	TRENCHER, CHAIN TYPE CUTTER, 60" DEEP X 16" WIDE, 4X4 (W/BLADE)	35 HP	D-off	\$34,021	11.92	2.17	3.18	0.58	3.11	39
	T30DW005	3700	TRENCHER, CHAIN TYPE CUTTER, 63" DEEP X 12" WIDE, 4X4 (W/DBL PIVOT)	44 HP	D-off	\$36,130	13.33	2.37	3.49	0.62	3.91	42
	T30DW016	5700	TRENCHER, CHAIN TYPE CUTTER, 52" DEEP X 12" WIDE, 4X4 (W/BLADE)	57 HP	D-off	\$59,051	20.30	3.90	5.78	1.01	5.07	95
	T30DW017	RT 70 M	TRENCHER, CHAIN TYPE CUTTER, 96" DEEP X 24" WIDE, 4X4 (W/BLADE)	70 HP	D-off	\$73,592	25.22	4.83	7.14	1.26	6.23	69
	T30DW018	RT 90 M	TRENCHER, CHAIN TYPE CUTTER, 96" DEEP X 24" WIDE, 4X4 (W/BLADE)	78 HP	D-off	\$82,390	28.18	5.42	8.02	1.41	6.94	77
	T30DW011	HT185 (H1812)	TRENCHER, CHAIN TYPE CUTTER, 84" DEEP X 9"-24" WIDE, CRAWLER (W/BLADE)	185 HP	D-off	\$204,530	69.07	13.74	20.45	3.51	16.46	195
	TESMEC USA, INC.											
	T30TM001	TRS 900-A	TRENCHER, CHAIN TYPE CUTTER, 3' DEEP X 4"-8" WIDE, CRAWLER (W/CRUMBSHOE)	185 HP	D-off	\$309,949	95.15	20.81	30.99	5.31	16.46	375

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>T30</i>			<i>TESMEC USA, INC. (continued)</i>									
	T30TM004	TRS 900-A-SL	TRENCHER, CHAIN TYPE CUTTER, 3' DEEP X 4"-8" WIDE, CRAWLER (W/CRUMBSHOE) SELF LEVEL	185 HP	D-off	\$334,651	101.28	22.48	33.47	5.74	16.46	400
	T30TM009	TRS 1000-A	TRENCHER, CHAIN TYPE CUTTER, 4' DEEP X 5"-12" WIDE, CRAWLER (W/CRUMBSHOE)	270 HP	D-off	\$432,580	133.98	29.05	43.26	7.42	24.02	550
	T30TM007	TRS 775	TRENCHER, CHAIN TYPE CUTTER, 4' DEEP X 12" WIDE, CRAWLER (W/CRUMBSHOE) SELF LEVEL, OFFSET	220 HP	D-off	\$441,007	131.08	29.61	44.10	7.56	19.57	450
	T30TM008	TRS 775	TRENCHER, CHAIN TYPE CUTTER, 6' DEEP X 18" WIDE, CRAWLER (W/CRUMBSHOE) SELF LEVEL, OFFSET	220 HP	D-off	\$444,092	131.84	29.82	44.41	7.61	19.57	470
	T30TM012	TRS 1100	TRENCHER, CHAIN TYPE CUTTER, 8' DEEP X 26" WIDE, CRAWLER (W/CRUMBSHOE)	385 HP	D-off	\$747,500	223.39	50.20	74.75	12.82	34.25	850
	T30TM014	TRS 1475 XHP	TRENCHER, CHAIN TYPE CUTTER, 10' DEEP X 26" WIDE, CRAWLER (W/CRUMBSHOE)	525 HP	D-off	\$1,172,471	342.52	78.73	117.25	20.10	46.71	1,680
	T30TM013	TRS 1475 XHP	TRENCHER, CHAIN TYPE CUTTER, 14' DEEP X 42" WIDE, CRAWLER (W/CRUMBSHOE)	525 HP	D-off	\$1,224,706	355.45	82.24	122.47	21.00	46.71	1,680
	T30TM015	TRS 1475 XHP	TRENCHER, CHAIN TYPE CUTTER, 16' DEEP X 42" WIDE, CRAWLER (W/CRUMBSHOE)	525 HP	D-off	\$1,250,395	361.81	83.96	125.04	21.44	46.71	1,680
			VERMEER MANUFACTURING CO.									
	T30VE007	T 455	TRENCHER, CHAIN TYPE CUTTER, 6' DEEP X 8"-24" WIDE, CRAWLER, HYDROSTATIC	125 HP	D-off	\$172,456	55.14	11.59	17.25	2.96	11.12	180

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>T30</i>	<i>VERMEER MANUFACTURING CO. (continued)</i>											
	T30VE008	T 555 III	TRENCHER, CHAIN TYPE CUTTER, 8' DEEP X 8"-24" WIDE, CRAWLER, HYDROSTATIC	185 HP	D-off	\$219,085	72.67	14.72	21.91	3.76	16.46	225
	T30VE009	T 655 III	TRENCHER, CHAIN TYPE CUTTER, 8' DEEP X 10.5"-26" WIDE, CRAWLER, HYDROSTATIC	250 HP	D-off	\$355,933	113.00	23.90	35.59	6.10	22.24	500
	T30VE010	T 755 III	TRENCHER, CHAIN TYPE CUTTER, 10' DEEP X 14"-36" WIDE, CRAWLER, HYDROSTATIC	275 HP	D-off	\$428,684	133.52	28.79	42.87	7.35	24.47	660
T35	TRENCHERS, WHEEL TYPE CUTTER											
	SUBCATEGORY 0.00	TRENCHERS, WHEEL TYPE CUTTER										
	CLEVELAND TRENCHER											
	T35CT001	9624	TRENCHER, WHEEL TYPE CUTTER, 72" DEEP X 21.5" WIDE, ROUND BUCKET, CRAWLER	140 HP	D-off	\$231,886	71.36	15.58	23.19	3.98	12.46	170
	T35CT002	9600-S	TRENCHER, WHEEL TYPE CUTTER, 72" DEEP X 24" WIDE, ROUND BUCKET, CRAWLER	140 HP	D-off	\$285,801	84.70	19.19	28.58	4.90	12.46	228
	T35CT003	246-FD	TRENCHER, WHEEL TYPE CUTTER, 84" DEEP X 24" WIDE, ROUND BUCKET, CRAWLER	185 HP	D-off	\$321,527	98.02	21.59	32.15	5.51	16.46	320
	T35CT005	7036	TRENCHER, WHEEL TYPE CUTTER, 84" DEEP X 36" WIDE, ROUND BUCKET, CRAWLER	102 HP	D-off	\$286,332	81.03	19.23	28.63	4.91	9.07	263
	T35CT006	7036	TRENCHER, WHEEL TYPE CUTTER, 84" DEEP X 36" WIDE, ROUND BUCKET, CRAWLER	102 HP	D-off	\$286,332	81.03	19.23	28.63	4.91	9.07	263

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T35	<i>CLEVELAND TRENCHER (continued)</i>											
	T35CT004	7036-HD	TRENCHER, WHEEL TYPE CUTTER, 84" DEEP X 36" WIDE, ROUND BUCKET, CRAWLER	102 HP	D-off	\$302,794	85.11	20.33	30.28	5.19	9.07	286
	T35CT007	7036-SD	TRENCHER, WHEEL TYPE CUTTER, 84" DEEP X 36" WIDE, ROUND BUCKET, CRAWLER	102 HP	D-off	\$317,264	88.69	21.31	31.73	5.44	9.07	340
	T35CT008	8700	TRENCHER, WHEEL TYPE CUTTER, 84" DEEP X 36" WIDE, ROUND BUCKET, CRAWLER	150 HP	D-off	\$406,183	115.49	27.27	40.62	6.96	13.35	424
	T35CT009	7648-SD	TRENCHER, WHEEL TYPE CUTTER, 90" DEEP X 48" WIDE, ROUND BUCKET, CRAWLER	150 HP	D-off	\$472,244	131.84	31.71	47.22	8.10	13.35	445
	T35CT010	7648	TRENCHER, WHEEL TYPE CUTTER, 90" DEEP X 48" WIDE, ROUND BUCKET, CRAWLER	150 HP	D-off	\$462,700	129.47	31.07	46.27	7.93	13.35	445
	T35CT011	400W-HD	TRENCHER, WHEEL TYPE CUTTER, 108" DEEP X 72" WIDE, ROUND BUCKET, CRAWLER	175 HP	D-off	\$553,675	154.49	37.18	55.37	9.49	15.57	700
T40	TRUCK OPTIONS											
	SUBCATEGORY 0.10		CRANES / HOISTS, PERSONNEL & MATERIAL HANDLING									
	AUTO CRANE CO.											
	T40AH001	AC8-59	TRUCK OPTIONS, CRANE, HYDRAULIC, 3-ARM ARTICULATING, 3.5 TON, 32' BOOM (ADD 21,000 GVW TRUCK & FLATBED)			\$26,451	6.29	1.78	2.65	0.45	0.00	2

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>T40</i>			<i>AUTO CRANE CO. (continued)</i>									
	T40AH003	AC15-101	TRUCK OPTIONS, CRANE, HYDRAULIC, 3-ARM ARTICULATING, 6.6 TON, 36' BOOM (ADD 32,500 GVW TRUCK & FLATBED)			\$39,205	9.20	2.63	3.92	0.67	0.00	3
	T40AH004	AC20-142	TRUCK OPTIONS, CRANE, HYDRAULIC, 3-ARM ARTICULATING, 8.6 TON, 41' BOOM (ADD 46,000 GVW TRUCK & FLATBED)			\$48,536	11.33	3.26	4.85	0.83	0.00	8
			PALFINGER INC.									
	T40PA001	PC 2300	TRUCK OPTIONS, CRANE, HYDRAULIC, 2-ARM ARTICULATING, 2.4 TON, 21' BOOM (ADD 25,000 GVW TRUCK & FLATBED)			\$7,944	2.05	0.54	0.79	0.14	0.00	9
	T40PA002	PK 12502	TRUCK OPTIONS, CRANE, HYDRAULIC, 3-ARM ARTICULATING, 5.3 TON, 61' BOOM (ADD 28,000 GVW TRUCK & FLATBED)			\$43,588	10.20	2.93	4.36	0.75	0.00	35
	T40PA003	PK 20002	TRUCK OPTIONS, CRANE, HYDRAULIC, 3-ARM ARTICULATING, 8.3 TON, 70' BOOM (ADD 30,000 GVW TRUCK & FLATBED)			\$54,213	12.64	3.64	5.42	0.93	0.00	51
	T40PA004	PK 26502	TRUCK OPTIONS, CRANE, HYDRAULIC, 3-ARM ARTICULATING, 9.0 TON, 69' BOOM (ADD 52,000 GVW TRUCK & FLATBED)			\$63,322	14.72	4.26	6.33	1.09	0.00	61
	T40PA005	PK 50002	TRUCK OPTIONS, CRANE, HYDRAULIC, 2-ARM ARTICULATING, 12.5 TON, 82' BOOM (ADD 60,000 GVW TRUCK & FLATBED)			\$117,037	27.00	7.86	11.70	2.01	0.00	1,072

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>T40</i>			<i>PALFINGER INC. (continued)</i>								
	T40PA006	PK 65002	TRUCK OPTIONS, CRANE, HYDRAULIC, 2-ARM ARTICULATING, 14.9 TON, 82' BOOM (ADD 62,000 GVW TRUCK & FLATBED)			\$124,245	28.64	8.34	12.42	2.13	0.00	126
	SUBCATEGORY 0.20		DUMP BODY, REAR									
	GALION DUMP BODIES, INC.											
	T40GN001	PACKAGE 89-F	TRUCK OPTIONS, DUMP BODY, REAR, 16-23.5 CY (W/HOIST) (ADD 36,000 GVW TRUCK)			\$15,915	3.60	1.16	1.79	0.26	0.00	42
	MIDLAND MANUFACTURING INC.											
	T40MY002	KLENSIDE	TRUCK OPTIONS, DUMP BODY, REAR, 7.5 CY, AIR GATE (W/HOIST) (ADD 30,000 GVW TRUCK)			\$5,367	1.21	0.39	0.60	0.09	0.00	21
	T40MY003	KLENSIDE	TRUCK OPTIONS, DUMP BODY, REAR, 8.9 CY, AIR GATE (W/HOIST) (ADD 27,000 GVW TRUCK)			\$6,667	1.51	0.49	0.75	0.11	0.00	26
	T40MY004	KLENSIDE	TRUCK OPTIONS, DUMP BODY, REAR, 10.0 CY, AIR GATE (W/HOIST) (ADD 35,000 GVW TRUCK)			\$7,729	1.74	0.56	0.87	0.12	0.00	31
	T40MY005	KLENSIDE	TRUCK OPTIONS, DUMP BODY, REAR, 13.6 CY, AIR GATE (W/HOIST) (ADD 35,000 GVW TRUCK)			\$10,763	2.43	0.78	1.21	0.17	0.00	33
	T40MY006	KLENSIDE	TRUCK OPTIONS, DUMP BODY, REAR, 20.0 CY, AIR GATE (W/HOIST) (ADD 50,000 GVW TRUCK)			\$12,291	2.78	0.89	1.38	0.20	0.00	40

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.30 FLATBEDS, WITH SIDES											
KNAPHEIDE MANUFACTURING CO.												
	T40KF011	8' X 8'	TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 8'			\$2,795	0.56	0.19	0.28	0.05	0.00	11
	T40KF013	8' X 10'	TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 10'			\$4,139	0.83	0.28	0.41	0.07	0.00	14
	T40KF014	8' X 12'	TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 12'			\$3,723	0.74	0.25	0.37	0.06	0.00	16
	T40KF016	8' X 16'	TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 16'			\$5,294	1.06	0.36	0.53	0.09	0.00	16
	T40KF018	8' X 20'	TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'			\$6,361	1.28	0.43	0.64	0.11	0.00	18
	T40KF020	8' X 24'	TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 24'			\$7,381	1.49	0.50	0.74	0.13	0.00	20
SUBCATEGORY 0.41 HOIST, ELECTRIC DRIVE												
KNAPHEIDE MANUFACTURING CO.												
	T40KF021	KH-1416L	TRUCK OPTIONS, HOIST, ELECTRIC DRIVE, PTO, 10' TO 14', 7-16 TON			\$2,994	0.74	0.20	0.30	0.05	0.00	6
	T40KF023	KH-1416L-EE	TRUCK OPTIONS, HOIST, ELECTRIC DRIVE, 10' TO 14', 7-16 TON			\$3,992	0.91	0.27	0.40	0.07	0.00	6
	T40KF024	KH-1627L-EE	TRUCK OPTIONS, HOIST, ELECTRIC DRIVE, 15' TO 20', 14-37 TON			\$4,732	1.06	0.32	0.47	0.08	0.00	10
	T40KF022	KH-2538L	TRUCK OPTIONS, HOIST, ELECTRIC DRIVE, PTO, 20' TO 24', 20-45 TON			\$5,980	1.38	0.40	0.60	0.10	0.00	15

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.50 TRANSIT MIXERS											
	NO SPECIFIC MANUFACTURER											
	T40XX034	RDTM-8	TRANSIT MIXER, 8 CY, HYDROSTATIC, 100 GAL, (INCLUDES 60,000 GVW TRUCK)	235 HP	D-on	\$148,983	61.06	10.40	15.83	2.48	24.84	266
	T40XX035	RDTM-9	TRANSIT MIXER, 9 CY, HYDROSTATIC, 100 GAL, (INCLUDES 66,000 GVW TRUCK)	250 HP	D-on	\$151,361	63.39	10.56	16.08	2.52	26.43	270
	T40XX036	RDTM-10	TRANSIT MIXER, 10 CY, HYDROSTATIC, 100 GAL, (INCLUDES 66,000 GVW TRUCK)	285 HP	D-on	\$181,012	74.13	12.63	19.23	3.01	30.13	274
	T40XX037	RDTM-11	TRANSIT MIXER, 11 CY, HYDROSTATIC, 100 GAL, (INCLUDES 70,000 GVW TRUCK)	285 HP	D-on	\$177,857	73.44	12.41	18.90	2.96	30.13	285
	T40XX038	RDTM-12	TRANSIT MIXER, 12 CY, HYDROSTATIC, 100 GAL, (INCLUDES 75,000 GVW TRUCK)	285 HP	D-on	\$186,104	75.25	12.99	19.77	3.10	30.13	295
	SUBCATEGORY 0.60 WATER TANKS											
	ROSCO, A LeeBoy COMPANY											
	T40RS001	DS 2000	TRUCK OPTIONS, WATER TANK, 2,000 GAL (ADD 28,000 GVW TRUCK)			\$29,248	5.70	1.89	2.74	0.52	0.00	38
	T40RS002	DS 3000	TRUCK OPTIONS, WATER TANK, 3,000 GAL (ADD 40,000 GVW TRUCK)			\$30,271	5.90	1.95	2.84	0.53	0.00	45
	T40RS003	DS 4000	TRUCK OPTIONS, WATER TANK, 4,000 GAL (ADD 50,000 GVW TRUCK)			\$32,622	6.36	2.11	3.06	0.58	0.00	55

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.70 ALL OTHER OPTIONS											
	ARROW-MASTER, INC.											
	T40AG001	1350	TRUCK OPTIONS, GUILLOTINE CONCRETE BREAKER, W/8" DIA BREAKING TOOL AND CAB	80 HP	D-off	\$85,878	26.57	5.65	8.36	1.47	7.12	96
T45	TRUCK TRAILERS											
	SUBCATEGORY 0.10 BOTTOM DUMP											
	MIDLAND MANUFACTURING INC.											
	T45MY004	40' MC 2000	TRUCK TRAILER, BOTTOM DUMP, 21 CY, 28 TON, 40' - 2 AXLE, CLAMSHELL (ADD TOWING TRUCK)			\$32,602	6.75	1.79	2.55	0.51	0.00	152
	T45MY005	40' TC 3000	TRUCK TRAILER, BOTTOM DUMP, 21 CY, 30 TON, 40' - 3 AXLE, CLAMSHELL (ADD TOWING TRUCK)			\$43,249	8.96	2.34	3.32	0.68	0.00	138
	T45MY006	38' MC 3000	TRUCK TRAILER, BOTTOM DUMP, 23 CY, 30 TON, 38' - 3 AXLE, CLAMSHELL (ADD TOWING TRUCK)			\$44,452	9.19	2.42	3.43	0.70	0.00	145
	T45MY007	40' MC 3000	TRUCK TRAILER, BOTTOM DUMP, 23 CY, 30 TON, 40' - 3 AXLE, CLAMSHELL (ADD TOWING TRUCK)			\$43,232	8.96	2.34	3.32	0.68	0.00	152
	NO SPECIFIC MANUFACTURER											
	T45XX001		TRUCK TRAILER, BOTTOM DUMP, 27 TON (ADD TOWING TRUCK)			\$39,506	8.04	2.25	3.25	0.62	0.00	122
	T45XX003		TRUCK TRAILER, BOTTOM DUMP, 30 TON (ADD TOWING TRUCK)			\$52,808	10.49	3.06	4.45	0.83	0.00	160

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.20 END DUMP											
	MIDLAND MANUFACTURING INC.											
	T45MY015	28' SK2000	TRUCK TRAILER, END DUMP, 28 CY, 36 TON, 28' - 2 AXLE (W/HOIST) (ADD TOWING TRUCK)			\$34,316	7.01	1.90	2.71	0.54	0.00	115
	T45MY016	32' ST 2400	TRUCK TRAILER, END DUMP, 28 CY, 36 TON, 32' - 2 AXLE (W/HOIST) (ADD TOWING TRUCK)			\$35,120	7.14	1.94	2.78	0.55	0.00	130
	T45MY017	39' SK 2300	TRUCK TRAILER, END DUMP, 39 CY, 50 TON, 39' - 3 AXLE (W/HOIST) (ADD TOWING TRUCK)			\$39,244	8.14	2.10	2.96	0.62	0.00	170
	NO SPECIFIC MANUFACTURER											
	T45XX008		TRUCK TRAILER, END DUMP, 20 CY, 24 TON (ADD TOWING TRUCK)			\$33,289	6.73	1.87	2.69	0.52	0.00	110
	SUBCATEGORY 0.30 PUP TRAILER											
	MIDLAND MANUFACTURING INC.											
	T45MY018	14' SK 2100	TRUCK TRAILER, PUP TRAILER, 10 CY, 13 TON, 14' - 2 AXLE (W/HOIST) (ADD TOWING TRUCK)			\$23,118	5.66	1.44	2.13	0.37	0.00	80
	T45MY019	14' SL 2100	TRUCK TRAILER, PUP TRAILER, 12 CY, 15 TON, 14' - 2 AXLE (W/HOIST) (ADD TOWING TRUCK)			\$22,940	5.63	1.43	2.11	0.37	0.00	80
	NO SPECIFIC MANUFACTURER											
	T45XX009		TRUCK TRAILER, PUP TRAILER, 8 CY, LONG TONGUE (ADD TOWING TRUCK)			\$33,526	7.80	2.24	3.39	0.54	0.00	86

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT	
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL		
T45	<i>NO SPECIFIC MANUFACTURER (continued)</i>												
	T45XX010		TRUCK TRAILER, PUP TRAILER, 10 CY, LONG TONGUE (ADD TOWING TRUCK)			\$33,636	7.82	2.24	3.40	0.54	0.00	86	
	T45XX032		TRUCK TRAILER, PUP TRAILER, 13 CY, 14.5 TON, 3 AXLE (ADD TOWING TRUCK)			\$41,961	9.61	2.90	4.43	0.68	0.00	92	
	T45XX033		TRUCK TRAILER, PUP TRAILER, 16 CY, 18.0 TON, 4 AXLE (ADD TOWING TRUCK)			\$49,339	11.36	3.39	5.17	0.80	0.00	100	
	SUBCATEGORY 0.41		LOWBOY, RIGID NECK, DROP DECK										
	EAGER BEAVER												
	T45EA006	35GSL-BR	TRUCK TRAILER, LOWBOY, 35 TON, 2 AXLE, DETATCHABLE GOOSENECK (ADD TOWING TRUCK)			\$44,754	8.51	2.45	3.50	0.70	0.00	150	
	T45EA007	50GSL/3	TRUCK TRAILER, LOWBOY, 50 TON, 3 AXLE, DETATCHABLE GOOSENECK (ADD TOWING TRUCK)			\$66,342	12.39	3.63	5.17	1.04	0.00	205	
	NO SPECIFIC MANUFACTURER												
	T45XX011		TRUCK TRAILER, LOWBOY, 25 TON, 2 AXLE (ADD TOWING TRUCK)			\$33,323	6.18	1.89	2.73	0.52	0.00	95	
	T45XX012		TRUCK TRAILER, LOWBOY, 30 TON, 2 AXLE (ADD TOWING TRUCK)			\$35,568	6.55	2.03	2.93	0.56	0.00	115	
	T45XX013		TRUCK TRAILER, LOWBOY, 35 TON, 2 AXLE (ADD TOWING TRUCK)			\$37,174	6.85	2.10	3.04	0.58	0.00	110	
	T45XX014		TRUCK TRAILER, LOWBOY, 35 TON, 3 AXLE (ADD TOWING TRUCK)			\$45,303	8.41	2.55	3.67	0.71	0.00	127	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>T45</i>			<i>NO SPECIFIC MANUFACTURER (continued)</i>									
	T45XX015		TRUCK TRAILER, LOWBOY, 40 TON, 3 AXLE (ADD TOWING TRUCK)			\$46,454	8.60	2.62	3.77	0.73	0.00	136
	T45XX016		TRUCK TRAILER, LOWBOY, 50 TON, 3 AXLE (ADD TOWING TRUCK)			\$51,884	9.54	2.92	4.21	0.81	0.00	145
	T45XX017		TRUCK TRAILER, LOWBOY, 60 TON, 3 AXLE (ADD TOWING TRUCK)			\$55,420	10.23	3.10	4.45	0.87	0.00	175
	T45XX018		TRUCK TRAILER, LOWBOY, 70 TON, 3 AXLE (ADD TOWING TRUCK)			\$56,363	10.38	3.15	4.54	0.88	0.00	213
	T45XX019		TRUCK TRAILER, LOWBOY, 75 TON, 3 AXLE (ADD TOWING TRUCK)			\$64,102	11.63	3.62	5.24	1.00	0.00	220
	T45XX020		TRUCK TRAILER, LOWBOY, 80 TON, 4 AXLE (ADD TOWING TRUCK)			\$62,948	11.66	3.52	5.05	0.99	0.00	268
	T45XX021		TRUCK TRAILER, LOWBOY, 90 TON, 4 AXLE (ADD TOWING TRUCK)			\$68,385	12.53	3.84	5.54	1.07	0.00	293
	T45XX022		TRUCK TRAILER, LOWBOY, 100 TON, 4 AXLE (ADD TOWING TRUCK)			\$76,698	14.03	4.30	6.19	1.20	0.00	312
	T45XX023		TRUCK TRAILER, LOWBOY, 120 TON, 4 AXLE (ADD TOWING TRUCK)			\$91,494	16.65	5.12	7.37	1.43	0.00	350
	SUBCATEGORY 0.50		FLATBED TRAILER									
	NO SPECIFIC MANUFACTURER											
	T45XX025		TRUCK TRAILER, FLATBED, 25 TON, 2 AXLE (ADD TOWING TRUCK)			\$31,829	5.69	1.78	2.56	0.50	0.00	110
	T45XX034	32	TRUCK TRAILER, FLATBED, 40 TON, 2 AXLE (ADD TOWING TRUCK)			\$31,209	5.89	1.74	2.50	0.49	0.00	103
	T45XX035	40	TRUCK TRAILER, FLATBED, 40 TON, 2 AXLE (ADD TOWING TRUCK)			\$33,177	6.21	1.86	2.68	0.52	0.00	110

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.60 MISCELLANEOUS / UTILITY											
	NO SPECIFIC MANUFACTURER											
	T45XX026		TRUCK TRAILER, MISCELLANEOUS/UTILITY, TILT BED, 12 TON, 2 AXLE (ADD TOWING TRUCK)			\$17,999	3.55	1.01	1.45	0.28	0.00	62
	T45XX027		TRUCK TRAILER, MISCELLANEOUS/UTILITY, TILT BED, 16 TON, 2 AXLE (ADD TOWING TRUCK)			\$20,289	4.01	1.13	1.61	0.32	0.00	65
	T45XX028		TRUCK TRAILER, MISCELLANEOUS/UTILITY, TILT BED, 20 TON, 2 AXLE (ADD TOWING TRUCK)			\$23,278	4.57	1.27	1.81	0.36	0.00	67
	T45XX024		TRUCK TRAILER, MISCELLANEOUS/UTILITY, ATTACHMENT, HELPER DOLLY, 60 TON TRAILER MAX (ADD TOWING TRUCK)			\$28,939	5.21	1.60	2.30	0.45	0.00	62
	SUBCATEGORY 0.70 WATER TANKER TRAILER											
	NO SPECIFIC MANUFACTURER											
	T45XX029		TRUCK TRAILER, WATER TANKER, 4,000 GAL, W/PUMP (ADD TOWING TRUCK)	63 HP	D-off	\$81,720	19.40	4.40	5.98	1.41	5.61	170
	T45XX030		TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	63 HP	D-off	\$82,409	19.73	4.37	5.88	1.43	5.61	240
	T45XX031		TRUCK TRAILER, WATER TANKER, 6,000 GAL, W/PUMP (ADD TOWING TRUCK)	63 HP	D-off	\$99,412	22.43	5.30	7.15	1.72	5.61	250

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T50	TRUCKS, HIGHWAY (Add attachments as required)											
	SUBCATEGORY 0.01	0 THRU 10,000 GVW										
	GMC AND CHEVROLET											
	T50GM001	S10	TRUCK, HIGHWAY, 3,500 GVW, 4X2 (COMPACT)	120 HP	G	\$16,394	9.51	1.07	1.57	0.28	5.26	26
	T50GM004	R26	TRUCK, HIGHWAY, 8,600 GVW, 4X2 (SUBURBAN)	285 HP	G	\$36,373	21.90	2.41	3.57	0.62	12.49	50
	T50GM005	V26	TRUCK, HIGHWAY, 8,600 GVW, 4X4 (SUBURBAN)	285 HP	G	\$39,082	22.50	2.59	3.84	0.67	12.49	52
	NO SPECIFIC MANUFACTURER											
	T50XX001	4X2 1/2 130 CONV GAS	TRUCK, HIGHWAY, CONVENTIONAL, 1/2 TON PICKUP, 4X2	130 HP	G	\$16,158	9.98	1.04	1.51	0.28	5.70	45
	T50XX002	4X2 3/4 130 CONV GAS	TRUCK, HIGHWAY, CONVENTIONAL, 3/4 TON PICKUP, 4X2	130 HP	G	\$19,125	10.59	1.25	1.83	0.33	5.70	40
	T50XX003	4X2 1 180 CONV GAS	TRUCK, HIGHWAY, CONVENTIONAL, 1 TON PICKUP, 4X2	180 HP	G	\$21,687	13.60	1.42	2.09	0.37	7.89	41
	T50XX004	4X4 1/2 130 CONV GAS	TRUCK, HIGHWAY, CONVENTIONAL, 1/2 TON PICKUP, 4X4	130 HP	G	\$19,256	10.66	1.24	1.82	0.33	5.70	43
	T50XX005	4X4 3/4 130 CONV GAS	TRUCK, HIGHWAY, CONVENTIONAL, 3/4 TON PICKUP, 4X4	130 HP	G	\$22,525	11.33	1.48	2.17	0.39	5.70	45
	T50XX006	4X4 1 180 CONV GAS	TRUCK, HIGHWAY, CONVENTIONAL, 1 TON PICKUP, 4X4	180 HP	G	\$23,201	13.93	1.52	2.24	0.40	7.89	41
	T50XX007	4X2 1/2 130 CREW GAS	TRUCK, HIGHWAY, CREW, 1/2 TON PICKUP, 4X2	130 HP	G	\$17,021	10.16	1.09	1.60	0.29	5.70	45
	T50XX008	4X2 3/4 130 CREW GAS	TRUCK, HIGHWAY, CREW, 3/4 TON PICKUP, 4X2	130 HP	G	\$20,369	10.86	1.33	1.96	0.35	5.70	47

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>T50</i>			<i>NO SPECIFIC MANUFACTURER (continued)</i>									
	T50XX009	4X2 1 180 CREW GAS	TRUCK, HIGHWAY, CREW, 1 TON PICKUP, 4X2	180 HP	G	\$24,811	14.28	1.63	2.40	0.43	7.89	45
	T50XX010	4X4 1/2 130 CREW GAS	TRUCK, HIGHWAY, CREW, 1/2 TON PICKUP, 4X4	130 HP	G	\$22,819	11.43	1.48	2.18	0.39	5.70	48
	T50XX011	4X4 3/4 180 CREW GAS	TRUCK, HIGHWAY, CREW, 3/4 TON PICKUP, 4X4	180 HP	G	\$24,561	14.23	1.61	2.38	0.42	7.89	55
	T50XX012	4X4 1 180 CREW GAS	TRUCK, HIGHWAY, CREW, 1 TON PICKUP, 4X4	180 HP	G	\$25,514	14.43	1.68	2.47	0.44	7.89	45
	T50XX013	4X2 1/2 75 CONV DSL	TRUCK, HIGHWAY, CONVENTIONAL, 1/2 TON PICKUP, 4X2	75 HP	D-on	\$20,639	6.53	1.33	1.96	0.35	1.79	39
	T50XX014	4X2 3/4 75 CONV DSL	TRUCK, HIGHWAY, CONVENTIONAL, 3/4 TON PICKUP, 4X2	75 HP	D-on	\$22,829	6.97	1.49	2.20	0.39	1.79	40
	T50XX015	4X2 1 130 CONV DSL	TRUCK, HIGHWAY, CONVENTIONAL, 1 TON PICKUP, 4X2	130 HP	D-on	\$26,263	9.17	1.73	2.55	0.45	3.10	43
	T50XX016	4X4 1/2 130 CONV DSL	TRUCK, HIGHWAY, CONVENTIONAL, 1/2 TON PICKUP, 4X4	130 HP	D-on	\$24,530	8.84	1.60	2.35	0.42	3.10	43
	T50XX017	4X4 3/4 130 CONV DSL	TRUCK, HIGHWAY, CONVENTIONAL, 3/4 TON PICKUP, 4X4	130 HP	D-on	\$24,789	8.86	1.63	2.40	0.43	3.10	45
	T50XX018	CONV DSL 4X4 1 130	TRUCK, HIGHWAY, CONVENTIONAL, 1 TON PICKUP, 4X4	130 HP	D-on	\$29,575	9.88	1.95	2.88	0.51	3.10	49
	T50XX019	4X2 3/4 130 CREW DSL	TRUCK, HIGHWAY, CREW, 3/4 TON PICKUP, 4X2	130 HP	D-on	\$23,766	8.63	1.56	2.30	0.41	3.10	47
	T50XX020	4X4 3/4 130 CREW DSL	TRUCK, HIGHWAY, CREW, 3/4 TON PICKUP 4X4	130 HP	D-on	\$28,709	9.70	1.89	2.79	0.49	3.10	55
	T50XX021	4X2 1 130 CREW DSL	TRUCK, HIGHWAY, CREW, 1 TON PICKUP, 4X2	130 HP	D-on	\$26,032	9.13	1.72	2.53	0.45	3.10	48

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.02		OVER 10,000 THRU 30,000 GVW (Chassis only - Add options)									
			NO SPECIFIC MANUFACTURER									
	T50XX023	4X2 20KGVW GAS	TRUCK, HIGHWAY, 20,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	210 HP	G	\$40,817	30.85	2.25	3.13	0.68	21.03	70
	T50XX024	4X2 25KGVW GAS	TRUCK, HIGHWAY, 25,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	210 HP	G	\$35,673	29.98	1.96	2.72	0.60	21.03	72
	T50XX022	4X2 25KGVW DSL	TRUCK, HIGHWAY, 25,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	180 HP	D-on	\$51,786	20.58	2.88	4.01	0.87	10.43	88
	T50XX025	4X4 30KGVW DSL	TRUCK, HIGHWAY, 30,000 LBS GVW, 2 AXLE, 4X4 (CHASSIS ONLY-ADD OPTIONS)	170 HP	D-on	\$67,941	22.81	3.75	5.22	1.14	9.85	97
	T50XX026	4X2 30KGVW DSL	TRUCK, HIGHWAY, 30,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	210 HP	D-on	\$69,160	25.56	3.82	5.32	1.16	12.17	105
	T50XX035	4X2 30KGVW DSL	TRUCK, HIGHWAY, 30,000 LBS GVW, 2 AXLE, 4X2, WITH 3-ARM ARTICULATING CRANE, 3.5 TON, 32' BOOM, WITH 8' X 20' FLATBED	210 HP	D-on	\$95,843	30.09	5.34	7.46	1.61	12.17	135
			SUBCATEGORY 0.03									
			OVER 30,000 GVW (Chassis only - Add options)									
			NO SPECIFIC MANUFACTURER									
	T50XX027	4X2 35KGVW DSL	TRUCK, HIGHWAY, 35,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	265 HP	D-on	\$109,233	40.32	5.36	7.11	1.80	21.69	126

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>T50</i>	<i>NO SPECIFIC MANUFACTURER (continued)</i>										
	T50XX032	4X2 35KGVW DSL	DUMP TRUCK, HIGHWAY, 35,000 LBS GVW, 2 AXLE, 4X2 WITH REAR 10 - 13 CY DUMP BODY	265 HP	D-on	\$118,872	41.70	5.84	7.75	1.96	21.69	160
	T50XX028	6X4 45KGVW DSL	TRUCK, HIGHWAY, 45,000 LBS GVW, 3 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	230 HP	D-on	\$109,580	37.34	5.33	7.04	1.81	18.82	135
	T50XX029	6X4 55KGVW DSL	TRUCK, HIGHWAY, 50,000 LBS GVW, 3 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	310 HP	D-on	\$101,313	43.48	4.92	6.49	1.67	25.37	144
	T50XX030	6X6 70KGVW DSL	TRUCK, HIGHWAY, 70,000 LBS GVW, 3 AXLE, 6X6 (CHASSIS ONLY-ADD OPTIONS)	350 HP	D-on	\$128,993	51.13	6.30	8.34	2.13	28.64	180
	T50XX031	6X4 75KGVW DSL	TRUCK, HIGHWAY, 75,000 LBS GVW, 3 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	400 HP	D-on	\$119,217	54.28	5.83	7.71	1.97	32.74	197
	T50XX033	6X4 75KGVW DSL	DUMP TRUCK, HIGHWAY, 75,000 LBS GVW, 3 AXLE, 6X4 WITH REAR 16 - 20 CY DUMP BODY	400 HP	D-on	\$130,283	55.87	6.38	8.45	2.15	32.74	240
T55	TRUCKS, OFF-HIGHWAY											
	SUBCATEGORY 0.10		RIGID FRAME									
	CATERPILLAR INC. (MACHINE DIVISION)											
	T55CA007	769D	TRUCK, OFF-HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	487 HP	D-off	\$649,670	106.06	23.26	26.51	10.00	23.76	668
	T55CA002	773D	TRUCK, OFF-HIGHWAY, RIGID FRAME, 46.9 CY, 57.7 TON, 4X4, REAR DUMP	650 HP	D-off	\$867,036	136.47	30.83	34.96	13.35	31.71	872
	T55CA003	777D	TRUCK, OFF-HIGHWAY, RIGID FRAME, 78.6 CY, 100 TON, 4X4, REAR DUMP	938 HP	D-off	\$1,198,041	194.37	42.15	47.39	18.45	45.77	1,419

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	Komatsu America International Company											
	T55KM009	HD325-6	TRUCK, OFF-HIGHWAY, RIGID FRAME, 31.4 CY, 44 TON, 4X4, REAR DUMP	488 HP	D-off	\$650,465	106.21	23.30	26.55	10.02	23.81	707
	T55KM012	HD785-5	TRUCK, OFF-HIGHWAY, RIGID FRAME, 78.7 CY, 100 TON, 4X4, REAR DUMP	1,042HP	D-off	\$948,835	173.46	33.01	36.80	14.61	50.84	1,542
	T55KM013	HD1500-5	TRUCK, OFF-HIGHWAY, RIGID FRAME, 102 CY, 165 TON, 4X4, REAR DUMP	1,486HP	D-off	\$2,191,221	339.34	77.51	87.54	33.74	72.50	5,500
	T55KM014	730E	TRUCK, OFF-HIGHWAY, RIGID FRAME, 145 CY, 205 TON, 4X4, REAR DUMP	2,000HP	D-off	\$2,588,089	433.38	89.08	98.45	39.85	97.58	7,150
	SUBCATEGORY 0.20 ARTICULATED FRAME											
	CATERPILLAR INC. (MACHINE DIVISION)											
	T55CA008	D25D	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 18 CY, 25 TON, 4X4, REAR DUMP	260 HP	D-off	\$411,814	87.01	19.31	25.57	6.52	17.91	429
	T55CA009	D30D	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 22 CY, 30 TON, 4X4, REAR DUMP	285 HP	D-off	\$487,482	102.57	22.72	29.99	7.72	19.63	473
	T55CA010	D250D SERIES II	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 18 CY, 25 TON, 6X6, REAR DUMP	214 HP	D-off	\$410,360	80.38	19.56	26.12	6.50	14.74	424
	T55CA011	D300E SERIES II	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 22 CY, 30 TON, 6X6, REAR DUMP	260 HP	D-off	\$484,955	96.30	23.04	30.72	7.68	17.91	488
	T55CA012	D350E SERIES II	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 25 CY, 35 TON, 6X6, REAR DUMP	355 HP	D-off	\$593,997	124.67	27.80	36.80	9.40	24.45	666

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T55	<i>CATERPILLAR INC. (MACHINE DIVISION) (continued)</i>											
	T55CA013	D400E SERIES II	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 28 CY, 40 TON, 6X6, REAR DUMP	405 HP	D-off	\$653,879	139.99	30.45	40.19	10.35	27.90	698
	DEERE & COMPANY											
	T55JD001	250D	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 18 CY, 25 TON, 6X6, REAR DUMP	265 HP	D-off	\$321,599	72.36	15.11	20.03	5.09	18.25	355
	T55JD002	300D	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 22 CY, 29 TON, 6X6, REAR DUMP	285 HP	D-off	\$370,288	81.11	17.47	23.22	5.86	19.63	401
	T55JD003	350D	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 25 CY, 35 TON, 6X6, REAR DUMP	380 HP	D-off	\$476,494	109.88	22.02	28.95	7.54	26.17	571
	T55JD004	400D	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	413 HP	D-off	\$534,769	123.09	24.63	32.33	8.46	28.45	635
	Komatsu America International Company											
	T55KM015	HM350-1	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 19.1-25.9 CY, 35.7 TON, 6 X 6 X 2, REAR DUMP	389 HP	D-off	\$580,833	126.06	27.08	35.77	9.19	26.79	630
	T55KM016	HM400-1	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 21.6-29.2 CY, 40.3 TON, 6 X 6 X 2, REAR DUMP	430 HP	D-off	\$663,316	143.47	30.87	40.73	10.50	29.62	668
VOLVO CONSTRUCTION EQUIPMENT GROUP												
T55VO002	A-25E 4X4	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 14-18 CY, 25 TON, 4X4, REAR DUMP	299 HP	D-off	\$351,449	80.88	16.41	21.69	5.56	20.60	429	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	<i>T55</i>			<i>VOLVO CONSTRUCTION EQUIPMENT GROUP (continued)</i>								
	T55VO003	A-25E	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 14-18 CY, 25 TON, 6X6, REAR DUMP	299 HP	D-off	\$371,382	82.64	17.49	23.22	5.88	20.60	475
	T55VO005	A-30E	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 17-22 CY, 30 TON, 6X6, REAR DUMP	336 HP	D-off	\$429,102	91.64	20.47	27.35	6.79	23.14	508
	T55VO004	A-35E	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 19-25 CY, 35 TON, 6X6, REAR DUMP	414 HP	D-off	\$527,415	119.16	24.57	32.44	8.35	28.52	620
	T55VO006	A-40E	TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 21-29 CY, 40 TON, 6X6, REAR DUMP	464 HP	D-off	\$592,955	136.44	27.37	35.95	9.39	31.96	666
T56	TRUCKS, OFF-HIGHWAY/PRIME MOVER TRACTORS & WAGONS											
	SUBCATEGORY 0.10		PRIME MOVER TRACTORS									
	CATERPILLAR INC. (MACHINE DIVISION)											
	T56CA006	776D	TRUCK, OFF-HIGHWAY, RIGID FRAME, PRIME MOVER TRACTOR, 4X4	938 HP	D-off	\$1,333,262	217.03	47.10	53.13	20.53	51.15	1,164
T57	TRUCKS, VACUUM											
	SUBCATEGORY 0.00		TRUCKS, VACUUM									
	WASTEQUIP CUSCO INDUSTRIES											
	T57CU001	INDUSTRIAL VAC 130	TRAILER, VACUUM, 5,500 GAL, 750 CFM, REAR DOOR & HYDRAULIC DUMP SYSTEM	76 HP	D-off	\$99,592	26.41	5.63	7.92	1.67	6.76	76

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
T57	WASTEQUIP CUSCO INDUSTRIES (continued)											
	T57CU002	SS INDUST. VAC 130	TRAILER, VACUUM, 5,500 GAL, 750 CFM, STAINLESS STEEL, REAR DOOR & HYDRAULIC DUMP SYSTEM	76 HP	D-off	\$137,521	33.46	7.79	10.95	2.31	6.76	76
	T57CU003	2127	TRUCK, VACUUM, 3,500 GAL, 2,100 CFM, REAR DOOR & HYDRAULIC DUMP SYSTEM	115 HP	D-off	\$146,399	38.99	8.28	11.66	2.45	10.23	115
	T57CU004	3827	TRUCK, VACUUM, 3,500 GAL, 3,170 CFM, REAR DOOR & HYDRAULIC DUMP SYSTEM	177 HP	D-off	\$157,780	47.29	8.94	12.57	2.65	15.75	177
	T57CU005	5327	TRUCK, VACUUM, 3,500 GAL, 4,550 CFM, REAR DOOR & HYDRAULIC DUMP SYSTEM	335 HP	D-off	\$180,226	67.20	10.21	14.37	3.02	29.80	335
T60	TRUCKS, WATER, OFF-HIGHWAY											
	SUBCATEGORY 0.00 TRUCKS, WATER, OFF-HIGHWAY											
	KLEIN PRODUCTS, INC.											
	T60KI001	KT-50	TRUCK, WATER, OFF-HIGHWAY, 5,000 GAL, W/CAT 613C TRACTOR	175 HP	D-off	\$267,076	59.13	13.00	17.19	4.40	15.57	320
	T60KI002	KT-60	TRUCK, WATER, OFF-HIGHWAY, 6,000 GAL, W/CAT 621E TRACTOR	330 HP	D-off	\$412,002	101.16	19.64	25.69	6.79	29.36	580
	T60KI003	KT-80	TRUCK, WATER, OFF-HIGHWAY, 8,000 GAL, W/CAT 631E TRACTOR	450 HP	D-off	\$663,069	150.37	32.13	42.40	10.93	40.04	751
	T60KI004	KT-100	TRUCK, WATER, OFF-HIGHWAY, 10,000 GAL, W/CAT 631E TRACTOR	450 HP	D-off	\$141,277	73.62	6.14	7.61	2.33	40.04	811
	T60KI006	KT-120	TRUCK, WATER, OFF-HIGHWAY, 12,000 GAL, W/CAT 651E TRACTOR	550 HP	D-off	\$803,105	191.64	37.81	49.13	13.24	48.93	1,097

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT		
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL			
SOUTHWEST CONSTRUCTION EQUIPMENT CO.														
	T60SO001	STT-60	TRUCK, WATER, OFF-HIGHWAY, 6,000 GAL, W/CAT 621E TRACTOR	330 HP	D-off	\$476,832	110.70	22.87	30.01	7.86	29.36	610		
	T60SO002	STT-80	TRUCK, WATER, OFF-HIGHWAY, 8,000 GAL, W/CAT 631E TRACTOR	450 HP	D-off	\$657,378	156.70	30.97	40.25	10.84	40.04	812		
	T60SO003	STT-100	TRUCK, WATER, OFF-HIGHWAY, 10,000 GAL, W/CAT 631E TRACTOR	450 HP	D-off	\$667,465	158.18	31.47	40.93	11.00	40.04	897		
	T60SO004	STT-120	TRUCK, WATER, OFF-HIGHWAY, 12,000 GAL, W/CAT 651E TRACTOR	550 HP	D-off	\$829,565	188.11	40.04	52.72	13.68	48.93	1,149		
	T60SO005	STT-140	TRUCK, WATER, OFF-HIGHWAY, 14,000 GAL, W/CAT 651E TRACTOR	550 HP	D-off	\$843,489	190.16	40.74	53.65	13.91	48.93	1,184		
T65	TUNNEL/MINING EQUIPMENT													
	SUBCATEGORY 0.10		DRIFTING & TUNNELING DRILLS											
ATLAS COPCO WAGNER														
	T65WG012	L2C	TUNNELING DRILL, 2 BOOM, 560-1,120 SF CROSS SECTION, RUBBER TIRE (ADD DRILL BITS AND DRILL STEEL COST)	158 HP	E	156 HP	D-off	\$1,524,096	250.47	70.07	92.12	24.01	11.16	520
	T65WG013	WL2C	TUNNELING DRILL, 4 BOOM, 700-1,600 SF CROSS SECTION, RUBBER TIRE (ADD DRILL BITS AND DRILL STEEL COST)	158 HP	E	156 HP	D-off	\$2,290,434	367.75	105.41	138.65	36.08	11.16	728
	T65WG014	WL4C	TUNNELING DRILL, 4 BOOM, 700-1,650 SF CROSS SECTION, RUBBER TIRE (ADD DRILL BITS AND DRILL STEEL COST)	380 HP	E	224 HP	D-off	\$2,494,431	418.55	114.81	151.04	39.29	24.23	1,058

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
W25	WATER & CO2 BLASTERS											
	SUBCATEGORY 0.10	LOW PRESSURE, (< 5,000 PSI)										
	SIOUX STEAM CLEANER CORPORATION											
	W25SD006	S1.7 D250	WATER BLASTER, LOW PRESSURE, STEAM CLEANER, 100 GPH, 250 PSI, 1.7 GPM	1	HP E	\$5,551	7.01	0.67	1.11	0.11	0.06	4
	W25SD007	S2 D250	WATER BLASTER, LOW PRESSURE, STEAM CLEANER, 120 GPH, 250 PS, 2.0 GPM	1	HP E	\$5,925	8.20	0.71	1.19	0.11	0.06	5
	W25SD008	S2.7 D250	WATER BLASTER, LOW PRESSURE, STEAM CLEANER, 160 GPH, 250 PSI, 2.7 GPM	1	HP E	\$6,452	9.47	0.77	1.29	0.12	0.06	6
	W25SD001	C-4-E 2000	WATER BLASTER, LOW PRESSURE, COLD WATER, 2,000 PSI, 4 GPM	5	HP E	\$5,213	3.20	0.62	1.04	0.10	0.32	4
	W25SD005	C-4-G 2800	WATER BLASTER, LOW PRESSURE, COLD WATER, 2,800 PSI, 4 GPM	12	HP G	\$6,093	6.76	0.73	1.22	0.12	3.23	4
	W25SD003	C-5-G 3400	WATER BLASTER, LOW PRESSURE, COLD WATER, 3,400 PSI, 5 GPM	18	HP G	\$8,071	9.58	0.96	1.61	0.15	4.85	5
	W25SD004	H3.5*3000	WATER BLASTER, LOW PRESSURE, HOT WATER, 3,000 PSI, 3.5 GPM, TRAILER MTD	8	HP G	\$11,807	8.51	1.39	2.31	0.23	2.15	6
	W25SD009	SF11	WATER BLASTER, LOW PRESSURE, STEAM GENERATOR, 15 PSI, 355 LB/HR STEAM, 55 GAL BOILER	11	HP E	\$14,245	14.48	1.70	2.85	0.27	0.70	9
	W25SD002	EN-140-H4-1800	WATER BLASTER, LOW PRESSURE, HOT WATER, 1,800 PSI, 2.3 GPM	3	HP E	\$13,419	7.32	1.60	2.68	0.26	0.19	7

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	NO SPECIFIC MANUFACTURER											
	W25XX005	COLD 3/1000G	WATER BLASTER, LOW PRESSURE, COLD WATER, 700 PSI, 3 GPM	5 HP	G	\$1,978	2.54	0.24	0.40	0.04	1.35	4
	W25XX006	COLD 4/1000G	WATER BLASTER, LOW PRESSURE, COLD WATER, 1,200 PSI, 3 GPM	5 HP	G	\$2,747	2.93	0.33	0.55	0.05	1.35	4
	W25XX007	COLD 4/2000G	WATER BLASTER, LOW PRESSURE, COLD WATER, 2,000 PSI, 4 GPM	8 HP	G	\$3,642	4.28	0.44	0.73	0.07	2.15	2
	W25XX008	COLD 4/3000G	WATER BLASTER, LOW PRESSURE, COLD WATER, 3,000 PSI, 4 GPM	11 HP	G	\$3,836	5.27	0.46	0.77	0.07	2.96	6
	W25XX009	HOT 4/1000G	WATER BLASTER, LOW PRESSURE, HOT WATER/STEAM, 1,000 PSI, 4 GPM	8 HP	G	\$7,635	6.39	0.92	1.53	0.15	2.15	6
	W25XX010	HOT 6/3000G	WATER BLASTER, LOW PRESSURE, HOT WATER/STEAM, 3,000 PSI, 6 GPM	24 HP	G	\$11,704	13.26	1.39	2.34	0.22	6.46	10
	SUBCATEGORY 0.20		HIGH PRESSURE, (>= 5,000 PSI)									
	NLB CORPORATION											
	W25NL001	6200E	WATER BLASTER, HIGH PRESSURE, 6,000 PSI, 50 GPM, SKID MTD, W/MODEL 10200 PUMP	200 HP	E	\$72,327	58.19	8.62	14.47	1.38	12.73	118
	W25NL003	201536D	WATER BLASTER, HIGH PRESSURE, 20,000 PSI, 13.2 GPM, SKID MTD, W/50 LF HOSE & CLEANING LANCE	150 HP	D-off	\$77,501	64.56	9.23	15.50	1.48	19.37	78
	W25NL002	20253D	WATER BLASTER, HIGH PRESSURE, 20,000 PSI, 22 GPM, SKID MTD (ADD TRUCK, FLATBED TRAILER & WATER TANKER)	335 HP	D-off	\$121,141	115.46	14.43	24.23	2.31	43.27	140

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
W25	<i>NLB CORPORATION (continued)</i>											
	W25NL005	20600D	WATER BLASTER, HIGH PRESSURE, 20,000 PSI, 53 GPM, SKID MTD (ADD TRUCK, FLATBED TRAILER & WATER TANKER)	700 HP	D-off	\$295,636	264.78	35.22	59.13	5.65	90.41	200
	W25NL004	4400	WATER BLASTER, HIGH PRESSURE, HYDRODEMOLITION UNIT, CONCRETE BUSTER, SELF PROPELLED (ADD MODEL 20600D WATER BLASTER)	34 HP	D-off	\$158,082	91.75	18.59	31.14	3.02	4.39	80
	SUBCATEGORY 0.30 STEAM CLEANERS											
	ALKOTA CLEANING SYSTEMS, INC.											
	W25AO002	122	WATER BLASTER, STEAM CLEANER, 400 PSI, 1.7 GPM	1 HP	E	\$4,180	3.04	0.50	0.84	0.08	0.06	4
	W25AO003	181	WATER BLASTER, STEAM CLEANER, 250 PSI, 3.0 GPM	1 HP	E	\$6,085	4.04	0.73	1.22	0.12	0.06	6
	W25AO004	240	WATER BLASTER, STEAM CLEANER, 350 PSI, 4.0 GPM	2 HP	E	\$6,002	4.34	0.71	1.20	0.11	0.13	7
	W25AO005	301	WATER BLASTER, STEAM CLEANER, 400 PSI, 5.0 GPM	4 HP	E	\$12,144	8.24	1.45	2.43	0.23	0.25	14
	W25AO006	246	WATER BLASTER, STEAM GENERATOR, 100 PSI, 1.0 GPM	1 HP	E	\$9,341	5.75	1.12	1.87	0.18	0.06	7
	SUBCATEGORY 0.40 CO2 BLASTERS											
	COLD JET											
W25CJ001	P750B	CARBON DIOXIDE (CO2) BLASTER/PELLETIZER, 600 LBS/HR, SINGLE HOSE DELIVERY (ADD 65-100 CFM COMPRESSOR)	20 HP	E	\$73,269	26.10	6.19	9.77	1.30	0.94	34	

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV) 2006 (\$)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER		AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>W25</i>	<i>COLD JET (continued)</i>											
	W25CJ002	P1500B	CARBON DIOXIDE (CO2) BLASTER/PELLETIZER, 1,200 LBS/HR, SINGLE HOSE DELIVERY (ADD 65-150 CFM COMPRESSOR)	24 HP	E	\$113,557	39.95	9.59	15.14	2.02	1.13	37
	W25CJ003	P3000B	CARBON DIOXIDE (CO2) BLASTER/PELLETIZER, 1,200 LBS/HR, DUAL HOSE DELIVERY (ADD 65-200 CFM COMPRESSOR)	24 HP	E	\$179,585	62.18	15.17	23.94	3.20	1.13	66
	SUBCATEGORY 0.50	WET ABRASIVE BLASTING SYSTEM (TORBO)										
	KEIZER TECHNOLOGIES AMERICAS, INC											
	W25KZ001	TORBO M120	WATER BLASTER, WET ABRASIVE BLASTER, 4.2 CF TANK CAP, 170 PSI, (INCLUDES HOSES & NOZZLE, ADD 350 CFM AIR COMPRESSOR)	350 CFM	A	\$20,575	2.64	1.05	1.34	0.38	0.00	4
	W25KZ002	TORBO M120	WATER BLASTER, WET ABRASIVE BLASTER, 4.2 CF TANK CAP, 170 PSI, W/MIX RUST INHIBITOR INJECTOR (INCLUDES HOSES & NOZZLE, ADD 350 CFM AIR COMPRESSOR)	350 CFM	A	\$22,774	2.91	1.16	1.48	0.42	0.00	4
	W25KZ003	LOC RESTORATION UNIT	WATER BLASTER, WET ABRASIVE BLASTER, 4.2 CF TANK CAP, 170 PSI, W/LOC RESTORATION UNIT (INCLUDES HOSES & NOZZLE, ADD 350 CFM AIR COMPRESSOR)	350 CFM	A	\$23,282	2.98	1.19	1.51	0.43	0.00	4
	W25KZ004	TORBO M320	WATER BLASTER, WET ABRASIVE BLASTER, 13.0 CF TANK CAP, 170 PSI, (INCLUDES HOSES & NOZZLE, ADD 385 CFM AIR COMPRESSOR)	385 CFM	A	\$33,146	4.23	1.69	2.15	0.61	0.00	8

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
<i>W25</i>	<i>KEIZER TECHNOLOGIES AMERICAS, INC (continued)</i>											
	W25KZ005	TORBO XL320	WATER BLASTER, WET ABRASIVE BLASTER, 13.0 CF TANK CAP, 170 PSI, (INCLUDES HOSES & NOZZLE, ADD 385 CFM AIR COMPRESSOR)	385 CFM	A	\$39,122	5.00	1.99	2.54	0.72	0.00	8
	W25KZ006	TORBO XL320	WATER BLASTER, WET ABRASIVE BLASTER, 19.0 CF TANK CAP, 170 PSI, (INCLUDES HOSES & NOZZLE, ADD 385 CFM AIR COMPRESSOR)	385 CFM	A	\$39,882	5.09	2.03	2.59	0.73	0.00	9
	W25KZ007	TORBO XL320	WATER BLASTER, WET ABRASIVE BLASTER, 19.0 CF TANK CAP, 170 PSI, W/MIX RUST INHIBATOR INJECTOR, (INCLUDES HOSES & NOZZLE, ADD 385 CFM AIR COMPRESSOR)	385 CFM	A	\$42,532	5.43	2.16	2.76	0.78	0.00	9
W30	WATER TANKS											
	SUBCATEGORY 0.10	PORTABLE WITH WHEELS										
	SOUTHWEST CONSTRUCTION EQUIPMENT CO.											
	W30SO001	EWT-8C	WATER TANK, PORTABLE, TRAILER MTD, SELF ELEVATING, 8,000 GAL, 10" PIPE	8 HP	G	\$54,431	9.37	2.66	3.51	0.90	1.48	130
	W30SO002	EWT-10C	WATER TANK, PORTABLE, TRAILER MTD, SELF ELEVATING, 10,000 GAL, 10" PIPE	8 HP	G	\$65,119	10.85	3.19	4.23	1.07	1.48	170
	W30SO003	EWT-12C	WATER TANK, PORTABLE, TRAILER MTD, SELF ELEVATING, 12,000 GAL, 10" PIPE	8 HP	G	\$70,865	11.64	3.48	4.61	1.17	1.48	185

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY 0.20 SKID MOUNTED											
SOUTHWEST CONSTRUCTION EQUIPMENT CO.												
	W30SO004	WST-8	WATER TANK, PORTABLE, SKID MTD, 8,000 GAL, 10" PIPE			\$35,101	4.53	1.75	2.34	0.58	0.00	107
	W30SO005	WST-10	WATER TANK, PORTABLE, SKID MTD, 10,000 GAL, 10" PIPE			\$39,225	5.07	1.96	2.62	0.65	0.00	122
	W30SO006	WST-12	WATER TANK, PORTABLE, SKID MTD, 12,000 GAL, 10" PIPE			\$45,264	5.85	2.26	3.02	0.75	0.00	142
W35	WELDERS											
SUBCATEGORY 0.10 ENGINE DRIVEN												
NO SPECIFIC MANUFACTURER												
	W35XX020	GAS 150 AC	WELDER, ENGINE DRIVEN, GAS, AC, 150 AMP, 4.5 KW, PORTABLE, SKID MTD	11 HP	G	\$2,421	3.25	0.16	0.23	0.04	2.48	2
	W35XX021	GAS 225 AC/DC-CC	WELDER, ENGINE DRIVEN, GAS, AC/DC-CC, 225 AMP, 5-8 KW, TRAILER MTD	17 HP	G	\$6,404	5.59	0.40	0.58	0.11	3.83	6
	W35XX022	GAS 250 AC/DC-CC/CV	WELDER, ENGINE DRIVEN, GAS, AC/DC-CC/CV, 250 AMP, 9 KW, TRAILER MTD	18 HP	G	\$6,597	5.90	0.42	0.60	0.12	4.06	6
	W35XX023	GAS 300 DC-CC	WELDER, ENGINE DRIVEN, GAS, DC-CC, 300 AMP, 3 KW, TRAILER MTD	45 HP	G	\$11,445	13.65	0.73	1.06	0.20	10.14	14
	W35XX024	DIESEL 400 DC-CC/CV	WELDER, ENGINE DRIVEN, DIESEL, DC-CC/CV, 400 AMP, 2-10 KW, TRAILER MTD	48 HP	D-off	\$16,905	9.42	1.09	1.57	0.30	5.23	21
	W35XX025	DIESEL 500 DC-CC/CV	WELDER, ENGINE DRIVEN, DIESEL, DC-CC/CV, 500 AMP, 4 KW, TRAILER MTD	42 HP	D-off	\$16,189	8.55	1.04	1.50	0.29	4.58	18

Table 2-1. HOURLY EQUIPMENT OWNERSHIP AND OPERATING EXPENSE

CAT	REGION 8			ENGINE HORSEPOWER AND FUEL TYPE		VALUE (TEV)	TOTAL HOURLY RATES (\$/HR)		ADJUSTABLE ELEMENTS			CWT
	ID.NO.	MODEL	EQUIPMENT DESCRIPTION	MAIN	CARRIER	2006 (\$)	AVERAGE	STANDBY	DEPR	FCCM	FUEL	
	SUBCATEGORY	0.20	ELECTRIC DRIVEN									
	LINCOLN ELECTRIC COMPANY											
	W35LC018	SP-180T	WELDER, ELECTRIC DRIVEN, 30-180 AMP, WIRE FEEDER	5 HP	E	\$878	0.36	0.08	0.12	0.02	0.10	1
	W35LC010	LINCWELD 225/125	WELDER, ELECTRIC DRIVEN, 225 AMP, STICK	15 HP	E	\$624	0.58	0.05	0.08	0.01	0.30	1
	W35LC011	IDEAL ARC R3R-300	WELDER, ELECTRIC DRIVEN, 300 AMP, STICK	27 HP	E	\$3,104	1.53	0.27	0.41	0.06	0.54	4
	W35LC012	IDEAL ARC R3R-400	WELDER, ELECTRIC DRIVEN, 400 AMP, STICK	35 HP	E	\$3,978	1.97	0.34	0.53	0.07	0.70	5
	W35LC013	IDEAL ARC R3R-500	WELDER, ELECTRIC DRIVEN, 500 AMP, STICK	41 HP	E	\$4,259	2.22	0.37	0.57	0.08	0.82	5
	W35LC020	PROCUT 80	WELDER, ELECTRIC DRIVEN, 85 AMP, PLASMA CUTTING TORCH	26 HP	E	\$3,856	1.68	0.33	0.51	0.07	0.52	1

Table 2-2. Hourly Rate Elements

This Table Contains All Hourly Rate Elements as
Described in Chapter 2
For
Average and Severe Operating Conditions.

Refer to Chapter 2, Section II. Operating Condition

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
A10	A10AR001	0.41	0.05	0.00	0.00	0.00	0.00	0.34	0.80								
	A10AR002	1.99	0.27	0.00	0.20	0.00	0.00	1.67	4.13								
	A10RS003	10.77	1.88	14.83	1.52	0.47	0.07	11.34	40.88								
	A10RS004	10.84	1.90	14.83	1.52	0.47	0.07	11.42	41.05								
	A10RS005	10.90	1.91	14.83	1.52	0.47	0.07	11.48	41.18								
	A10RS006	10.92	1.91	14.83	1.52	0.47	0.07	11.50	41.22								
	A10RS007	11.05	1.93	14.83	1.52	0.47	0.07	11.64	41.51								
	A10RS008	21.26	3.70	20.00	2.05	0.71	0.11	22.36	70.19								
	A10SE001	1.71	0.23	0.00	0.00	0.00	0.00	1.44	3.38								
	A10SE002	2.02	0.27	0.00	0.00	0.00	0.00	1.69	3.98								
A15	A15IA001	1.76	0.37	5.79	0.69	0.08	0.01	1.94	10.64								
	A15IA002	3.82	0.81	11.37	1.36	0.08	0.01	4.22	21.67								
	A15IA003	4.56	0.97	17.98	2.16	0.14	0.02	5.04	30.87								
	A15IA004	4.56	0.97	17.98	2.16	0.14	0.02	5.04	30.87								
	A15IA005	4.56	0.97	17.98	2.16	0.14	0.02	5.04	30.87								
	A15IA006	10.11	2.14	31.00	3.72	0.29	0.04	11.17	58.47								
	A15IA007	10.60	2.24	31.00	3.72	0.29	0.04	11.71	59.60								
	A15IA008	7.97	1.69	34.61	4.15	0.29	0.04	8.81	57.56								
	A15IA009	7.99	1.70	32.03	3.84	0.29	0.04	8.83	54.72								
	A15IA010	14.29	3.02	41.33	4.96	0.29	0.04	15.77	79.70								
	A15SR002	15.10	3.20	45.46	5.45	0.43	0.07	16.68	86.39								
	A15SR004	1.28	0.27	8.06	0.97	0.08	0.01	1.42	12.09								
	A15SR005	1.85	0.39	8.27	0.99	0.08	0.01	2.04	13.63								
	A15SR006	1.28	0.27	7.85	0.94	0.08	0.01	1.42	11.85								
	A15SR007	1.28	0.27	7.96	0.96	0.08	0.01	1.42	11.98								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
A15	<i>cont.</i>																
	A15SR008	3.12	0.66	12.71	1.53	0.14	0.02	3.45	21.63								
	A15SR009	3.12	0.66	12.81	1.54	0.14	0.02	3.45	21.74								
	A15SR010	6.49	1.38	23.76	2.85	0.29	0.04	7.18	41.99								
	A15SR011	7.65	1.62	31.00	3.72	0.29	0.04	8.45	52.77								
	A15SR012	7.53	1.60	31.00	3.72	0.29	0.04	8.32	52.50								
	A15SR013	13.21	2.79	46.49	5.58	0.29	0.04	14.59	82.99								
	A15SR014	14.28	3.04	46.49	5.58	0.56	0.08	15.79	85.82								
	A15SR015	10.68	2.28	54.24	6.51	0.56	0.08	11.82	86.17								
	A15XX019	0.74	0.16	6.39	0.88	0.08	0.01	0.82	9.08								
	A15XX020	1.43	0.31	3.10	0.37	0.08	0.01	1.59	6.89								
	A15XX021	0.99	0.21	10.64	1.46	0.08	0.01	1.10	14.49								
	A15XX022	1.46	0.31	3.62	0.43	0.08	0.01	1.62	7.53								
	A15XX023	1.04	0.22	13.83	1.89	0.08	0.01	1.16	18.23								
	A15XX024	1.65	0.35	5.17	0.62	0.08	0.01	1.82	9.70								
	A15XX025	1.15	0.25	12.77	1.75	0.08	0.01	1.27	17.28								
	A15XX026	1.85	0.39	7.23	0.87	0.08	0.01	2.05	12.48								
	A15XX027	1.19	0.26	19.16	2.62	0.08	0.01	1.32	24.64								
	A15XX028	1.89	0.40	8.27	0.99	0.08	0.01	2.09	13.73								
	A15XX029	1.29	0.28	14.90	2.04	0.08	0.01	1.43	20.03								
	A15XX030	2.51	0.53	8.78	1.05	0.08	0.01	2.78	15.74								
	A15XX031	3.67	0.78	11.37	1.36	0.08	0.01	4.06	21.33								
	A15XX032	3.33	0.71	11.88	1.43	0.14	0.02	3.68	21.19								
	A15XX033	4.45	0.96	17.56	2.11	0.29	0.04	4.93	30.34								
	A15XX034	6.19	1.32	25.83	3.10	0.29	0.04	6.84	43.61								
	A15XX035	6.58	1.40	28.41	3.41	0.29	0.04	7.28	47.41								
	A15XX036	7.10	1.51	28.41	3.41	0.29	0.04	7.85	48.61								
	A15XX037	7.58	1.61	32.03	3.84	0.29	0.04	8.38	53.77								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
A15	<i>cont.</i>																
	A15XX038	11.57	2.45	37.20	4.46	0.29	0.04	12.78	68.79								
	A15XX039	12.11	2.57	47.53	5.70	0.38	0.06	13.38	81.73								
	A15XX040	13.00	2.75	51.66	6.20	0.38	0.06	14.36	88.41								
	A15XX041	0.17	0.04	0.25	0.12	0.00	0.00	0.15	0.73								
	A15XX042	0.23	0.05	0.35	0.17	0.00	0.00	0.20	1.00								
	A15XX043	0.34	0.08	0.50	0.24	0.00	0.00	0.31	1.47								
	A15XX044	0.40	0.09	0.75	0.36	0.00	0.00	0.36	1.96								
	A15XX045	0.57	0.13	1.26	0.61	0.00	0.00	0.51	3.08								
A15XX046	0.69	0.16	1.51	0.73	0.00	0.00	0.62	3.71									
A20	A20CK001	0.23	0.03	0.00	0.00	0.00	0.00	0.46	0.72								
	A20CK002	0.14	0.02	0.00	0.00	0.00	0.00	0.28	0.44								
	A20CK003	0.25	0.03	0.00	0.00	0.00	0.00	0.49	0.77								
	A20CK005	0.30	0.03	0.00	0.00	0.00	0.00	0.60	0.93								
	A20CK006	0.17	0.02	0.00	0.00	0.00	0.00	0.33	0.52								
	A20CK008	0.18	0.02	0.00	0.00	0.00	0.00	0.35	0.55								
	A20CK010	0.18	0.02	0.00	0.00	0.00	0.00	0.36	0.56								
	A20CM010	0.59	0.07	0.00	0.06	0.00	0.00	1.15	1.87								
	A20CM011	0.75	0.08	0.00	0.06	0.00	0.00	1.48	2.37								
	A20CM012	0.85	0.10	0.00	0.13	0.00	0.00	1.66	2.74								
	A20CM013	2.50	0.29	0.00	0.28	0.11	0.02	4.93	8.13								
	A20CM014	2.94	0.37	0.00	0.41	0.39	0.06	5.83	10.00								
	A20CM015	3.50	0.42	0.00	0.50	0.26	0.04	6.91	11.63								
	A20CM016	2.32	0.26	0.00	0.30	0.00	0.00	4.54	7.42								
	A20CM017	0.10	0.01	0.00	0.00	0.00	0.00	0.20	0.31								
	A20CM018	0.11	0.01	0.00	0.00	0.00	0.00	0.22	0.34								
	A20CM019	0.14	0.01	0.00	0.00	0.00	0.00	0.29	0.44								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
A20	<i>cont.</i>																
	A20CM020	0.12	0.01	0.00	0.00	0.00	0.00	0.24	0.37								
	A20WC002	0.17	0.02	0.09	0.18	0.00	0.00	0.33	0.79								
	A20WC004	0.48	0.05	0.74	0.10	0.00	0.00	0.94	2.31								
	A20XX001	0.36	0.02	0.00	0.00	0.00	0.00	0.66	1.04								
	A20XX002	0.41	0.03	0.00	0.00	0.00	0.00	0.77	1.21								
	A20XX003	0.51	0.04	0.00	0.00	0.00	0.00	0.96	1.51								
	A20XX004	0.67	0.05	0.00	0.00	0.00	0.00	1.24	1.96								
	A20XX005	0.95	0.07	0.00	0.00	0.00	0.00	1.77	2.79								
	A20XX006	1.17	0.08	0.00	0.00	0.00	0.00	2.17	3.42								
	A20XX007	1.44	0.10	0.00	0.00	0.00	0.00	2.68	4.22								
	A20XX008	1.93	0.13	0.00	0.00	0.00	0.00	3.58	5.64								
	A20XX021	0.18	0.02	0.00	0.00	0.00	0.00	0.36	0.56								
	A20XX022	0.21	0.02	0.00	0.00	0.00	0.00	0.42	0.65								
	A20XX023	0.26	0.03	0.00	0.00	0.00	0.00	0.50	0.79								
A20XX024	0.26	0.03	0.00	0.00	0.00	0.00	0.52	0.81									
A20XX025	0.37	0.04	0.00	0.00	0.00	0.00	0.73	1.14									
A25	A25RS006	9.03	1.02	0.00	1.16	0.00	0.00	9.54	20.75								
	A25RS008	10.39	1.17	0.00	1.80	0.00	0.00	10.96	24.32								
	A25XX001	7.64	0.86	0.00	0.64	0.00	0.00	8.06	17.20								
	A25XX002	8.92	1.00	0.00	1.51	0.00	0.00	9.41	20.84								
	A25XX003	9.77	1.10	0.00	2.09	0.00	0.00	10.31	23.27								
A30	A30BG003	39.92	6.58	15.42	3.35	3.80	0.58	52.91	122.56								
	A30BG004	36.28	5.68	10.93	2.81	0.00	0.00	47.71	103.41								
	A30BG005	42.05	6.59	15.42	3.35	0.00	0.00	55.31	122.72								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
A30	<i>cont.</i>																
	A30BG007	31.19	5.05	9.56	2.65	2.17	0.33	41.23	92.18								
	A30BG009	33.78	5.48	13.56	1.63	2.56	0.39	44.67	102.07								
	A30BK010	16.03	2.62	4.59	0.55	1.67	0.25	21.21	46.92								
	A30BK011	28.31	4.59	10.44	1.25	2.17	0.33	37.44	84.53								
	A30BK013	30.07	4.86	14.15	1.70	1.95	0.30	39.74	92.77								
	A30BK015	34.45	5.58	17.95	2.15	2.56	0.39	45.55	108.63								
	A30BK017	37.62	5.89	17.95	2.15	0.00	0.00	49.48	113.09								
	A30BK018	38.70	6.06	17.95	2.15	0.00	0.00	50.90	115.76								
	A30BK019	22.57	3.59	10.25	1.23	0.58	0.09	29.76	68.07								
	A30BK020	29.17	4.62	16.88	2.03	0.70	0.11	38.43	91.94								
	A30BK021	38.17	5.98	17.17	2.06	0.00	0.00	50.20	113.58								
	A30BK022	28.08	4.55	14.15	1.70	1.95	0.30	37.12	87.85								
	A30BK023	32.70	5.12	14.15	1.70	0.00	0.00	43.01	96.68								
	A30BK024	27.32	5.86	16.37	1.96	1.41	0.21	30.67	83.80								
	A30CA002	29.39	4.76	10.44	1.25	1.95	0.30	38.85	86.94								
	A30CA007	9.46	2.04	9.52	1.14	0.65	0.10	10.63	33.54								
	A30CA008	34.30	5.55	16.98	2.04	2.45	0.37	45.34	107.03								
	A30CA009	43.36	6.79	16.88	2.03	0.00	0.00	57.03	126.09								
	A30CA013	30.71	4.81	11.81	1.42	0.00	0.00	40.40	89.15								
	A30CA014	30.82	5.02	14.93	1.79	2.56	0.39	40.78	96.29								
	A30CA015	51.19	8.02	16.98	2.04	0.00	0.00	67.33	145.56								
	A30CA016	39.78	6.23	16.88	2.03	0.00	0.00	52.32	117.24								
	A30CH001	27.22	4.42	10.73	1.29	2.17	0.33	36.01	82.17								
	A30CH002	29.84	4.83	14.83	1.78	1.95	0.30	39.45	92.98								
	A30CH003	31.02	4.86	14.83	1.78	0.00	0.00	40.79	93.28								
	A30CH004	31.39	5.08	14.83	1.78	2.07	0.31	41.49	96.95								
	A30CH005	34.28	5.55	16.88	2.03	2.45	0.37	45.31	106.87								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
A30	<i>cont.</i>																
	A30CH006	41.27	6.46	19.52	2.34	0.00	0.00	54.28	123.87								
	A30GC002	4.03	0.64	2.44	0.29	0.17	0.03	5.31	12.91								
	A30GC004	5.90	0.92	4.00	0.48	0.00	0.00	7.76	19.06								
	A30LD001	10.89	2.39	9.79	1.17	1.23	0.19	12.28	37.94								
	A30MP001	10.70	2.24	7.12	0.85	0.00	0.00	11.95	32.86								
	A30MP002	13.92	2.92	8.90	1.07	0.00	0.00	15.56	42.37								
	A30RT001	39.97	8.39	24.47	2.94	0.08	0.01	44.68	120.54								
	A30RT002	41.88	8.79	24.47	2.94	0.17	0.03	46.82	125.10								
	A30XX001	9.56	2.40	9.16	0.93	0.63	0.10	7.37	30.15								
A30XX002	11.88	2.94	9.16	0.93	0.00	0.00	9.13	34.04									
A35	A35AE001	1.29	0.18	0.92	2.08	0.07	0.01	1.45	6.00								
	A35AE002	1.34	0.19	0.92	2.78	0.07	0.01	1.51	6.82								
	A35AE003	1.47	0.20	0.92	3.13	0.05	0.01	1.65	7.43								
	A35AE004	1.61	0.22	0.92	4.03	0.05	0.01	1.81	8.65								
	A35AE005	1.73	0.24	0.92	6.23	0.09	0.01	1.96	11.18								
A40	A40CA008	63.98	8.54	64.58	7.75	0.00	0.00	89.41	234.26								
	A40CA009	89.86	12.00	80.72	9.69	0.00	0.00	125.58	317.85								
	A40CW001	105.16	14.04	122.69	14.72	0.00	0.00	146.96	403.57								
	A40RT001	42.33	5.85	29.70	3.56	1.81	0.27	59.57	143.09								
	A40RT002	57.24	7.64	32.29	3.87	0.00	0.00	79.99	181.03								
	A40RT003	70.20	9.37	59.41	7.13	0.00	0.00	98.11	244.22								
	A40RT005	95.46	12.75	103.32	12.40	0.00	0.00	133.41	357.34								
	A40RT006	105.73	14.12	103.32	12.40	0.00	0.00	147.75	383.32								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
A45	A45AE001	1.40	0.17	0.00	7.10	0.04	0.01	1.78	10.50								
	A45AE002	2.78	0.32	0.00	14.25	0.04	0.01	3.50	20.90								
	A45AE003	3.28	0.38	0.00	16.85	0.04	0.01	4.13	24.69								
	A45RS001	7.52	0.87	7.12	1.35	0.07	0.01	9.48	26.42								
	A45RS002	24.40	2.79	22.20	3.16	0.00	0.00	30.68	83.23								
	A45SE003	5.90	0.68	2.67	2.32	0.11	0.02	7.44	19.14								
	A45SE004	3.69	0.44	2.40	0.83	0.14	0.02	4.69	12.21								
B10	B10CC007	4.64	0.81	3.32	3.45	0.13	0.02	6.51	18.88								
	B10CC008	12.53	2.21	30.10	7.62	0.64	0.10	17.60	70.80								
	B10CC009	13.98	2.49	36.93	8.81	1.12	0.17	19.70	83.20								
	B10CC010	15.11	2.68	36.93	9.06	1.12	0.17	21.27	86.34								
	B10CC011	2.21	0.38	0.87	1.42	0.00	0.00	3.08	7.96								
	B10CC012	2.16	0.37	3.32	1.20	0.00	0.00	3.02	10.07								
	B10CC013	2.62	0.45	3.32	1.25	0.00	0.00	3.66	11.30								
	B10CC014	0.68	0.12	0.22	0.61	0.00	0.00	0.94	2.57								
	B10CL005	29.47	5.15	5.23	4.52	0.75	0.11	41.34	86.57								
	B10CL006	29.98	5.24	5.23	4.52	0.75	0.11	42.05	87.88								
	B10CL015	15.67	2.78	1.31	3.13	0.70	0.11	22.04	45.74								
	B10CL021	8.36	1.49	1.52	0.73	0.41	0.06	11.77	24.34								
	B10CL025	27.32	4.71	8.71	4.20	0.22	0.03	38.22	83.41								
	B10CL027	2.27	0.39	0.00	0.00	0.00	0.00	3.18	5.84								
	B10CL032	0.43	0.07	0.44	0.21	0.00	0.00	0.60	1.75								
	B10CL034	0.86	0.15	0.87	0.42	0.00	0.00	1.20	3.50								
	B10CL036	0.36	0.06	0.35	0.17	0.00	0.00	0.50	1.44								
B10CL040	0.50	0.09	0.87	0.42	0.00	0.00	0.70	2.58									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B10	<i>cont.</i>																
	B10CL042	0.32	0.06	0.22	0.11	0.00	0.00	0.45	1.16								
	B10CL045	0.42	0.07	0.44	0.21	0.00	0.00	0.59	1.73								
	B10EM001	42.06	7.37	4.62	3.13	1.24	0.19	59.03	117.64								
	B10EM002	2.74	0.52	0.44	1.21	0.35	0.05	3.91	9.22								
	B10EM003	3.00	0.51	0.00	0.00	0.00	0.00	4.19	7.70								
	B10KB001	13.52	2.89	4.14	1.99	0.45	0.07	18.97	42.03								
	B10KB002	24.14	5.12	9.58	4.62	0.50	0.08	33.82	77.86								
	B10RC006	19.06	3.37	1.98	5.45	0.77	0.12	26.80	57.55								
	B10RC007	13.71	2.41	0.65	2.81	0.47	0.07	19.25	39.37								
	B10RC008	15.99	2.80	1.31	3.13	0.47	0.07	22.44	46.21								
	B10RC016	23.38	4.11	3.27	7.08	0.77	0.12	32.85	71.58								
	B10RC027	14.61	2.50	1.74	2.84	0.00	0.00	20.42	42.11								
	B10RC028	16.42	2.82	2.61	3.51	0.00	0.00	22.95	48.31								
	B10RC029	18.57	3.18	3.48	4.18	0.00	0.00	25.95	55.36								
	B10RC030	20.24	3.47	4.36	5.85	0.00	0.00	28.29	62.21								
	B10RC031	21.38	3.67	5.23	6.52	0.00	0.00	29.88	66.68								
	B10RC032	20.42	3.60	2.18	5.55	0.77	0.12	28.71	61.35								
	B10SN031	7.24	1.35	1.09	1.88	0.85	0.13	10.30	22.84								
	B10SN032	11.26	2.04	1.31	2.38	0.86	0.13	15.93	33.91								
B10SN033	13.80	2.48	1.31	2.13	0.84	0.13	19.47	40.16									
B10SN034	15.00	2.68	0.87	1.92	0.86	0.13	21.15	42.61									
B10SN035	15.71	2.81	1.31	2.28	0.86	0.13	22.14	45.24									
B10SN036	14.86	2.66	1.96	2.69	0.86	0.13	20.95	44.11									
B15																	
	B15BM001	5.05	0.72	7.12	0.85	0.00	0.00	5.00	18.74								
	B15EC001	20.78	3.02	7.84	0.94	0.62	0.09	20.57	53.86								
	B15EC002	13.81	2.00	8.90	1.07	0.32	0.05	13.67	39.82								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B15	<i>cont.</i>																
	B15EC003	19.82	2.85	20.46	2.46	0.10	0.02	19.60	65.31								
	B15MB001	0.90	0.13	0.00	0.10	0.00	0.00	0.89	2.02								
	B15MB002	1.09	0.16	0.00	0.14	0.00	0.00	1.07	2.46								
	B15MB003	1.53	0.23	0.00	0.24	0.08	0.01	1.51	3.60								
	B15MB004	1.76	0.26	3.32	0.34	0.08	0.01	1.75	7.52								
	B15RS001	4.42	0.64	7.12	0.85	0.11	0.02	4.38	17.54								
	B15RS005	5.75	0.84	7.12	0.85	0.17	0.03	5.69	20.45								
	B15TB001	2.50	0.37	3.29	0.39	0.12	0.02	2.48	9.17								
	B15TB002	2.52	0.37	3.29	0.39	0.12	0.02	2.50	9.21								
	B15WD001	3.96	0.58	7.12	0.85	0.11	0.02	3.92	16.56								
B15WD002	4.11	0.60	7.12	0.85	0.11	0.02	4.07	16.88									
B20	B20BN001	1.25	0.18	4.62	0.63	0.03	0.00	1.39	8.10								
	B20BN002	1.99	0.29	13.11	1.80	0.06	0.01	2.22	19.48								
	B20BN003	2.54	0.37	25.85	3.54	0.07	0.01	2.84	35.22								
	B20BN005	2.18	0.32	12.93	1.77	0.07	0.01	2.43	19.71								
	B20BN006	2.41	0.35	21.98	3.01	0.07	0.01	2.69	30.52								
	B20BN007	4.34	0.64	11.12	1.33	0.20	0.03	4.85	22.51								
	B20MQ001	2.48	0.36	7.65	0.92	0.02	0.00	2.77	14.20								
	B20MQ003	3.45	0.50	12.46	1.50	0.07	0.01	3.84	21.83								
	B20MQ004	3.97	0.59	22.24	2.67	0.23	0.03	4.43	34.16								
	B20MQ005	42.84	6.19	57.83	8.44	0.57	0.09	47.74	163.70								
	B25	B25HB001	2.14	0.31	0.00	0.00	0.00	0.00	1.77	4.22	2.63	0.32	0.00	0.00	0.00	0.00	2.49
B25HB003		3.44	0.49	0.00	0.00	0.00	0.00	2.85	6.78	4.23	0.51	0.00	0.00	0.00	0.00	4.01	8.75
B25HB005		4.47	0.64	0.00	0.00	0.00	0.00	3.71	8.82	5.50	0.66	0.00	0.00	0.00	0.00	5.21	11.37

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B25	<i>cont.</i>																
	B25HB007	5.28	0.76	0.00	0.00	0.00	0.00	4.38	10.42	6.50	0.78	0.00	0.00	0.00	0.00	6.15	13.43
	B25HB008	6.15	0.88	0.00	0.00	0.00	0.00	5.10	12.13	7.57	0.91	0.00	0.00	0.00	0.00	7.17	15.65
	B25HB009	6.78	0.97	0.00	0.00	0.00	0.00	5.62	13.37	8.35	1.00	0.00	0.00	0.00	0.00	7.90	17.25
	B25HB010	7.17	1.03	0.00	0.00	0.00	0.00	5.94	14.14	8.83	1.06	0.00	0.00	0.00	0.00	8.35	18.24
	B25HB011	7.38	1.06	0.00	0.00	0.00	0.00	6.12	14.56	9.08	1.09	0.00	0.00	0.00	0.00	8.60	18.77
	B25HB012	7.82	1.12	0.00	0.00	0.00	0.00	6.48	15.42	9.62	1.16	0.00	0.00	0.00	0.00	9.11	19.89
	B25HB013	8.08	1.16	0.00	0.00	0.00	0.00	6.70	15.94	9.94	1.19	0.00	0.00	0.00	0.00	9.41	20.54
	B25HB014	8.44	1.21	0.00	0.00	0.00	0.00	6.99	16.64	10.38	1.25	0.00	0.00	0.00	0.00	9.83	21.46
	B25HB015	8.76	1.26	0.00	0.00	0.00	0.00	7.26	17.28	10.78	1.30	0.00	0.00	0.00	0.00	10.21	22.29
	B25XX001	0.97	0.14	0.00	0.00	0.00	0.00	0.80	1.91	1.19	0.14	0.00	0.00	0.00	0.00	1.13	2.46
	B25XX002	1.44	0.21	0.00	0.00	0.00	0.00	1.20	2.85	1.78	0.21	0.00	0.00	0.00	0.00	1.68	3.67
	B25XX003	1.78	0.26	0.00	0.00	0.00	0.00	1.48	3.52	2.19	0.26	0.00	0.00	0.00	0.00	2.07	4.52
	B25XX004	1.96	0.28	0.00	0.00	0.00	0.00	1.62	3.86	2.41	0.29	0.00	0.00	0.00	0.00	2.28	4.98
	B25XX005	2.28	0.33	0.00	0.00	0.00	0.00	1.89	4.50	2.80	0.34	0.00	0.00	0.00	0.00	2.65	5.79
	B25XX006	2.57	0.37	0.00	0.00	0.00	0.00	2.13	5.07	3.17	0.38	0.00	0.00	0.00	0.00	3.00	6.55
	B25XX007	2.75	0.39	0.00	0.00	0.00	0.00	2.28	5.42	3.38	0.41	0.00	0.00	0.00	0.00	3.20	6.99
	B25XX008	3.21	0.46	0.00	0.00	0.00	0.00	2.66	6.33	3.95	0.47	0.00	0.00	0.00	0.00	3.74	8.16
	B25XX009	3.39	0.49	0.00	0.00	0.00	0.00	2.81	6.69	4.17	0.50	0.00	0.00	0.00	0.00	3.94	8.61
	B25XX010	3.61	0.52	0.00	0.00	0.00	0.00	2.99	7.12	4.44	0.53	0.00	0.00	0.00	0.00	4.20	9.17
	B25XX011	3.79	0.54	0.00	0.00	0.00	0.00	3.14	7.47	4.66	0.56	0.00	0.00	0.00	0.00	4.41	9.63
	B25XX012	4.23	0.61	0.00	0.00	0.00	0.00	3.50	8.34	5.20	0.63	0.00	0.00	0.00	0.00	4.92	10.75
	B25XX013	5.67	0.81	0.00	0.00	0.00	0.00	4.70	11.18	6.98	0.84	0.00	0.00	0.00	0.00	6.60	14.42
	B25XX014	6.05	0.87	0.00	0.00	0.00	0.00	5.01	11.93	7.44	0.89	0.00	0.00	0.00	0.00	7.05	15.38
	B25XX015	7.27	1.04	0.00	0.00	0.00	0.00	6.03	14.34	8.95	1.08	0.00	0.00	0.00	0.00	8.47	18.50
	B25XX016	7.34	1.05	0.00	0.00	0.00	0.00	6.08	14.47	9.03	1.09	0.00	0.00	0.00	0.00	8.55	18.67
	B25XX017	7.92	1.14	0.00	0.00	0.00	0.00	6.57	15.63	9.75	1.17	0.00	0.00	0.00	0.00	9.23	20.15
	B25XX018	7.54	1.08	0.00	0.00	0.00	0.00	6.25	14.87	9.28	1.12	0.00	0.00	0.00	0.00	8.79	19.19

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B25	<i>cont.</i> B25XX019	8.42	1.21	0.00	0.00	0.00	0.00	6.98	16.61	10.36	1.25	0.00	0.00	0.00	0.00	9.81	21.42
B30	B30CR001	0.57	0.07	0.00	0.00	0.00	0.00	0.51	1.15								
	B30CR002	0.61	0.08	0.00	0.00	0.00	0.00	0.55	1.24								
	B30CR003	0.66	0.09	0.00	0.00	0.00	0.00	0.59	1.34								
	B30CR004	0.68	0.09	0.00	0.00	0.00	0.00	0.61	1.38								
	B30CR005	0.81	0.11	0.00	0.00	0.00	0.00	0.72	1.64								
	B30CR006	0.95	0.12	0.00	0.00	0.00	0.00	0.85	1.92								
	B30CR009	0.85	0.11	0.00	0.00	0.00	0.00	0.76	1.72								
	B30CR010	0.99	0.13	0.00	0.00	0.00	0.00	0.89	2.01								
	B30CR011	1.17	0.15	0.00	0.00	0.00	0.00	1.05	2.37								
	B30CR012	1.35	0.18	0.00	0.00	0.00	0.00	1.21	2.74								
	B30GB001	0.48	0.06	0.00	0.00	0.00	0.00	0.38	0.92								
	B30GB002	0.63	0.08	0.00	0.00	0.00	0.00	0.50	1.21								
	B30GB003	0.78	0.10	0.00	0.00	0.00	0.00	0.61	1.49								
	B30GB004	1.13	0.15	0.00	0.00	0.00	0.00	0.89	2.17								
	B30GB005	1.35	0.18	0.00	0.00	0.00	0.00	1.06	2.59								
	B30GB006	2.49	0.33	0.00	0.00	0.00	0.00	2.09	4.91								
	B30GB007	2.70	0.35	0.00	0.00	0.00	0.00	2.27	5.32								
	B30GB008	3.00	0.39	0.00	0.00	0.00	0.00	2.52	5.91								
	B30GB009	3.43	0.45	0.00	0.00	0.00	0.00	2.88	6.76								
	B30GB010	4.25	0.56	0.00	0.00	0.00	0.00	3.57	8.38								
	B30GB011	1.97	0.26	0.00	0.00	0.00	0.00	1.76	3.99								
	B30GB012	2.04	0.27	0.00	0.00	0.00	0.00	1.83	4.14								
	B30GB013	2.12	0.28	0.00	0.00	0.00	0.00	1.90	4.30								
	B30GB014	2.81	0.37	0.00	0.00	0.00	0.00	2.52	5.70								
	B30GB015	2.91	0.38	0.00	0.00	0.00	0.00	2.61	5.90								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B30	<i>cont.</i>																
	B30GB016	4.18	0.55	0.00	0.00	0.00	0.00	3.75	8.48								
	B30GB017	5.03	0.66	0.00	0.00	0.00	0.00	4.51	10.20								
	B30GB018	0.38	0.05	0.00	0.00	0.00	0.00	0.30	0.73								
B35	B35HE001	0.88	0.13	0.00	0.00	0.00	0.00	0.73	1.74	1.09	0.13	0.00	0.00	0.00	0.00	1.03	2.25
	B35HE002	1.04	0.15	0.00	0.00	0.00	0.00	0.86	2.05	1.28	0.15	0.00	0.00	0.00	0.00	1.21	2.64
	B35HE003	1.47	0.21	0.00	0.00	0.00	0.00	1.22	2.90	1.81	0.22	0.00	0.00	0.00	0.00	1.71	3.74
	B35HE004	1.78	0.25	0.00	0.00	0.00	0.00	1.47	3.50	2.18	0.26	0.00	0.00	0.00	0.00	2.07	4.51
	B35HE005	2.03	0.29	0.00	0.00	0.00	0.00	1.69	4.01	2.50	0.30	0.00	0.00	0.00	0.00	2.37	5.17
	B35HE006	2.54	0.36	0.00	0.00	0.00	0.00	2.10	5.00	3.12	0.37	0.00	0.00	0.00	0.00	2.95	6.44
	B35HE007	2.76	0.40	0.00	0.00	0.00	0.00	2.29	5.45	3.39	0.41	0.00	0.00	0.00	0.00	3.21	7.01
	B35HE008	3.62	0.52	0.00	0.00	0.00	0.00	3.00	7.14	4.46	0.54	0.00	0.00	0.00	0.00	4.22	9.22
	B35HE009	3.80	0.54	0.00	0.00	0.00	0.00	3.15	7.49	4.67	0.56	0.00	0.00	0.00	0.00	4.42	9.65
	B35HE010	4.40	0.63	0.00	0.00	0.00	0.00	3.65	8.68	5.41	0.65	0.00	0.00	0.00	0.00	5.12	11.18
	B35HE011	4.76	0.68	0.00	0.00	0.00	0.00	3.95	9.39	5.86	0.70	0.00	0.00	0.00	0.00	5.55	12.11
	B35HE012	5.21	0.75	0.00	0.00	0.00	0.00	4.32	10.28	6.41	0.77	0.00	0.00	0.00	0.00	6.07	13.25
	B35HE013	5.77	0.83	0.00	0.00	0.00	0.00	4.78	11.38	7.10	0.85	0.00	0.00	0.00	0.00	6.73	14.68
	B35HE014	6.61	0.95	0.00	0.00	0.00	0.00	5.47	13.03	8.13	0.98	0.00	0.00	0.00	0.00	7.70	16.81
	B35HE015	7.18	1.03	0.00	0.00	0.00	0.00	5.95	14.16	8.84	1.06	0.00	0.00	0.00	0.00	8.37	18.27
	B35HE016	8.58	1.23	0.00	0.00	0.00	0.00	7.11	16.92	10.55	1.27	0.00	0.00	0.00	0.00	9.99	21.81
	B35HE017	9.87	1.41	0.00	0.00	0.00	0.00	8.18	19.46	12.14	1.46	0.00	0.00	0.00	0.00	11.50	25.10
	B35HE018	0.85	0.14	0.00	0.00	0.00	0.00	0.70	1.69	1.09	0.14	0.00	0.00	0.00	0.00	1.04	2.27
	B35HE019	0.97	0.15	0.00	0.00	0.00	0.00	0.81	1.93	1.25	0.16	0.00	0.00	0.00	0.00	1.19	2.60
	B35HE020	1.39	0.22	0.00	0.00	0.00	0.00	1.15	2.76	1.79	0.23	0.00	0.00	0.00	0.00	1.69	3.71
	B35HE021	1.76	0.28	0.00	0.00	0.00	0.00	1.46	3.50	2.26	0.29	0.00	0.00	0.00	0.00	2.14	4.69
	B35HE022	2.02	0.32	0.00	0.00	0.00	0.00	1.68	4.02	2.60	0.33	0.00	0.00	0.00	0.00	2.46	5.39
	B35HE023	2.42	0.38	0.00	0.00	0.00	0.00	2.00	4.80	3.11	0.40	0.00	0.00	0.00	0.00	2.94	6.45

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B35	<i>cont.</i>																
	B35HE024	2.67	0.42	0.00	0.00	0.00	0.00	2.21	5.30	3.43	0.44	0.00	0.00	0.00	0.00	3.25	7.12
	B35HE025	3.46	0.55	0.00	0.00	0.00	0.00	2.87	6.88	4.44	0.57	0.00	0.00	0.00	0.00	4.21	9.22
	B35HE026	3.53	0.56	0.00	0.00	0.00	0.00	2.93	7.02	4.54	0.58	0.00	0.00	0.00	0.00	4.30	9.42
	B35HE027	4.28	0.68	0.00	0.00	0.00	0.00	3.55	8.51	5.51	0.70	0.00	0.00	0.00	0.00	5.22	11.43
	B35HE028	4.43	0.70	0.00	0.00	0.00	0.00	3.67	8.80	5.70	0.73	0.00	0.00	0.00	0.00	5.39	11.82
	B35HE029	5.11	0.81	0.00	0.00	0.00	0.00	4.23	10.15	6.57	0.84	0.00	0.00	0.00	0.00	6.22	13.63
	B35HE030	5.63	0.89	0.00	0.00	0.00	0.00	4.67	11.19	7.24	0.93	0.00	0.00	0.00	0.00	6.85	15.02
	B35HE031	6.85	1.09	0.00	0.00	0.00	0.00	5.68	13.62	8.81	1.13	0.00	0.00	0.00	0.00	8.34	18.28
	B35HE032	7.30	1.16	0.00	0.00	0.00	0.00	6.05	14.51	9.39	1.20	0.00	0.00	0.00	0.00	8.88	19.47
	B35HE033	9.30	1.48	0.00	0.00	0.00	0.00	7.71	18.49	11.96	1.53	0.00	0.00	0.00	0.00	11.32	24.81
	B35HE034	10.36	1.65	0.00	0.00	0.00	0.00	8.59	20.60	13.32	1.70	0.00	0.00	0.00	0.00	12.61	27.63
	B35HE035	2.86	0.50	0.00	0.00	0.00	0.00	2.37	5.73	3.58	0.51	0.00	0.00	0.00	0.00	3.39	7.48
	B35HE036	2.99	0.52	0.00	0.00	0.00	0.00	2.48	5.99	3.74	0.54	0.00	0.00	0.00	0.00	3.54	7.82
	B35HE037	3.36	0.59	0.00	0.00	0.00	0.00	2.79	6.74	4.20	0.60	0.00	0.00	0.00	0.00	3.98	8.78
	B35HE038	4.57	0.80	0.00	0.00	0.00	0.00	3.78	9.15	5.71	0.82	0.00	0.00	0.00	0.00	5.40	11.93
	B35HE039	5.11	0.89	0.00	0.00	0.00	0.00	4.23	10.23	6.38	0.92	0.00	0.00	0.00	0.00	6.04	13.34
	B35HE040	5.27	0.92	0.00	0.00	0.00	0.00	4.37	10.56	6.59	0.94	0.00	0.00	0.00	0.00	6.24	13.77
	B35HE041	5.64	0.98	0.00	0.00	0.00	0.00	4.68	11.30	7.06	1.01	0.00	0.00	0.00	0.00	6.68	14.75
	B35HE042	7.26	1.27	0.00	0.00	0.00	0.00	6.02	14.55	9.08	1.30	0.00	0.00	0.00	0.00	8.59	18.97
	B35HE043	7.47	1.30	0.00	0.00	0.00	0.00	6.19	14.96	9.34	1.34	0.00	0.00	0.00	0.00	8.84	19.52
	B35HE044	9.71	1.69	0.00	0.00	0.00	0.00	8.05	19.45	12.14	1.74	0.00	0.00	0.00	0.00	11.49	25.37
	B35HE045	10.05	1.75	0.00	0.00	0.00	0.00	8.33	20.13	12.56	1.80	0.00	0.00	0.00	0.00	11.89	26.25
	B35HE046	11.95	2.08	0.00	0.00	0.00	0.00	9.91	23.94	14.94	2.14	0.00	0.00	0.00	0.00	14.14	31.22
	B35HE047	12.71	2.21	0.00	0.00	0.00	0.00	10.54	25.46	15.89	2.28	0.00	0.00	0.00	0.00	15.04	33.21
	B35SA001	2.19	0.31	0.00	0.00	0.00	0.00	1.81	4.31	2.69	0.32	0.00	0.00	0.00	0.00	2.55	5.56
	B35SA003	3.28	0.47	0.00	0.00	0.00	0.00	2.72	6.47	4.04	0.49	0.00	0.00	0.00	0.00	3.83	8.36
B35SA004	4.51	0.65	0.00	0.00	0.00	0.00	3.74	8.90	5.55	0.67	0.00	0.00	0.00	0.00	5.25	11.47	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B35	<i>cont.</i>																
	B35SA005	5.65	0.81	0.00	0.00	0.00	0.00	4.69	11.15	6.96	0.84	0.00	0.00	0.00	0.00	6.59	14.39
	B35SA006	6.66	0.96	0.00	0.00	0.00	0.00	5.52	13.14	8.20	0.99	0.00	0.00	0.00	0.00	7.76	16.95
	B35SA007	7.50	1.08	0.00	0.00	0.00	0.00	6.22	14.80	9.23	1.11	0.00	0.00	0.00	0.00	8.74	19.08
	B35SA008	8.86	1.27	0.00	0.00	0.00	0.00	7.34	17.47	10.90	1.31	0.00	0.00	0.00	0.00	10.32	22.53
	B35SA009	11.23	1.61	0.00	0.00	0.00	0.00	9.31	22.15	13.83	1.66	0.00	0.00	0.00	0.00	13.09	28.58
	B35SA010	13.72	1.97	0.00	0.00	0.00	0.00	11.37	27.06	16.88	2.03	0.00	0.00	0.00	0.00	15.98	34.89
	B35XX001	3.55	0.51	0.00	0.00	0.00	0.00	2.95	7.01	4.38	0.53	0.00	0.00	0.00	0.00	4.14	9.05
	B35XX002	4.00	0.57	0.00	0.00	0.00	0.00	3.31	7.88	4.92	0.59	0.00	0.00	0.00	0.00	4.66	10.17
	B35XX003	4.42	0.63	0.00	0.00	0.00	0.00	3.66	8.71	5.44	0.65	0.00	0.00	0.00	0.00	5.15	11.24
	B35XX004	5.04	0.72	0.00	0.00	0.00	0.00	4.18	9.94	6.20	0.75	0.00	0.00	0.00	0.00	5.87	12.82
	B35XX005	5.66	0.81	0.00	0.00	0.00	0.00	4.69	11.16	6.96	0.84	0.00	0.00	0.00	0.00	6.59	14.39
	B35XX006	6.96	1.00	0.00	0.00	0.00	0.00	5.77	13.73	8.56	1.03	0.00	0.00	0.00	0.00	8.10	17.69
	B35XX007	3.57	0.57	0.00	0.00	0.00	0.00	2.96	7.10	4.58	0.59	0.00	0.00	0.00	0.00	4.34	9.51
	B35XX008	4.08	0.65	0.00	0.00	0.00	0.00	3.38	8.11	5.24	0.67	0.00	0.00	0.00	0.00	4.96	10.87
	B35XX009	4.39	0.70	0.00	0.00	0.00	0.00	3.64	8.73	5.65	0.72	0.00	0.00	0.00	0.00	5.35	11.72
	B35XX010	5.23	0.83	0.00	0.00	0.00	0.00	4.33	10.39	6.72	0.86	0.00	0.00	0.00	0.00	6.36	13.94
	B35XX011	5.78	0.92	0.00	0.00	0.00	0.00	4.79	11.49	7.43	0.95	0.00	0.00	0.00	0.00	7.04	15.42
	B35XX012	7.32	1.16	0.00	0.00	0.00	0.00	6.07	14.55	9.42	1.20	0.00	0.00	0.00	0.00	8.91	19.53
	B35XX013	0.80	0.14	0.00	0.00	0.00	0.00	0.67	1.61	1.00	0.14	0.00	0.00	0.00	0.00	0.95	2.09
	B35XX014	0.90	0.16	0.00	0.00	0.00	0.00	0.75	1.81	1.13	0.16	0.00	0.00	0.00	0.00	1.07	2.36
	B35XX015	1.34	0.23	0.00	0.00	0.00	0.00	1.11	2.68	1.68	0.24	0.00	0.00	0.00	0.00	1.59	3.51
B35XX016	1.54	0.27	0.00	0.00	0.00	0.00	1.27	3.08	1.92	0.28	0.00	0.00	0.00	0.00	1.82	4.02	
B35XX017	1.68	0.29	0.00	0.00	0.00	0.00	1.39	3.36	2.10	0.30	0.00	0.00	0.00	0.00	1.99	4.39	
B35XX018	3.60	0.63	0.00	0.00	0.00	0.00	2.99	7.22	4.50	0.65	0.00	0.00	0.00	0.00	4.26	9.41	
B35XX019	3.85	0.67	0.00	0.00	0.00	0.00	3.19	7.71	4.81	0.69	0.00	0.00	0.00	0.00	4.56	10.06	
B35XX020	4.34	0.76	0.00	0.00	0.00	0.00	3.60	8.70	5.42	0.78	0.00	0.00	0.00	0.00	5.14	11.34	
B35XX021	4.74	0.83	0.00	0.00	0.00	0.00	3.93	9.50	5.92	0.85	0.00	0.00	0.00	0.00	5.61	12.38	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
B35	<i>cont.</i>																
	B35XX022	5.96	1.04	0.00	0.00	0.00	0.00	4.94	11.94	7.45	1.07	0.00	0.00	0.00	0.00	7.05	15.57
	B35XX023	6.39	1.11	0.00	0.00	0.00	0.00	5.29	12.79	7.98	1.14	0.00	0.00	0.00	0.00	7.56	16.68
C05	C05OL001	0.16	0.01	0.58	0.08	0.00	0.00	0.49	1.32								
	C05OL002	0.25	0.01	1.19	0.16	0.00	0.00	0.76	2.37								
	C05OL003	0.30	0.02	1.32	0.18	0.00	0.00	0.92	2.74								
	C05OL004	0.32	0.02	1.45	0.20	0.00	0.00	1.00	2.99								
C10	C10BO001	1.09	0.08	0.76	0.08	0.00	0.00	1.53	3.54								
	C10BO003	0.60	0.05	1.01	0.10	0.00	0.00	0.84	2.60								
	C10BO004	0.66	0.05	1.52	0.16	0.00	0.00	0.93	3.32								
	C10BO007	2.69	0.20	0.49	0.05	0.00	0.00	3.79	7.22								
	C10BO008	3.68	0.28	1.11	0.11	0.00	0.00	5.17	10.35								
	C10BO009	1.38	0.12	1.01	0.10	0.00	0.00	2.16	4.77								
	C10BO011	3.70	0.33	0.99	0.10	0.00	0.00	5.82	10.94								
	C10BO013	9.79	0.86	2.34	0.24	0.00	0.00	15.38	28.61								
	C10BO015	3.18	0.28	0.62	0.06	0.00	0.00	5.00	9.14								
	C10BO016	4.64	0.41	1.11	0.11	0.00	0.00	7.30	13.57								
	C10RX001	6.40	0.56	0.99	0.10	0.00	0.00	10.06	18.11								
	C10RX002	8.86	0.78	1.73	0.18	0.00	0.00	13.93	25.48								
	C10RX003	14.87	1.31	4.07	0.42	0.00	0.00	23.37	44.04								
	C10WC003	0.90	0.07	0.49	0.05	0.00	0.00	1.27	2.78								
	C10WC006	1.10	0.08	1.39	0.14	0.00	0.00	1.55	4.26								
	C10WC007	1.69	0.13	2.28	0.23	0.00	0.00	2.38	6.71								
	C10WC008	3.04	0.23	1.11	0.11	0.00	0.00	4.28	8.77								
C10WC010	2.07	0.18	2.79	0.29	0.00	0.00	3.25	8.58									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C10	<i>cont.</i>																
	C10WC015	6.09	0.46	1.73	0.18	0.00	0.00	8.56	17.02								
	C10WC016	6.77	0.60	2.47	0.25	0.00	0.00	10.64	20.73								
	C10WC017	2.74	0.24	1.11	0.11	0.00	0.00	4.31	8.51								
	C10WC019	6.42	0.57	2.47	0.25	0.00	0.00	10.09	19.80								
C15	C15BL001	1.99	0.19	0.09	0.55	0.00	0.00	2.49	5.31								
	C15BL003	9.52	0.91	0.47	1.75	0.00	0.00	11.93	24.58								
	C15BL004	11.15	1.06	0.70	2.12	0.00	0.00	13.96	28.99								
	C15BL005	16.34	1.56	1.41	2.75	0.00	0.00	20.46	42.52								
	C15BL006	0.66	0.11	45.20	5.42	0.00	0.00	0.83	52.22								
	C15ED001	1.46	0.14	2.17	0.30	0.00	0.00	1.82	5.89								
	C15ED002	0.90	0.09	1.77	0.24	0.00	0.00	1.13	4.13								
	C15XX001	13.22	2.30	25.60	3.07	0.38	0.06	16.60	61.23								
C20	C20WC002	2.13	0.22	2.56	0.35	0.18	0.03	2.11	7.58								
	C20XX001	1.50	0.16	1.58	0.22	0.13	0.02	1.48	5.09								
C25	C25AJ001	0.74	0.08	1.18	0.16	0.00	0.00	0.83	2.99								
	C25AJ003	1.05	0.12	1.18	0.16	0.00	0.00	1.17	3.68								
	C25AJ004	1.50	0.17	1.58	0.22	0.00	0.00	1.67	5.14								
	C25AJ005	1.76	0.20	2.17	0.30	0.00	0.00	1.96	6.39								
	C25AJ006	2.09	0.24	2.17	0.30	0.00	0.00	2.33	7.13								
	C25AJ007	2.23	0.25	2.17	0.30	0.00	0.00	2.48	7.43								
	C25AJ008	1.38	0.29	1.02	0.19	0.00	0.00	1.32	4.20								
	C25AJ009	1.47	0.30	1.02	0.19	0.00	0.00	1.40	4.38								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C25	<i>cont.</i>																
	C25AJ010	1.57	0.32	1.02	0.19	0.00	0.00	1.49	4.59								
	C25AJ011	1.68	0.35	1.02	0.19	0.00	0.00	1.60	4.84								
	C25AJ012	1.78	0.37	1.02	0.19	0.00	0.00	1.70	5.06								
	C25AJ013	1.89	0.39	1.02	0.19	0.00	0.00	1.80	5.29								
	C25AJ015	1.97	0.23	3.94	0.54	0.00	0.00	2.19	8.87								
	C25AJ016	2.07	0.24	3.94	0.54	0.00	0.00	2.30	9.09								
	C25AJ018	2.40	0.27	4.93	0.68	0.00	0.00	2.67	10.95								
	C25AJ019	3.47	0.40	5.52	0.76	0.00	0.00	3.86	14.01								
	C25ST001	0.41	0.05	1.58	0.22	0.00	0.00	0.46	2.72								
	C25ST002	0.42	0.05	1.77	0.24	0.00	0.00	0.47	2.95								
	C25SV001	26.41	5.53	5.78	0.93	0.41	0.06	25.27	64.39								
	C25SV002	24.85	5.19	5.78	0.93	0.31	0.05	23.76	60.87								
	C25SV003	12.42	2.61	2.67	0.43	0.28	0.04	11.90	30.35								
C25WC002	0.51	0.06	1.58	0.22	0.00	0.00	0.57	2.94									
C35	C35AF001	2.83	0.48	0.00	0.30	0.03	0.00	3.79	7.43								
	C35AF002	1.53	0.26	0.00	2.00	0.03	0.00	2.05	5.87								
	C35AF004	4.55	0.77	3.10	2.37	0.05	0.01	6.09	16.94								
	C35AF005	6.77	1.15	5.58	2.67	0.12	0.02	9.08	25.39								
	C35AL002	4.48	0.78	3.10	1.37	0.20	0.03	6.04	16.00								
	C35AL003	1.49	0.28	0.25	0.31	0.20	0.03	2.04	4.60								
	C35AL008	2.68	0.45	0.00	0.30	0.00	0.00	3.58	7.01								
	C35AL013	1.32	0.23	0.00	0.40	0.10	0.02	1.79	3.86								
	C35AL014	6.99	1.18	6.30	1.26	0.05	0.01	9.35	25.14								
	C35AV006	9.97	1.68	1.01	2.49	0.11	0.02	13.34	28.62								
	C35AV008	2.99	0.50	0.35	2.17	0.00	0.00	4.00	10.01								
	C35AV009	3.65	0.61	0.80	2.39	0.00	0.00	4.88	12.33								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C35	<i>cont.</i>																
	C35AV010	6.58	1.10	1.31	2.63	0.00	0.00	8.79	20.41								
	C35AV011	5.10	0.85	0.60	2.29	0.00	0.00	6.81	15.65								
	C35AV012	15.08	2.52	1.01	2.99	0.00	0.00	20.15	41.75								
C40	C40CC001	4.18	0.48	0.47	0.25	0.00	0.00	4.65	10.03								
	C40MU001	0.49	0.06	1.58	0.22	0.03	0.00	0.55	2.93								
	C40MU002	1.02	0.12	2.56	0.35	0.03	0.00	1.14	5.22								
	C40MU003	0.49	0.06	1.58	0.22	0.03	0.00	0.56	2.94								
	C40MU004	0.57	0.07	1.58	0.22	0.03	0.00	0.64	3.11								
	C40ST001	0.32	0.04	0.02	0.21	0.03	0.00	0.36	0.98								
	C40ST002	0.35	0.04	1.08	0.15	0.03	0.00	0.40	2.05								
	C40ST003	0.42	0.05	0.09	0.30	0.03	0.00	0.47	1.36								
	C40ST005	0.56	0.07	0.07	0.34	0.03	0.00	0.63	1.70								
	C40XX001	0.56	0.06	0.09	0.25	0.00	0.00	0.63	1.59								
	C40XX002	0.60	0.07	1.38	0.19	0.00	0.00	0.67	2.91								
	C40XX003	0.86	0.10	0.14	0.27	0.00	0.00	0.95	2.32								
	C40XX004	0.86	0.10	1.58	0.22	0.00	0.00	0.96	3.72								
	C40XX005	1.13	0.13	0.23	0.37	0.00	0.00	1.25	3.11								
	C40XX006	1.56	0.18	0.23	0.37	0.00	0.00	1.73	4.07								
C40XX007	1.46	0.17	1.77	0.24	0.00	0.00	1.62	5.26									
C45	C45GO010	20.55	2.74	9.51	1.14	0.00	0.00	28.71	62.65								
	C45GO011	31.62	4.22	19.11	2.29	0.00	0.00	44.19	101.43								
	C45GO012	42.27	5.64	17.46	2.10	0.00	0.00	59.08	126.55								
	C45GO013	16.99	2.27	9.51	1.14	0.00	0.00	23.75	53.66								
	C45GO014	23.47	3.13	10.13	1.22	0.00	0.00	32.80	70.75								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C45	<i>cont.</i>																
	C45GO016	45.99	6.14	23.76	2.85	0.00	0.00	64.28	143.02								
	C45GO018	57.38	7.66	34.61	4.15	0.00	0.00	80.19	183.99								
	C45GO020	67.75	9.05	46.49	5.58	0.00	0.00	94.68	223.55								
	C45GO026	7.35	0.98	7.66	1.05	0.00	0.00	10.27	27.31								
	C45GO027	9.35	1.25	5.17	0.62	0.00	0.00	13.07	29.46								
	C45GO028	14.85	1.98	5.17	0.62	0.00	0.00	20.76	43.38								
	C45GO029	9.89	1.32	7.66	1.05	0.00	0.00	13.82	33.74								
	C45GO031	55.62	7.43	39.78	4.77	0.00	0.00	77.72	185.32								
	C45MJ001	1.00	0.13	3.19	0.44	0.00	0.00	1.39	6.15								
	C45MW002	6.06	0.82	2.69	0.32	0.09	0.01	8.48	18.47								
C45MW003	7.68	1.04	2.69	0.32	0.12	0.02	10.76	22.63									
C55	C55M3001	2.61	0.38	9.07	1.24	0.05	0.01	3.23	16.59								
	C55M3002	5.90	0.85	5.85	0.70	0.00	0.00	7.30	20.60								
	C55M3003	6.94	0.99	10.34	1.24	0.00	0.00	8.58	28.09								
	C55OE001	29.44	4.22	0.00	0.00	0.00	0.00	36.41	70.07								
	C55OE002	37.77	5.42	0.00	0.00	0.00	0.00	46.70	89.89								
	C55OE003	57.44	8.24	0.00	0.00	0.00	0.00	71.03	136.71								
	C55OE006	5.52	0.80	7.22	0.87	0.10	0.02	6.83	21.36								
	C55OE009	10.40	1.51	12.39	1.49	0.19	0.03	12.88	38.89								
	C55OE011	9.62	1.40	17.66	2.12	0.19	0.03	11.91	42.93								
	C55OE012	12.24	1.77	17.66	2.12	0.19	0.03	15.15	49.16								
	C55SC001	7.98	1.15	7.81	0.94	0.05	0.01	9.87	27.81								
	C55SC002	19.44	2.81	17.27	2.07	0.20	0.03	24.06	65.88								
	C55SC005	40.82	5.92	24.35	2.92	0.76	0.12	50.53	125.42								
	C55SC006	48.84	7.07	24.35	2.92	0.76	0.12	60.46	144.52								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C60	C60CQ001	1.91	0.21	8.87	1.21	0.00	0.00	2.36	14.56								
	C60CQ002	0.43	0.05	2.28	0.31	0.00	0.00	0.53	3.60								
	C60CQ003	0.46	0.05	3.30	0.45	0.00	0.00	0.57	4.83								
	C60CQ010	1.98	0.22	8.87	1.21	0.00	0.00	2.45	14.73								
	C60CQ011	3.30	0.37	8.15	1.33	0.00	0.00	4.08	17.23								
	C60CQ012	3.30	0.37	8.15	1.33	0.00	0.00	4.09	17.24								
	C60CQ013	3.33	0.37	8.15	1.33	0.00	0.00	4.12	17.30								
	C60CQ014	2.05	0.23	1.81	0.87	0.00	0.00	2.53	7.49								
	C60CQ016	4.20	0.47	10.37	1.69	0.00	0.00	5.19	21.92								
	C60FE002	0.22	0.02	0.51	0.07	0.00	0.00	0.27	1.09								
	C60FE006	0.46	0.05	2.28	0.31	0.00	0.00	0.57	3.67								
	C60FE007	0.49	0.05	3.30	0.45	0.00	0.00	0.60	4.89								
	C60FE009	1.55	0.17	5.07	0.69	0.00	0.00	1.92	9.40								
	C60LY001	3.94	0.44	2.54	0.35	0.00	0.00	4.87	12.14								
	C60LY002	5.83	0.66	8.87	1.21	0.00	0.00	7.21	23.78								
	C60LY005	0.46	0.05	3.30	0.45	0.00	0.00	0.56	4.82								
C60LY011	11.28	1.27	3.95	0.64	0.00	0.00	13.95	31.09									
C65	C65ST007	0.20	0.02	0.04	0.02	0.00	0.00	0.66	0.94								
	C65ST008	0.21	0.02	0.09	0.04	0.00	0.00	0.69	1.05								
	C65ST009	0.25	0.02	0.13	0.06	0.00	0.00	0.82	1.28								
	C65ST013	0.46	0.04	1.02	0.14	0.00	0.00	1.51	3.17								
	C65WC003	0.34	0.03	0.09	0.18	0.00	0.00	1.12	1.76								
	C65WC004	0.22	0.02	0.13	0.20	0.00	0.00	0.72	1.29								
	C65WC005	0.42	0.03	0.92	0.13	0.00	0.00	1.37	2.87								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C75	C75BD004	5.07	1.34	8.94	1.22	0.34	0.05	5.10	22.06								
	C75BD005	6.41	1.69	14.69	2.01	0.44	0.07	6.44	31.75								
	C75BD006	9.37	2.48	23.41	3.21	0.74	0.11	9.42	48.74								
	C75BD007	3.68	0.97	8.09	1.11	0.17	0.03	3.70	17.75								
	C75BD008	4.91	1.28	8.94	1.22	0.17	0.03	4.92	21.47								
	C75BD009	6.63	1.75	14.69	2.01	0.44	0.07	6.66	32.25								
	C75BD010	11.12	2.93	8.78	1.13	0.74	0.11	11.17	35.98								
	C75BD011	14.73	3.88	13.43	1.73	1.59	0.24	14.80	50.40								
	C75GV014	29.60	8.13	24.80	3.19	14.25	2.16	29.93	112.06								
	C75GV016	69.89	18.54	31.00	3.98	12.65	1.92	70.29	208.27								
	C75GV019	29.59	8.13	24.80	3.19	14.25	2.16	29.92	112.04								
	C75GV020	48.58	13.01	25.83	3.32	12.65	1.92	48.93	154.24								
	C75GV021	7.40	1.95	13.20	1.81	0.47	0.07	7.44	32.34								
	C75GV022	9.18	2.42	11.37	1.46	0.77	0.12	9.22	34.54								
	C75GV023	16.92	4.68	15.70	2.02	9.17	1.39	17.13	67.01								
	C75GV024	26.37	7.13	17.87	2.30	9.17	1.39	26.60	90.83								
	C75GV025	48.09	12.93	25.83	3.32	13.50	2.05	48.46	154.18								
	C75GV028	17.15	4.54	15.70	2.02	2.55	0.39	17.24	59.59								
	C75PB002	28.57	7.55	19.11	2.46	2.47	0.37	28.72	89.25								
	C75TD003	22.91	6.06	18.60	2.39	3.54	0.54	23.03	77.07								
	C75TD007	42.35	11.38	25.52	3.28	6.96	1.05	42.68	133.22								
	C75TD008	39.15	10.55	25.52	3.28	12.42	1.88	39.47	132.27								
	C75TE001	21.71	5.70	13.43	1.73	1.90	0.29	21.81	66.57								
C75TE002	29.75	7.83	15.70	2.02	3.11	0.47	29.89	88.77									
C80																	
	C80GV006	36.86	10.90	35.59	3.97	1.28	0.19	32.39	121.18	42.13	11.01	47.07	5.25	4.98	0.75	39.64	150.83

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C80	<i>cont.</i>																
	C80GV013	87.10	31.83	25.71	2.87	8.87	1.34	98.40	256.12	96.78	31.99	32.75	3.65	35.98	5.45	115.38	321.98
	C80GV014	87.34	31.92	25.71	2.87	8.87	1.34	98.66	256.71	97.04	32.08	32.75	3.65	35.98	5.45	115.69	322.64
	C80GV015	87.72	32.06	25.71	2.87	8.87	1.34	99.10	257.67	97.46	32.22	32.75	3.65	35.98	5.45	116.19	323.70
	C80GV016	123.66	45.13	23.63	2.64	10.46	1.58	139.67	346.77	137.40	45.36	30.16	3.37	41.83	6.34	163.77	428.23
	C80GV020	40.11	13.25	35.59	3.97	1.76	0.27	40.26	135.21	45.13	13.36	47.07	5.25	6.88	1.04	48.16	166.89
	C80GV025	24.08	7.13	26.69	2.98	1.03	0.16	21.16	83.23	27.52	7.20	35.30	3.94	4.03	0.61	25.90	104.50
	C80GV026	36.22	10.75	30.96	3.45	1.88	0.28	31.84	115.38	41.40	10.85	40.95	4.57	7.36	1.12	38.97	145.22
	C80GV029	36.61	10.88	35.59	3.97	2.25	0.34	32.19	121.83	41.84	10.99	47.07	5.25	8.90	1.35	39.40	154.80
	C80GV030	36.67	10.90	35.59	3.97	2.25	0.34	32.25	121.97	41.91	11.01	47.07	5.25	8.90	1.35	39.47	154.96
	C80GV031	36.97	12.24	35.59	3.97	2.25	0.34	37.11	128.47	41.59	12.34	47.07	5.25	8.90	1.35	44.40	160.90
	C80GV032	49.10	16.31	37.55	4.19	6.83	1.03	49.32	164.33	55.24	16.45	49.66	5.54	26.77	4.06	59.00	216.72
	C80LI009	29.56	8.77	31.14	3.47	1.64	0.25	25.98	100.81	33.78	8.86	41.18	4.59	6.59	1.00	31.81	127.81
	C80LI010	26.25	7.82	28.03	3.13	1.95	0.30	23.09	90.57	30.00	7.90	37.07	4.13	7.70	1.17	28.26	116.23
	C80LI011	29.98	8.94	32.47	3.62	2.25	0.34	26.37	103.97	34.27	9.02	42.95	4.79	8.91	1.35	32.28	133.57
	C80TD001	34.02	11.37	16.72	1.86	3.94	0.60	34.20	102.71	38.27	11.46	21.38	2.39	15.93	2.41	40.92	132.76
	C80TD002	42.61	14.18	20.45	2.28	3.83	0.58	42.81	126.74	47.93	14.30	26.26	2.93	14.99	2.27	51.21	159.89
	C80TD005	46.00	16.94	56.00	6.25	4.84	0.73	52.02	182.78	51.11	17.02	73.01	8.14	19.21	2.91	61.00	232.40
	C80TE002	19.38	5.77	22.24	2.48	1.42	0.22	17.04	68.55	22.14	5.83	29.42	3.28	5.68	0.86	20.86	88.07
	C80TE003	25.25	7.54	32.92	3.67	2.15	0.33	22.21	94.07	28.85	7.61	43.54	4.85	8.53	1.29	27.19	121.86
	C80TE008	16.86	4.49	11.57	1.79	3.42	0.52	12.72	51.37	19.67	4.54	15.30	2.36	13.39	2.03	16.10	73.39
	C80XX001	8.70	2.31	21.80	3.36	0.99	0.15	6.56	43.87	10.15	2.34	28.83	4.45	3.95	0.60	8.30	58.62
C80XX002	11.32	3.03	26.69	4.12	1.56	0.24	8.55	55.51	13.21	3.07	35.30	5.45	6.27	0.95	10.82	75.07	
C85																	
	C85KC003	43.69	15.83	14.45	1.36	0.00	0.00	46.57	121.90	54.61	16.04	19.01	1.79	0.00	0.00	61.62	153.07
	C85KC004	27.58	9.99	9.71	0.91	0.00	0.00	29.40	77.59	34.48	10.12	12.77	1.20	0.00	0.00	38.90	97.47
	C85KC005	31.82	11.53	11.61	1.09	0.00	0.00	33.91	89.96	39.77	11.68	15.28	1.44	0.00	0.00	44.87	113.04
C85KC006	74.24	29.44	15.21	1.56	0.00	0.00	88.39	208.84	90.73	29.73	20.02	2.05	0.00	0.00	113.79	256.32	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C85	<i>cont.</i>																
	C85KC007	26.69	9.64	9.71	0.83	0.00	0.00	26.66	73.53	32.03	9.75	12.77	1.09	0.00	0.00	34.11	89.75
	C85KC008	52.69	20.89	17.23	1.77	0.00	0.00	62.73	155.31	64.40	21.10	22.67	2.33	0.00	0.00	80.76	191.26
	C85LB013	35.20	12.75	14.34	1.35	0.00	0.00	37.52	101.16	44.00	12.92	18.87	1.78	0.00	0.00	49.65	127.22
	C85LB014	40.11	14.53	15.49	1.46	0.00	0.00	42.75	114.34	50.13	14.72	20.38	1.92	0.00	0.00	56.56	143.71
	C85LB015	55.52	20.11	15.49	1.46	0.00	0.00	59.18	151.76	69.40	20.38	20.38	1.92	0.00	0.00	78.30	190.38
	C85LB016	63.75	25.28	15.49	1.59	0.00	0.00	75.90	182.01	77.92	25.53	20.38	2.09	0.00	0.00	97.72	223.64
	C85LB017	71.96	28.54	23.99	2.46	0.00	0.00	85.68	212.63	87.96	28.82	31.57	3.24	0.00	0.00	110.31	261.90
	C85LB019	40.26	13.03	19.63	2.86	0.00	0.00	45.60	121.38	49.55	13.19	25.66	3.73	0.00	0.00	62.69	154.82
	C85LB021	58.06	20.97	21.19	1.99	0.00	0.00	73.45	175.66	69.67	21.21	27.71	2.61	0.00	0.00	97.45	218.65
	C85LB022	67.13	24.25	17.68	1.66	0.00	0.00	84.91	195.63	80.55	24.52	23.13	2.18	0.00	0.00	112.67	243.05
	C85LB023	71.18	28.44	32.83	3.37	0.00	0.00	99.56	235.38	88.97	28.80	42.94	4.41	0.00	0.00	136.24	301.36
	C85LI001	28.80	10.43	11.29	1.06	0.00	0.00	30.70	82.28	36.00	10.57	14.85	1.40	0.00	0.00	40.61	103.43
	C85MA001	46.02	16.62	26.12	2.46	0.00	0.00	58.21	149.43	55.22	16.81	34.15	3.21	0.00	0.00	77.24	186.63
	C85MA002	56.38	20.37	25.37	2.39	0.00	0.00	71.32	175.83	67.65	20.59	33.18	3.12	0.00	0.00	94.63	219.17
	C85MA003	75.58	30.19	27.98	2.87	0.00	0.00	105.72	242.34	94.47	30.58	36.59	3.75	0.00	0.00	144.66	310.05
	C85MA004	43.51	15.76	19.09	1.80	0.00	0.00	46.37	126.53	54.38	15.97	25.11	2.36	0.00	0.00	61.36	159.18
	C85MA005	40.76	14.77	18.27	1.72	0.00	0.00	43.45	118.97	50.95	14.96	24.04	2.26	0.00	0.00	57.49	149.70
	C85MA006	51.50	20.42	18.54	1.90	0.00	0.00	61.32	153.68	62.95	20.63	24.40	2.50	0.00	0.00	78.95	189.43
	C85MA007	72.67	28.82	20.45	2.10	0.00	0.00	86.52	210.56	88.81	29.10	26.91	2.76	0.00	0.00	111.38	258.96
	C85MA008	43.15	15.63	18.27	1.72	0.00	0.00	46.00	124.77	53.94	15.84	24.04	2.26	0.00	0.00	60.86	156.94
	C85MA009	66.42	26.54	25.37	2.60	0.00	0.00	92.91	213.84	83.03	26.87	33.18	3.40	0.00	0.00	127.14	273.62
	C85MA010	65.76	26.08	18.54	1.90	0.00	0.00	78.29	190.57	80.37	26.33	24.40	2.50	0.00	0.00	100.79	234.39
	C85TE001	32.68	10.58	11.19	1.63	0.00	0.00	37.01	93.09	40.22	10.71	14.64	2.13	0.00	0.00	50.88	118.58
	C85TE002	45.47	14.72	18.66	2.71	0.00	0.00	51.49	133.05	55.96	14.90	24.40	3.55	0.00	0.00	70.79	169.60
	C85TE003	50.92	18.39	25.00	2.35	0.00	0.00	64.41	161.07	61.10	18.60	32.69	3.08	0.00	0.00	85.46	200.93
	C85TE008	29.18	10.57	10.03	0.94	0.00	0.00	31.10	81.82	36.47	10.71	13.20	1.24	0.00	0.00	41.15	102.77
	C85TE009	35.97	13.03	12.54	1.18	0.00	0.00	38.33	101.05	44.96	13.20	16.50	1.55	0.00	0.00	50.72	126.93

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C85	<i>cont.</i>																
	C85TE010	47.73	17.29	13.09	1.23	0.00	0.00	50.88	130.22	59.67	17.52	17.22	1.62	0.00	0.00	67.32	163.35
	C85TE011	64.05	25.40	17.18	1.76	0.00	0.00	76.26	184.65	78.29	25.65	22.60	2.32	0.00	0.00	98.18	227.04
C90																	
	C90LB001	59.17	23.89	20.90	2.33	7.98	1.21	71.07	186.55	65.74	24.00	26.33	2.93	31.90	4.83	83.34	239.07
	C90LB002	66.86	26.96	24.41	2.72	7.98	1.21	80.30	210.44	74.29	27.09	30.86	3.44	31.90	4.83	94.16	266.57
	C90LB003	107.50	43.32	36.95	4.12	11.97	1.81	129.09	334.76	119.44	43.53	47.06	5.25	47.86	7.25	151.36	421.75
C95																	
	C95AP004	23.35	8.44	5.57	6.98	0.00	0.00	26.45	70.79								
	C95AP005	0.75	0.27	0.00	0.00	0.00	0.00	0.85	1.87								
	C95AP006	1.45	0.52	0.00	0.00	0.00	0.00	1.64	3.61								
	C95AP007	36.89	13.33	9.28	9.97	0.00	0.00	41.78	111.25								
	C95AP008	5.81	2.10	0.00	0.50	0.00	0.00	6.58	14.99								
	C95AP009	1.94	0.70	0.00	0.00	0.00	0.00	2.20	4.84								
	C95AP010	49.27	17.80	9.45	10.06	0.00	0.00	55.80	142.38								
	C95AP011	1.82	0.66	0.00	0.00	0.00	0.00	2.06	4.54								
	C95AP012	7.22	2.61	0.00	0.50	0.00	0.00	8.17	18.50								
	C95AP013	47.07	17.01	15.42	13.25	0.00	0.00	53.31	146.06								
	C95AP014	1.65	0.60	0.00	0.00	0.00	0.00	1.87	4.12								
	C95AP015	6.31	2.28	0.00	0.50	0.00	0.00	7.14	16.23								
	C95AP016	2.21	0.80	0.00	0.00	0.00	0.00	2.51	5.52								
	C95AP017	19.91	7.19	5.44	5.91	0.00	0.00	22.54	60.99								
	C95AP018	0.70	0.25	0.00	0.00	0.00	0.00	0.79	1.74								
	C95AP019	3.93	1.42	0.00	0.50	0.00	0.00	4.45	10.30								
	C95AP020	21.96	7.93	9.71	8.20	0.00	0.00	24.87	72.67								
	C95AP021	34.37	12.42	11.24	10.02	0.00	0.00	38.92	106.97								
	C95AP022	5.28	1.91	1.05	1.56	0.00	0.00	5.98	15.78								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
C95	<i>cont.</i>																
	C95AP023	0.12	0.05	0.00	0.00	0.00	0.00	0.14	0.31								
	C95LH003	20.37	7.36	4.75	5.54	0.00	0.00	23.07	61.09								
	C95LH005	26.51	9.58	6.45	7.45	0.00	0.00	30.02	80.01								
	C95LH011	49.51	17.89	9.71	10.20	0.00	0.00	56.07	143.38								
	C95LH013	63.23	22.84	9.71	10.20	0.00	0.00	71.60	177.58								
	C95LH015	84.27	30.44	13.81	14.39	0.00	0.00	95.43	238.34								
	C95LH022	17.93	6.53	1.52	2.81	0.57	0.09	20.34	49.79								
C95LH023	25.08	9.12	2.83	4.51	0.67	0.10	28.44	70.75									
D10																	
	D10IR003	8.73	2.75	0.00	0.79	0.00	0.00	13.86	26.13								
	D10IR005	32.78	7.56	23.45	2.81	0.00	0.00	52.06	118.66								
	D10SU002	10.75	3.38	0.00	0.80	0.00	0.00	17.07	32.00								
	D10SU003	11.04	3.48	0.00	0.80	0.00	0.00	17.54	32.86								
	D10SU005	16.82	3.88	28.36	3.40	0.00	0.00	26.72	79.18								
D10SU006	17.03	3.93	28.36	3.40	0.00	0.00	27.04	79.76									
D15																	
	D15BI001	1.14	0.26	2.70	0.37	0.00	0.00	1.63	6.10								
	D15BI002	2.03	0.47	2.18	0.26	0.00	0.00	2.90	7.84								
	D15BI003	3.08	0.71	3.27	0.39	0.00	0.00	4.40	11.85								
	D15BI004	4.81	1.11	4.91	0.59	0.00	0.00	6.87	18.29								
	D15BI005	6.18	1.43	6.76	0.81	0.00	0.00	8.84	24.02								
	D15BI006	10.39	2.40	12.98	1.56	0.00	0.00	14.85	42.18								
	D15BI007	13.78	3.18	20.61	2.47	0.00	0.00	19.70	59.74								
	D15BI008	12.86	2.97	20.61	2.47	0.00	0.00	18.38	57.29								
	D15XX001	0.63	0.14	0.00	0.00	0.00	0.00	0.90	1.67								
D15XX002	0.94	0.22	0.00	0.00	0.00	0.00	1.34	2.50									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
D20	D20AD002	0.54	0.10	0.11	0.30	0.00	0.00	0.73	1.78								
	D20AD005	0.53	0.10	0.11	0.30	0.00	0.00	0.72	1.76								
	D20AD006	0.88	0.17	0.21	0.50	0.00	0.00	1.19	2.95								
	D20AD007	1.46	0.27	0.43	1.01	0.00	0.00	1.96	5.13								
	D20CQ001	1.31	0.25	3.61	1.75	0.00	0.00	1.77	8.69								
	D20LY001	0.79	0.15	0.16	0.58	0.00	0.00	1.06	2.74								
	D20LY002	0.81	0.15	0.00	0.60	0.00	0.00	1.10	2.66								
D25	D25AD003	7.63	1.76	7.53	0.77	0.00	0.00	12.12	29.81								
	D25AD004	6.09	1.40	3.05	0.31	0.00	0.00	9.66	20.51								
	D25EZ001	0.58	0.13	0.00	0.50	0.00	0.00	0.91	2.12								
	D25EZ002	0.46	0.12	0.00	0.50	0.09	0.01	0.75	1.93								
	D25EZ003	0.51	0.12	0.00	0.50	0.06	0.01	0.82	2.02								
	D25EZ005	1.93	0.46	0.00	1.25	0.12	0.02	3.08	6.86								
D30	D30HD001	5.88	1.36	22.90	4.75	0.00	0.00	9.33	44.22								
	D30HD002	8.79	2.03	29.45	6.53	0.00	0.00	13.96	60.76								
	D30HD003	11.44	2.64	36.54	8.38	0.00	0.00	18.17	77.17								
	D30MR001	0.94	0.22	1.80	0.25	0.00	0.00	1.49	4.70								
	D30MR003	6.31	1.47	6.33	0.76	0.12	0.02	10.04	25.05								
	D30MR005	15.17	3.54	14.83	1.78	0.45	0.07	24.16	60.00								
	D30MR006	15.63	3.65	16.97	2.03	0.45	0.07	24.91	63.71								
	D30MR007	19.84	4.62	16.97	2.03	0.45	0.07	31.59	75.57								
D35	D35DT001	34.01	9.71	49.08	7.99	0.00	0.00	50.63	151.42								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
D35	<i>cont.</i>																
	D35DT002	34.91	9.96	49.08	7.99	0.00	0.00	51.97	153.91								
	D35DT003	39.21	11.19	49.08	7.99	0.00	0.00	58.37	165.84								
	D35DT004	41.65	11.89	57.26	9.32	0.00	0.00	62.00	182.12								
	D35DT005	64.98	18.55	82.89	13.50	0.00	0.00	96.74	276.66								
	D35DT006	44.73	16.16	82.89	11.35	0.00	0.00	66.59	221.72								
	D35IB003	29.25	10.64	58.28	7.98	0.76	0.12	43.61	150.64								
	D35IB004	27.86	10.15	57.19	7.84	0.93	0.14	41.54	145.65								
	D35IB005	32.31	11.76	69.19	9.48	0.93	0.14	48.17	171.98								
	D35IB006	33.98	12.36	70.64	9.67	0.93	0.14	50.65	178.37								
D35RD001	25.68	7.33	49.59	8.07	0.00	0.00	38.23	128.90									
F10																	
	F10JC001	5.64	1.21	6.67	0.68	0.59	0.09	5.92	20.80								
	F10JC002	6.15	1.32	6.67	0.68	0.59	0.09	6.45	21.95								
G10																	
	G10CA012	3.11	0.54	27.94	2.87	0.00	0.00	2.79	37.25	3.89	0.56	36.95	3.79	0.00	0.00	3.98	49.17
	G10CA013	4.01	0.70	36.03	3.70	0.00	0.00	3.60	48.04	5.01	0.72	47.66	4.89	0.00	0.00	5.14	63.42
	G10CA014	5.25	0.91	47.69	4.89	0.00	0.00	4.71	63.45	6.56	0.94	63.07	6.47	0.00	0.00	6.73	83.77
	G10CA015	7.26	1.27	61.12	6.27	0.00	0.00	6.51	82.43	9.08	1.30	80.84	8.30	0.00	0.00	9.31	108.83
	G10CA016	8.86	1.54	72.69	7.46	0.00	0.00	7.95	98.50	11.08	1.59	96.14	9.87	0.00	0.00	11.36	130.04
	G10CA017	13.95	2.43	96.89	9.94	0.00	0.00	12.51	135.72	17.44	2.50	128.14	13.15	0.00	0.00	17.88	179.11
	G10CA018	17.72	3.09	128.38	13.17	0.00	0.00	15.89	178.25	22.15	3.18	169.80	17.42	0.00	0.00	22.72	235.27
	G10CA019	29.59	5.15	204.99	21.04	0.00	0.00	26.53	287.30	36.99	5.30	271.11	27.82	0.00	0.00	37.94	379.16
	G10CA020	2.48	0.43	15.48	1.59	0.00	0.00	2.22	22.20	3.10	0.44	20.47	2.10	0.00	0.00	3.18	29.29
	G10WC001	0.25	0.04	1.48	0.15	0.00	0.00	0.19	2.11	0.28	0.04	1.93	0.20	0.00	0.00	0.25	2.70
	G10WC002	0.28	0.04	2.03	0.21	0.00	0.00	0.22	2.78	0.33	0.04	2.65	0.27	0.00	0.00	0.29	3.58
	G10WC003	0.53	0.08	2.95	0.30	0.00	0.00	0.41	4.27	0.60	0.08	3.86	0.40	0.00	0.00	0.54	5.48

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
G10	<i>cont.</i>																
	G10WC004	0.43	0.06	3.32	0.34	0.00	0.00	0.33	4.48	0.49	0.06	4.34	0.45	0.00	0.00	0.44	5.78
	G10XX001	0.11	0.02	0.18	0.02	0.00	0.00	0.09	0.42	0.13	0.02	0.24	0.02	0.00	0.00	0.12	0.53
	G10XX002	0.55	0.08	3.51	0.36	0.00	0.00	0.42	4.92	0.63	0.08	4.58	0.47	0.00	0.00	0.57	6.33
	G10XX003	1.25	0.18	2.05	0.21	0.00	0.00	0.96	4.65	1.43	0.18	2.71	0.28	0.00	0.00	1.28	5.88
	G10XX004	0.64	0.09	0.80	0.08	0.00	0.00	0.49	2.10	0.74	0.09	1.06	0.11	0.00	0.00	0.66	2.66
	G10XX005	1.58	0.28	6.65	0.68	0.00	0.00	1.42	10.61	1.98	0.28	8.68	0.89	0.00	0.00	2.03	13.86
	G10XX006	1.39	0.24	9.23	0.95	0.00	0.00	1.25	13.06	1.74	0.25	12.05	1.24	0.00	0.00	1.79	17.07
	G10XX007	2.10	0.37	12.93	1.33	0.00	0.00	1.88	18.61	2.63	0.38	16.87	1.73	0.00	0.00	2.69	24.30
	G10XX008	2.58	0.45	9.52	0.98	0.00	0.00	2.31	15.84	3.22	0.46	12.59	1.29	0.00	0.00	3.31	20.87
	G10XX009	2.22	0.39	12.72	1.31	0.00	0.00	1.99	18.63	2.78	0.40	16.83	1.73	0.00	0.00	2.85	24.59
	G10XX010	3.29	0.57	17.79	1.83	0.00	0.00	2.95	26.43	4.11	0.59	23.53	2.41	0.00	0.00	4.22	34.86
	G10XX011	3.63	0.63	33.36	3.42	0.00	0.00	3.25	44.29	4.53	0.65	44.13	4.53	0.00	0.00	4.65	58.49
	G10XX012	4.34	0.76	38.08	3.91	0.00	0.00	3.89	50.98	5.42	0.78	50.36	5.17	0.00	0.00	5.56	67.29
	G10XX013	5.44	0.95	50.71	5.20	0.00	0.00	4.88	67.18	6.80	0.98	67.07	6.88	0.00	0.00	6.98	88.71
	G10XX014	7.78	1.35	63.44	6.51	0.00	0.00	6.97	86.05	9.72	1.39	83.90	8.61	0.00	0.00	9.97	113.59
G10XX015	12.76	2.22	93.42	9.59	0.00	0.00	11.44	129.43	15.95	2.29	123.55	12.68	0.00	0.00	16.36	170.83	
G10XX016	17.97	3.13	126.78	13.01	0.00	0.00	16.12	177.01	22.47	3.22	167.68	17.21	0.00	0.00	23.04	233.62	
G15	G15CA001	11.46	3.77	10.40	1.51	0.87	0.13	12.67	40.81	12.31	3.79	13.27	1.93	2.88	0.44	15.42	50.04
	G15CA003	13.46	4.42	11.65	1.69	0.87	0.13	14.87	47.09	14.45	4.44	14.87	2.16	2.88	0.44	18.10	57.34
	G15CA004	14.37	4.72	13.73	2.00	0.97	0.15	15.89	51.83	15.44	4.75	17.52	2.55	3.21	0.49	19.33	63.29
	G15CA005	19.44	6.48	17.89	2.60	3.35	0.51	21.56	71.83	20.88	6.51	22.83	3.32	11.07	1.68	26.24	92.53
	G15CA006	27.92	9.28	22.89	3.33	4.69	0.71	30.95	99.77	29.99	9.32	29.20	4.25	15.47	2.34	37.66	128.23
	G15CA007	12.15	3.99	11.24	1.63	0.87	0.13	13.43	43.44	13.05	4.01	14.34	2.09	2.88	0.44	16.34	53.15
	G15CA008	16.65	5.47	15.40	2.24	1.10	0.17	18.40	59.43	17.89	5.49	19.65	2.86	3.72	0.56	22.39	72.56
	G15CA009	15.58	5.12	15.40	2.24	0.97	0.15	17.22	56.68	16.73	5.14	19.65	2.86	3.21	0.49	20.95	69.03
	G15CA010	18.02	5.91	16.65	2.42	1.10	0.17	19.91	64.18	19.36	5.94	21.24	3.09	3.72	0.56	24.23	78.14

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
G15	<i>cont.</i>																
	G15JD008	12.33	4.11	12.57	1.83	2.12	0.32	13.68	46.96	13.25	4.13	16.03	2.33	6.99	1.06	16.65	60.44
	G15JD009	14.23	4.73	12.98	1.89	2.40	0.36	15.77	52.36	15.28	4.75	16.57	2.41	8.09	1.23	19.19	67.52
	G15JD010	14.28	4.75	15.40	2.24	2.12	0.32	15.83	54.94	15.34	4.77	19.65	2.86	6.99	1.06	19.26	69.93
	G15JD011	16.15	5.35	17.06	2.48	2.40	0.36	17.89	61.69	17.35	5.38	21.77	3.17	8.09	1.23	21.77	78.76
H10	H10NP001	0.98	0.13	0.00	0.50	0.00	0.00	1.36	2.97								
	H10NP002	1.09	0.14	0.00	0.50	0.00	0.00	1.51	3.24								
	H10NP003	1.63	0.22	0.00	0.75	0.00	0.00	2.26	4.86								
	H10NP004	2.09	0.28	0.00	0.75	0.00	0.00	2.91	6.03								
	H10NP005	2.77	0.37	0.00	1.00	0.00	0.00	3.86	8.00								
	H10NP006	3.73	0.50	0.00	1.00	0.00	0.00	5.19	10.42								
	H10NP008	5.66	0.76	0.00	1.25	0.00	0.00	7.88	15.55								
	H10NP009	7.23	0.97	0.00	1.25	0.00	0.00	10.06	19.51								
	H10NP015	8.81	1.18	0.00	1.25	0.00	0.00	12.26	23.50								
	H10NP016	12.16	1.62	0.00	1.25	0.00	0.00	16.91	31.94								
	H10NP017	15.87	2.12	0.00	1.25	0.00	0.00	22.07	41.31								
	H10NP018	36.84	4.92	0.00	1.25	0.00	0.00	51.26	94.27								
H13	H13AY007	14.47	3.03	0.00	0.00	0.00	0.00	18.13	35.63								
	H13AY008	7.20	1.51	0.00	0.00	0.00	0.00	9.01	17.72								
	H13AY009	12.88	2.70	0.00	0.00	0.00	0.00	16.13	31.71								
	H13AY010	6.64	1.39	0.00	0.00	0.00	0.00	8.32	16.35								
	H13AY011	10.80	2.26	0.00	0.00	0.00	0.00	13.52	26.58								
	H13AY012	5.60	1.17	0.00	0.00	0.00	0.00	7.01	13.78								
	H13AY013	8.68	1.82	0.00	0.00	0.00	0.00	10.87	21.37								
	H13AY014	4.73	0.99	0.00	0.00	0.00	0.00	5.92	11.64								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H13	<i>cont.</i>																
	H13AY015	5.12	1.07	0.00	0.00	0.00	0.00	6.41	12.60								
	H13AY016	3.35	0.70	0.00	0.00	0.00	0.00	4.20	8.25								
	H13AY017	16.07	3.37	0.00	0.00	0.00	0.00	20.13	39.57								
	H13AY018	8.27	1.73	0.00	0.00	0.00	0.00	10.36	20.36								
	H13AY019	1.04	0.22	0.04	0.27	0.00	0.00	1.31	2.88								
	H13AY020	1.35	0.28	0.04	0.27	0.00	0.00	1.69	3.63								
	H13AY021	18.20	3.50	0.00	0.00	0.47	0.07	19.09	41.33								
	H13AY022	9.92	1.93	0.00	0.00	0.47	0.07	10.41	22.80								
	H13AY023	16.54	3.19	0.00	0.00	0.47	0.07	17.35	37.62								
	H13AY024	8.81	1.71	0.00	0.00	0.47	0.07	9.26	20.32								
	H13AY025	14.74	2.85	0.00	0.00	0.47	0.07	15.47	33.60								
	H13AY026	8.12	1.58	0.00	0.00	0.47	0.07	8.53	18.77								
	H13AY027	12.42	2.40	0.00	0.00	0.47	0.07	13.04	28.40								
	H13AY028	6.90	1.35	0.00	0.00	0.47	0.07	7.26	16.05								
	H13AY029	10.06	1.95	0.00	0.00	0.47	0.07	10.57	23.12								
	H13AY030	5.87	1.15	0.00	0.00	0.47	0.07	6.17	13.73								
	H13AY031	6.57	1.29	0.00	0.00	0.47	0.07	6.91	15.31								
	H13AY032	4.36	0.87	0.00	0.00	0.47	0.07	4.59	10.36								
	H13BB001	4.41	0.39	0.44	0.96	0.00	0.00	5.77	11.97								
	H13BB002	3.95	0.35	0.65	1.31	0.00	0.00	5.17	11.43								
	H13BC003	4.55	0.43	0.22	0.12	0.00	0.00	4.43	9.75								
H13BC006	4.24	0.40	0.13	0.07	0.00	0.00	4.13	8.97									
H13BC007	6.56	0.63	0.13	0.07	0.00	0.00	6.39	13.78									
H13BC008	8.03	0.77	0.22	0.12	0.00	0.00	7.82	16.96									
H13BC009	5.50	0.53	0.13	0.07	0.00	0.00	5.35	11.58									
H13BC010	3.24	0.31	0.13	0.07	0.00	0.00	3.16	6.91									
H13BC011	4.14	0.40	0.22	0.12	0.00	0.00	4.03	8.91									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H13	cont.																
	H13BC012	3.39	0.32	0.13	0.07	0.00	0.00	3.30	7.21								
	H13BC013	3.06	0.29	0.13	0.07	0.00	0.00	2.98	6.53								
	H13CB001	2.06	0.39	0.22	0.37	0.00	0.00	2.16	5.20								
	H13CB002	2.22	0.42	0.44	0.49	0.00	0.00	2.33	5.90								
	H13CO002	1.11	0.21	0.22	0.37	0.00	0.00	1.16	3.07								
	H13CO003	1.78	0.44	0.13	0.32	0.00	0.00	2.23	4.90								
	H13CO004	2.55	0.63	0.13	0.57	0.00	0.00	3.20	7.08								
	H13CO005	4.28	1.06	0.13	0.57	0.00	0.00	5.36	11.40								
	H13CO006	3.63	0.90	0.13	0.42	0.00	0.00	4.55	9.63								
	H13EP001	2.04	0.39	0.22	0.37	0.00	0.00	2.13	5.15								
	H13EP002	2.65	0.66	0.33	0.48	0.00	0.00	3.33	7.45								
	H13KP001	6.96	1.34	0.54	0.29	0.13	0.02	7.30	16.58								
	H13KP002	7.90	1.52	0.68	0.36	0.13	0.02	8.28	18.89								
	H13KP003	9.30	1.78	0.96	0.51	0.13	0.02	9.75	22.45								
	H13KP004	10.71	2.05	1.22	0.65	0.13	0.02	11.22	26.00								
	H13MN001	29.31	5.65	6.53	6.15	0.53	0.08	34.61	82.86								
	H13MN002	34.32	6.63	8.71	8.20	0.69	0.10	40.53	99.18								
	H13MN003	38.91	7.50	8.71	9.20	0.69	0.10	45.94	111.05								
	H13MN004	44.49	8.57	13.07	12.30	0.69	0.10	52.52	131.74								
	H13PR001	8.05	1.69	0.13	0.07	0.00	0.00	10.09	20.03								
	H13PR002	23.70	4.55	0.13	1.57	0.47	0.07	24.84	55.33								
	H13PR003	14.42	3.02	0.22	0.12	0.00	0.00	18.06	35.84								
	H13PR005	18.82	3.94	0.22	0.12	0.00	0.00	23.57	46.67								
	H13PR006	21.00	4.04	0.22	1.62	0.47	0.07	22.01	49.43								
	H13PR007	22.62	4.74	0.44	0.24	0.00	0.00	28.33	56.37								
	H13PR011	32.83	6.29	0.09	1.55	0.47	0.07	34.41	75.71								
H13PR012	35.33	6.77	0.13	1.57	0.47	0.07	37.02	81.36									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H13	<i>cont.</i>																
	H13PR013	37.50	7.19	0.22	1.62	0.47	0.07	39.30	86.37								
	H13PR014	42.01	8.04	0.35	1.69	0.47	0.07	44.02	96.65								
	H13PR015	47.89	9.17	0.35	1.69	0.47	0.07	50.17	109.81								
	H13PR022	16.60	3.48	0.09	0.05	0.00	0.00	20.79	41.01								
	H13PR023	19.01	3.98	0.13	0.07	0.00	0.00	23.81	47.00								
	H13PR024	21.09	4.42	0.13	0.07	0.00	0.00	26.41	52.12								
	H13PR025	25.33	5.31	0.13	0.07	0.00	0.00	31.73	62.57								
	H13PR026	30.87	6.47	0.17	0.09	0.00	0.00	38.66	76.26								
	H13S5001	4.74	0.90	0.13	0.07	0.00	0.00	4.96	10.80								
	H13S5002	7.44	1.42	0.22	0.12	0.00	0.00	7.79	16.99								
	H13S5003	8.83	1.68	0.22	0.12	0.00	0.00	9.25	20.10								
	H13SH001	4.62	0.88	0.87	0.42	0.00	0.00	5.44	12.23								
	H13SH002	4.33	0.83	0.87	0.42	0.00	0.00	5.11	11.56								
	H13SH003	7.46	1.42	1.74	0.84	0.00	0.00	8.80	20.26								
	H13SH004	7.79	1.49	1.74	0.84	0.00	0.00	9.19	21.05								
	H13SH005	12.59	2.40	4.36	2.10	0.00	0.00	14.84	36.29								
	H13SH006	40.20	7.67	13.07	6.30	0.00	0.00	47.39	114.63								
	H13SH007	52.26	9.97	26.13	12.59	0.00	0.00	61.61	162.56								
	H13TH001	1.16	0.22	0.22	0.12	0.00	0.00	1.21	2.93								
	H13TH002	2.14	0.41	0.80	0.08	0.06	0.01	2.25	5.75								
	H13TH003	2.43	0.47	0.80	0.08	0.06	0.01	2.55	6.40								
	H13YB001	31.49	6.01	2.18	1.17	0.00	0.00	32.98	73.83								
H13YB002	31.49	6.01	2.18	1.17	0.00	0.00	32.98	73.83									
H13YB003	31.49	6.01	2.18	1.17	0.00	0.00	32.98	73.83									
H20																	
	H20BE002	3.43	0.65	0.00	0.20	0.00	0.00	3.82	8.10								
	H20BE003	4.26	0.81	0.00	0.30	0.00	0.00	4.74	10.11								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H20	cont. H20BE004	4.70	0.89	0.00	0.40	0.00	0.00	5.22	11.21								
H25	H25AU001	1.06	0.13	0.00	0.00	0.00	0.00	1.39	2.58								
	H25AU002	1.23	0.15	0.00	0.00	0.00	0.00	1.60	2.98								
	H25AU003	1.71	0.21	0.00	0.00	0.00	0.00	2.24	4.16								
	H25AU004	2.67	0.33	0.00	0.00	0.00	0.00	3.50	6.50								
	H25AU005	2.68	0.33	0.00	0.00	0.00	0.00	3.50	6.51								
	H25AX001	1.11	0.14	0.00	0.00	0.00	0.00	1.45	2.70								
	H25AX002	1.31	0.16	0.00	0.00	0.00	0.00	1.71	3.18								
	H25AX003	1.34	0.16	0.00	0.00	0.00	0.00	1.75	3.25								
	H25AX004	1.62	0.20	0.00	0.00	0.00	0.00	2.12	3.94								
	H25AX005	1.51	0.19	0.00	0.00	0.00	0.00	1.98	3.68								
	H25AX006	1.87	0.23	0.00	0.00	0.00	0.00	2.45	4.55								
	H25BS001	0.70	0.09	0.00	0.00	0.00	0.00	0.78	1.57								
	H25BS002	0.82	0.11	0.00	0.00	0.00	0.00	0.91	1.84								
	H25BS003	0.91	0.12	0.00	0.00	0.00	0.00	1.01	2.04								
	H25BS004	1.10	0.15	0.00	0.00	0.00	0.00	1.22	2.47								
	H25BS005	1.73	0.23	0.00	0.00	0.00	0.00	1.93	3.89								
	H25CA020	11.65	2.32	7.03	1.06	0.00	0.00	11.59	33.65	14.14	2.37	9.30	1.40	0.00	0.00	17.09	44.30
	H25CA021	11.74	2.34	7.47	1.12	0.00	0.00	11.68	34.35	14.26	2.39	9.88	1.49	0.00	0.00	17.22	45.24
	H25CA022	13.36	3.64	11.39	1.71	0.00	0.00	15.17	45.27	16.03	3.70	15.06	2.27	0.00	0.00	21.63	58.69
	H25CA023	19.09	5.21	11.39	1.71	0.00	0.00	21.68	59.08	22.91	5.28	15.06	2.27	0.00	0.00	30.91	76.43
	H25CA034	3.54	0.67	1.60	0.24	0.00	0.00	3.52	9.57	4.04	0.68	2.12	0.32	0.00	0.00	4.59	11.75
	H25CA035	4.17	0.79	2.67	0.40	0.00	0.00	4.15	12.18	4.77	0.80	3.53	0.53	0.00	0.00	5.42	15.05
	H25CA036	6.70	1.26	4.18	0.63	0.00	0.00	6.66	19.43	7.65	1.28	5.53	0.83	0.00	0.00	8.69	23.98
	H25CA038	9.07	1.80	4.80	0.72	0.00	0.00	9.02	25.41	11.01	1.84	6.35	0.96	0.00	0.00	13.30	33.46
	H25CA040	8.99	2.45	11.12	1.67	0.00	0.00	10.21	34.44	10.79	2.49	14.71	2.21	0.00	0.00	14.56	44.76

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H25	<i>cont.</i>																
	H25CA052	14.63	1.79	0.00	1.50	0.00	0.00	17.25	35.17								
	H25CA053	19.93	2.44	0.00	1.60	0.00	0.00	23.49	47.46								
	H25CA054	25.61	3.13	0.00	3.00	0.00	0.00	30.19	61.93								
	H25CA055	2.78	0.34	0.00	0.40	0.00	0.00	3.28	6.80								
	H25CA056	41.71	5.10	0.00	3.00	0.00	0.00	49.17	98.98								
	H25CA057	11.64	1.42	0.00	0.80	0.00	0.00	13.72	27.58								
	H25CA058	3.08	0.38	0.00	0.50	0.00	0.00	4.03	7.99								
	H25CA059	11.29	1.38	0.00	0.60	0.00	0.00	14.79	28.06								
	H25CA060	16.65	2.04	0.00	0.75	0.00	0.00	21.80	41.24								
	H25CA061	14.54	1.78	0.00	0.75	0.00	0.00	19.04	36.11								
	H25CA062	26.71	3.27	0.00	0.90	0.00	0.00	34.98	65.86								
	H25CA063	19.04	2.33	0.00	0.90	0.00	0.00	24.93	47.20								
	H25CA064	23.20	2.84	0.00	1.00	0.00	0.00	30.38	57.42								
	H25KC016	14.15	2.82	8.36	1.26	0.00	0.00	14.08	40.67	17.19	2.88	11.06	1.66	0.00	0.00	20.76	53.55
	H25KC017	9.94	1.98	4.80	0.72	0.00	0.00	9.88	27.32	12.06	2.02	6.35	0.96	0.00	0.00	14.57	35.96
	H25KC019	15.59	4.25	12.72	1.91	0.00	0.00	17.72	52.19	18.71	4.32	16.83	2.53	0.00	0.00	25.25	67.64
	H25KC020	16.96	4.63	12.72	1.91	0.00	0.00	19.27	55.49	20.36	4.69	16.83	2.53	0.00	0.00	27.47	71.88
	H25KC021	17.94	4.89	15.66	2.36	0.00	0.00	20.38	61.23	21.53	4.97	20.71	3.12	0.00	0.00	29.05	79.38
	H25KC022	20.31	5.54	15.66	2.36	0.00	0.00	23.07	66.94	24.37	5.62	20.71	3.12	0.00	0.00	32.89	86.71
	H25KC023	25.23	6.88	21.17	3.19	0.00	0.00	28.67	85.14	30.28	6.98	28.01	4.22	0.00	0.00	40.86	110.35
	H25KC024	23.82	8.51	27.22	1.29	0.00	0.00	33.85	94.69	28.23	8.60	36.01	1.71	0.00	0.00	44.11	118.66
	H25KC026	24.95	8.91	28.03	1.33	0.00	0.00	35.46	98.68	29.57	9.00	37.07	1.76	0.00	0.00	46.21	123.61
	H25KM001	12.49	2.48	7.92	1.19	0.00	0.00	12.42	36.50	15.16	2.54	10.47	1.58	0.00	0.00	18.32	48.07
	H25KM003	19.27	3.83	9.79	1.47	0.00	0.00	19.17	53.53	23.40	3.92	12.94	1.95	0.00	0.00	28.27	70.48
	H25KM009	43.20	18.15	40.39	2.08	0.00	0.00	67.51	171.33	54.72	18.40	53.42	2.75	0.00	0.00	97.19	226.48
	H25KM015	42.82	15.29	34.16	1.62	0.00	0.00	60.87	154.76	50.75	15.45	45.19	2.15	0.00	0.00	79.31	192.85
	H25KM018	4.52	0.85	1.78	0.27	0.00	0.00	4.49	11.91	5.16	0.86	2.35	0.35	0.00	0.00	5.86	14.58

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H25	cont.																
	H25KM021	6.12	1.15	3.47	0.52	0.00	0.00	6.08	17.34	6.99	1.17	4.59	0.69	0.00	0.00	7.94	21.38
	H25KM022	7.80	1.47	3.56	0.54	0.00	0.00	7.75	21.12	8.91	1.49	4.71	0.71	0.00	0.00	10.12	25.94
	H25KM023	9.63	1.81	4.80	0.72	0.00	0.00	9.58	26.54	11.00	1.84	6.35	0.96	0.00	0.00	12.50	32.65
	H25KM027	17.58	3.50	7.65	1.15	0.00	0.00	17.49	47.37	21.35	3.57	10.12	1.52	0.00	0.00	25.79	62.35
	H25KM033	86.51	36.35	80.78	4.16	0.00	0.00	135.19	342.99	109.58	36.85	106.84	5.50	0.00	0.00	194.62	453.39
	H25KN001	4.09	0.50	0.00	0.50	0.00	0.00	5.35	10.44								
	H25KN002	5.68	0.69	0.00	0.50	0.00	0.00	7.44	14.31								
	H25KN003	6.92	0.85	0.00	0.50	0.00	0.00	9.06	17.33								
	H25KN004	7.96	0.97	0.00	0.50	0.00	0.00	10.42	19.85								
	H25KN006	16.09	1.97	0.00	1.00	0.00	0.00	21.07	40.13								
	H25KN007	0.82	0.10	0.00	0.15	0.00	0.00	1.08	2.15								
	H25KN009	1.72	0.21	0.00	0.15	0.00	0.00	2.25	4.33								
	H25KN010	2.38	0.29	0.00	0.15	0.00	0.00	3.11	5.93								
	H25LI003	12.94	2.57	7.92	1.19	0.00	0.00	12.87	37.49	15.72	2.63	10.47	1.58	0.00	0.00	18.98	49.38
	H25LI005	15.16	3.02	8.99	1.35	0.00	0.00	15.08	43.60	18.41	3.08	11.88	1.79	0.00	0.00	22.24	57.40
	H25LU001	3.71	0.45	0.00	0.40	0.00	0.00	4.37	8.93								
	H25LU002	4.18	0.51	0.00	0.50	0.00	0.00	4.93	10.12								
	H25LU003	6.47	0.79	0.00	0.80	0.00	0.00	7.63	15.69								
	H25LU004	7.52	0.92	0.00	0.90	0.00	0.00	8.87	18.21								
	H25LU005	9.44	1.15	0.00	1.10	0.00	0.00	11.13	22.82								
	H25LU006	13.22	1.62	0.00	1.50	0.00	0.00	15.59	31.93								
	H25LU007	11.30	1.38	0.00	1.40	0.00	0.00	13.32	27.40								
	H25LU008	14.77	1.81	0.00	1.60	0.00	0.00	17.41	35.59								
	H25LU009	16.23	1.98	0.00	1.70	0.00	0.00	19.13	39.04								
	H25LU010	19.51	2.39	0.00	2.00	0.00	0.00	23.00	46.90								
	H25LU011	19.31	2.36	0.00	2.00	0.00	0.00	22.77	46.44								
H25LU012	23.65	2.89	0.00	2.50	0.00	0.00	27.88	56.92									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H25	cont.																
	H25LU013	24.41	2.98	0.00	2.60	0.00	0.00	28.77	58.76								
	H25LU014	28.42	3.47	0.00	3.00	0.00	0.00	33.50	68.39								
	H25LU023	4.81	0.64	0.00	0.25	0.00	0.00	5.35	11.05								
	H25LU024	2.43	0.32	0.00	0.30	0.00	0.00	2.70	5.75								
	H25LU025	2.98	0.40	0.00	0.40	0.00	0.00	3.31	7.09								
	H25LU026	3.40	0.45	0.00	0.50	0.00	0.00	3.78	8.13								
	H25LU027	3.81	0.51	0.00	0.60	0.00	0.00	4.24	9.16								
	H25LU028	6.27	0.84	0.00	0.70	0.00	0.00	6.97	14.78								
	H25LU034	9.03	1.21	0.00	0.80	0.00	0.00	10.04	21.08								
	H25LU035	10.85	1.45	0.00	0.90	0.00	0.00	12.07	25.27								
	H25LU036	12.52	1.67	0.00	1.00	0.00	0.00	13.93	29.12								
	H25LU040	20.12	2.46	0.00	0.75	0.00	0.00	26.35	49.68								
	H25LU041	24.68	3.02	0.00	0.75	0.00	0.00	32.31	60.76								
	H25LU042	29.79	3.64	0.00	1.50	0.00	0.00	39.01	73.94								
	H25LU046	4.79	0.59	0.00	0.50	0.00	0.00	6.28	12.16								
	H25LU047	5.51	0.67	0.00	0.60	0.00	0.00	7.21	13.99								
	H25LU048	5.92	0.72	0.00	0.70	0.00	0.00	7.76	15.10								
	H25LU049	7.17	0.88	0.00	0.80	0.00	0.00	9.38	18.23								
	H25LU050	10.85	1.33	0.00	0.90	0.00	0.00	14.21	27.29								
	H25LU053	21.17	2.59	0.00	0.75	0.00	0.00	27.72	52.23								
	H25LU054	26.05	3.19	0.00	0.75	0.00	0.00	34.12	64.11								
	H25ME001	2.77	0.52	1.18	0.18	0.00	0.00	2.76	7.41	3.17	0.53	1.57	0.24	0.00	0.00	3.60	9.11
	H25ME002	4.00	0.75	3.56	0.54	0.00	0.00	3.98	12.83	4.57	0.76	4.71	0.71	0.00	0.00	5.19	15.94
	H25ME003	5.56	1.05	4.27	0.64	0.00	0.00	5.53	17.05	6.36	1.06	5.65	0.85	0.00	0.00	7.22	21.14
	H25WN001	1.00	0.13	0.00	0.00	0.00	0.00	1.12	2.25								
H25WN002	1.14	0.14	0.00	0.00	0.00	0.00	1.50	2.78									
H25WN003	1.26	0.15	0.00	0.00	0.00	0.00	1.65	3.06									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
H25	<i>cont.</i>																
	H25WN004	1.38	0.17	0.00	0.00	0.00	0.00	1.81	3.36								
	H25WN005	1.57	0.19	0.00	0.00	0.00	0.00	2.06	3.82								
H30	H30CA005	18.45	3.57	12.57	1.79	1.45	0.22	13.20	51.25	22.71	3.66	16.03	2.28	5.22	0.79	17.86	68.55
	H30CA007	15.36	3.02	10.07	1.43	1.99	0.30	11.04	43.21	18.91	3.10	12.85	1.83	7.17	1.09	14.94	59.89
	H30GA006	26.94	5.17	19.39	2.76	1.36	0.21	19.24	75.07	33.16	5.30	24.74	3.52	4.83	0.73	26.04	98.32
	H30GA007	19.02	3.64	11.49	1.64	0.84	0.13	13.58	50.34	23.41	3.73	14.65	2.09	2.97	0.45	18.37	65.67
	H30GA008	23.59	5.64	17.49	2.49	5.03	0.76	20.29	75.29	29.49	5.76	22.02	3.14	17.79	2.70	27.50	108.40
	H30KM001	18.27	4.27	10.24	1.46	0.90	0.14	15.62	50.90	22.84	4.36	13.06	1.86	3.23	0.49	21.17	67.01
H35	H35HI006	67.32	21.79	57.03	2.94	0.00	0.00	107.62	256.70	76.93	21.96	75.43	3.89	0.00	0.00	133.19	311.40
	H35OK001	42.68	13.81	54.00	2.78	0.00	0.00	68.24	181.51	48.78	13.92	71.43	3.68	0.00	0.00	84.45	222.26
	H35OK003	86.65	28.04	90.57	4.67	0.00	0.00	138.53	348.46	99.03	28.26	119.79	6.17	0.00	0.00	171.45	424.70
	H35OK004	138.24	44.74	113.88	5.87	0.00	0.00	221.02	523.75	157.99	45.09	150.62	7.76	0.00	0.00	273.53	634.99
	H35OK005	260.64	84.35	200.18	10.31	0.00	0.00	416.69	972.17	297.87	85.01	264.76	13.64	0.00	0.00	515.69	1,176.97
L10	L10BS002	2.37	0.50	0.00	0.30	0.00	0.00	2.98	6.15	3.39	0.52	0.00	0.30	0.00	0.00	4.73	8.94
	L10BS004	0.82	0.17	0.00	0.25	0.00	0.00	1.03	2.27	1.17	0.18	0.00	0.25	0.00	0.00	1.63	3.23
	L10BS005	2.18	0.46	0.00	0.30	0.00	0.00	2.73	5.67	3.11	0.47	0.00	0.30	0.00	0.00	4.34	8.22
	L10BS007	3.05	0.64	0.00	0.50	0.00	0.00	3.84	8.03	4.36	0.66	0.00	0.50	0.00	0.00	6.09	11.61
	L10BU005	0.77	0.16	0.00	1.10	0.00	0.00	0.97	3.00	1.10	0.17	0.00	1.10	0.00	0.00	1.53	3.90
	L10BU009	0.41	0.09	0.00	0.90	0.00	0.00	0.51	1.91	0.58	0.09	0.00	0.90	0.00	0.00	0.81	2.38
	L10BU010	0.39	0.08	0.00	0.80	0.00	0.00	0.49	1.76	0.56	0.09	0.00	0.80	0.00	0.00	0.78	2.23
	L10BU011	0.85	0.18	0.00	1.50	0.00	0.00	1.06	3.59	1.21	0.18	0.00	1.50	0.00	0.00	1.69	4.58
	L10BU012	1.73	0.36	0.00	2.00	0.00	0.00	2.18	6.27	2.48	0.38	0.00	2.00	0.00	0.00	3.46	8.32

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
L10	<i>cont.</i>																
	L10BU013	1.80	0.38	0.00	2.50	0.00	0.00	2.26	6.94	2.57	0.39	0.00	2.50	0.00	0.00	3.59	9.05
	L10RM001	4.23	0.89	0.00	0.40	0.00	0.00	5.31	10.83	6.04	0.92	0.00	0.40	0.00	0.00	8.43	15.79
	L10RM002	3.84	0.80	0.00	0.00	0.00	0.00	4.82	9.46	5.48	0.84	0.00	0.00	0.00	0.00	7.66	13.98
	L10VE002	1.83	0.39	5.92	0.76	0.07	0.01	2.30	11.28	2.61	0.41	7.67	0.99	0.23	0.03	3.66	15.60
	L10VE005	0.98	0.21	2.20	0.28	0.06	0.01	1.24	4.98	1.41	0.22	2.85	0.37	0.20	0.03	1.98	7.06
	L10VE006	2.59	0.55	3.38	0.43	0.06	0.01	3.26	10.28	3.70	0.57	4.38	0.56	0.20	0.03	5.18	14.62
	L10VE007	2.28	0.48	0.00	1.50	0.00	0.00	2.86	7.12	3.25	0.50	0.00	1.50	0.00	0.00	4.54	9.79
	L10VE009	2.90	0.61	6.49	0.72	0.06	0.01	3.64	14.43	4.14	0.64	8.28	0.92	0.20	0.03	5.79	20.00
	L10VE010	1.00	0.21	4.56	0.59	0.03	0.00	1.26	7.65	1.43	0.22	5.92	0.76	0.10	0.02	2.00	10.45
L15	L15BW001	3.49	0.31	5.63	0.58	0.08	0.01	3.20	13.30								
	L15BW002	6.28	0.57	7.89	0.81	0.17	0.03	5.77	21.52								
	L15BW003	7.24	0.65	11.27	1.16	0.17	0.03	6.66	27.18								
	L15BW004	10.51	0.93	9.82	1.01	0.00	0.00	9.63	31.90								
	L15FG001	39.67	3.49	17.88	1.84	0.00	0.00	36.36	99.24								
	L15FG002	9.06	0.81	12.54	1.29	0.12	0.02	8.31	32.15								
	L15HZ001	0.17	0.02	0.68	0.07	0.00	0.00	0.16	1.10								
	L15JD001	1.64	0.21	4.51	0.46	1.54	0.23	1.60	10.19								
	L15JD005	0.49	0.04	0.00	0.00	0.00	0.00	0.45	0.98								
	L15JD006	0.90	0.08	0.00	0.00	0.00	0.00	0.82	1.80								
	L15TO001	0.28	0.02	1.35	0.14	0.00	0.00	0.26	2.05								
	L15TO002	0.77	0.08	3.38	0.35	0.18	0.03	0.71	5.50								
	L15TO003	1.56	0.15	4.73	0.49	0.18	0.03	1.44	8.58								
	L15TO004	1.68	0.16	4.73	0.49	0.16	0.02	1.55	8.79								
	L15TO006	3.10	0.28	6.54	0.67	0.30	0.05	2.86	13.80								
	L15TO007	3.20	0.29	6.54	0.67	0.30	0.05	2.95	14.00								
	L15WI001	1.68	0.15	0.00	0.05	0.10	0.02	1.55	3.55								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
L20	L20AB017	1.34	0.23	1.58	0.16	0.06	0.01	2.81	6.19								
	L20AB018	1.49	0.26	1.68	0.17	0.06	0.01	3.13	6.80								
	L20AB019	1.75	0.30	1.68	0.17	0.06	0.01	3.67	7.64								
	L20AB020	1.13	0.20	1.35	0.14	0.06	0.01	2.37	5.26								
	L20AB021	1.19	0.21	1.68	0.17	0.06	0.01	2.50	5.82								
	L20AB022	1.35	0.24	1.58	0.16	0.06	0.01	2.83	6.23								
	L20AB023	0.55	0.10	0.00	0.00	0.04	0.01	1.16	1.86								
	L20AB024	0.59	0.10	0.00	0.00	0.04	0.01	1.24	1.98								
L25	L25JE001	1.17	0.20	3.13	0.32	0.00	0.00	1.96	6.78								
	L25JE002	9.85	1.71	27.06	2.78	0.32	0.05	16.49	58.26								
	L25MB002	0.50	0.11	1.21	1.12	0.31	0.05	0.87	4.17								
	L25MB004	15.29	2.64	45.79	6.20	0.32	0.05	25.57	95.86								
	L25MB005	1.00	0.19	2.41	1.25	0.31	0.05	1.71	6.92								
	L25MB006	9.33	1.60	14.46	2.73	0.00	0.00	15.58	43.70								
	L25MB007	5.24	0.90	5.54	1.57	0.00	0.00	8.75	22.00								
	L25MB008	16.41	2.88	22.36	3.79	0.91	0.14	27.53	74.02								
L30	L30HW015	11.19	2.40	1.09	0.53	0.69	0.10	15.64	31.64	13.99	2.45	1.42	0.68	2.21	0.33	21.50	42.58
	L30KB001	2.65	0.57	0.65	0.31	0.23	0.03	3.72	8.16	3.32	0.59	0.85	0.41	0.74	0.11	5.11	11.13
	L30KB002	2.80	0.61	0.65	0.31	0.23	0.03	3.92	8.55	3.50	0.62	0.85	0.41	0.74	0.11	5.39	11.62
	L30RA001	5.83	1.24	2.22	0.27	0.25	0.04	8.14	17.99	7.29	1.27	2.94	0.35	0.80	0.12	11.19	23.96
	L30S4001	1.51	0.32	0.65	0.31	0.00	0.00	2.10	4.89	1.88	0.32	0.85	0.41	0.00	0.00	2.88	6.34
	L30S4002	1.71	0.36	0.00	0.00	0.00	0.00	2.38	4.45	2.14	0.37	0.00	0.00	0.00	0.00	3.27	5.78
	L30S4003	0.13	0.03	0.00	0.00	0.00	0.00	0.18	0.34	0.17	0.03	0.00	0.00	0.00	0.00	0.25	0.45

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
L30	<i>cont.</i>																
	L30S4004	0.22	0.05	0.00	0.00	0.00	0.00	0.30	0.57	0.27	0.05	0.00	0.00	0.00	0.00	0.42	0.74
	L30TS001	2.85	0.64	0.52	0.25	0.53	0.08	4.02	8.89	3.56	0.65	0.68	0.33	1.67	0.25	5.53	12.67
L35	L35CA005	16.50	3.46	14.44	1.47	0.00	0.00	25.35	61.22	20.63	3.54	18.69	1.91	0.00	0.00	35.99	80.76
	L35CA007	30.87	6.47	23.61	2.41	0.00	0.00	47.42	110.78	38.59	6.62	30.56	3.12	0.00	0.00	67.33	146.22
	L35CA013	10.05	2.11	8.78	0.90	0.00	0.00	15.44	37.28	12.57	2.15	11.37	1.16	0.00	0.00	21.93	49.18
	L35CA014	22.50	4.71	15.61	1.59	0.00	0.00	34.56	78.97	28.12	4.82	20.20	2.06	0.00	0.00	49.07	104.27
	L35KM006	36.45	7.64	19.52	1.99	0.00	0.00	55.99	121.59	45.56	7.81	25.26	2.58	0.00	0.00	79.50	160.71
L40	L40CA007	26.40	7.72	26.69	2.16	11.88	1.80	26.11	102.76	29.70	7.78	35.30	2.85	42.75	6.48	31.48	156.34
	L40CA009	89.08	26.51	71.18	5.75	20.94	3.17	88.44	305.07	100.22	26.72	94.14	7.61	75.39	11.42	106.62	422.12
	L40CA012	14.03	3.28	12.90	1.45	1.04	0.16	17.83	50.69	15.17	3.30	17.06	1.91	3.75	0.57	20.39	62.15
	L40CA013	8.75	2.06	8.01	0.90	1.00	0.15	11.14	32.01	9.46	2.07	10.59	1.19	3.58	0.54	12.74	40.17
	L40CA014	19.57	4.57	17.79	1.99	1.35	0.20	24.86	70.33	21.15	4.60	23.53	2.64	4.85	0.73	28.43	85.93
	L40CA015	11.19	2.45	13.26	1.49	1.04	0.16	11.72	41.31	11.83	2.46	17.53	1.97	3.75	0.57	14.17	52.28
	L40CA018	65.25	19.17	54.98	4.44	12.60	1.91	64.60	222.95	73.41	19.32	72.72	5.88	45.35	6.87	77.88	301.43
	L40CA019	8.07	1.77	8.45	0.95	1.00	0.15	8.47	28.86	8.53	1.78	11.18	1.25	3.58	0.54	10.23	37.09
	L40CA022	11.26	2.46	11.39	1.28	1.04	0.16	11.80	39.39	11.91	2.47	15.06	1.69	3.75	0.57	14.26	49.71
	L40CA023	13.49	3.01	16.01	1.79	2.71	0.41	14.20	51.62	14.26	3.02	21.18	2.37	9.76	1.48	17.16	69.23
	L40CA024	16.87	3.79	17.53	1.97	3.96	0.60	17.79	62.51	17.84	3.81	23.18	2.60	14.26	2.16	21.51	85.36
	L40CA025	17.96	4.02	18.77	2.10	3.96	0.60	18.93	66.34	18.99	4.04	24.83	2.78	14.26	2.16	22.88	89.94
	L40CA028	2.98	0.54	4.78	0.54	0.86	0.13	3.37	13.20								
	L40CA029	3.32	0.60	5.27	0.59	0.86	0.13	3.75	14.52								
	L40CA030	3.73	0.68	5.76	0.65	1.19	0.18	4.22	16.41								
	L40CA031	3.63	0.66	7.22	0.81	1.19	0.18	4.11	17.80								
	L40CA032	3.68	0.83	4.63	0.52	0.57	0.09	3.88	14.20	3.89	0.83	6.12	0.69	2.06	0.31	4.69	18.59

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
L40	<i>cont.</i>																
	L40CA033	4.87	1.08	6.05	0.68	0.57	0.09	5.12	18.46	5.15	1.09	8.00	0.90	2.06	0.31	6.19	23.70
	L40CA034	5.45	1.27	6.76	0.76	2.98	0.45	5.80	23.47	5.76	1.27	8.94	1.00	10.72	1.62	7.01	36.32
	L40CS009	12.47	2.76	12.10	1.36	1.92	0.29	13.10	44.00	13.18	2.77	16.00	1.79	6.92	1.05	15.83	57.54
	L40CS010	14.92	3.28	16.10	1.81	1.92	0.29	15.65	53.97	15.77	3.30	21.30	2.39	6.92	1.05	18.92	69.65
	L40CS011	18.54	4.14	16.64	1.87	3.96	0.60	19.53	65.28	19.60	4.17	22.00	2.47	14.26	2.16	23.60	88.26
	L40KM003	12.02	2.63	12.37	1.39	1.26	0.19	12.60	42.46	12.71	2.65	16.36	1.83	4.53	0.69	15.22	53.99
	L40KM008	26.38	7.72	29.80	2.41	7.60	1.15	26.10	101.16	29.68	7.78	39.42	3.19	27.36	4.15	31.46	143.04
	L40KM009	37.13	11.01	43.60	3.52	8.28	1.25	36.83	141.62	41.77	11.09	57.66	4.66	29.80	4.51	44.40	193.89
	L40KM010	60.66	17.90	60.86	4.92	12.60	1.91	60.11	218.96	68.24	18.04	80.49	6.50	45.35	6.87	72.47	297.96
	L40KM011	76.30	22.98	75.89	6.13	20.94	3.17	75.94	281.35	85.84	23.16	100.37	8.11	75.39	11.42	91.55	395.84
	L40KM015	6.91	1.54	6.67	0.75	0.95	0.14	7.28	24.24	7.31	1.55	8.83	0.99	3.42	0.52	8.80	31.42
	L40ME012	2.66	0.47	4.49	0.50	0.38	0.06	2.99	11.55								
	L40ME016	1.61	0.29	2.29	0.26	0.31	0.05	1.81	6.62								
	L40ME017	1.99	0.36	3.46	0.39	0.50	0.08	2.24	9.02								
	L40ME021	2.23	0.41	4.78	0.54	0.84	0.13	2.53	11.46								
L40ME022	3.34	0.60	7.32	0.82	0.84	0.13	3.77	16.82									
L40ME023	3.73	0.67	7.90	0.89	0.84	0.13	4.20	18.36									
L50	L50CA001	4.53	1.10	5.37	2.39	0.72	0.11	5.47	19.69	7.55	1.16	7.61	3.39	2.57	0.39	9.68	32.35
	L50CA004	10.83	2.59	7.58	3.38	1.29	0.20	13.03	38.90	18.05	2.74	10.73	4.78	4.57	0.69	23.08	64.64
	L50CS005	6.84	1.64	6.20	2.76	0.93	0.14	8.24	26.75	11.40	1.74	8.78	3.91	3.31	0.50	14.60	44.24
	L50CS006	8.22	1.97	6.75	3.01	1.10	0.17	9.90	31.12	13.70	2.08	9.56	4.26	3.92	0.59	17.53	51.64
	L50JC001	5.27	1.24	4.61	2.05	0.45	0.07	6.32	20.01	8.78	1.31	6.54	2.91	1.63	0.25	11.19	32.61
	L50JC002	5.90	1.42	6.34	2.82	0.92	0.14	7.11	24.65	9.83	1.50	8.98	4.00	3.27	0.50	12.60	40.68
	L50JC003	7.12	1.72	6.89	3.07	1.24	0.19	8.59	28.82	11.87	1.82	9.76	4.35	4.47	0.68	15.22	48.17
	L50JC005	8.30	1.99	6.89	3.07	1.24	0.19	9.99	31.67	13.83	2.10	9.76	4.35	4.47	0.68	17.70	52.89
	L50JC007	10.63	2.54	6.89	3.07	1.39	0.21	12.78	37.51	17.71	2.68	9.76	4.35	4.99	0.76	22.64	62.89

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
L55	L55KN001	0.92	0.12	0.00	0.52	0.00	0.00	1.29	2.85								
	L55KN002	1.89	0.25	0.00	1.06	0.00	0.00	2.63	5.83								
	L55KN004	1.75	0.23	0.00	0.00	0.00	0.00	2.43	4.41								
	L55KN005	2.58	0.34	0.00	0.00	0.00	0.00	3.59	6.51								
	L55KN006	3.85	0.51	0.00	0.00	0.00	0.00	5.35	9.71								
	L60	L60CA010	28.20	5.38	13.35	1.60	0.00	0.00	26.90	75.43	35.25	5.52	17.65	2.12	0.00	0.00	38.44
L60CA011		33.72	6.43	13.35	1.60	0.00	0.00	32.17	87.27	42.14	6.60	17.65	2.12	0.00	0.00	45.96	114.47
L60CA013		18.97	3.76	14.24	1.71	2.25	0.34	18.20	59.47	23.71	3.86	18.83	2.26	7.86	1.19	26.01	83.72
L60CA014		24.61	4.69	10.68	1.28	0.00	0.00	23.48	64.74	30.76	4.82	14.12	1.69	0.00	0.00	33.55	84.94
L60JD001		12.48	2.53	10.59	1.27	2.89	0.44	12.02	42.22	15.60	2.60	14.00	1.68	10.39	1.57	17.18	63.02
L60JD002		14.92	3.00	13.43	1.61	2.89	0.44	14.35	50.64	18.65	3.08	17.77	2.13	10.39	1.57	20.51	74.10
L60JD003		12.16	2.47	10.59	1.27	2.89	0.44	11.72	41.54	15.20	2.54	14.00	1.68	10.39	1.57	16.75	62.13
L60JD004		15.90	3.27	14.24	1.71	4.52	0.68	15.35	55.67	19.87	3.36	18.83	2.26	16.29	2.47	21.93	85.01
L60JD006		19.64	3.95	15.12	1.81	3.85	0.58	18.90	63.85	24.55	4.06	20.00	2.40	13.86	2.10	27.00	93.97
L60JD007		21.56	4.32	17.79	2.13	3.85	0.58	20.73	70.96	26.96	4.43	23.53	2.82	13.86	2.10	29.62	103.32
L60JD008	29.73	5.67	15.12	1.81	0.00	0.00	28.36	80.69	37.16	5.82	20.00	2.40	0.00	0.00	40.52	105.90	
M10	M10MZ001	2.99	0.34	0.00	0.00	0.00	0.00	1.89	5.22								
	M10MZ003	3.67	0.41	0.00	0.00	0.00	0.00	2.32	6.40								
	M10MZ005	0.84	0.41	0.00	0.00	0.00	0.00	0.64	1.89								
	M10MZ007	0.88	0.43	0.00	0.00	0.00	0.00	0.67	1.98								
	M10MZ010	2.62	0.77	12.46	2.03	0.00	0.00	2.45	20.33	3.23	0.78	16.47	2.68	0.00	0.00	3.23	26.39
	M10MZ011	3.78	1.11	18.68	3.04	0.00	0.00	3.53	30.14	4.65	1.12	24.71	4.02	0.00	0.00	4.65	39.15
	M10SM001	3.05	0.90	27.70	3.79	0.00	0.00	2.86	38.30	3.76	0.91	36.15	4.95	0.00	0.00	3.76	49.53

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
M10	cont.																
	M10SM003	3.79	1.11	36.93	5.06	0.00	0.00	3.54	50.43	4.66	1.13	48.20	6.60	0.00	0.00	4.67	65.26
	M10SM004	4.07	1.20	46.17	6.32	0.00	0.00	3.81	61.57	5.01	1.21	60.25	8.25	0.00	0.00	5.02	79.74
	M10SM005	1.41	0.41	21.24	2.91	0.00	0.00	1.32	27.29	1.74	0.42	27.72	3.80	0.00	0.00	1.74	35.42
	M10SM008	2.56	0.75	36.93	5.06	0.00	0.00	2.39	47.69	3.15	0.76	48.20	6.60	0.00	0.00	3.15	61.86
	M10XX001	0.18	0.09	0.00	0.00	0.00	0.00	0.14	0.41								
	M10XX002	0.57	0.28	0.00	0.00	0.00	0.00	0.43	1.28								
	M10XX003	0.69	0.34	0.00	0.00	0.00	0.00	0.52	1.55								
	M10XX004	1.12	0.54	0.00	0.00	0.00	0.00	0.85	2.51								
	M10XX005	1.70	2.18	0.00	0.00	0.00	0.00	1.22	5.10								
	M10XX006	2.40	3.07	0.00	0.00	0.00	0.00	1.72	7.19								
	M10XX007	3.05	3.90	0.00	0.00	0.00	0.00	2.19	9.14								
	M10XX008	4.23	5.41	0.00	0.00	0.00	0.00	3.03	12.67								
	M10XX009	0.78	0.23	9.23	1.26	0.00	0.00	0.73	12.23	0.96	0.23	12.05	1.65	0.00	0.00	0.96	15.85
	M10XX010	2.57	0.75	6.67	1.09	0.00	0.00	2.40	13.48	3.16	0.76	8.83	1.44	0.00	0.00	3.16	17.35
	M10XX011	2.96	0.87	8.90	1.45	0.00	0.00	2.76	16.94	3.64	0.88	11.77	1.92	0.00	0.00	3.64	21.85
	M10XX012	3.01	0.88	8.90	1.45	0.00	0.00	2.82	17.06	3.71	0.90	11.77	1.92	0.00	0.00	3.71	22.01
	M10XX013	3.90	1.15	10.23	1.67	0.00	0.00	3.65	20.60	4.80	1.16	13.53	2.20	0.00	0.00	4.81	26.50
	M10XX014	5.39	1.58	15.57	2.54	0.00	0.00	5.04	30.12	6.63	1.61	20.59	3.35	0.00	0.00	6.64	38.82
	M10XX015	6.76	1.99	22.24	3.62	0.00	0.00	6.33	40.94	8.32	2.01	29.42	4.79	0.00	0.00	8.33	52.87
	M10XX016	7.63	3.35	0.00	0.00	0.00	0.00	6.39	17.37								
	M10XX017	8.07	3.54	0.00	0.00	0.00	0.00	6.75	18.36								
	M10XX018	10.05	4.41	0.00	0.00	0.00	0.00	8.41	22.87								
	M10XX019	10.27	4.51	0.00	0.00	0.00	0.00	8.60	23.38								
M10XX021	16.81	5.02	33.81	5.50	0.00	0.00	16.96	78.10	20.17	5.07	44.71	7.28	0.00	0.00	21.63	98.86	
M10XX022	19.12	5.70	38.70	6.30	0.00	0.00	19.29	89.11	22.95	5.77	51.19	8.33	0.00	0.00	24.60	112.84	
M10XX023	25.59	7.63	35.59	5.79	0.00	0.00	25.82	100.42	30.71	7.73	47.07	7.66	0.00	0.00	32.93	126.10	
M10XX024	36.48	10.88	38.70	6.30	0.00	0.00	36.81	129.17	43.78	11.01	51.19	8.33	0.00	0.00	46.94	161.25	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
P10	P10IC001	11.96	2.12	15.57	2.13	0.00	0.00	16.38	48.16								
	P10IC002	18.83	3.34	26.69	3.66	0.00	0.00	25.79	78.31								
	P10IC005	49.92	8.85	71.18	9.75	0.00	0.00	68.35	208.05								
	P10IC010	1.86	0.33	0.00	0.00	0.00	0.00	2.55	4.74								
	P10IC011	3.60	0.64	1.16	0.16	0.00	0.00	4.92	10.48								
	P10IC012	2.64	0.47	0.00	0.00	0.00	0.00	3.62	6.73								
	P10IC013	4.49	0.80	2.40	0.33	0.00	0.00	6.15	14.17								
	P20	P20IC002	12.53	1.83	0.00	1.90	0.00	0.00	20.46	36.72							
P20IC003		12.78	1.87	0.00	2.50	0.00	0.00	20.86	38.01								
P20IC004		13.67	2.00	0.00	3.15	0.00	0.00	22.32	41.14								
P20MK001		7.61	1.11	0.00	1.25	0.00	0.00	12.42	22.39								
P20MK002		2.42	0.32	0.00	0.50	0.00	0.00	3.70	6.94								
P20MK003		3.06	0.41	0.00	1.00	0.00	0.00	4.69	9.16								
P20MK004		3.82	0.51	0.00	1.25	0.00	0.00	5.84	11.42								
P20MK005		6.41	0.86	0.00	1.25	0.00	0.00	9.80	18.32								
P20MK006		7.14	0.95	0.00	2.50	0.00	0.00	10.93	21.52								
P20MK007		7.85	1.05	0.00	2.50	0.00	0.00	12.02	23.42								
P25	P25DL001	7.30	0.97	0.00	0.95	0.00	0.00	10.16	19.38								
	P25DL003	8.77	1.17	0.00	1.20	0.00	0.00	12.21	23.35								
	P25DL004	10.05	1.34	0.00	1.80	0.00	0.00	13.99	27.18								
	P25DL005	13.85	1.85	0.00	2.65	0.00	0.00	19.27	37.62								
	P25DL006	14.36	1.92	0.00	3.30	0.00	0.00	19.97	39.55								
	P25DL008	17.72	2.37	0.00	5.30	0.00	0.00	24.65	50.04								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
P25	<i>cont.</i>																
	P25DL009	26.63	3.56	0.00	6.60	0.00	0.00	37.05	73.84								
	P25DL010	38.77	5.18	0.00	8.25	0.00	0.00	53.93	106.13								
	P25DL011	41.46	5.54	0.00	9.90	0.00	0.00	57.68	114.58								
	P25IC001	9.13	1.22	0.00	2.20	0.00	0.00	12.71	25.26								
	P25IC002	10.18	1.36	0.00	3.45	0.00	0.00	14.16	29.15								
	P25IC003	14.70	1.96	0.00	4.40	0.00	0.00	20.45	41.51								
	P25IC004	16.39	2.19	0.00	5.30	0.00	0.00	22.81	46.69								
	P25IC005	20.32	2.71	0.00	6.25	0.00	0.00	28.26	57.54								
	P25IC006	25.09	3.35	0.00	7.20	0.00	0.00	34.90	70.54								
	P25MK001	8.98	1.20	0.00	2.50	0.00	0.00	12.50	25.18								
	P25MK003	14.93	1.99	0.00	4.15	0.00	0.00	20.76	41.83								
	P25VU002	10.19	1.25	0.00	2.50	0.00	0.00	13.35	27.29								
	P25VU003	12.49	1.53	0.00	2.50	0.00	0.00	16.36	32.88								
	P25VU004	12.79	1.56	0.00	2.50	0.00	0.00	16.75	33.60								
	P25VU005	17.22	2.11	0.00	2.50	0.00	0.00	22.55	44.38								
P25VU010	17.72	2.17	0.00	0.95	0.00	0.00	23.21	44.05									
P25VU011	17.96	2.20	0.00	1.17	0.00	0.00	23.52	44.85									
P30																	
	P30MK001	12.77	1.71	16.46	2.25	0.00	0.00	17.77	50.96								
	P30MK003	22.06	2.95	28.92	3.96	0.00	0.00	30.70	88.59								
	P30MK004	37.21	4.97	56.05	7.68	0.00	0.00	51.76	157.67								
P35																	
	P35CA001	12.82	3.66	5.37	0.92	0.00	0.00	17.00	39.77	15.61	3.72	6.95	1.19	0.00	0.00	23.97	51.44
	P35CA006	39.20	11.19	20.49	3.52	0.00	0.00	51.99	126.39	47.72	11.36	26.52	4.55	0.00	0.00	73.31	163.46
	P35CA008	23.54	6.72	11.22	1.93	0.00	0.00	31.22	74.63	28.66	6.82	14.52	2.49	0.00	0.00	44.02	96.51
	P35CA009	30.20	8.62	14.88	2.55	0.00	0.00	40.06	96.31	36.77	8.75	19.26	3.31	0.00	0.00	56.48	124.57

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
P40	P40BX001	1.51	0.22	0.00	0.05	0.00	0.00	1.43	3.21								
	P40TE003	9.98	1.47	2.20	0.26	1.25	0.19	9.47	24.82								
	P40TE004	11.63	1.70	3.03	0.36	1.03	0.16	11.03	28.94								
	P40TE005	8.75	1.29	4.55	0.55	1.25	0.19	8.30	24.88								
	P40TE006	11.92	1.74	4.55	0.55	1.12	0.17	11.30	31.35								
	P40TE007	20.00	2.90	4.55	0.55	1.12	0.17	18.95	48.24								
	P40TE008	22.24	3.22	5.23	0.63	1.12	0.17	21.08	53.69								
	P40TE009	24.80	3.59	5.23	0.63	1.12	0.17	23.50	59.04								
	P40TE010	8.41	1.23	14.46	1.74	0.61	0.09	7.97	34.51								
	P40TE011	9.16	1.35	14.46	1.74	1.06	0.16	8.70	36.63								
	P40TE012	13.95	2.04	14.46	1.74	1.06	0.16	13.23	46.64								
	P40TE013	12.71	1.86	14.46	1.74	1.06	0.16	12.06	44.05								
	P40TE014	12.99	1.90	14.46	1.74	1.06	0.16	12.32	44.63								
	P40TE015	14.74	2.15	14.46	1.74	1.06	0.16	13.98	48.29								
	P45	P45AF002	0.09	0.01	0.00	0.00	0.00	0.00	0.12	0.22							
P45AF003		0.12	0.02	0.00	0.00	0.00	0.00	0.16	0.30								
P45AF005		1.22	0.20	2.96	0.41	0.08	0.01	1.61	6.49								
P45AF006		1.59	0.26	2.96	0.41	0.08	0.01	2.10	7.41								
P45AF007		3.53	0.56	3.87	0.46	0.06	0.01	4.63	13.12								
P45AF008		0.82	0.13	0.00	0.10	0.00	0.00	1.07	2.12								
P45AF009		2.73	0.43	0.00	0.10	0.00	0.00	3.57	6.83								
P45AF010		3.19	0.51	4.85	0.66	0.08	0.01	4.19	13.49								
P45AF011		5.72	0.90	9.42	1.29	0.08	0.01	7.50	24.92								
P45AL015		6.36	1.00	5.94	0.71	0.08	0.01	8.33	22.43								
P45CG001		0.43	0.07	0.00	0.05	0.00	0.00	0.57	1.12								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
P45	<i>cont.</i>																
	P45CG002	0.71	0.11	0.00	0.10	0.00	0.00	0.92	1.84								
	P45CG003	1.64	0.26	0.00	0.15	0.00	0.00	2.15	4.20								
	P45CG006	2.95	0.47	4.31	0.59	0.08	0.01	3.87	12.28								
	P45CG007	2.40	0.38	4.31	0.59	0.00	0.00	3.14	10.82								
	P45OE002	3.65	0.58	7.10	0.85	0.14	0.02	4.80	17.14								
	P45OE003	4.75	0.76	10.85	1.30	0.14	0.02	6.24	24.06								
	P45OE004	5.70	0.90	15.50	1.86	0.14	0.02	7.47	31.59								
P45OE005	7.66	1.22	23.38	2.81	0.28	0.04	10.06	45.45									
P50	P50GR001	0.05	0.00	0.00	0.00	0.00	0.00	0.09	0.14								
	P50GR002	0.08	0.01	0.00	0.00	0.00	0.00	0.15	0.24								
	P50GR003	0.11	0.01	0.00	0.00	0.00	0.00	0.21	0.33								
	P50GR004	0.25	0.02	0.00	0.00	0.00	0.00	0.47	0.74								
	P50GR005	0.09	0.01	0.00	0.00	0.00	0.00	0.16	0.26								
	P50GR006	0.16	0.01	0.00	0.00	0.00	0.00	0.30	0.47								
	P50GR007	0.27	0.02	0.00	0.00	0.00	0.00	0.50	0.79								
	P50GR008	0.57	0.05	0.00	0.00	0.00	0.00	1.05	1.67								
	P50WC001	0.14	0.02	2.54	0.35	0.00	0.00	0.17	3.22								
	P50WC002	0.16	0.03	1.85	0.30	0.00	0.00	0.20	2.54								
	P50WC003	0.37	0.06	1.97	0.32	0.00	0.00	0.47	3.19								
	P50WC004	1.72	0.30	4.07	0.66	0.04	0.01	2.16	8.96								
	P50XX001	2.43	0.42	7.40	1.20	0.00	0.00	3.04	14.49								
	P50XX002	4.48	0.77	8.64	1.41	0.00	0.00	5.61	20.91								
	P50XX003	4.81	0.83	10.49	1.71	0.00	0.00	6.03	23.87								
P55	P55GF001	2.11	0.36	2.59	0.42	0.00	0.00	2.94	8.42								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
P55	<i>cont.</i>																
	P55GF002	2.36	0.40	8.89	1.45	0.00	0.00	3.28	16.38								
	P55GR001	0.41	0.06	0.12	0.06	0.00	0.00	0.32	0.97								
	P55GR002	0.51	0.08	0.30	0.14	0.00	0.00	0.40	1.43								
	P55GR003	1.62	0.25	1.51	0.73	0.00	0.00	1.27	5.38								
	P55GR004	2.43	0.38	3.62	1.74	0.00	0.00	1.91	10.08								
	P55WC001	0.04	0.01	0.06	0.03	0.00	0.00	0.03	0.17								
	P55WC002	0.06	0.01	0.06	0.03	0.00	0.00	0.05	0.21								
P60	P60GF003	2.35	0.41	2.59	0.42	0.08	0.01	2.95	8.81								
	P60GF004	2.60	0.45	8.89	1.45	0.08	0.01	3.26	16.74								
	P60GF005	3.00	0.52	13.95	2.27	0.08	0.01	3.77	23.60								
	P60GF006	4.65	0.80	17.28	2.81	0.09	0.01	5.84	31.48								
	P60GF008	2.60	0.45	8.89	1.45	0.08	0.01	3.26	16.74								
	P60GR001	2.46	0.43	5.80	0.94	0.07	0.01	3.08	12.79								
	P60GR002	2.87	0.50	25.61	3.51	0.07	0.01	3.60	36.17								
	P60HO002	0.09	0.02	0.89	0.12	0.00	0.00	0.12	1.24								
	P60HO003	0.17	0.03	2.03	0.28	0.00	0.00	0.21	2.72								
	P60WC001	0.07	0.01	1.01	0.14	0.00	0.00	0.09	1.32								
	P60WC002	0.09	0.02	1.52	0.21	0.00	0.00	0.11	1.95								
	P65	P65GR001	0.36	0.08	1.27	0.17	0.17	0.03	0.42	2.50							
P65GR002		0.44	0.09	0.38	0.05	0.17	0.03	0.50	1.66								
P65GR003		1.18	0.21	0.76	0.10	0.14	0.02	1.32	3.73								
P65HO001		0.17	0.03	0.89	0.12	0.00	0.00	0.21	1.42								
P65HO002		0.19	0.03	0.89	0.12	0.00	0.00	0.24	1.47								
P65WC001		0.18	0.03	1.01	0.14	0.00	0.00	0.19	1.55								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
P65	<i>cont.</i> P65WC002	0.19	0.03	1.01	0.14	0.00	0.00	0.21	1.58								
P70	P70XX001	0.32	0.06	0.51	0.07	0.00	0.00	0.38	1.34								
	P70XX002	0.83	0.16	1.52	0.21	0.00	0.00	0.98	3.70								
R10	R10CA001	1.07	0.18	0.00	0.08	0.00	0.00	1.34	2.67	1.31	0.19	0.00	0.08	0.00	0.00	1.83	3.41
	R10CA003	1.07	0.18	0.00	0.08	0.00	0.00	1.34	2.67	1.31	0.19	0.00	0.08	0.00	0.00	1.83	3.41
	R10CA005	1.07	0.18	0.00	0.08	0.00	0.00	1.34	2.67	1.31	0.19	0.00	0.08	0.00	0.00	1.83	3.41
	R10CA006	0.03	0.00	0.00	0.00	0.00	0.00	0.04	0.07	0.04	0.01	0.00	0.00	0.00	0.00	0.05	0.10
	R10CA007	2.46	0.42	0.00	0.08	0.00	0.00	3.09	6.05	3.03	0.43	0.00	0.08	0.00	0.00	4.22	7.76
	R10CA009	4.58	0.79	0.00	0.08	0.00	0.00	5.75	11.20	5.64	0.81	0.00	0.08	0.00	0.00	7.87	14.40
	R10CA010	0.18	0.03	0.00	0.00	0.00	0.00	0.23	0.44	0.23	0.03	0.00	0.00	0.00	0.00	0.31	0.57
	R10CA011	4.99	0.85	0.00	0.10	0.00	0.00	6.26	12.20	6.14	0.88	0.00	0.10	0.00	0.00	8.57	15.69
	R10CA012	5.88	1.01	0.00	0.10	0.00	0.00	7.38	14.37	7.24	1.03	0.00	0.10	0.00	0.00	10.10	18.47
	R10CA013	0.41	0.07	0.00	0.00	0.00	0.00	0.51	0.99	0.50	0.07	0.00	0.00	0.00	0.00	0.70	1.27
	R10CA014	6.40	1.10	0.00	0.16	0.00	0.00	8.04	15.70	7.87	1.13	0.00	0.16	0.00	0.00	10.99	20.15
	R10CA015	7.26	1.24	0.00	0.16	0.00	0.00	9.12	17.78	8.93	1.28	0.00	0.16	0.00	0.00	12.47	22.84
	R10CA016	0.41	0.07	0.00	0.00	0.00	0.00	0.52	1.00	0.51	0.07	0.00	0.00	0.00	0.00	0.71	1.29
	R10CA017	9.75	1.67	0.00	0.21	0.00	0.00	12.25	23.88	12.00	1.72	0.00	0.21	0.00	0.00	16.76	30.69
	R10CA018	11.62	1.99	0.00	0.22	0.00	0.00	14.60	28.43	14.30	2.05	0.00	0.22	0.00	0.00	19.97	36.54
	R10CA019	0.67	0.11	0.00	0.24	0.00	0.00	0.84	1.86	0.83	0.12	0.00	0.24	0.00	0.00	1.15	2.34
	R10CA020	11.66	2.00	0.00	0.23	0.00	0.00	14.65	28.54	14.35	2.05	0.00	0.23	0.00	0.00	20.04	36.67
	R10CA021	12.07	2.07	0.00	0.25	0.00	0.00	15.16	29.55	14.85	2.12	0.00	0.25	0.00	0.00	20.74	37.96
	R10CA022	0.11	0.02	0.00	0.00	0.00	0.00	0.14	0.27	0.14	0.02	0.00	0.00	0.00	0.00	0.19	0.35
	R10CA023	0.11	0.02	0.00	0.00	0.00	0.00	0.14	0.27	0.14	0.02	0.00	0.00	0.00	0.00	0.20	0.36

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
R15	R15SO001	9.94	2.30	0.00	0.40	1.33	0.20	10.28	24.45								
	R15SO002	9.83	2.53	0.00	0.45	2.96	0.45	10.42	26.64								
	R15SO003	14.40	3.49	0.00	0.67	2.96	0.45	15.06	37.03								
R20	R20RI002	2.84	0.60	0.00	0.25	0.00	0.00	3.29	6.98								
	R20SO001	6.11	1.28	0.00	0.25	0.00	0.00	7.08	14.72								
R30	R30BO003	14.80	2.43	12.00	1.23	1.65	0.25	14.22	46.58								
	R30BO004	8.60	1.46	9.27	0.95	1.78	0.27	8.31	30.64								
	R30BO005	6.71	1.28	5.13	0.53	0.00	0.00	7.31	20.96								
	R30BO006	7.97	1.52	9.05	0.93	0.00	0.00	8.69	28.16								
	R30BO007	9.42	1.80	8.51	0.87	0.00	0.00	10.27	30.87								
	R30BO008	41.96	10.38	48.20	4.95	0.00	0.00	48.62	154.11								
	R30BO009	39.74	9.83	48.20	4.95	0.00	0.00	46.05	148.77								
	R30CA003	24.44	6.04	26.17	2.69	0.00	0.00	28.32	87.66								
	R30CA006	36.76	9.09	34.35	3.52	0.00	0.00	42.60	126.32								
	R30CA009	50.48	12.48	51.59	5.29	0.00	0.00	58.50	178.34								
	R30CA010	8.69	1.39	7.63	0.78	0.48	0.07	8.31	27.35								
	R30CA011	9.94	1.59	11.45	1.18	0.67	0.10	9.52	34.45								
	R30CA012	24.78	6.13	23.99	2.46	0.00	0.00	28.71	86.07								
	R30CA013	38.26	9.46	34.35	3.52	0.00	0.00	44.33	129.92								
	R30CA014	16.82	2.70	11.45	1.18	2.09	0.32	16.12	50.68								
	R30RS001	1.26	0.24	3.61	0.37	0.00	0.00	1.38	6.86								
	R30RS002	2.51	0.48	4.36	0.45	0.00	0.00	2.74	10.54								
	R30RS003	6.75	1.10	8.72	0.89	0.60	0.09	6.47	24.62								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
R30	<i>cont.</i>																
	R30SI002	11.16	1.83	9.92	1.02	1.29	0.20	10.73	36.15								
	R30SI003	13.93	2.26	10.36	1.06	1.29	0.20	13.36	42.46								
	R30SI004	18.73	3.01	11.78	1.21	1.15	0.17	17.93	53.98								
	R30SI005	10.07	1.92	8.18	0.84	0.00	0.00	10.99	32.00								
R40																	
	R40BO001	8.11	1.39	6.17	0.85	0.00	0.00	9.40	25.92								
	R40BO002	9.07	1.56	6.17	0.85	0.00	0.00	10.51	28.16								
R45																	
	R45BO004	5.46	0.94	4.07	0.56	0.00	0.00	8.69	19.72								
	R45BO005	6.70	1.15	5.68	0.78	0.00	0.00	10.67	24.98								
	R45BO006	13.87	2.38	13.33	1.83	0.00	0.00	22.09	53.50								
	R45BO007	16.06	2.75	16.17	2.21	0.00	0.00	25.57	62.76								
	R45BO008	16.78	2.88	25.30	3.47	0.00	0.00	26.72	75.15								
	R45CA001	4.75	0.81	3.95	0.54	0.00	0.00	7.57	17.62								
	R45CA002	5.40	0.93	3.95	0.54	0.00	0.00	8.60	19.42								
	R45CA005	13.06	2.24	8.64	1.18	0.00	0.00	20.80	45.92								
	R45CA007	16.02	2.75	12.96	1.77	0.00	0.00	25.51	59.01								
	R45CA010	19.90	3.41	17.89	2.45	0.00	0.00	31.69	75.34								
	R45RS001	1.90	0.33	2.47	0.34	0.00	0.00	3.02	8.06								
	R45SI008	3.65	0.63	4.32	0.59	0.00	0.00	5.82	15.01								
	R45SI009	10.04	1.72	9.63	1.32	0.00	0.00	15.99	38.70								
R45SI010	13.36	2.29	15.67	2.15	0.00	0.00	21.27	54.74									
R50																	
	R50BO005	5.79	1.19	4.45	0.61	1.44	0.22	9.14	22.84								
	R50BO006	8.50	1.61	6.67	0.91	0.14	0.02	13.15	31.00								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
R50	cont.																
	R50BO007	11.65	2.22	6.67	0.91	0.45	0.07	18.05	40.02								
	R50BO008	15.13	2.94	13.79	1.89	1.44	0.22	23.56	58.97								
	R50BO009	21.62	4.17	17.35	2.38	1.44	0.22	33.58	80.76								
	R50BO010	6.36	1.22	4.45	0.61	0.38	0.06	9.87	22.95								
	R50BO011	9.15	1.73	6.67	0.91	0.14	0.02	14.15	32.77								
	R50BO012	13.15	2.51	8.99	1.23	0.45	0.07	20.37	46.77								
	R50BO013	16.26	3.16	11.66	1.60	1.44	0.22	25.30	59.64								
	R50CA001	8.02	1.53	6.23	0.85	0.28	0.04	12.43	29.38								
	R50CA002	9.36	1.78	6.23	0.85	0.28	0.04	14.48	33.02								
	R50CA003	10.79	2.06	8.63	1.18	0.48	0.07	16.73	39.94								
	R50CA004	12.93	2.47	8.90	1.22	0.48	0.07	20.03	46.10								
	R50CA005	11.72	2.24	8.90	1.22	0.48	0.07	18.17	42.80								
	R50CA009	14.64	2.85	13.35	1.83	1.36	0.21	22.79	57.03								
	R50CA010	17.58	3.40	13.35	1.83	1.36	0.21	27.32	65.05								
	R50CA011	18.12	3.50	13.35	1.83	1.36	0.21	28.16	66.53								
	R50CA012	17.61	3.41	13.35	1.83	1.36	0.21	27.37	65.14								
	R50IP001	8.20	1.58	7.12	0.98	0.58	0.09	12.74	31.29								
	R50SI006	6.85	1.33	5.34	0.73	0.55	0.08	10.66	25.54								
	R50SI007	7.35	1.42	5.34	0.73	0.55	0.08	11.43	26.90								
	R50SI013	11.26	2.21	13.17	1.80	1.44	0.22	17.58	47.68								
	R50SI016	11.96	2.35	13.17	1.80	1.44	0.22	18.67	49.61								
	R50SI017	13.00	2.54	13.17	1.80	1.44	0.22	20.27	52.44								
	R50SI022	9.55	1.83	8.90	1.22	0.50	0.08	14.82	36.90								
	R50SI023	10.62	2.03	8.90	1.22	0.50	0.08	16.46	39.81								
	R50SI024	5.23	1.01	2.49	0.34	0.33	0.05	8.12	17.57								
R50SI025	6.49	1.24	2.67	0.37	0.33	0.05	10.06	21.21									
R50SI026	13.05	2.48	9.25	1.27	0.33	0.05	20.19	46.62									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
R55	R55AE001	1.09	0.14	1.35	3.44	0.05	0.01	1.14	7.22								
	R55AE002	1.33	0.17	1.35	5.14	0.05	0.01	1.40	9.45								
	R55AE003	1.78	0.23	1.35	6.74	0.10	0.02	1.88	12.10								
	R55AE004	2.30	0.30	1.35	7.14	0.19	0.03	2.44	13.75								
	R55AE008	0.76	0.10	1.35	0.14	0.06	0.01	0.80	3.22								
	R55AE009	0.29	0.04	1.52	0.16	0.00	0.00	0.30	2.31								
	R55AE010	0.53	0.06	2.70	0.28	0.00	0.00	0.55	4.12								
	R55AE011	0.46	0.07	0.85	0.09	0.11	0.02	0.49	2.09								
	R55GL001	0.52	0.07	0.00	0.50	0.03	0.00	0.54	1.66								
	R55GL002	1.01	0.13	0.85	0.59	0.05	0.01	1.06	3.70								
	R55GL003	2.04	0.26	1.52	0.91	0.09	0.01	2.14	6.97								
	R55GL004	2.51	0.31	1.52	1.16	0.04	0.01	2.63	8.18								
	R55GL007	1.82	0.22	3.04	0.31	0.00	0.00	1.91	7.30								
	R55GL008	0.68	0.09	1.86	0.19	0.11	0.02	0.73	3.68								
	R55GL009	0.36	0.04	1.77	0.18	0.00	0.00	0.38	2.73								
	R55GL011	0.89	0.11	2.70	0.28	0.00	0.00	0.93	4.91								
	R55GL012	1.62	0.20	1.52	0.91	0.05	0.01	1.70	6.01								
	R55GL013	0.12	0.03	0.00	0.25	0.09	0.01	0.14	0.64								
	R55GL014	0.47	0.06	0.00	0.35	0.00	0.00	0.49	1.37								
R55GL015	1.49	0.18	1.52	0.16	0.00	0.00	1.56	4.91									
R55GL016	0.83	0.10	1.52	0.16	0.00	0.00	0.87	3.48									
R55GL017	0.30	0.04	0.85	0.09	0.00	0.00	0.31	1.59									
R55GL018	0.30	0.04	0.85	0.09	0.00	0.00	0.32	1.60									
R55GL019	0.59	0.07	1.35	0.14	0.00	0.00	0.62	2.77									
S10																	
	S10CA001	21.83	4.70	15.57	2.67	2.66	0.40	27.24	75.07	27.28	4.81	20.59	3.53	10.75	1.63	37.82	106.41

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS								
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	
S10	<i>cont.</i>																	
	S10CA002	22.98	7.30	23.58	3.23	12.17	1.84	32.77	103.87	25.98	7.37	31.18	4.27	49.16	7.45	38.99	164.40	
	S10CA003	35.25	10.80	32.47	4.45	9.95	1.51	49.79	144.22	39.85	10.90	42.95	5.88	40.22	6.09	59.24	205.13	
S15	S15CA001	28.55	9.10	30.38	4.16	9.95	1.51	31.77	115.42	34.26	9.21	38.76	5.31	40.22	6.09	40.51	174.36	
	S15CA002	43.20	13.71	37.45	5.13	13.81	2.09	48.03	163.42	51.83	13.88	47.79	6.55	55.82	8.46	61.23	245.56	
	S15CA003	53.79	17.00	45.78	6.27	15.44	2.34	59.76	200.38	64.54	17.21	58.40	8.00	62.37	9.45	76.18	296.15	
	S15JU001	29.39	9.11	35.12	4.81	2.63	0.40	32.52	113.98	35.26	9.22	44.81	6.14	9.77	1.48	41.46	148.14	
	S15JU002	30.43	9.43	35.12	4.81	2.63	0.40	33.67	116.49	36.52	9.54	44.81	6.14	9.77	1.48	42.92	151.18	
S20	S20CA001	32.60	10.33	47.78	5.33	12.51	1.90	38.50	148.95	36.23	10.41	62.12	6.93	52.91	8.02	45.33	221.95	
	S20CA002	34.24	10.83	47.78	5.33	12.51	1.90	40.42	153.01	38.05	10.91	62.12	6.93	52.91	8.02	47.60	226.54	
	S20CA003	55.16	17.35	60.28	6.72	17.36	2.63	65.04	224.54	61.28	17.49	78.35	8.74	73.44	11.13	76.58	327.01	
	S20CA004	57.50	18.06	60.28	6.72	17.36	2.63	67.78	230.33	63.88	18.20	78.35	8.74	73.44	11.13	79.81	333.55	
	S20CA005	63.96	20.54	81.80	9.12	33.13	5.02	75.75	289.32	71.07	20.70	106.33	11.85	140.16	21.23	89.19	460.53	
	S20CA006	72.19	22.60	81.80	9.12	19.40	2.94	85.03	293.08	80.21	22.78	106.33	11.85	82.06	12.43	100.13	415.79	
S25	S25JD001	3.36	0.91	0.00	1.50	1.19	0.18	3.30	10.44	4.03	0.92	0.00	1.50	4.44	0.67	4.24	15.80	
	S25JD002	4.13	1.14	0.00	1.50	1.79	0.27	4.07	12.90	4.95	1.15	0.00	1.50	6.66	1.01	5.24	20.51	
	S25RI001	2.93	0.75	0.00	1.50	0.38	0.06	2.84	8.46	3.51	0.76	0.00	1.50	1.42	0.22	3.65	11.06	
	S25RI002	3.27	0.85	0.00	1.50	0.57	0.09	3.18	9.46	3.92	0.86	0.00	1.50	2.13	0.32	4.09	12.82	
	S25RM001	7.61	2.08	0.00	1.50	3.82	0.58	7.50	23.09	9.13	2.12	0.00	1.50	14.05	2.13	9.64	38.57	
	S25RM002	11.06	3.08	0.00	1.50	6.28	0.95	10.94	33.81	13.27	3.13	0.00	1.50	23.26	3.52	14.06	58.74	
	S25RM003	5.56	1.58	0.00	1.50	3.82	0.58	5.52	18.56	6.67	1.60	0.00	1.50	14.05	2.13	7.10	33.05	
	S30	S30HW001	11.53	4.80	10.89	5.25	1.10	0.17	14.29	48.03	19.22	4.95	13.07	7.62	1.24	0.19	29.77	76.06

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
S30	<i>cont.</i>																
	S30HW002	15.59	6.47	15.24	7.34	1.35	0.20	19.32	65.51	25.99	6.67	18.29	10.66	1.51	0.23	40.25	103.60
	S30HW005	6.25	2.61	1.74	0.84	0.66	0.10	5.04	17.24	10.42	2.69	2.09	1.22	0.74	0.11	10.98	28.25
	S30HW006	10.50	4.34	4.36	2.10	0.71	0.11	8.45	30.57	17.50	4.47	5.23	3.05	0.79	0.12	18.43	49.59
	S30HW007	11.42	4.71	5.44	2.62	0.71	0.11	9.19	34.20	19.03	4.86	6.53	3.81	0.79	0.12	20.04	55.18
	S30HW008	11.94	4.92	5.44	2.62	0.71	0.11	9.60	35.34	19.90	5.08	6.53	3.81	0.79	0.12	20.94	57.17
	S30HW009	12.31	5.11	6.53	3.15	1.05	0.16	9.91	38.22	20.52	5.27	7.84	4.57	1.17	0.18	21.61	61.16
	S30HW010	15.02	6.22	8.71	4.20	1.16	0.18	12.09	47.58	25.03	6.42	10.45	6.09	1.30	0.20	26.36	75.85
	S30HW011	14.72	6.10	8.71	4.20	1.21	0.18	11.85	46.97	24.53	6.29	10.45	6.09	1.36	0.21	25.83	74.76
	S30HW012	17.40	7.21	8.71	4.20	1.35	0.20	14.01	53.08	29.00	7.43	10.45	6.09	1.51	0.23	30.54	85.25
	S30HW013	14.05	5.82	19.60	9.44	1.08	0.16	17.40	67.55	23.41	6.00	23.52	13.71	1.20	0.18	36.25	104.27
	S30HW014	11.44	2.04	0.65	0.31	0.42	0.06	11.34	26.26	14.30	2.10	0.78	0.45	0.48	0.07	17.72	35.90
	S30HW015	12.62	2.24	1.09	0.53	0.42	0.06	12.51	29.47	15.78	2.31	1.31	0.76	0.48	0.07	19.55	40.26
	S30HW016	11.92	2.12	0.87	0.42	0.42	0.06	11.81	27.62	14.90	2.18	1.05	0.61	0.48	0.07	18.46	37.75
	S30HW017	12.88	2.29	1.09	0.53	0.42	0.06	12.76	30.03	16.09	2.35	1.31	0.76	0.48	0.07	19.94	41.00
	S30HW018	15.20	2.73	1.74	0.84	0.80	0.12	15.08	36.51	19.00	2.81	2.09	1.22	0.88	0.13	23.57	49.70
	S30KB001	3.04	0.57	0.44	0.21	0.37	0.06	2.65	7.34	3.80	0.59	0.52	0.30	0.43	0.07	4.03	9.74
	S30KB002	3.94	0.74	0.65	0.31	0.47	0.07	3.44	9.62	4.93	0.76	0.78	0.45	0.53	0.08	5.22	12.75
	S30KB003	3.32	0.61	0.87	0.42	0.26	0.04	2.89	8.41	4.15	0.62	1.05	0.61	0.29	0.04	4.38	11.14
	S30KB004	4.81	0.92	1.09	0.53	0.81	0.12	4.21	12.49	6.01	0.95	1.31	0.76	0.89	0.13	6.38	16.43
	S30KB005	3.75	0.71	1.09	0.53	0.53	0.08	3.28	9.97	4.69	0.73	1.31	0.76	0.61	0.09	4.97	13.16
	S30KB006	5.51	1.05	1.31	0.63	0.85	0.13	4.81	14.29	6.88	1.08	1.57	0.91	0.95	0.14	7.30	18.83
	S30KB007	3.54	0.66	0.44	0.21	0.37	0.06	3.08	8.36	4.43	0.68	0.52	0.30	0.43	0.07	4.68	11.11
	S30KB008	4.38	0.81	0.65	0.31	0.41	0.06	3.82	10.44	5.48	0.83	0.78	0.45	0.47	0.07	5.79	13.87
	S30KB009	5.92	1.12	0.65	0.31	0.81	0.12	5.17	14.10	7.40	1.15	0.78	0.45	0.91	0.14	7.85	18.68
	S30KB010	3.67	0.69	0.87	0.42	0.49	0.07	3.20	9.41	4.59	0.71	1.05	0.61	0.56	0.08	4.86	12.46
	S30KB011	5.33	0.98	1.09	0.53	0.54	0.08	4.64	13.19	6.67	1.01	1.31	0.76	0.61	0.09	7.05	17.50
	S30KB012	6.31	1.19	1.09	0.53	0.88	0.13	5.51	15.64	7.89	1.23	1.31	0.76	0.97	0.15	8.36	20.67

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
S30	<i>cont.</i>																
	S30KB013	4.28	0.80	1.09	0.53	0.53	0.08	3.73	11.04	5.35	0.82	1.31	0.76	0.61	0.09	5.66	14.60
	S30KB014	5.79	1.07	1.31	0.63	0.59	0.09	5.04	14.52	7.24	1.10	1.57	0.91	0.67	0.10	7.66	19.25
	S30KB015	7.75	1.45	1.74	0.84	0.94	0.14	6.76	19.62	9.69	1.49	2.09	1.22	1.04	0.16	10.26	25.95
	S30KB018	9.12	1.65	1.09	0.53	0.56	0.08	7.92	20.95	11.40	1.69	1.31	0.76	0.64	0.10	12.02	27.92
	S30KB021	10.59	1.91	1.74	0.84	0.63	0.10	9.20	25.01	13.24	1.97	2.09	1.22	0.72	0.11	13.96	33.31
	S30KB024	12.17	2.19	2.61	1.26	0.70	0.11	10.57	29.61	15.22	2.26	3.14	1.83	0.80	0.12	16.05	39.42
	S30KB025	6.48	1.18	0.87	0.42	0.47	0.07	5.63	15.12	8.09	1.21	1.05	0.61	0.53	0.08	8.55	20.12
	S30KB026	7.72	1.40	0.87	0.42	0.51	0.08	6.71	17.71	9.65	1.44	1.05	0.61	0.57	0.09	10.19	23.60
	S30KB027	9.80	1.77	1.09	0.53	0.56	0.08	8.51	22.34	12.25	1.82	1.31	0.76	0.64	0.10	12.92	29.80
	S30KB028	7.38	1.34	1.31	0.63	0.52	0.08	6.42	17.68	9.23	1.38	1.57	0.91	0.58	0.09	9.74	23.50
	S30KB029	8.91	1.61	1.31	0.63	0.56	0.08	7.74	20.84	11.14	1.66	1.57	0.91	0.64	0.10	11.75	27.77
	S30KB030	11.23	2.02	1.74	0.84	0.63	0.10	9.75	26.31	14.03	2.08	2.09	1.22	0.72	0.11	14.80	35.05
	S30KB031	9.65	1.74	2.18	1.05	0.56	0.08	8.38	23.64	12.06	1.79	2.61	1.52	0.64	0.10	12.72	31.44
	S30KB032	11.38	2.05	2.18	1.05	0.65	0.10	9.89	27.30	14.23	2.11	2.61	1.52	0.72	0.11	15.01	36.31
	S30KB033	13.15	2.36	2.61	1.26	0.70	0.11	11.42	31.61	16.44	2.43	3.14	1.83	0.80	0.12	17.33	42.09
	S30KB034	4.65	0.86	0.65	0.31	0.52	0.08	4.05	11.12	5.82	0.89	0.78	0.45	0.58	0.09	6.15	14.76
	S30KB035	5.30	0.99	0.87	0.42	0.61	0.09	4.62	12.90	6.62	1.01	1.05	0.61	0.69	0.10	7.01	17.09
	S30KB036	4.98	0.93	0.87	0.42	0.56	0.08	4.34	12.18	6.23	0.95	1.05	0.61	0.64	0.10	6.59	16.17
	S30KB041	5.69	1.06	0.87	0.42	0.68	0.10	4.96	13.78	7.11	1.09	1.05	0.61	0.76	0.12	7.53	18.27
	S30KB042	8.12	1.46	1.31	0.63	0.47	0.07	7.05	19.11	10.15	1.51	1.57	0.91	0.53	0.08	10.71	25.46
	S30KB043	12.11	2.16	0.65	0.31	0.51	0.08	10.51	26.33	15.14	2.22	0.78	0.45	0.57	0.09	15.95	35.20
	S30KB044	14.93	2.65	0.65	0.31	0.51	0.08	12.95	32.08	18.67	2.73	0.78	0.45	0.57	0.09	19.66	42.95
	S30KB045	20.18	8.29	32.03	3.84	0.85	0.13	24.99	90.31	33.64	8.55	38.23	5.50	0.95	0.14	52.05	139.06
	S30KB046	13.87	5.74	11.85	5.71	1.02	0.15	20.63	58.97	23.12	5.92	14.21	8.28	1.14	0.17	45.84	98.68
	S30KB047	17.58	7.22	13.72	6.61	0.77	0.12	26.13	72.15	29.30	7.45	16.46	9.59	0.85	0.13	58.05	121.83
S30KB048	15.56	2.77	3.70	1.78	0.59	0.09	15.43	39.92	19.45	2.85	4.44	2.59	0.66	0.10	24.11	54.20	
S30KB049	17.61	3.27	3.92	1.89	2.05	0.31	17.53	46.58	22.01	3.36	4.70	2.74	2.31	0.35	27.40	62.87	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
S30	<i>cont.</i>																
	S30KB050	22.26	3.94	10.89	5.25	0.57	0.09	22.05	65.05	27.83	4.05	13.07	7.62	0.63	0.10	34.47	87.77
	S30KB051	28.11	4.99	10.89	5.25	0.85	0.13	27.85	78.07	35.14	5.13	13.07	7.62	0.95	0.14	43.54	105.59
	S30KB052	29.73	5.21	10.89	5.25	0.28	0.04	29.42	80.82	37.16	5.36	13.07	7.62	0.32	0.05	45.99	109.57
	S30KB053	8.38	1.51	1.74	0.84	0.51	0.08	7.28	20.34	10.47	1.56	2.09	1.22	0.57	0.09	11.05	27.05
	S30KB054	8.32	1.50	0.65	0.31	0.47	0.07	7.22	18.54	10.40	1.54	0.78	0.45	0.53	0.08	10.96	24.74
	S30KB055	13.11	5.40	21.80	2.62	0.71	0.11	10.55	54.30	21.85	5.57	26.02	3.74	0.79	0.12	23.00	81.09
	S30KB056	13.45	5.54	21.80	2.62	0.71	0.11	10.82	55.05	22.41	5.71	26.02	3.74	0.79	0.12	23.59	82.38
	S30KB057	14.99	6.17	21.80	2.62	0.71	0.11	12.06	58.46	24.99	6.36	26.02	3.74	0.79	0.12	26.30	88.32
	S30KB058	14.11	5.80	5.66	2.73	0.66	0.10	11.35	40.41	23.52	5.98	6.79	3.96	0.74	0.11	24.74	65.84
	S30KB059	22.07	9.06	13.07	6.30	0.95	0.14	17.74	69.33	36.78	9.35	15.68	9.14	1.05	0.16	38.69	110.85
	S30PU001	22.29	3.93	19.13	2.30	0.55	0.08	19.32	67.60	27.86	4.04	22.83	3.28	0.65	0.10	29.32	88.08
	S30PU002	43.36	7.63	31.14	3.74	0.95	0.14	37.57	124.53	54.20	7.85	37.17	5.35	1.12	0.17	57.03	162.89
	S30PU003	56.07	9.85	31.14	3.74	1.03	0.16	48.57	150.56	70.09	10.14	37.17	5.35	1.21	0.18	73.73	197.87
	S30RA002	6.58	1.16	2.22	0.27	0.15	0.02	6.51	16.91	8.22	1.20	2.65	0.38	0.17	0.03	10.18	22.83
	S30RA003	10.35	1.84	4.36	0.52	0.31	0.05	10.26	27.69	12.94	1.89	5.20	0.75	0.34	0.05	16.03	37.20
	S30TS001	3.23	0.60	0.52	0.25	0.32	0.05	2.81	7.78	4.04	0.61	0.63	0.37	0.36	0.05	4.27	10.33
	S30TS002	4.41	0.81	0.74	0.36	0.39	0.06	3.84	10.61	5.51	0.83	0.89	0.52	0.45	0.07	5.82	14.09
	S30TS003	3.33	0.62	0.74	0.36	0.37	0.06	2.90	8.38	4.16	0.64	0.89	0.52	0.41	0.06	4.40	11.08
	S30TS004	4.53	0.84	0.96	0.46	0.46	0.07	3.95	11.27	5.67	0.86	1.15	0.67	0.52	0.08	5.99	14.94
	S30TS005	3.50	0.65	0.96	0.46	0.41	0.06	3.05	9.09	4.37	0.67	1.15	0.67	0.47	0.07	4.63	12.03
S30TS006	4.75	0.88	1.18	0.57	0.53	0.08	4.14	12.13	5.94	0.91	1.41	0.82	0.59	0.09	6.29	16.05	
S30TS007	4.21	0.78	1.39	0.67	0.46	0.07	3.66	11.24	5.26	0.80	1.67	0.97	0.52	0.08	5.56	14.86	
S30TS008	7.16	1.31	1.83	0.88	0.59	0.09	6.23	18.09	8.95	1.34	2.19	1.28	0.67	0.10	9.45	23.98	
S30TS009	10.83	4.41	13.07	9.30	0.00	0.00	13.40	51.01	18.06	4.54	15.68	12.14	0.00	0.00	27.91	78.33	
S30TS010	15.81	6.43	17.42	12.39	0.00	0.00	19.55	71.60	26.35	6.63	20.90	16.18	0.00	0.00	40.73	110.79	
S30TS011	26.21	10.66	34.84	24.78	0.00	0.00	32.41	128.90	43.68	10.99	41.81	32.37	0.00	0.00	67.51	196.36	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
S35	S35AR001	0.51	0.09	0.00	0.00	0.00	0.00	0.56	1.16								
	S35AR002	0.72	0.12	0.00	0.00	0.00	0.00	0.80	1.64								
S40	S40B0002	31.67	6.75	35.13	4.22	1.71	0.26	37.21	116.95	39.58	6.90	45.46	5.45	7.03	1.07	52.03	157.52
	S40B0003	31.01	6.61	35.13	4.22	1.71	0.26	36.44	115.38	38.76	6.76	45.46	5.45	7.03	1.07	50.95	155.48
	S40B0004	30.43	6.49	35.13	4.22	1.71	0.26	35.76	114.00	38.03	6.63	45.46	5.45	7.03	1.07	49.99	153.66
	S40CA001	28.93	6.14	30.15	3.62	1.58	0.24	33.97	104.63	36.16	6.28	39.02	4.68	6.06	0.92	47.50	140.62
	S40CA002	27.43	5.89	30.15	3.62	1.65	0.25	32.29	101.28	34.29	6.02	39.02	4.68	6.28	0.95	45.14	136.38
	S40CA003	21.79	4.96	34.15	4.10	9.25	1.40	25.96	101.61	27.23	5.07	44.20	5.30	36.45	5.52	36.29	160.06
	S40CA004	37.78	8.21	52.69	6.32	6.80	1.03	44.58	157.41	47.23	8.40	68.19	8.18	26.48	4.01	62.33	224.82
S45	S45DA004	1.64	0.22	0.00	0.25	0.00	0.00	2.28	4.39								
	S45DA005	1.96	0.26	0.00	0.25	0.00	0.00	2.72	5.19								
	S45DA007	2.06	0.28	0.00	0.25	0.00	0.00	2.87	5.46								
T10	T10CA001	1.10	0.23	0.00	0.08	0.00	0.00	1.23	2.64	1.37	0.24	0.00	0.08	0.00	0.00	1.72	3.41
	T10CA002	1.64	0.34	0.00	0.08	0.00	0.00	1.83	3.89	2.04	0.35	0.00	0.08	0.00	0.00	2.57	5.04
	T10CA004	1.21	0.25	0.00	0.08	0.00	0.00	1.36	2.90	1.52	0.26	0.00	0.08	0.00	0.00	1.91	3.77
	T10CA005	1.64	0.34	0.00	0.08	0.00	0.00	1.83	3.89	2.04	0.35	0.00	0.08	0.00	0.00	2.57	5.04
	T10CA007	1.83	0.38	0.00	0.08	0.00	0.00	2.04	4.33	2.29	0.39	0.00	0.08	0.00	0.00	2.87	5.63
	T10CA008	2.44	0.51	0.00	0.08	0.00	0.00	2.72	5.75	3.05	0.52	0.00	0.08	0.00	0.00	3.83	7.48
	T10CA009	2.25	0.47	0.00	0.08	0.00	0.00	2.52	5.32	2.82	0.48	0.00	0.08	0.00	0.00	3.54	6.92
	T10CA010	2.47	0.52	0.00	0.08	0.00	0.00	2.76	5.83	3.09	0.53	0.00	0.08	0.00	0.00	3.88	7.58
	T10CA011	3.38	0.71	0.00	0.08	0.00	0.00	3.78	7.95	4.23	0.73	0.00	0.08	0.00	0.00	5.32	10.36
	T10CA012	3.31	0.69	0.00	0.08	0.00	0.00	3.70	7.78	4.14	0.71	0.00	0.08	0.00	0.00	5.20	10.13

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T10	<i>cont.</i>																
	T10CA013	3.64	0.76	0.00	0.08	0.00	0.00	4.07	8.55	4.55	0.78	0.00	0.08	0.00	0.00	5.72	11.13
	T10CA014	3.03	0.64	0.00	0.08	0.00	0.00	3.39	7.14	3.79	0.65	0.00	0.08	0.00	0.00	4.77	9.29
	T10CA015	4.46	0.93	0.00	0.10	0.00	0.00	4.98	10.47	5.57	0.96	0.00	0.10	0.00	0.00	7.00	13.63
	T10CA016	4.42	0.93	0.00	0.12	0.00	0.00	4.94	10.41	5.52	0.95	0.00	0.12	0.00	0.00	6.94	13.53
	T10CA017	4.80	1.01	0.00	0.13	0.00	0.00	5.37	11.31	6.00	1.03	0.00	0.13	0.00	0.00	7.54	14.70
	T10CA018	4.26	0.89	0.00	0.13	0.00	0.00	4.76	10.04	5.33	0.91	0.00	0.13	0.00	0.00	6.69	13.06
	T10CA019	0.12	0.03	0.00	0.05	0.00	0.00	0.14	0.34	0.15	0.03	0.00	0.05	0.00	0.00	0.19	0.42
	T10CA020	4.45	0.93	0.00	0.15	0.00	0.00	4.97	10.50	5.56	0.95	0.00	0.15	0.00	0.00	6.98	13.64
	T10CA021	6.00	1.26	0.00	0.19	0.00	0.00	6.71	14.16	7.50	1.29	0.00	0.19	0.00	0.00	9.42	18.40
	T10CA022	6.49	1.36	0.00	0.19	0.00	0.00	7.25	15.29	8.11	1.39	0.00	0.19	0.00	0.00	10.19	19.88
	T10CA023	6.00	1.26	0.00	0.20	0.00	0.00	6.70	14.16	7.50	1.29	0.00	0.20	0.00	0.00	9.42	18.41
	T10CA024	9.05	1.90	0.00	0.28	0.00	0.00	10.11	21.34	11.31	1.94	0.00	0.28	0.00	0.00	14.21	27.74
	T10CA025	9.54	2.00	0.00	0.29	0.00	0.00	10.66	22.49	11.92	2.04	0.00	0.29	0.00	0.00	14.97	29.22
T10CA026	13.01	2.73	0.00	0.40	0.00	0.00	14.54	30.68	16.26	2.79	0.00	0.40	0.00	0.00	20.43	39.88	
T10CA027	14.04	2.94	0.00	0.42	0.00	0.00	15.69	33.09	17.55	3.01	0.00	0.42	0.00	0.00	22.05	43.03	
T10JD001	1.04	0.23	0.00	0.25	0.09	0.01	1.17	2.79	1.30	0.23	0.00	0.25	0.10	0.02	1.65	3.55	
T15	T15CA002	6.70	1.71	6.83	1.06	0.00	0.00	11.77	28.07	8.38	1.74	8.84	1.37	0.00	0.00	16.71	37.04
	T15CA005	8.26	2.10	7.81	1.21	0.00	0.00	14.50	33.88	10.32	2.14	10.10	1.56	0.00	0.00	20.59	44.71
	T15CA008	16.42	4.18	14.15	2.19	0.00	0.00	28.83	65.77	20.52	4.26	18.31	2.83	0.00	0.00	40.93	86.85
	T15CA009	23.36	5.95	16.10	2.49	0.00	0.00	41.02	88.92	29.21	6.06	20.84	3.22	0.00	0.00	58.24	117.57
	T15CA011	22.88	5.83	18.05	2.79	0.00	0.00	40.18	89.73	28.60	5.94	23.36	3.61	0.00	0.00	57.05	118.56
	T15CA012	23.21	6.57	23.42	2.81	0.00	0.00	41.48	97.49	27.64	6.66	30.31	3.64	0.00	0.00	51.44	119.69
	T15CA014	27.49	7.79	23.42	2.81	0.00	0.00	49.11	110.62	32.72	7.89	30.31	3.64	0.00	0.00	60.91	135.47
	T15CA016	30.26	8.57	30.25	3.64	0.00	0.00	54.07	126.79	36.03	8.69	39.15	4.71	0.00	0.00	67.06	155.64
	T15CA017	40.25	11.40	40.01	4.81	0.00	0.00	71.91	168.38	47.92	11.55	51.77	6.22	0.00	0.00	89.19	206.65
	T15CA018	50.82	15.47	48.27	3.22	0.00	0.00	85.13	202.91	60.99	15.66	61.59	4.11	0.00	0.00	114.96	257.31

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T15	<i>cont.</i>																
	T15CA019	78.91	24.02	70.75	4.72	0.00	0.00	132.17	310.57	94.69	24.32	90.26	6.02	0.00	0.00	178.49	393.78
	T15CA020	8.42	2.15	7.81	1.21	0.00	0.00	14.79	34.38	10.53	2.19	10.10	1.56	0.00	0.00	21.00	45.38
	T15CA021	8.73	2.22	8.78	1.36	0.00	0.00	15.32	36.41	10.91	2.26	11.37	1.76	0.00	0.00	21.75	48.05
	T15CA022	9.24	2.35	8.78	1.36	0.00	0.00	16.22	37.95	11.54	2.40	11.37	1.76	0.00	0.00	23.02	50.09
	T15CA023	23.36	5.95	16.10	2.49	0.00	0.00	41.02	88.92	29.21	6.06	20.84	3.22	0.00	0.00	58.24	117.57
	T15CA024	11.81	3.01	10.73	1.66	0.00	0.00	20.73	47.94	14.76	3.06	13.89	2.15	0.00	0.00	29.43	63.29
	T15CS004	7.51	1.91	6.54	1.01	0.00	0.00	13.18	30.15	9.38	1.95	8.46	1.31	0.00	0.00	18.71	39.81
	T15CS007	13.10	3.34	11.61	1.79	0.00	0.00	23.00	52.84	16.37	3.40	15.03	2.32	0.00	0.00	32.65	69.77
	T15JD005	6.03	1.54	6.83	1.06	0.00	0.00	10.59	26.05	7.54	1.56	8.84	1.37	0.00	0.00	15.04	34.35
	T15JD006	7.16	1.82	7.22	1.12	0.00	0.00	12.57	29.89	8.95	1.86	9.34	1.44	0.00	0.00	17.85	39.44
	T15JD007	8.22	2.09	8.78	1.36	0.00	0.00	14.44	34.89	10.28	2.13	11.37	1.76	0.00	0.00	20.50	46.04
	T15JD008	14.50	3.69	13.66	2.11	0.00	0.00	25.45	59.41	18.12	3.76	17.68	2.73	0.00	0.00	36.14	78.43
	T15JD009	15.28	3.89	13.66	2.11	0.00	0.00	26.82	61.76	19.09	3.96	17.68	2.73	0.00	0.00	38.08	81.54
	T15JD010	18.89	4.81	18.05	2.79	0.00	0.00	33.16	77.70	23.61	4.90	23.36	3.61	0.00	0.00	47.09	102.57
T15JD011	20.44	5.20	18.05	2.79	0.00	0.00	35.88	82.36	25.54	5.30	23.36	3.61	0.00	0.00	50.94	108.75	
T15KM008	34.62	9.81	30.25	3.64	0.00	0.00	61.86	140.18	41.22	9.94	39.15	4.71	0.00	0.00	76.72	171.74	
T20	T20CA001	20.94	5.56	19.98	2.40	3.39	0.51	17.18	69.96	22.55	5.59	25.49	3.06	14.26	2.16	20.05	93.16
	T20CA002	29.47	8.04	28.21	3.39	10.18	1.54	24.28	105.11	31.74	8.08	36.00	4.33	42.75	6.48	28.33	157.71
	T20CA003	42.83	12.00	40.03	4.81	14.71	2.23	35.44	152.05	46.12	12.06	51.08	6.14	61.80	9.36	41.35	227.91
T25	T25CA006	17.43	3.32	23.75	2.85	0.00	0.00	20.20	67.55								
	T25CA007	19.11	3.64	25.98	3.12	0.00	0.00	22.14	73.99								
	T25CA008	20.68	3.94	31.41	3.78	0.00	0.00	23.96	83.77								
	T25JD008	8.70	1.41	9.79	1.18	0.63	0.10	8.34	30.15								
	T25JD009	10.66	1.72	15.57	1.87	0.63	0.10	10.22	40.77								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T25	<i>cont.</i>																
	T25JD010	11.88	1.97	20.02	2.41	1.38	0.21	11.43	49.30								
	T25JD012	16.62	2.93	28.92	3.48	3.89	0.59	16.15	72.58								
	T25JD013	21.31	3.67	37.81	4.54	3.89	0.59	20.64	92.45								
	T25JD014	16.03	2.62	24.47	2.94	1.38	0.21	15.40	63.05								
	T25JD015	1.77	0.31	4.00	0.48	0.36	0.05	1.71	8.68								
	T25JD016	2.62	0.44	4.98	0.60	0.36	0.05	2.53	11.58								
	T25JD017	3.06	0.51	4.98	0.60	0.36	0.05	2.94	12.50								
	T25JD018	3.80	0.62	5.96	0.72	0.36	0.05	3.65	15.16								
	T25JD019	4.01	0.67	7.21	0.87	0.48	0.07	3.86	17.17								
T25JD020	3.91	0.72	8.10	0.97	1.43	0.22	3.83	19.18									
T30	T30DW005	3.49	0.62	3.91	0.47	0.23	0.03	4.58	13.33	4.65	0.64	5.18	0.62	0.87	0.13	6.78	18.87
	T30DW011	20.45	3.51	16.46	1.98	0.00	0.00	26.67	69.07	27.27	3.64	21.77	2.62	0.00	0.00	39.47	94.77
	T30DW012	0.89	0.16	2.40	0.29	0.06	0.01	1.16	4.97	1.18	0.16	3.13	0.38	0.20	0.03	1.72	6.80
	T30DW013	1.23	0.22	3.32	0.40	0.12	0.02	1.62	6.93	1.64	0.23	4.34	0.52	0.42	0.06	2.40	9.61
	T30DW014	3.18	0.58	3.11	0.37	0.41	0.06	4.21	11.92	4.24	0.61	4.12	0.50	1.53	0.23	6.23	17.46
	T30DW016	5.78	1.01	5.07	0.61	0.23	0.03	7.57	20.30	7.71	1.05	6.71	0.81	0.87	0.13	11.21	28.49
	T30DW017	7.14	1.26	6.23	0.75	0.41	0.06	9.37	25.22	9.52	1.31	8.24	0.99	1.53	0.23	13.87	35.69
	T30DW018	8.02	1.41	6.94	0.83	0.41	0.06	10.51	28.18	10.69	1.47	9.18	1.10	1.53	0.23	15.56	39.76
	T30TM001	30.99	5.31	16.46	1.98	0.00	0.00	40.41	95.15	41.33	5.52	21.77	2.62	0.00	0.00	59.82	131.06
	T30TM004	33.47	5.74	16.46	1.98	0.00	0.00	43.63	101.28	44.62	5.96	21.77	2.62	0.00	0.00	64.59	139.56
	T30TM007	44.10	7.56	19.57	2.35	0.00	0.00	57.50	131.08	58.80	7.85	25.89	3.11	0.00	0.00	85.11	180.76
	T30TM008	44.41	7.61	19.57	2.35	0.00	0.00	57.90	131.84	59.21	7.91	25.89	3.11	0.00	0.00	85.71	181.83
	T30TM009	43.26	7.42	24.02	2.88	0.00	0.00	56.40	133.98	57.68	7.70	31.77	3.82	0.00	0.00	83.49	184.46
	T30TM012	74.75	12.82	34.25	4.11	0.00	0.00	97.46	223.39	99.67	13.31	45.30	5.44	0.00	0.00	144.27	307.99
	T30TM013	122.47	21.00	46.71	5.60	0.00	0.00	159.67	355.45	163.29	21.80	61.78	7.43	0.00	0.00	236.37	490.67
T30TM014	117.25	20.10	46.71	5.60	0.00	0.00	152.86	342.52	156.33	20.87	61.78	7.43	0.00	0.00	226.29	472.70	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS								
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	
T30	<i>cont.</i>																	
	T30TM015	125.04	21.44	46.71	5.60	0.00	0.00	163.02	361.81	166.72	22.26	61.78	7.43	0.00	0.00	241.33	499.52	
	T30VE007	17.25	2.96	11.12	1.33	0.00	0.00	22.48	55.14	22.99	3.07	14.71	1.77	0.00	0.00	33.28	75.82	
	T30VE008	21.91	3.76	16.46	1.98	0.00	0.00	28.56	72.67	29.21	3.90	21.77	2.62	0.00	0.00	42.28	99.78	
	T30VE009	35.59	6.10	22.24	2.67	0.00	0.00	46.40	113.00	47.46	6.34	29.42	3.54	0.00	0.00	68.70	155.46	
T30VE010	42.87	7.35	24.47	2.94	0.00	0.00	55.89	133.52	57.16	7.63	32.36	3.89	0.00	0.00	82.74	183.78		
T35	T35CT001	23.19	3.98	12.46	1.50	0.00	0.00	30.23	71.36	30.92	4.13	16.47	1.98	0.00	0.00	44.75	98.25	
	T35CT002	28.58	4.90	12.46	1.50	0.00	0.00	37.26	84.70	38.11	5.09	16.47	1.98	0.00	0.00	55.16	116.81	
	T35CT003	32.15	5.51	16.46	1.98	0.00	0.00	41.92	98.02	42.87	5.72	21.77	2.61	0.00	0.00	62.05	135.02	
	T35CT004	30.28	5.19	9.07	1.09	0.00	0.00	39.48	85.11	40.37	5.39	12.00	1.44	0.00	0.00	58.44	117.64	
	T35CT005	28.63	4.91	9.07	1.09	0.00	0.00	37.33	81.03	38.18	5.10	12.00	1.44	0.00	0.00	55.26	111.98	
	T35CT006	28.63	4.91	9.07	1.09	0.00	0.00	37.33	81.03	38.18	5.10	12.00	1.44	0.00	0.00	55.26	111.98	
	T35CT007	31.73	5.44	9.07	1.09	0.00	0.00	41.36	88.69	42.30	5.65	12.00	1.44	0.00	0.00	61.23	122.62	
	T35CT008	40.62	6.96	13.35	1.60	0.00	0.00	52.96	115.49	54.16	7.23	17.65	2.12	0.00	0.00	78.39	159.55	
	T35CT009	47.22	8.10	13.35	1.60	0.00	0.00	61.57	131.84	62.97	8.41	17.65	2.12	0.00	0.00	91.14	182.29	
	T35CT010	46.27	7.93	13.35	1.60	0.00	0.00	60.32	129.47	61.69	8.24	17.65	2.12	0.00	0.00	89.30	179.00	
	T35CT011	55.37	9.49	15.57	1.87	0.00	0.00	72.19	154.49	73.82	9.86	20.59	2.47	0.00	0.00	106.86	213.60	
T40	T40AG001	8.36	1.47	7.12	0.98	0.39	0.06	8.19	26.57									
	T40AH001	2.65	0.45	0.00	0.25	0.00	0.00	2.94	6.29									
	T40AH003	3.92	0.67	0.00	0.25	0.00	0.00	4.36	9.20									
	T40AH004	4.85	0.83	0.00	0.25	0.00	0.00	5.40	11.33									
	T40GN001	1.79	0.26	0.00	0.00	0.00	0.00	1.55	3.60	2.20	0.26	0.00	0.00	0.00	0.00	2.18	4.64	
	T40KF011	0.28	0.05	0.00	0.00	0.00	0.00	0.23	0.56									
	T40KF013	0.41	0.07	0.00	0.00	0.00	0.00	0.35	0.83									
	T40KF014	0.37	0.06	0.00	0.00	0.00	0.00	0.31	0.74									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T40	cont.																
	T40KF016	0.53	0.09	0.00	0.00	0.00	0.00	0.44	1.06								
	T40KF018	0.64	0.11	0.00	0.00	0.00	0.00	0.53	1.28								
	T40KF020	0.74	0.13	0.00	0.00	0.00	0.00	0.62	1.49								
	T40KF021	0.30	0.05	0.00	0.10	0.00	0.00	0.29	0.74								
	T40KF022	0.60	0.10	0.00	0.10	0.00	0.00	0.58	1.38								
	T40KF023	0.40	0.07	0.00	0.05	0.00	0.00	0.39	0.91								
	T40KF024	0.47	0.08	0.00	0.05	0.00	0.00	0.46	1.06								
	T40MY002	0.60	0.09	0.00	0.00	0.00	0.00	0.52	1.21	0.74	0.09	0.00	0.00	0.00	0.00	0.73	1.56
	T40MY003	0.75	0.11	0.00	0.00	0.00	0.00	0.65	1.51	0.92	0.11	0.00	0.00	0.00	0.00	0.91	1.94
	T40MY004	0.87	0.12	0.00	0.00	0.00	0.00	0.75	1.74	1.07	0.13	0.00	0.00	0.00	0.00	1.06	2.26
	T40MY005	1.21	0.17	0.00	0.00	0.00	0.00	1.05	2.43	1.49	0.18	0.00	0.00	0.00	0.00	1.47	3.14
	T40MY006	1.38	0.20	0.00	0.00	0.00	0.00	1.20	2.78	1.70	0.20	0.00	0.00	0.00	0.00	1.68	3.58
	T40PA001	0.79	0.14	0.00	0.24	0.00	0.00	0.88	2.05								
	T40PA002	4.36	0.75	0.00	0.24	0.00	0.00	4.85	10.20								
	T40PA003	5.42	0.93	0.00	0.26	0.00	0.00	6.03	12.64								
	T40PA004	6.33	1.09	0.00	0.26	0.00	0.00	7.04	14.72								
	T40PA005	11.70	2.01	0.00	0.27	0.00	0.00	13.02	27.00								
	T40PA006	12.42	2.13	0.00	0.27	0.00	0.00	13.82	28.64								
	T40RS001	2.74	0.52	0.00	0.00	0.00	0.00	2.44	5.70								
	T40RS002	2.84	0.53	0.00	0.00	0.00	0.00	2.53	5.90								
	T40RS003	3.06	0.58	0.00	0.00	0.00	0.00	2.72	6.36								
	T40XX034	15.83	2.48	24.84	3.40	0.00	0.00	14.51	61.06								
	T40XX035	16.08	2.52	26.43	3.62	0.00	0.00	14.74	63.39								
	T40XX036	19.23	3.01	30.13	4.13	0.00	0.00	17.63	74.13								
	T40XX037	18.90	2.96	30.13	4.13	0.00	0.00	17.32	73.44								
	T40XX038	19.77	3.10	30.13	4.13	0.00	0.00	18.12	75.25								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T45	T45EA006	3.50	0.70	0.00	0.50	1.40	0.21	2.20	8.51								
	T45EA007	5.17	1.04	0.00	0.50	2.11	0.32	3.25	12.39								
	T45MY004	2.55	0.51	0.00	0.30	1.00	0.15	2.24	6.75	3.19	0.53	0.00	0.30	3.67	0.56	3.20	11.45
	T45MY005	3.32	0.68	0.00	0.30	1.51	0.23	2.92	8.96	4.15	0.70	0.00	0.30	5.50	0.83	4.18	15.66
	T45MY006	3.43	0.70	0.00	0.30	1.51	0.23	3.02	9.19	4.29	0.72	0.00	0.30	5.50	0.83	4.31	15.95
	T45MY007	3.32	0.68	0.00	0.30	1.51	0.23	2.92	8.96	4.15	0.70	0.00	0.30	5.50	0.83	4.17	15.65
	T45MY015	2.71	0.54	0.00	0.40	1.00	0.15	2.21	7.01	3.38	0.55	0.00	0.40	3.67	0.56	3.18	11.74
	T45MY016	2.78	0.55	0.00	0.40	1.00	0.15	2.26	7.14	3.48	0.57	0.00	0.40	3.67	0.56	3.27	11.95
	T45MY017	2.96	0.62	0.00	0.40	1.51	0.23	2.42	8.14	3.70	0.63	0.00	0.40	5.50	0.83	3.50	14.56
	T45MY018	2.13	0.37	0.00	0.40	1.00	0.15	1.61	5.66								
	T45MY019	2.11	0.37	0.00	0.40	1.00	0.15	1.60	5.63								
	T45XX001	3.25	0.62	0.00	0.40	0.81	0.12	2.84	8.04	4.06	0.64	0.00	0.40	2.94	0.45	4.06	12.55
	T45XX003	4.45	0.83	0.00	0.40	0.81	0.12	3.88	10.49	5.56	0.85	0.00	0.40	2.94	0.45	5.54	15.74
	T45XX008	2.69	0.52	0.00	0.40	0.81	0.12	2.19	6.73	3.36	0.54	0.00	0.40	2.94	0.45	3.16	10.85
	T45XX009	3.39	0.54	0.00	0.40	0.81	0.12	2.54	7.80								
	T45XX010	3.40	0.54	0.00	0.40	0.81	0.12	2.55	7.82								
	T45XX011	2.73	0.52	0.00	0.40	0.72	0.11	1.70	6.18								
	T45XX012	2.93	0.56	0.00	0.40	0.72	0.11	1.83	6.55								
	T45XX013	3.04	0.58	0.00	0.40	0.81	0.12	1.90	6.85								
	T45XX014	3.67	0.71	0.00	0.50	1.08	0.16	2.29	8.41								
	T45XX015	3.77	0.73	0.00	0.50	1.08	0.16	2.36	8.60								
	T45XX016	4.21	0.81	0.00	0.50	1.21	0.18	2.63	9.54								
T45XX017	4.45	0.87	0.00	0.50	1.41	0.21	2.79	10.23									
T45XX018	4.54	0.88	0.00	0.50	1.41	0.21	2.84	10.38									
T45XX019	5.24	1.00	0.00	0.50	1.41	0.21	3.27	11.63									
T45XX020	5.05	0.99	0.00	0.60	1.61	0.24	3.17	11.66									
T45XX021	5.54	1.07	0.00	0.60	1.61	0.24	3.47	12.53									

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T45	<i>cont.</i>																
	T45XX022	6.19	1.20	0.00	0.60	1.88	0.28	3.88	14.03								
	T45XX023	7.37	1.43	0.00	0.60	2.29	0.35	4.61	16.65								
	T45XX024	2.30	0.45	0.00	0.09	0.81	0.12	1.44	5.21								
	T45XX025	2.56	0.50	0.00	0.10	0.81	0.12	1.60	5.69								
	T45XX026	1.45	0.28	0.00	0.40	0.44	0.07	0.91	3.55								
	T45XX027	1.61	0.32	0.00	0.40	0.58	0.09	1.01	4.01								
	T45XX028	1.81	0.36	0.00	0.40	0.75	0.11	1.14	4.57								
	T45XX029	5.98	1.41	5.61	0.58	0.40	0.06	5.36	19.40								
	T45XX030	5.88	1.43	5.61	0.58	0.81	0.12	5.30	19.73								
	T45XX031	7.15	1.72	5.61	0.58	0.81	0.12	6.44	22.43								
	T45XX032	4.43	0.68	0.00	0.50	0.60	0.09	3.31	9.61								
	T45XX033	5.17	0.80	0.00	0.60	0.81	0.12	3.86	11.36								
	T45XX034	2.50	0.49	0.00	0.40	0.81	0.12	1.57	5.89								
	T45XX035	2.68	0.52	0.00	0.40	0.81	0.12	1.68	6.21								
T50	T50GM001	1.57	0.28	5.26	0.63	0.19	0.03	1.55	9.51	1.93	0.29	6.76	0.81	0.62	0.09	2.04	12.54
	T50GM004	3.57	0.62	12.49	1.50	0.19	0.03	3.50	21.90	4.39	0.64	16.06	1.93	0.62	0.09	4.62	28.35
	T50GM005	3.84	0.67	12.49	1.50	0.20	0.03	3.77	22.50	4.72	0.69	16.06	1.93	0.69	0.10	4.97	29.16
	T50XX001	1.51	0.28	5.70	0.68	0.27	0.04	1.50	9.98	1.86	0.28	7.32	0.88	0.90	0.14	1.98	13.36
	T50XX002	1.83	0.33	5.70	0.68	0.21	0.03	1.81	10.59	2.26	0.34	7.32	0.88	0.70	0.11	2.39	14.00
	T50XX003	2.09	0.37	7.89	0.95	0.21	0.03	2.06	13.60	2.57	0.38	10.14	1.22	0.68	0.10	2.72	17.81
	T50XX004	1.82	0.33	5.70	0.68	0.29	0.04	1.80	10.66	2.24	0.34	7.32	0.88	1.01	0.15	2.38	14.32
	T50XX005	2.17	0.39	5.70	0.68	0.22	0.03	2.14	11.33	2.67	0.40	7.32	0.88	0.77	0.12	2.82	14.98
	T50XX006	2.24	0.40	7.89	0.95	0.21	0.03	2.21	13.93	2.76	0.41	10.14	1.22	0.75	0.11	2.91	18.30
	T50XX007	1.60	0.29	5.70	0.68	0.27	0.04	1.58	10.16	1.97	0.30	7.32	0.88	0.90	0.14	2.09	13.60
	T50XX008	1.96	0.35	5.70	0.68	0.21	0.03	1.93	10.86	2.41	0.36	7.32	0.88	0.70	0.11	2.55	14.33
T50XX009	2.40	0.43	7.89	0.95	0.21	0.03	2.37	14.28	2.96	0.44	10.14	1.22	0.68	0.10	3.12	18.66	

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T50	<i>cont.</i>																
	T50XX010	2.18	0.39	5.70	0.68	0.29	0.04	2.15	11.43	2.68	0.40	7.32	0.88	1.01	0.15	2.84	15.28
	T50XX011	2.38	0.42	7.89	0.95	0.22	0.03	2.34	14.23	2.92	0.43	10.14	1.22	0.77	0.12	3.09	18.69
	T50XX012	2.47	0.44	7.89	0.95	0.21	0.03	2.44	14.43	3.04	0.45	10.14	1.22	0.75	0.11	3.21	18.92
	T50XX013	1.96	0.35	1.79	0.18	0.27	0.04	1.94	6.53	2.41	0.36	2.56	0.26	0.90	0.14	2.56	9.19
	T50XX014	2.20	0.39	1.79	0.18	0.21	0.03	2.17	6.97	2.71	0.40	2.56	0.26	0.70	0.11	2.86	9.60
	T50XX015	2.55	0.45	3.10	0.32	0.21	0.03	2.51	9.17	3.14	0.46	4.43	0.45	0.68	0.10	3.31	12.57
	T50XX016	2.35	0.42	3.10	0.32	0.29	0.04	2.32	8.84	2.89	0.43	4.43	0.45	1.01	0.15	3.06	12.42
	T50XX017	2.40	0.43	3.10	0.32	0.22	0.03	2.36	8.86	2.95	0.44	4.43	0.45	0.77	0.12	3.12	12.28
	T50XX018	2.88	0.51	3.10	0.32	0.21	0.03	2.83	9.88	3.54	0.52	4.43	0.45	0.75	0.11	3.74	13.54
	T50XX019	2.30	0.41	3.10	0.32	0.21	0.03	2.26	8.63	2.83	0.42	4.43	0.45	0.70	0.11	2.99	11.93
	T50XX020	2.79	0.49	3.10	0.32	0.22	0.03	2.75	9.70	3.43	0.51	4.43	0.45	0.77	0.12	3.62	13.33
	T50XX021	2.53	0.45	3.10	0.32	0.21	0.03	2.49	9.13	3.11	0.46	4.43	0.45	0.68	0.10	3.28	12.51
	T50XX022	4.01	0.87	10.43	1.16	0.38	0.06	3.67	20.58	5.01	0.89	13.50	1.51	1.49	0.23	4.93	27.56
	T50XX023	3.13	0.68	21.03	2.70	0.38	0.06	2.87	30.85	3.91	0.70	26.95	3.46	1.49	0.23	3.86	40.60
	T50XX024	2.72	0.60	21.03	2.70	0.38	0.06	2.49	29.98	3.40	0.61	26.95	3.46	1.49	0.23	3.36	39.50
	T50XX025	5.22	1.14	9.85	1.10	0.62	0.09	4.79	22.81	6.53	1.16	12.75	1.42	2.54	0.38	6.44	31.22
	T50XX026	5.32	1.16	12.17	1.36	0.59	0.09	4.87	25.56	6.65	1.19	15.75	1.76	2.29	0.35	6.56	34.55
	T50XX027	7.11	1.80	21.69	2.60	0.55	0.08	6.49	40.32	8.53	1.83	28.01	3.36	2.10	0.32	8.99	53.14
	T50XX028	7.04	1.81	18.82	2.26	0.83	0.13	6.45	37.34	8.45	1.84	24.31	2.92	3.23	0.49	8.93	50.17
T50XX029	6.49	1.67	25.37	3.04	0.83	0.13	5.95	43.48	7.79	1.70	32.77	3.93	3.23	0.49	8.23	58.14	
T50XX030	8.34	2.13	28.64	3.44	0.83	0.13	7.62	51.13	10.00	2.16	37.00	4.44	3.23	0.49	10.56	67.88	
T50XX031	7.71	1.97	32.74	3.93	0.76	0.12	7.05	54.28	9.25	2.00	42.28	5.07	2.91	0.44	9.76	71.71	
T50XX032	7.75	1.96	21.69	2.60	0.55	0.08	7.07	41.70	9.30	1.99	28.01	3.36	2.10	0.32	9.80	54.88	
T50XX033	8.45	2.15	32.74	3.93	0.76	0.12	7.72	55.87	10.14	2.18	42.28	5.07	2.91	0.44	10.69	73.71	
T50XX035	7.46	1.61	12.17	1.36	0.59	0.09	6.81	30.09	9.32	1.64	15.75	1.76	2.29	0.35	9.17	40.28	
T55																	
	T55CA002	34.96	13.35	31.71	4.61	9.52	1.44	40.88	136.47	38.85	13.42	41.04	5.97	37.45	5.67	47.96	190.36

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T55	<i>cont.</i>																
	T55CA003	47.39	18.45	45.77	6.66	17.82	2.70	55.58	194.37	52.65	18.54	59.23	8.61	70.09	10.62	65.20	284.94
	T55CA007	26.51	10.00	23.76	3.46	9.88	1.50	30.95	106.06	29.46	10.05	30.75	4.47	38.89	5.89	36.30	155.81
	T55CA008	25.57	6.52	17.91	1.45	7.79	1.18	26.59	87.01	27.13	6.55	21.64	1.75	30.12	4.56	29.95	121.70
	T55CA009	29.99	7.72	19.63	1.59	10.77	1.63	31.24	102.57	31.83	7.75	23.72	1.92	41.64	6.31	35.19	148.36
	T55CA010	26.12	6.50	14.74	1.19	4.14	0.63	27.06	80.38	27.72	6.53	17.81	1.44	16.29	2.47	30.49	102.75
	T55CA011	30.72	7.68	17.91	1.45	5.82	0.88	31.84	96.30	32.60	7.71	21.64	1.75	22.90	3.47	35.88	125.95
	T55CA012	36.80	9.40	24.45	1.98	11.95	1.81	38.28	124.67	39.05	9.45	29.55	2.39	47.02	7.12	43.13	177.71
	T55CA013	40.19	10.35	27.90	2.25	15.14	2.29	41.87	139.99	42.65	10.40	33.71	2.72	59.94	9.08	47.17	205.67
	T55JD001	20.03	5.09	18.25	1.47	5.82	0.88	20.82	72.36	21.26	5.11	22.06	1.78	22.90	3.47	23.46	100.04
	T55JD002	23.22	5.86	19.63	1.59	5.82	0.88	24.11	81.11	24.64	5.89	23.72	1.92	22.90	3.47	27.16	109.70
	T55JD003	28.95	7.54	26.17	2.11	12.94	1.96	30.21	109.88	30.72	7.58	31.63	2.56	50.88	7.71	34.03	165.11
	T55JD004	32.33	8.46	28.45	2.30	15.45	2.34	33.76	123.09	34.31	8.50	34.37	2.78	60.80	9.21	38.04	188.01
	T55KM009	26.55	10.02	23.81	3.46	9.88	1.50	30.99	106.21	29.50	10.06	30.81	4.48	38.89	5.89	36.35	155.98
	T55KM012	36.80	14.61	50.84	7.39	17.82	2.70	43.30	173.46	40.88	14.68	65.79	9.57	70.09	10.62	50.79	262.42
	T55KM013	87.54	33.74	72.50	10.54	28.22	4.28	102.52	339.34	97.27	33.91	93.83	13.65	110.97	16.81	120.26	486.70
	T55KM014	98.45	39.85	97.58	14.19	58.27	8.83	116.21	433.38	109.39	40.05	126.28	18.37	229.20	34.72	136.33	694.34
	T55KM015	35.77	9.19	26.79	2.16	12.94	1.96	37.25	126.06	37.96	9.24	32.38	2.62	50.88	7.71	41.96	182.75
	T55KM016	40.73	10.50	29.62	2.39	15.45	2.34	42.44	143.47	43.23	10.55	35.79	2.89	60.80	9.21	47.81	210.28
	T55VO002	21.69	5.56	20.60	1.66	7.64	1.16	22.57	80.88	23.01	5.59	24.89	2.01	30.24	4.58	25.43	115.75
	T55VO003	23.22	5.88	20.60	1.66	6.22	0.94	24.12	82.64	24.64	5.91	24.89	2.01	24.47	3.71	27.18	112.81
	T55VO004	32.44	8.35	28.52	2.30	11.95	1.81	33.79	119.16	34.43	8.39	34.46	2.78	47.02	7.12	38.07	172.27
	T55VO005	27.35	6.79	23.14	1.87	3.61	0.55	28.33	91.64	29.03	6.82	27.97	2.26	14.20	2.15	31.92	114.35
	T55VO006	35.95	9.39	31.96	2.58	16.53	2.50	37.53	136.44	38.15	9.43	38.62	3.12	65.00	9.85	42.28	206.45
T56																	
	T56CA006	53.13	20.53	51.15	7.44	19.57	2.96	62.25	217.03	59.04	20.63	83.45	11.43	76.39	11.57	73.02	335.53

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
T57	T57CU001	7.92	1.67	6.76	0.81	0.37	0.06	8.82	26.41								
	T57CU002	10.95	2.31	6.76	0.81	0.37	0.06	12.20	33.46								
	T57CU003	11.66	2.45	10.23	1.23	0.37	0.06	12.99	38.99								
	T57CU004	12.57	2.65	15.75	1.89	0.37	0.06	14.00	47.29								
	T57CU005	14.37	3.02	29.80	3.58	0.37	0.06	16.00	67.20								
T60	T60KI001	17.19	4.40	15.57	2.13	2.81	0.43	16.60	59.13	20.63	4.48	20.59	2.82	10.69	1.62	22.78	83.61
	T60KI002	25.69	6.79	29.36	4.02	8.97	1.36	24.97	101.16	30.83	6.91	38.83	5.32	34.64	5.25	34.26	156.04
	T60KI003	42.40	10.93	40.04	5.48	9.14	1.38	41.00	150.37	50.88	11.12	52.95	7.25	35.26	5.34	56.25	219.05
	T60KI004	7.61	2.33	40.04	5.48	9.14	1.38	7.64	73.62	9.13	2.37	52.95	7.25	35.26	5.34	10.49	122.79
	T60KI006	49.13	13.24	48.93	6.70	22.31	3.38	47.95	191.64	58.95	13.46	64.72	8.86	86.13	13.05	65.79	310.96
	T60SO001	30.01	7.86	29.36	4.02	8.97	1.36	29.12	110.70	36.02	7.99	38.83	5.32	34.64	5.25	39.95	168.00
	T60SO002	40.25	10.84	40.04	5.48	18.07	2.74	39.28	156.70	48.30	11.02	52.95	7.25	69.72	10.56	53.89	253.69
	T60SO003	40.93	11.00	40.04	5.48	18.07	2.74	39.92	158.18	49.11	11.19	52.95	7.25	69.72	10.56	54.78	255.56
	T60SO004	52.72	13.68	48.93	6.70	13.06	1.98	51.04	188.11	63.26	13.91	64.72	8.86	50.43	7.64	70.03	278.85
	T60SO005	53.65	13.91	48.93	6.70	13.06	1.98	51.93	190.16	64.38	14.14	64.72	8.86	50.43	7.64	71.25	281.42
T65	T65WG012	92.12	24.01	11.16	4.85	1.80	0.27	116.26	250.47								
	T65WG013	138.65	36.08	11.16	4.85	1.80	0.27	174.94	367.75								
	T65WG014	151.04	39.29	24.23	11.36	1.80	0.27	190.56	418.55								
W25	W25AO002	0.84	0.08	0.06	0.78	0.00	0.00	1.28	3.04								
	W25AO003	1.22	0.12	0.06	0.78	0.00	0.00	1.86	4.04								
	W25AO004	1.20	0.11	0.13	1.06	0.00	0.00	1.84	4.34								
	W25AO005	2.43	0.23	0.25	1.61	0.00	0.00	3.72	8.24								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
W25	cont.																
	W25AO006	1.87	0.18	0.06	0.78	0.00	0.00	2.86	5.75								
	W25CJ001	9.77	1.30	0.94	0.50	0.00	0.00	13.59	26.10								
	W25CJ002	15.14	2.02	1.13	0.60	0.00	0.00	21.06	39.95								
	W25CJ003	23.94	3.20	1.13	0.60	0.00	0.00	33.31	62.18								
	W25KZ001	1.34	0.38	0.00	0.00	0.00	0.00	0.92	2.64								
	W25KZ002	1.48	0.42	0.00	0.00	0.00	0.00	1.01	2.91								
	W25KZ003	1.51	0.43	0.00	0.00	0.00	0.00	1.04	2.98								
	W25KZ004	2.15	0.61	0.00	0.00	0.00	0.00	1.47	4.23								
	W25KZ005	2.54	0.72	0.00	0.00	0.00	0.00	1.74	5.00								
	W25KZ006	2.59	0.73	0.00	0.00	0.00	0.00	1.77	5.09								
	W25KZ007	2.76	0.78	0.00	0.00	0.00	0.00	1.89	5.43								
	W25NL001	14.47	1.38	12.73	5.45	0.00	0.00	24.16	58.19								
	W25NL002	24.23	2.31	43.27	5.19	0.00	0.00	40.46	115.46								
	W25NL003	15.50	1.48	19.37	2.32	0.00	0.00	25.89	64.56								
	W25NL004	31.14	3.02	4.39	0.53	0.44	0.07	52.16	91.75								
	W25NL005	59.13	5.65	90.41	10.85	0.00	0.00	98.74	264.78								
	W25SD001	1.04	0.10	0.32	0.14	0.00	0.00	1.60	3.20								
	W25SD002	2.68	0.26	0.19	0.08	0.00	0.00	4.11	7.32								
	W25SD003	1.61	0.15	4.85	0.50	0.00	0.00	2.47	9.58								
	W25SD004	2.31	0.23	2.15	0.22	0.04	0.01	3.55	8.51								
	W25SD005	1.22	0.12	3.23	0.33	0.00	0.00	1.86	6.76								
	W25SD006	1.11	0.11	0.06	4.03	0.00	0.00	1.70	7.01								
	W25SD007	1.19	0.11	0.06	5.03	0.00	0.00	1.81	8.20								
	W25SD008	1.29	0.12	0.06	6.03	0.00	0.00	1.97	9.47								
	W25SD009	2.85	0.27	0.70	6.30	0.00	0.00	4.36	14.48								
	W25XX005	0.40	0.04	1.35	0.14	0.00	0.00	0.61	2.54								
	W25XX006	0.55	0.05	1.35	0.14	0.00	0.00	0.84	2.93								

Table 2-2 . HOURLY RATE ELEMENTS

REGION 8		AVERAGE OPERATING CONDITIONS								SEVERE OPERATING CONDITIONS							
CAT	ID. NO.	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE	DEPR	FCCM	FUEL	FOG	TIRE WEAR	TIRE REPAIR	REPAIR	TOTAL RATE
W25	<i>cont.</i>																
	W25XX007	0.73	0.07	2.15	0.22	0.00	0.00	1.11	4.28								
	W25XX008	0.77	0.07	2.96	0.30	0.00	0.00	1.17	5.27								
	W25XX009	1.53	0.15	2.15	0.22	0.00	0.00	2.34	6.39								
	W25XX010	2.34	0.22	6.46	0.66	0.00	0.00	3.58	13.26								
W30	W30SO001	3.51	0.90	1.48	0.16	0.36	0.05	2.91	9.37								
	W30SO002	4.23	1.07	1.48	0.16	0.36	0.05	3.50	10.85								
	W30SO003	4.61	1.17	1.48	0.16	0.36	0.05	3.81	11.64								
	W30SO004	2.34	0.58	0.00	0.01	0.00	0.00	1.60	4.53								
	W30SO005	2.62	0.65	0.00	0.01	0.00	0.00	1.79	5.07								
	W30SO006	3.02	0.75	0.00	0.01	0.00	0.00	2.07	5.85								
W35	W35LC010	0.08	0.01	0.30	0.13	0.00	0.00	0.06	0.58								
	W35LC011	0.41	0.06	0.54	0.23	0.00	0.00	0.29	1.53								
	W35LC012	0.53	0.07	0.70	0.30	0.00	0.00	0.37	1.97								
	W35LC013	0.57	0.08	0.82	0.35	0.00	0.00	0.40	2.22								
	W35LC018	0.12	0.02	0.10	0.04	0.00	0.00	0.08	0.36								
	W35LC020	0.51	0.07	0.52	0.22	0.00	0.00	0.36	1.68								
	W35XX020	0.23	0.04	2.48	0.25	0.00	0.00	0.25	3.25								
	W35XX021	0.58	0.11	3.83	0.39	0.03	0.00	0.65	5.59								
	W35XX022	0.60	0.12	4.06	0.42	0.03	0.00	0.67	5.90								
	W35XX023	1.06	0.20	10.14	1.04	0.03	0.00	1.18	13.65								
	W35XX024	1.57	0.30	5.23	0.54	0.03	0.00	1.75	9.42								
	W35XX025	1.50	0.29	4.58	0.47	0.03	0.00	1.68	8.55								

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

CHAPTER 3.0 - ADJUSTMENTS TO HOURLY RATES

SECTION I. GENERAL

3.1 Contents

This chapter explains the procedures for adjusting the hourly rates shown in tables 2-1 and 2-2.

3.2 Basis for Equipment Rates

The rates shown in tables 2-1 and 2-2 are based on the catalog list price of equipment manufactured in 2006 (3 years old). Area factors used to compute regional ownership and operating expenses are listed in appendix B. All equipment hourly rate elements for average and severe conditions are given in table 2-2. Individual cost elements, which comprise the total hourly rate, are shown in table 2-2. These hourly rate elements are listed by equipment ID No., which corresponds to the equipment shown in tables 2-1 and 2-2.

a. Ownership costs consist of two cost elements: depreciation (DEPR) and facilities capital cost of money (FCCM). These elements are located in tables 2-1 and 2-2.

b. Operating costs consist of five cost elements: fuel (FUEL); filters, oil, and grease (FOG); repairs (REPAIR); tire wear (TIRE WEAR); and tire repair (TIRE REPAIR). These elements are located in table 2-2.

3.3 Equipment Rate Adjustment Tables

Table 3-1 is used to adjust the ownership (DEPR + FCCM) portion of the average hourly rate and table 3-2 is used to adjust the standby hourly rate shown in table 2-1.

3.4 Determination for Use of Equipment Rates in Tables 2-1 and 2-2

The predetermined equipment rates in tables 2-1 and 2-2 may be used when the contractor's actual cost data (cost or pricing data) is insufficient to calculate the rates. If the contractor's actual equipment is listed in tables 2-1 and 2-2, the equipment must be equivalent. However, if the contractor's actual equipment is not listed in tables 2-1 and 2-2, an equivalent piece of equipment may be chosen from the tables. To be considered equivalent, the contractor's equipment must be no more or less than 10 percent of the configuration (size, capacity, and horsepower) and value as compared

to the equipment in tables 2-1 and 2-2. In either case, if the equipment is not equivalent, the equipment rate must be calculated using the methodology in chapter 2.

SECTION II. RATE ADJUSTMENTS

3.5 Rate Adjustments

The ownership and/or the operating portion of the hourly rates and standby hourly rates shall be adjusted whenever one or more of the following rate adjustment conditions exist (rate adjustments are explained in detail in the following paragraphs).

- Changes in operating conditions
- Changes in Cost of Money Rate
- Actual work hours (hrs) exceed 40 hr per week (wk)
- Changes in FUEL cost
- Adjustments to FOG cost
- Equipment of different age than table 2-1
- Rate adjustment for overage equipment
- Rate adjustment for overage equipment standby

There are no rate adjustments for appendix B factors except for fuel cost (electric, gas, diesel off-road, and diesel on-road) and the Cost of Money Rate. Also, there are no rate adjustments for repairs, tire wear, or tire repair.

3.6 Changes in Operating Conditions

If difficult or severe conditions are justified by the Contracting Officer, selection or calculation of the appropriate rate is necessary. See chapter 2, section II, for definition of average, difficult, or severe conditions and determination of condition.

3.7 Change in Cost of Money Rate (CMR)

The Department of the Treasury adjusts the CMR (Prompt Payment Interest Rate) on or about 1 January and 1 July each year; these revisions are printed in the Federal Register. The Internet address for Prompt Payment Interest Rate is http://www.treasurydirect.gov/govt/rates/tcir/tcir_opdprmt2.htm.

If the CMR shown in chapter 2, section VII, is not the current rate, the FCCM portion of the total hourly rate shall be adjusted upward or downward to match the CMR for the period of equipment use. See appendix I for a listing of historical CMRs. The total hourly rate adjusted for a differing CMR is computed by the formula:

$$\text{Total Hourly Rate} = \text{DEPR/hr} + [(\text{FCCM/hr}) \times \frac{(\text{NEW CMR})}{(\text{Old CMR})}] + \text{Operating Costs/hr}$$

Example: Assume that table 2-1 includes a crane [*category (CAT) C80, subcategory (SUB) 0.02*] with hourly costs as shown in the following example. The CMR has increased from 5.00 percent to a current rate of 6.00 percent (increase of 20 percent). The total hourly rate for this piece of equipment is determined as follows:

Assumptions for Total Hourly Rate with CMR of 5.00 percent (per hour):

DEPR	\$30.00
FCCM	\$10.00
Operating Costs (FUEL, FOG, TIRE WEAR, TIRE REPAIR, and REPAIR)	<u>\$40.00</u>
Total Hourly Rate (Based on a 40 hr/wk)	\$80.00

Adjustment Calculation of Total Hourly Rate for New CMR of 6.00 percent (per hour):

$$\$30.00/\text{hr} + [(\$10.00/\text{hr}) \times \frac{(6.00\%)}{(5.00\%)}] + \$40.00/\text{hr} = \$82.00/\text{hr}$$

3.8 Actual Work Hours Greater than 40 Hours per Week

If the actual number of work hours per week is greater than 40 hours, an adjustment shall be made to the FCCM element of the ownership cost. The FCCM is to be paid up to a maximum of 40 hours per week (7 calendar days). To calculate a multi-shift rate, prorate the 40-hour FCCM over the actual hours per week, as follows:

$$\text{Total Hourly Rate} = \text{DEPR/hr} + [(\text{FCCM/hr}) \times \frac{(40 \text{ hr/wk})}{(\text{Actual Work hr/wk})}] + \text{Operating Costs/hr}$$

Example: Assume that table 2-1 includes a crane (*category C80, subcategory 0.02*) with the below hourly costs. This crane worked 10 hours per day, 6 days per week (60 hours per week). The total hourly rate for this piece of equipment is determined as follows:

Assumptions for Total Hourly Rate for 40 Hours/Week:

DEPR	\$30.00
FCCM	\$10.00
Operating Costs (FUEL, FOG, TIRE WEAR, TIRE REPAIR, and REPAIR)	<u>\$40.00</u>
Total Hourly Rate (Based on a 40 hr/wk)	\$80.00

Adjustment Calculation of Total Hourly Rate for 60 Hours/Week:

$$\$30.00/\text{hr} + [(\$10.00/\text{hr}) \times \frac{(40 \text{ hr/wk})}{(60 \text{ hr/wk})}] + \$40.00/\text{hr} = \$76.67/\text{hr}$$

3.9 Changes in Fuel Cost

Hourly fuel costs (including electricity) shall be adjusted in the event the average fuel prices at the jobsite vary by more than 10 percent above or below the price in appendix B. The contractor shall be required to furnish copies of all fuel supply contracts and invoices to the government to support fuel cost adjustment. Request for upward adjustment in the rates will be considered only when fuel is supplied by recognized distributors of bulk quantities. Mathematically, this is the ratio of the new fuel cost divided by the fuel cost (appendix B). To calculate the total hourly rate, apply the ratio of fuel cost, as follows:

$$\text{Total Hourly Rate} = (\text{DEPR}/\text{hr} + \text{FCCM}/\text{hr}) + (\text{FOG}/\text{hr} + \text{TIRE WEAR}/\text{hr} + \text{TIRE REPAIR}/\text{hr} + \text{REPAIR}/\text{hr}) + \left[\frac{(\text{New Fuel Cost})}{(\text{Fuel Cost in Appendix B})} \times \text{FUEL}/\text{hr} \right]$$

Example: Assume that table 2-1 includes a crane (*category C80, subcategory 0.02*) with the below hourly costs. Assume the fuel cost (diesel off-road) in appendix B is \$2.50/gal and the current fuel cost has increased to \$3.00/gal (increase of 20.00 percent). The total hourly rate for this piece of equipment can be determined as follows:

Assumptions for Fuel Cost (based on \$2.50/gal from appendix B) per hour:

DEPR	\$30.00
FCCM	\$10.00
FOG, TIRE WEAR, TIRE REPAIR, and REPAIR)	\$30.00
FUEL	<u>\$10.00</u>
Total Hourly Rate	\$80.00

Adjustment Calculation for hourly FUEL cost using the new fuel cost of \$3.00/gal:

$$(\$30.00/\text{hr} + \$10.00/\text{hr}) + \$30.00/\text{hr} + \frac{[(\$3.00/\text{gal}) \times \$10.00/\text{hr}]}{(\$2.50/\text{gal})} = \$82.00/\text{hr}$$

3.10 Adjustments to Fuel, Oil, and Grease (FOG) Cost

The hourly FOG allowance shall also be adjusted upward or downward by applying the same ratio (new fuel cost divided by fuel cost shown in appendix B) as the fuel costs change using the methodology as shown in paragraph 3-9.

3.11 Equipment of Different Age than Table 2-1

When the age of the equipment is newer or older than the age of the equipment listed in table 2-1, table 3-1 factors may be used to adjust the hourly rate (see paragraph 3-12 for guidance on overage equipment), otherwise the step-by-step calculation method (as shown in figure 2-1) is necessary. To adjust the hourly rate using the tables, the factors given in table 3-1 are multiplied by the hourly ownership costs shown in table 2-1. The result is an ownership rate adjusted for the actual age of the equipment. Note: Age adjustment factors in tables 3-1 and 3-2 vary by region.

a. When the age of a unit of equipment is older than the age of the equipment listed in table 2-1 (purchased new in 2006) and does not exceed the years of economic life, adjust the hourly rate as shown in the next example. The years of economic life is determined by dividing hours of LIFE (from appendix D) by Working Hours Per Year (WHPY) (from appendix B).

Example: Assume that table 2-1 includes a crane (*category C80, subcategory 0.02*) manufactured in 2006 and has a total hourly rate of \$65 per hour and an ownership rate of \$30 per hour. If an equivalent crane owned by a contractor was manufactured in 2002, the total hourly rate is determined as follows:

Table 2-1 Rate and Adjustment Calculation:

Total hourly rate	= \$65.00/hr
Ownership rate 2006 (DEPR + FCCM)	= -(\$30.00)/hr
Ownership rate 2002 adjusted for age (Ownership rate = \$30) x (0.84 the age adjustment factor from table 3-1, for category C80, subcategory 0.02, and for the year 2002.)	= <u>+\$25.20/hr</u>
Total hourly rate for equipment manufactured in 2002	= \$60.20/hr

b. When the unit of equipment is older than the age of equipment listed in table 2-1 (purchased new in 2006) and exceeds the years of economic life, adjust the hourly rate as shown in the example for overage equipment in paragraph 3-12.

c. When the unit of equipment is newer than the equipment listed in table 2-1 (purchased new in 2006), use the adjustment factor in table 3-1 for the year of manufacture. If the equipment is newer than the most recent year shown in table 3-1, use the adjustment factor in the column of the most recent year. Once the adjustment factor is determined from table 3-1, complete the adjustment calculation as shown in the example above. The step-by-step calculation method shown in figure 2-1 may also be used.

3.12 Rate Adjustment for Overage Equipment

If the contractor's equipment exceeds the economic life in hours (from appendix D), it is considered overage, and the rates shall be adjusted.

a. The total hourly operating rate for overage equipment (no matter how old) shall be computed on the basis that the equipment is as old as possible "without" exceeding the hours of LIFE as shown in appendix D. Tables 3-1 and 3-2 show factors for the economic life for equipment based on the current pamphlet year (*e.g.*, manufactured in 2006). Select a comparable unit of equipment (horsepower, value, capacity, and size) shown in table 2-1, the total hourly rate can be computed as shown in the following example. If there is no comparable unit of equipment in table 2-1, follow the methodology presented in figure 3-1.

b. The ownership portion of the rate shall be adjusted for equipment that is overage. This adjusted rate is not to exceed the rate for the same unit of equipment that is not overage.

Example: Assume that table 2-1 includes a crane (*category C80, subcategory 0.02*) manufactured in 2006, has a total hourly rate of \$65 per hour, and an ownership rate of \$30 per hour. If an equivalent crane owned by a contractor was manufactured in 1992 (maximum life 1999), this crane is overage and the total hourly rate is determined as follows:

Table 2-1 Rate and Adjustment Calculation:

Total hourly rate	=	\$65.00/hr
Ownership rate 2006 (DEPR + FCCM)	=	-\$30.00/hr
Ownership rate 1992 adjusted for age (Ownership rate = \$30.00) x (0.78) use the oldest age adjustment factor from table 3-1, for category C80, subcategory 0.02, the last year shown.)	=	<u>+\$23.40/hr</u>
Total hourly rate for equipment manufactured in 1992	=	\$58.40/hr

3.13 Standby Rate Adjustment for Equipment of a Different Age than Table 2-1

If the equipment age is other than listed in table 2-1 (purchased new in 2006), adjustment to the hourly standby rate is required. When the age of the equipment is newer or older than the age of the equipment listed in table 2-1, table 3-2 factors may be used to adjust the hourly rate, otherwise the step-by-step calculation method is necessary. The result is a standby rate adjusted for the actual age of the equipment.

a. Standby rates for overage equipment are based on the actual age of the equipment. The age adjustment factor given in table 3-2 is multiplied by the hourly standby cost shown in table 2-1 for the listed or comparable unit of equipment. This results in a standby rate adjusted for the actual age of the unit of equipment being considered.

$$\text{Hourly Standby Rate Adjusted for Actual Age} = \text{Hourly Standby Rate} \times \text{Age Adjustment Factor}$$

Example: Assume that table 2-1 includes a crane (*category C80, subcategory 0.02*) manufactured in 2006 and has a standby rate of \$20.00 per hour. If an equivalent crane owned by a contractor was manufactured in 1998, the hourly standby rate is determined as follows:

Hourly Standby Rate (table 2-1)	=	\$20.00/hr
Age Adjustment Factor (table 3-2) for category C80, subcategory 0.02, and for 1998 (actual year of manufacture)	=	0.78

Adjustment Calculation:

Hourly Standby Rate Adjusted for Actual Age (Hourly Standby Rate) x 0.78 (Age Adjustment Factor)	=	\$20.00/hr \$15.60/hr
---	---	--------------------------

b. When the unit of equipment is newer than the equipment listed in table 2-1 (purchased new in 2006), use the adjustment factor in table 3-2 for the year

of manufacture. Once the adjustment factor is determined from table 3-2, complete the adjustment calculation as shown in the example above. The step-by-step calculation method shown in figure 3-2 may also be used.

c. When the equipment age is older than the last year shown in table 3-2 or newer than the first year shown in table 3-2, the standby rate must be calculated using the step-by-step methodology shown in figure 3-2.

3.14 Equipment Purchased Used

A detailed methodology for computing a total hourly rate for equipment purchased used is not included in this pamphlet.

a. When actual cost data in accordance with chapter 1 is not available, an hourly rate and standby rate for equipment purchased used can be computed on the basis that the equipment was purchased new by the contractor in the year it was manufactured. Consideration for the actual age of used equipment may require an adjustment for overage.

b. The condition of the used equipment at the time of purchase should consider the extent of capital improvements, mechanical condition, and previous hours of operation. These conditions are difficult or impossible to determine and evaluate when computing a total hourly rate based on actual acquisition cost.

3.15 Rate Calculation Examples

Figure 3-1 illustrates how total hourly rates are adjusted for overage equipment. Figure 3-2 gives a sample calculation for computing adjusted standby rates.

Table 3-1. Equipment Age Adjustment Factors

for

Ownership Costs

The factors in this table are used when the age of a unit of equipment is other than the age of the equipment listed in table 2-1 (purchased new in 2006).

The factors are multiplied by the hourly ownership costs (shown in table 2-1) and result in an ownership rate adjusted for the actual age of the equipment being considered.

When the actual “life” in hours of the unit of equipment has exceeded the economic life given in appendix D, the age will be determined as discussed in chapter 3.

Refer to chapter 3, as follows:

3-11. Equipment of Different Age than Table 2-1

3-12. Rate Adjustment for Overage Equipment

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY	SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years							Year Purchased New												
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
			2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992		
A10	0.00	AGGREGATE / CHIP SPREADERS																				
A10	0.10	SELF-PROPELLED	1.13	1.08	1.03	1.00	0.95	0.89														
A10	0.20	TOWED & TAILGATE	1.13	1.08	1.03	1.00																
A15	0.00	AIR COMPRESSORS, PORTABLE																				
A15	0.10	ROTARY SCREW	1.20	1.12	1.05	1.00	0.96	0.92	0.91													
A15	0.20	SHOP TYPE	1.19	1.12	1.04	1.00	0.96	0.92	0.92	0.91												
A20	0.00	AIR HOSE, TOOLS & EQUIPMENT																				
A20	0.10	AIR DRILL HOSE	1.17	1.11	1.04	1.00																
A20	0.20	SANDBLAST HOSE	1.17	1.11	1.04	1.00																
A20	0.30	SANDBLASTERS, BREAKERS, & MISC. AIR TOOLS	1.18	1.11	1.04	1.00																
A25	0.00	ASPHALT PAVING DISTRIBUTORS	1.12	1.07	1.03	1.00																
A30	0.00	ASPHALT PAVERS & MISCELLANEOUS ROAD EQUIPMENT																				
A30	0.10	SELF PROPELLED	1.12	1.07	1.03	1.00	0.95	0.90														
A30	0.20	TOWED	1.13	1.08	1.03	1.00	0.95	0.89	0.90													
A30	0.30	SLURRY SEAL PAVERS (Cold mix)	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90												
A30	0.40	MISCELLANEOUS ROAD EQUIPMENT	1.13	1.08	1.03	1.00	0.95	0.89	0.90													
A35	0.00	ASPHALT PAVING KETTLES	1.13	1.08	1.03	1.00																
A40	0.00	ASPHALT & CONCRETE MILLERS / PROFILERS / PLANERS / ROTARY GRINDERS	1.13	1.08	1.03	1.00																
A45	0.00	ASPHALT RECYCLERS & SEALERS	1.13	1.08	1.03	1.00																
B10	0.00	BATCH PLANTS, ASPHALT & CONCRETE																				
B10	0.10	ASPHALT	1.13	1.08	1.03	1.00	0.95	0.89														
B10	0.20	CONCRETE	1.13	1.08	1.03	1.00	0.95	0.89														

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years						Year Purchased New													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992		
B10 0.30	PUGMILL	1.13	1.08	1.03	1.00	0.95	0.89	0.90													
B15 0.00	BROOMS, STREET SWEEPERS & FLUSHERS	1.11	1.06	1.03	1.00	0.96	0.89														
B20 0.00	BRUSH CHIPPERS	1.11	1.06	1.03	1.00	0.96	0.89														
B25 0.00	BUCKETS, CLAMSHELL	1.06	1.02	1.01	1.00	0.94	0.89														
B30 0.00	BUCKETS, CONCRETE																				
B30 0.10	GENERAL PURPOSE, MANUAL TRIP	1.06	1.02	1.01	1.00	0.95	0.89														
B30 0.20	LAYDOWN	1.06	1.02	1.01	1.00	0.95	0.89														
B30 0.30	LOWBOY	1.06	1.02	1.01	1.00	0.95	0.89														
B30 0.40	LOW SLUMP	1.06	1.02	1.01	1.00	0.95	0.89														
B35 0.00	BUCKETS, DRAGLINE																				
B35 0.10	LIGHT WEIGHT	1.06	1.02	1.01	1.00	0.94	0.89														
B35 0.20	MEDIUM WEIGHT	1.06	1.02	1.01	1.00	0.94	0.89														
B35 0.30	HEAVY WEIGHT	1.06	1.02	1.01	1.00	0.94	0.89	0.86													
C05 0.00	CHAIN SAWS	1.11	1.06		1.00																
C10 0.00	COMPACTORS, WALK-BEHIND OR REMOTE CONTROLLER																				
C10 0.10	COMPACTORS, RAMMERS / TAMPERS & VIBRATORY PLATES	1.11	1.06	1.03	1.00																
C10 0.20	ROLLERS, VIBRATORY	1.12	1.07	1.03	1.00																
C15 0.00	CONCRETE CLEANERS / ABRASIVE BLASTERS																				
C15 0.10	WALK BEHIND	1.13	1.07	1.03	1.00																
C15 0.20	TRUCK/TRAILER MOUNTED	1.13	1.07	1.03	1.00	0.95	0.88														
C20 0.00	CONCRETE BUGGIES	1.13	1.07	1.03	1.00																
C25 0.00	CONCRETE FINISHERS/SCREEDS/SPREADERS																				

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY	REGION 8 SUB TYPE OF EQUIPMENT		Year Purchased New																	
			Life in Years																	
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
C25	0.10	FINISHERS/TROWELS	1.13	1.07	1.03	1.00														
C25	0.20	VIBRATORY SCREED	1.13	1.07	1.03	1.00														
C25	0.25	VIBRATORY LASER SCREED	1.14	1.08	1.03	1.00	0.94	0.87												
C25	0.30	MATERIAL/TOPPING SPREADERS	1.14	1.08	1.03	1.00	0.94	0.87												
C30	0.00	CONCRETE GRINDERS	1.13	1.07	1.03	1.00														
C35	0.00	CONCRETE GUNITERS / SHOTCRETTERS	1.13	1.08	1.03	1.00	0.95													
C40	0.00	CONCRETE MIXING UNITS	1.13	1.07	1.03	1.00														
C45	0.00	CONCRETE PAVING MACHINES	1.13	1.08	1.03	1.00														
C55	0.00	CONCRETE PUMPS	1.11	1.06	1.03	1.00	0.96	0.89												
C60	0.00	CONCRETE SAWS (Add cost for sawblade wear)	1.11	1.06	1.03	1.00														
C65	0.00	CONCRETE VIBRATORS	1.19	1.11	1.04	1.00														
C70	0.00	CRANES, GANTRY & STRADDLE																		
C75	0.00	CRANES, HYDRAULIC, SELF-PROPELLED	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.79								
C80	0.00	CRANES, HYDRAULIC, TRUCK MOUNTED																		
C80	0.01	UNDER 26 TON	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.79								
C80	0.02	26 TON THRU 65 TON	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.84	0.78	0.79	0.78							
C80	0.03	66 TON THRU 125 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78						
C80	0.04	OVER 125 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76					
C85	0.00	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER MOUNTED																		
C85	0.11	DRAGLINE, CLAMSHELL, 0 THRU 1.0 CY	1.07	1.03	1.01	1.00	0.94	0.88	0.85	0.83	0.76	0.78								
C85	0.12	DRAGLINE, CLAMSHELL, OVER 1.0 CY THRU 2.5 CY	1.06	1.03	1.01	1.00	0.94	0.88	0.85	0.83	0.77	0.78	0.78							
C85	0.13	DRAGLINE, CLAMSHELL, OVER 2.5 CY THRU 5.0 CY	1.06	1.03	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.78	0.78	0.77						

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
C85 0.14	DRAGLINE, CLAMSHELL, OVER 5.0 CY	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.78	0.78	0.77	0.75					
C85 0.21	LIFTING, 0 THRU 25 TON	1.06	1.03	1.01	1.00	0.94	0.88	0.85	0.83	0.77	0.78	0.78							
C85 0.22	LIFTING, 26 TON THRU 50 TON	1.06	1.03	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.78	0.78	0.77						
C85 0.23	LIFTING, 51 TON THRU 150 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76					
C85 0.24	LIFTING, OVER 150 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72			
C90 0.00	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MOUNTED																		
C90 0.01	UNDER 26 TON	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.79								
C90 0.02	26 TON THRU 65 TON	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.84	0.78	0.79	0.78							
C90 0.03	66 TON THRU 125 TON	1.06	1.03	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.78	0.78	0.77						
C90 0.04	OVER 125 TON	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.78	0.78	0.77	0.75					
C95 0.00	CRANES, TOWER	1.06	1.03	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.78	0.78	0.77						
D10 0.00	DRILLS, AIR/HYDRAULIC.CRWLR MTD,0" THRU 6.5" DIA HOLE (Add cost for drill steel and bit wear)																		
D10 0.10	DRILLS, AIR TRACK (Add cost for drill steel and bit wear)	1.23	1.17	1.09	1.00	0.91	0.84	0.77	0.75	0.68	0.66								
D10 0.20	DRILLS, HYDRAULIC TRACK (Add cost for drill steel and bit wear)	1.23	1.17	1.09	1.00	0.91	0.83	0.77											
D15 0.00	DRILLS, HORIZONTAL BORING & GROUND PIERCING (Add cost for drill steel and bit wear)	1.23	1.17	1.09	1.00	0.91	0.83	0.77											
D20 0.00	DRILLS, CORE, COLUMN MOUNTED (Add cost for drill steel and bit wear)	1.24	1.18	1.09	1.00	0.91	0.83												
D25 0.00	DRILLS, CORE & DOWELLING (Add cost for drill steel and bit wear)	1.23	1.17	1.09	1.00	0.91	0.83	0.77											
D30 0.00	DRILLS, EARTH / AUGER (Add cost for drill steel and cutting edge wear)	1.23	1.17	1.09	1.00	0.91	0.83	0.77											
D35 0.00	DRILLS, ROTARY BLASTHOLE (Add cost for drill steel and bit wear)																		
D35 0.11	DIESEL, 4.5" THRU 9.875" DIAMETER HOLE (Add cost for drill steel and bit wear)	1.22	1.16	1.08	1.00	0.92	0.84	0.78	0.77	0.70	0.68								
D35 0.12	DIESEL, OVER 9.875" DIAMETER (Add cost for drill steel and bit wear)	1.21	1.16	1.08	1.00	0.92	0.85	0.79	0.77	0.70	0.68	0.67	0.66						
D35 0.21	ELECTRIC, 4.5" THRU 9.875" DIAMETER HOLE (Add cost for drill steel and bit wear)	1.22	1.16	1.08	1.00	0.92	0.84	0.78	0.77	0.70	0.68								

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY	SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years					Year Purchased New													
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
			2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
D35	0.22	ELECTRIC, OVER 9.875" DIAMETER (Add cost for drill steel and bit wear)	1.21	1.16	1.08	1.00	0.92	0.85	0.79	0.77	0.70	0.68	0.67	0.66							
F10	0.00	FORK LIFTS	1.12	1.07	1.03	1.00	0.95	0.88	0.85												
G10	0.00	GENERATOR SETS																			
G10	0.10	PORTABLE	1.16	1.11	1.05	1.00	0.95	0.90													
G10	0.20	SKID MOUNTED	1.16	1.11	1.05	1.00	0.95	0.90	0.88												
G15	0.00	GRADERS, MOTOR	1.11	1.06	1.02	1.00	0.95	0.91	0.87	0.86	0.85	0.84									
H10	0.00	HAMMERS, HYDRAULIC (Demolition tool) (Add cost for point wear)	1.13	1.07	1.03	1.00															
H13	0.00	HAZARDOUS/TOXIC WASTE EQUIPMENT																			
H13	0.11	COMPACTORS (Compression force) 0 THRU 50 TONS	1.12	1.07	1.03	1.00	0.95	0.89	0.85												
H13	0.12	COMPACTORS (Compression force) OVER 50 TONS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83											
H13	0.21	FILTER PRESSES, STATIONARY	1.12	1.07	1.03	1.00	0.95	0.88	0.85												
H13	0.22	FILTER PRESSES, MOBILE	1.12	1.07	1.03	1.00	0.95	0.89	0.85												
H13	0.30	CENTRIFUGES	1.13	1.07	1.03	1.00															
H13	0.40	SHREDDERS	1.12	1.07	1.03	1.00	0.95	0.89	0.85												
H13	0.51	SOIL TREATMENT PLANT, MOBILE	1.12	1.07	1.03	1.00	0.95	0.89	0.85												
H13	0.61	SLUDGE PROCESSING EQUIP, SLUDGE DISPENSERS	1.12	1.07	1.03	1.00	0.95	0.89	0.85												
H13	0.71	WASTE HANDLING EQUIPMENT, DRUM HANDLING	1.12	1.07	1.03	1.00															
H15	0.00	HEATERS, SPACE																			
H20	0.00	HOISTS & AIR WINCHES	1.12	1.07	1.03	1.00	0.95	0.88													
H25	0.00	HYDRAULIC EXCAVATORS, CRAWLER MOUNTED																			
H25	0.10	0 LBS THRU 12,500 LBS (COMPACT EXCAVATORS)	1.07	1.03	1.02	1.00	0.93	0.87													
H25	0.11	OVER 12,500 LBS THRU 40,000 LBS	1.07	1.03	1.02	1.00	0.93	0.87													

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years										Year Purchased New									
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992		
H25 0.12	OVER 40,000 LBS THRU 100,000 LBS	1.07	1.03	1.01	1.00	0.93	0.87	0.84	0.82												
H25 0.13	OVER 100,000 LBS THRU 160,000 LBS	1.07	1.03	1.01	1.00	0.94	0.87	0.85	0.82	0.76	0.77	0.77									
H25 0.14	OVER 160,000 LBS	1.07	1.03	1.01	1.00	0.94	0.88	0.85	0.82	0.76	0.77	0.77	0.76	0.74							
H25 0.21	ATTACHMENTS, MOBILE SHEARS	1.12	1.07	1.03	1.00																
H25 0.22	ATTACHMENTS, MATERIAL HANDLING	1.13	1.07	1.03	1.00																
H25 0.23	ATTACHMENTS, CONCRETE PULVERIZERS	1.12	1.07	1.03	1.00																
H25 0.24	ATTACHMENTS, COMPACTORS	1.12	1.07	1.03	1.00																
H30 0.00	HYDRAULIC EXCAVATORS, WHEEL MOUNTED																				
H30 0.01	0 THRU 1.0 CY	1.07	1.03	1.02	1.00	0.93	0.87														
H30 0.02	OVER 1.0 CY	1.07	1.03	1.02	1.00	0.93	0.87	0.84													
H35 0.00	HYDRAULIC SHOVELS, CRAWLER MOUNTED																				
H35 0.11	DIESEL, 0 CY THRU 5.0 CY	1.07	1.03	1.01	1.00	0.94	0.88	0.85	0.83	0.76	0.78										
H35 0.12	DIESEL, OVER 5.0 CY	1.06	1.03	1.01	1.00	0.94	0.88	0.85	0.83	0.77	0.78	0.78									
H35 0.21	ELECTRIC, OVER 2.5 CY	1.06	1.03	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.78	0.78	0.77								
L10 0.00	LAND CLEARING EQUIPMENT	1.13	1.06	1.02	1.00	0.96	0.90	0.87													
L15 0.00	LANDSCAPING EQUIPMENT	1.12	1.07	1.03	1.00																
L20 0.00	LIGHTING SETS, TRAILER MOUNTED																				
L20 0.10	METALLIC VAPOR	1.13	1.07	1.03	1.00	0.95	0.88														
L25 0.00	LINE STRIPING EQUIPMENT	1.13	1.07	1.03	1.00	0.95	0.88														
L30 0.00	LOADERS, BELT (Conveyor belts) & ACCESSORIES	1.12	1.07	1.03	1.00	0.95	0.88	0.85													
L35 0.00	LOADERS, FRONT END, CRAWLER TYPE	1.13	1.06	1.02	1.00	0.96	0.90	0.87													
L40 0.00	LOADERS, FRONT END, WHEEL TYPE																				

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY	REGION 8 SUB TYPE OF EQUIPMENT		Year Purchased New																	
			Life in Years																	
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
L40	0.11	ARTICULATED, 0 THRU 225 HP	1.14	1.07	1.02	1.00	0.95	0.89	0.86											
L40	0.12	ARTICULATED, OVER 225 HP	1.13	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85									
L40	0.20	SKID STEER	1.13	1.06	1.02	1.00	0.95	0.90												
L40	0.21	SKID STEER ATTACHMENTS	1.13	1.06	1.02	1.00														
L40	0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	1.14	1.07	1.02	1.00	0.95	0.90	0.86											
L40	0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.86										
L45	0.00	LOADERS / BACKHOE, CRAWLER TYPE	1.13	1.06	1.02	1.00	0.95	0.90												
L50	0.00	LOADERS / BACKHOE, WHEEL TYPE	1.14	1.07	1.02	1.00	0.95	0.90	0.86											
L55	0.00	LOADER / BACKHOE, ATTACHMENTS	1.13	1.07	1.03	1.00														
L60	0.00	LOG SKIDDERS	1.17	1.11	1.05	1.00	0.95	0.91	0.86											
M10	0.00	MARINE EQUIPMENT (NON DREDGING)																		
M10	0.11	AQUATIC MAINTENANCE	1.14	1.09	1.05	1.00	0.96	0.92	0.87											
M10	0.12	AQUATIC MAINTENANCE ATTACHMENTS	1.16	1.10	1.05	1.00														
M10	0.21	HYDRAULIC CUTTERHEAD DREDGE, 8" OR LESS, TRANSPORTABLE	1.13	1.09	1.05	1.00	0.96	0.93	0.87	0.83	0.82	0.80	0.79							
M10	0.22	HYDRAULIC CUTTERHEAD DREDGE, 8" - 12", TRANSPORTABLE	1.13	1.09	1.05	1.00	0.96	0.93	0.87	0.83	0.82	0.80	0.79							
M10	0.23	HYDRAULIC AUGERHEAD DREDGE, 12" OR LESS, TRANSPORTABLE	1.13	1.09	1.05	1.00	0.96	0.93	0.87	0.83	0.82	0.80	0.79							
M10	0.24	HYDRAULIC FLOATING PUMPS, 12" OR LESS, TRANSPORTABLE	1.14	1.09	1.05	1.00	0.96	0.92												
M10	0.25	HYDRAULIC DREDGE PUMPS, 12" OR LESS, TRANSPORTABLE	1.15	1.09	1.05	1.00														
M10	0.26	HYDRAULIC DREDGE / PUMP ATTACHMENTS	1.15	1.09	1.05	1.00														
M10	0.31	SMALL MECH DREDGES, CLAMSHELL, BARGE-MTD TO 5 CY	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78						
M10	0.32	SMALL MECH DREDGES, AMPHIBIOUS EXCAVATORS	1.06	1.02	1.01	1.00	0.94	0.88	0.86											
M10	0.33	SMALL MECH DREDGES, HOE-MOUNTED DREDGING ATTACH	1.14	1.09	1.05	1.00	0.96	0.92	0.87	0.83	0.82	0.80	0.78	0.77	0.76					

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Year Purchased New																	
		Life in Years							Year Purchased New										
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
M10 0.41	WORK FLOATS (NON-DREDGING)	1.14	1.09	1.05	1.00														
M10 0.42	WORK BARGES (SECTIONAL, NON-DREDGING)	1.13	1.08	1.05	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.79	0.79	0.77	0.75	0.71	0.70	0.69	0.66
M10 0.45	FLAT-DECK OR CARGO BARGE (NON-DREDGING)	1.12	1.08	1.04	1.00	0.96	0.93	0.88	0.85	0.84	0.82	0.81	0.80	0.79	0.76	0.73	0.72	0.71	0.68
M10 0.46	DUMP SCOW (NON-DREDGING)	1.12	1.08	1.04	1.00	0.96	0.93	0.88	0.85	0.84	0.82	0.81	0.80	0.79	0.76	0.73	0.72	0.71	0.68
M10 0.47	DRILL BARGE (NON-DREDGING)	1.13	1.08	1.04	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.80	0.79	0.78	0.75	0.72	0.71	0.70	0.67
M10 0.48	ALL OTHER BARGES (NON-DREDGING)	1.13	1.08	1.04	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.80	0.79	0.78	0.75	0.72	0.71	0.70	0.67
M10 0.51	BOATS & LAUNCHES, 0 THRU 250 HP	1.14	1.09	1.05	1.00	0.96	0.92	0.87	0.83	0.81	0.79	0.78							
M10 0.53	BOATS & LAUNCHES, 251 THRU 500 HP	1.13	1.09	1.05	1.00	0.96	0.93	0.87	0.83	0.82	0.80	0.79	0.78						
M10 0.54	TUGS, 501 THRU 1,000 HP	1.13	1.08	1.04	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.80	0.79	0.78	0.75	0.72	0.71	0.70	0.66
M10 0.55	TUGS, 1,000 THRU 2,000 HP	1.13	1.08	1.04	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.80	0.79	0.78	0.75	0.72	0.71	0.70	0.67
P10 0.00	PILE HAMMER ACCESSORIES - EXTRACTORS & BOX LEADS	1.16	1.09	1.04	1.00														
P20 0.00	PILE HAMMERS, DOUBLE ACTING																		
P20 0.10	DIESEL	1.14	1.08	1.03	1.00														
P20 0.20	PNEUMATIC (STEAM/AIR)	1.13	1.07	1.03	1.00														
P25 0.00	PILE HAMMERS, SINGLE ACTING																		
P25 0.10	DIESEL	1.13	1.07	1.03	1.00														
P25 0.20	PNEUMATIC (STEAM/AIR)	1.12	1.07	1.03	1.00														
P30 0.00	PILE HAMMERS, DRIVER/ EXTRACTOR, VIBRATORY	1.13	1.07	1.03	1.00														
P35 0.00	PIPELAYERS	1.13	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85	0.85								
P40 0.00	PLATFORMS & MAN-LIFTS	1.06	1.02	1.01	1.00	0.94	0.89												
P45 0.00	PUMPS, GROUT	1.12	1.07	1.03	1.00	0.95	0.89												
P50 0.00	PUMPS, WATER, CENTRIFUGAL, TRASH																		

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years							Year Purchased New											
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
P50 0.11	ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P50 0.12	ELECTRIC DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P50 0.21	WHEEL MOUNTED, ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P50 0.22	WHEEL MOUNTED, ELECTRIC DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P50 0.31	HOSES, PUMP, SUCTION & DISCHARGE	1.11	1.06	1.03	1.00															
P55 0.00	PUMPS, WATER, SUBMERSIBLE																			
P55 0.01	ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P55 0.02	ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89													
P60 0.00	PUMPS, WATER, CENTRIFUGAL, DEWATERING																			
P60 0.11	SKID MOUNTED, ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P60 0.12	SKID MOUNTED, ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89													
P60 0.21	WHEEL MOUNTED, ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P60 0.22	WHEEL MOUNTED, ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89													
P65 0.00	PUMPS, WATER, DIAPHRAGM																			
P65 0.11	SKID MOUNTED, ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P65 0.12	SKID MOUNTED, ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89													
P65 0.21	WHEEL MOUNTED, ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
P65 0.22	WHEEL MOUNTED, ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89													
P70 0.00	PUMPS, WATER (For core drills)																			
P70 0.01	ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.87													
P70 0.02	ELECTRIC DRIVE	1.13	1.07	1.03	1.00	0.95	0.87													
R10 0.00	RIPPERS & HYDRAULIC BANK SLOPERS (Add cost for point wear)	1.13	1.06	1.02	1.00	0.95	0.90													

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years					Year Purchased New													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
R15 0.00	ROLLERS, STATIC, TOWED, PNEUMATIC	1.18	1.12	1.06	1.00	0.95	0.90	0.85												
R20 0.00	ROLLERS, STATIC, TOWED, STEEL DRUM	1.18	1.12	1.06	1.00	0.95	0.90	0.85												
R30 0.00	ROLLERS, STATIC, SELF-PROPELLED																			
R30 0.01	PNEUMATIC	1.17	1.11	1.05	1.00	0.95	0.90													
R30 0.02	SMOOTH DRUM	1.17	1.11	1.05	1.00	0.95	0.91	0.86												
R30 0.03	TAMPING FOOT, LANDFILL & SOIL COMPACTORS	1.18	1.12	1.06	1.00	0.95	0.90	0.85	0.83											
R40 0.00	ROLLERS, VIBRATORY, TOWED	1.18	1.12	1.06	1.00	0.94	0.90													
R45 0.00	ROLLERS, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM	1.18	1.12	1.06	1.00	0.94	0.90													
R50 0.00	ROLLERS, VIBRATORY, SELF-PROPELLED, SINGLE DRUM	1.19	1.13	1.06	1.00	0.94	0.89													
R55 0.00	ROOFING EQUIPMENT	1.12	1.07	1.03	1.00															
S10 0.00	SCRAPERS, ELEVATING																			
S10 0.01	0 THRU 200 HP	1.11	1.06	1.01	1.00	0.96	0.91	0.87												
S10 0.02	OVER 200 HP	1.12	1.06	1.02	1.00	0.95	0.91	0.87	0.86	0.84										
S15 0.00	SCRAPERS, CONVENTIONAL	1.11	1.06	1.01	1.00	0.96	0.91	0.88	0.87	0.85	0.85									
S20 0.00	SCRAPERS, TANDEM POWERED	1.11	1.06	1.01	1.00	0.96	0.91	0.88	0.87	0.85	0.85									
S25 0.00	SCRAPERS, TRACTOR DRAWN	1.11	1.06	1.01	1.00	0.96	0.91	0.88	0.86											
S30 0.00	SCREENING & CRUSHING PLANTS																			
S30 0.10	CONVEYORS	1.11	1.06	1.03	1.00	0.96	0.89	0.86												
S30 0.20	CRUSHERS - VERTICAL & HORIZONTAL SHAFT IMPACTOR	1.11	1.06	1.03	1.00	0.96	0.90	0.87	0.85	0.84	0.84	0.83	0.82	0.80	0.78	0.76	0.75	0.74		
S30 0.21	CRUSHERS - CONE	1.11	1.06	1.03	1.00	0.96	0.90	0.87	0.85	0.84	0.84	0.83	0.82	0.80	0.78	0.76	0.75	0.74		
S30 0.22	CRUSHERS - JAW	1.11	1.06	1.03	1.00	0.96	0.90	0.87	0.85	0.84	0.84	0.83	0.82	0.80	0.78	0.76	0.75	0.74		
S30 0.30	SCREENING PLANT	1.11	1.06	1.03	1.00	0.96	0.89	0.86												

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY	SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years					Year Purchased New													
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
			2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
S35	0.00	SNOW REMOVAL EQUIPMENT	1.13	1.07	1.03	1.00	0.95	0.88													
S40	0.00	SOIL & ROAD STABILIZERS	1.11	1.06	1.01	1.00	0.96	0.91	0.87												
S45	0.00	SPLITTERS, ROCK & CONCRETE	1.13	1.07	1.03	1.00															
T10	0.00	TRACTOR BLADES & ATTACHMENTS (including agricultural)	1.13	1.06	1.02	1.00	0.96	0.90	0.87												
T15	0.00	TRACTORS, CRAWLER (DOZER) (includes blade)																			
T15	0.01	0 THRU 225 HP	1.14	1.07	1.03	1.00	0.95	0.89	0.86												
T15	0.02	226 HP THRU 425 HP	1.13	1.06	1.02	1.00	0.95	0.90	0.87	0.85	0.84										
T15	0.03	OVER 425 HP	1.13	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85	0.85									
T20	0.00	TRACTORS, WHEEL TYPE (DOZER)	1.17	1.11	1.05	1.00	0.95	0.91	0.86	0.84	0.83	0.81									
T25	0.00	TRACTORS, AGRICULTURAL																			
T25	0.10	CRAWLER	1.17	1.11	1.05	1.00	0.95	0.91	0.86												
T25	0.20	WHEEL	1.17	1.11	1.05	1.00	0.95	0.91													
T30	0.00	TRENCHERS, CHAIN TYPE CUTTER	1.18	1.12	1.06	1.00	0.94	0.90													
T35	0.00	TRENCHERS, WHEEL TYPE CUTTER	1.18	1.12	1.06	1.00	0.94	0.90													
T40	0.00	TRUCK OPTIONS																			
T40	0.10	CRANES / HOISTS, PERSONNEL & MATERIAL HANDLING	1.13	1.07	1.03	1.00	0.95	0.88													
T40	0.20	DUMP BODY, REAR	1.11	1.06	1.03	1.00	0.96	0.89													
T40	0.30	FLATBEDS, WITH SIDES	1.13	1.07	1.03	1.00	0.95	0.88													
T40	0.41	HOIST, ELECTRIC DRIVE	1.13	1.07	1.03	1.00	0.95	0.88													
T40	0.50	TRANSIT MIXERS	1.12	1.07	1.03	1.00	0.95	0.89													
T40	0.60	WATER TANKS	1.13	1.07	1.03	1.00	0.95	0.87													
T40	0.70	ALL OTHER OPTIONS	1.13	1.07	1.03	1.00	0.95	0.88													

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY	REGION 8 SUB TYPE OF EQUIPMENT		Year Purchased New																	
			Life in Years																	
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
T45	0.00	TRUCK TRAILERS																		
T45	0.10	BOTTOM DUMP	1.11	1.06	1.03	1.00	0.96	0.89	0.86											
T45	0.20	END DUMP	1.11	1.06	1.03	1.00	0.96	0.89	0.86											
T45	0.30	PUP TRAILER	1.11	1.06	1.03	1.00	0.96	0.89												
T45	0.41	LOWBOY, RIGID NECK, DROP DECK	1.11	1.06	1.03	1.00	0.96	0.89	0.86											
T45	0.50	FLATBED TRAILER	1.11	1.06	1.03	1.00	0.96	0.89	0.86											
T45	0.60	MISCELLANEOUS / UTILITY	1.11	1.06	1.03	1.00	0.96	0.89	0.86											
T45	0.70	WATER TANKER TRAILER	1.13	1.07	1.03	1.00	0.95	0.88	0.84											
T45	0.80	DECONTAMINATION FACILITY	1.13	1.07	1.03	1.00	0.95	0.87												
T45	0.90	TANK TRAILERS	1.13	1.07	1.03	1.00	0.95	0.88	0.84											
T50	0.00	TRUCKS, HIGHWAY (Add attachments as required)																		
T50	0.01	0 THRU 10,000 GVW	1.13	1.08	1.04	1.00	0.95	0.91												
T50	0.02	OVER 10,000 THRU 30,000 GVW (Chassis only - Add options)	1.13	1.08	1.04	1.00	0.95	0.91	0.88											
T50	0.03	OVER 30,000 GVW (Chassis only - Add options)	1.13	1.08	1.04	1.00	0.95	0.91	0.88	0.87										
T55	0.00	TRUCKS, OFF-HIGHWAY																		
T55	0.10	RIGID FRAME	1.09	1.06	1.02	1.00	0.95	0.88	0.83	0.81	0.80	0.78	0.77	0.76	0.75					
T55	0.20	ARTICULATED FRAME	1.10	1.07	1.03	1.00	0.95	0.87	0.82	0.81	0.80									
T56	0.00	TRUCKS, OFF-HIGHWAY/PRIME MOVER TRACTORS & WAGONS																		
T56	0.10	PRIME MOVER TRACTORS	1.09	1.06	1.02	1.00	0.95	0.88	0.83	0.81	0.80	0.78	0.77	0.76	0.75					
T56	0.20	WAGONS, BOTTOM DUMP	1.10	1.07	1.03	1.00	0.95	0.87	0.81	0.80	0.79	0.77								
T56	0.30	WAGONS, REAR DUMP	1.10	1.07	1.03	1.00	0.94	0.87	0.81	0.80										
T57	0.00	TRUCKS, VACUUM	1.12	1.07	1.03	1.00	0.95	0.88	0.85											

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years								Year Purchased New										
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
T60 0.00	TRUCKS, WATER, OFF-HIGHWAY	1.10	1.07	1.03	1.00	0.94	0.87	0.81	0.80											
T65 0.00	TUNNEL/MINING EQUIPMENT																			
T65 0.10	DRIFTING & TUNNELING DRILLS	1.21	1.15	1.08	1.00	0.92	0.85	0.79	0.78	0.71	0.69									
T65 0.20	TUNNEL BORING MACHINES	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81							
T65 0.30	PRODUCTION DRILLING RIGS	1.21	1.15	1.08	1.00	0.92	0.85	0.79	0.78											
T65 0.40	ROADHEADERS & CONTINUOUS MINERS	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82								
T65 0.50	ROCK BOLTING EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.88	0.85												
T65 0.61	LOADING & HAULING EQUIPMENT, DIESEL OR GAS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83											
T65 0.62	LOADING & HAULING EQUIPMENT, ELECTRIC	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82									
T65 0.63	LOADING & HAULING EQUIPMENT, AIR-POWERED	1.13	1.07	1.03	1.00	0.95	0.88	0.84												
T65 0.70	LOCOMOTIVES	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83											
T65 0.90	OTHER TUNNELING EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.88	0.85												
W10 0.00	WAGONS, BOTTOM DUMP	1.10	1.07	1.03	1.00	0.95	0.87	0.82	0.81											
W15 0.00	WAGONS, REAR DUMP	1.10	1.07	1.03	1.00	0.95	0.87	0.82	0.81											
W25 0.00	WATER & CO2 BLASTERS																			
W25 0.10	LOW PRESSURE, (< 5,000 PSI)	1.13	1.07	1.03	1.00															
W25 0.20	HIGH PRESSURE, (>= 5,000 PSI)	1.13	1.07	1.03	1.00															
W25 0.30	STEAM CLEANERS	1.13	1.07	1.03	1.00															
W25 0.40	CO2 BLASTERS	1.13	1.07	1.03	1.00															
W25 0.50	WET ABRASIVE BLASTING SYSTEM (TORBO)	1.15	1.08	1.03	1.00	0.94	0.86	0.82												
W30 0.00	WATER TANKS																			
W30 0.10	PORTABLE WITH WHEELS	1.10	1.07	1.03	1.00	0.94	0.87	0.81	0.80											

Table 3-1 Equipment Age Adjustment Factors for Ownership Cost

CATEGORY	REGION 8		Year Purchased New																	
			Life in Years																	
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
SUB	TYPE OF EQUIPMENT	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
W30	0.20	SKID MOUNTED	1.10	1.07	1.03	1.00	0.94	0.87	0.81	0.80										
W35	0.00	WELDERS																		
W35	0.10	ENGINE DRIVEN	1.13	1.07	1.03	1.00	0.95	0.87												
W35	0.20	ELECTRIC DRIVEN	1.13	1.07	1.03	1.00														

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

TOTAL HOURLY RATE CALCULATION FOR OVERAGE EQUIPMENT

EXAMPLE

Assume the following set of given information for the rate calculation example:

1. The unit of equipment is not listed in table 2-1.
2. The equipment is contractor owned.
3. Data for the unit in question:
 - a. Caterpillar front-end wheel loader
 - b. Model 950-F11, 4WD, 3.25 CY capacity
 - c. Serial number indicates year of manufacture = 1997
 - d. Actual purchase price in 1997 = \$195,628
(includes all regional discounts, sales tax and freight)
 - e. Horsepower is 170 hp (fuel is Diesel off-road)
 - f. Drive tire (DT) size = 23.50 x 25, 16 ply, L-3 (appendix F tire code ANNB5)
DT cost (2009) = 4 tires x \$2,053 /tire = \$8,212
 - g. Weight = 351 cwt
4. Table 3-1, Age Adjustment Factors for Ownership Costs:
 - a. The category L40, subcategory 0.11 (wheel loaders < 225 hp)
 - b. The year corresponding to the last age adjustment factor = 2003
5. Adjust the actual purchase price:
 - a. Economic Indexes from appendix E (wheel loaders EK = 45)
 - (1) For 2003 (first year of economic life), the economic index = 5701
 - (2) For 1997 (year of manufacture), the economic index = 5303
 - b. Purchase price [total equipment value (TEV)] indexed to 2003 (first year of economic life): (Purchase price includes discount, sales tax, and freight for this region).

$$(5701 / 5303) \times \$195,628 = \$210,310 \quad (= 2003 \text{ purchase price})$$
6. Hourly rate is computed as follows in accordance with figure 2-1, Equipment Rate Computation Worksheet.

Figure 3-1. Total Hourly Rate Calculation for Overage Equipment

Example: *The piece of equipment shown in this example is based on a known piece of equipment for illustration purposes only.*

USE THIS WORKSHEET TO COMPUTE A HOURLY RATE FOR EQUIPMENT THAT IS NOT IN THIS PAMPHLET OR IS IN THE PAMPHLET BUT NOT EQUIVALENT IN SIZE, CAPACITY, HORSEPOWER OR VALUE. (See Appendix A for a blank form)

Region 08

1. EQUIPMENT INFORMATION AND EXPENSE FACTORS

ID No: _____

a. Equipment Specification Data:

(1) Equipment Description:	Loader, Front-end, Wheel, 4WD, 4 CY capacity			
(2) Model and Series:	Caterpillar Model 950-F11			
(3) Present Year or Year of Use:			2009	
(4) Year Manufactured:		1997	indexed to	2003
(5) Horsepower - Equipment:				170
(6) Horsepower - Carrier:				0
(7) Fuel	<p>- Equipment: 0=None; 1=electric; 2=gasoline; 3=diesel off-road; 4=diesel on-road; 5=marine gas; 6=marine diesel</p> <p>- Carrier: 0=None; 1=electric; 2=gasoline; 3=diesel off-road; 4=diesel on-road; 5=marine gas; 6=marine diesel</p>	<p>Enter number from 0 to 6 ==></p> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin: 5px auto;">3</div> <p>Enter number from 0 to 6 ==></p> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin: 5px auto;">0</div>	<p>D-off</p> <hr style="width: 50%; margin-left: auto; margin-right: 0;"/> <p>None</p>	
(8) Shipping Weight (cwt):				351 cwt

(9) Tire size and number of tires: (Cost of tires based on present year - see 1.a.(3) and Appendix F)

	<u>Size/Ply</u>	<u>App F Code</u>	<u>No.</u>	<u>Unit Price</u>	<u>Cost</u>
(a) Front (FT):			0	\$0	\$0
(b) Drive (DT):	23.5X25/16Ply	ANNB5	4	\$2,053	\$8,212
(c) Trailing (TT):			0	\$0	\$0
(d) Total Tire Cost:					\$8,212

(10) List Price + Accessories:
[at Year (yr) of Manufacture] \$0 OR actual purchase price: \$210,310

USE APPENDIX D TO COMPLETE THE FOLLOWING DATA:

b. Category and Subcategory Number:		L40	0.11
c. Hourly Expense Calculation Factors:			
(1) Economic Key (EK):			45
(2) Condition (C): A =Average D =Difficult S =Severe		A	AVERAGE
(3) Discount Code (DC): B = 7.5% (0.075) or S = 15.0% (0.15)		B	0.075
(4) Life in Hours (LIFE):			9,250
(5) Salvage Value Percentage (SLV):			0.25
(6) Fuel Factor - Equipment [Electric (E) Gas (G) Diesel (D)]:			0.031
(7) Fuel Factor - Carrier (E G D):			0.000
(8) Filter, Oil, and Grease (FOG) Factor (E G D):			0.111
(9) Tire Wear Factor:			
(a) Front (FT):			0.83
(b) Drive (DT):			0.54
(c) Trailing (TT):			0.92
(10) Repair Cost Factor (RCF):			0.70

Figure 3-1. Total Hourly Rate Calculation for Overage Equipment Page 1 of 6

Region 08

2. EQUIPMENT VALUE

a. List Price + Accessories: [at Year (yr) of Manufacture]					=	<u> </u>	\$0
(1) Discount:	(List Price + Accessories) x	Discount Code					
	{1.a.(10)}	{1.c.(3)}					
	<u>(\$0)</u>	+ \$0.00	x	<u>0.075</u>	=	<u> </u>	\$0
(2) Subtotal {2.a.} - {2.a.(1)}					Subtotal =	<u> </u>	\$0
(3) Sales or Import Tax:	Subtotal	x	Tax Rate				
	{2.a.(2)}		{Appendix B}				
	<u>\$0</u>	x	<u>6.00%</u>		=	<u> </u>	\$0
(4) Total Discounted Price: Subtotal: {2.a.(2)} + {2.a.(3)}					Subtotal =	<u> </u>	\$0
b. Freight:	Shipping Weight	x	Freight Rate per cwt				
	{1.a.(8)}		{Appendix B}				
	<u>0,000 cwt</u>	x	<u>\$0.00 /cwt</u>		=	<u> </u>	\$0
c. TOTAL EQUIPMENT VALUE (TEV):					TOTAL[2.]: =	<u> </u>	\$210,310
	{2.a.(4)} + {2.b} OR actual purchase price {1a.(10)}						
	(See chapter 3 for used and overage equipment rate adjustments.)						

3. DEPRECIATION PERIOD (N)

a.	LIFE	/	Working Hours				
	{1.c.(4)}		Per Year (WHPY)				N
			{Appendix B}				
	<u>9,250 hr</u>	/	<u>1,540 hr/yr</u>		=	<u> </u>	<u>6.01 yrs (N)</u>

4. OWNERSHIP COST

a. Depreciation							
(1) Tire Cost Index (TCI):							
	Tire Index, Year of Manufacture, {1.a.(4)}	/	Tire Index, Present Year or Year of Use, {1.a.(3)}				TCI
	Appendix E, EK=100		Appendix E, EK=100				
	<u>2487</u>	/	<u>3382</u>		=	<u> </u>	<u>0.735</u>
(2)	[TEV {2.c.}]	x	(1.0-SLV) {1.c.(5)}	-	(TCI {4.a.(1)} x Tire Cost) {1.a.(9)(d)}	/	LIFE {1.c.(4)}
	<u>[\$210,310]</u>	x	<u>(1.0-0.25)</u>	-	<u>(0.735 x \$8,212)</u>	/	<u>9,250 hr</u>
					=	<u> </u>	<u>\$16.40 /hr</u>

Figure 3-1. Total Hourly Rate Calculation for Overage Equipment Page 2 of 6

Region 08

4. OWNERSHIP COST (Continued)

b. Facilities Capital Cost of Money (FCCM):

$$\begin{array}{rclclclcl}
 (1) & [(N - 1.0)] & \times & (1.0 + SLV) & + & 2.0] & / & (2.0 \times N) & = & \text{Avg Value} \\
 & \{3.a.\} & & \{1.c.5.\} & & & & \{3.a.\} & & \text{Factor} \\
 & & & & & & & & & \{AVF\} \\
 & \underline{[(6.01 \text{ yr} - 1.0)]} & \times & \underline{(1.0 + 0.25)} & + & 2.0] & / & \underline{(2.0 \times 6.01 \text{ yr})} & = & \underline{0.687}
 \end{array}$$

$$\begin{array}{rclclclcl}
 (2) & TEV & \times & AVF & \times & \text{Adjusted} & / & \text{WHPY} & = & \\
 & \{2.c.\} & & \{4.b.(1)\} & & \text{Cost-of-Money} & & \{Appendix B\} & & \\
 & \underline{\$210,310} & \times & \underline{0.687} & \times & \underline{3.90\%} & / & \underline{1,540 \text{ hr/yr}} & = & \underline{\$3.66 /hr}
 \end{array}$$

c. **TOTAL HOURLY OWNERSHIP COST:** **TOTAL [4.]: = \$20.06 /hr**
{4.a.(2)} + {4.b.(2)}

5. OPERATING COST

a. Fuel Costs:

(1) Equipment:

$$\begin{array}{rclclcl}
 \text{Fuel Factor} & \times & \text{Horsepower (hp)} & \times & \text{Fuel Cost per} \\
 \{1.c.(6)\} & & \{1.a.(5)\} & & \text{Gallon (gal)} \\
 \underline{0.031} & \times & \underline{170 \text{ hp}} & \times & \{Appendix B\} \\
 & & & & \underline{\$2.87 /gal} & = & \underline{\$15.12 /hr}
 \end{array}$$

(2) Carrier:

$$\begin{array}{rclclcl}
 \text{Fuel Factor} & \times & \text{hp} & \times & \text{Fuel Cost per gal} \\
 \{1.c.(7)\} & & \{1.a.(6)\} & & \{Appendix B\} \\
 \underline{0.000} & \times & \underline{0 \text{ hp}} & \times & \underline{\$0.00 /gal} & = & \underline{\$0.00 /hr}
 \end{array}$$

(3) **Total Hourly Fuel Cost:** **Total [5.a.] = \$15.12 /hr**
{5.a (1)} + {5.a (2)}

b. FOG Cost:

(1) Equipment:

$$\begin{array}{rclclcl}
 \text{FOG Factor} & \times & \text{Equipment Hourly} & \times & \text{Labor Adjustment} \\
 \{1.c.(8)\} & & \text{Fuel Cost} & & \text{Factor (LAF)} \\
 \underline{0.111} & \times & \underline{\$15.12 /hr} & \times & \{Appendix B\} \\
 & & & & \underline{\$1.01 /hr} & = & \underline{\$1.70 /hr}
 \end{array}$$

Figure 3-1. Total Hourly Rate Calculation for Overage Equipment **Page 3 of 6**

Region 08

5. **OPERATING COST (Continued)**

(2) Carrier:

$$\begin{array}{rclclcl}
 \text{FOG Factor} & & \text{Carrier Hourly} & & \text{LAF} & & \\
 \{1.c.(8)\} & \times & \text{Fuel Cost} & \times & \{Appendix B\} & & \\
 \underline{0.111} & \times & \underline{\$0.00/hr} & \times & \underline{1.01} & = & \underline{\$0.00/hr}
 \end{array}$$

(3) Total Hourly FOG Cost: Total [5.b.] = \$1.70/hr
 {5.b.(1)} + {5.b.(2)}

c. Alternative Fuel/FOG Cost: Total [5.c.] = \$0.00/hr
 (See chapter 2, paragraph 2.24.d. for guidance on when to use.)

d. Repair Cost:

(1) Economic Adjustment Factor (EAF):
 [EK is from 1c. (1)]

$$\begin{array}{rclcl}
 \text{Economic Index,} & / & \text{Economic Index, Year} & & \\
 \text{Present Year or Year} & & \text{of Manufacture, 1.a.(4)} & & \\
 \text{of Use, 1.a.(3)} & & & & \\
 \text{Appendix E, EK}=\{1.c.(1)\} & & \text{Appendix E, EK}=\{1.c.(1)\} & & \\
 \underline{7047} & / & \underline{5701} & = & \underline{EAF} \\
 \text{(See table 3-1 for last year of economic life.)} & & & & \\
 & & & & = \underline{1.236}
 \end{array}$$

(2) Repair Factor (RF):

$$\begin{array}{rclclcl}
 \text{RCF} & \times & \text{EAF} & \times & \text{LAF} & = & \text{RF} \\
 \{1.c.(10)\} & & \{5.d.(1)\} & & \{Appendix B\} & & \\
 \underline{0.70} & \times & \underline{1.236} & \times & \underline{1.01} & = & \underline{0.874}
 \end{array}$$

(3) Repair Cost:

$$\begin{array}{rclclclcl}
 \text{[TEV} & - & \text{(TCI} & \times & \text{Tire Cost)]} & \times & \text{RF} & / & \text{LIFE} \\
 \{2.c.\} & & \{4.a.(1)\} & & \{1.a.(9)(d)\} & & \{5.d.(2)\} & & \{1.c.(4)\} \\
 \underline{\$210,310} & - & \underline{(0.735)} & \times & \underline{\$8,212]} & \times & \underline{0.874} & / & \underline{9,250}
 \end{array}$$

(4) Total Hourly Repair Cost: Total [5.d.] = \$19.30/hr

Figure 3-1. Total Hourly Rate Calculation for Overage Equipment Page 4 of 6

Region 08

5. **OPERATING COST** (Continued)

e. Tire Wear Cost: (Use current price levels. See Appendix F.)

(1) Front Tires (FT):

$$\begin{array}{rclclcl} (1.5 \times \text{FT Cost}) & / & (1.8 \times \text{FT Wear Factor}) & \times & \text{Maximum Tire Life Hours} & \\ \{1.a.(9)(a)\} & & \{1.c.(9)(a)\} & & \{Appendix F\} & \\ (1.5 \times \$0) & / & (1.8 \times 0.83) & \times & 0 \text{ hr} & = \underline{\underline{\$0.00 /hr}} \end{array}$$

(2) Drive Tires (DT):

$$\begin{array}{rclclcl} (1.5 \times \text{DT Cost}) & / & (1.8 \times \text{DT Wear Factor}) & \times & \text{Maximum Tire Life Hours} & \\ \{1.a.(9)(b)\} & & \{1.c.(9)(b)\} & & \{Appendix F\} & \\ (1.5 \times \$8,212) & / & (1.8 \times 0.54) & \times & 3200 \text{ hr} & = \underline{\underline{\$3.96 /hr}} \end{array}$$

(3) Trailing Tires (TT):

$$\begin{array}{rclclcl} (1.5 \times \text{TT Cost}) & / & (1.8 \times \text{TT Wear Factor}) & \times & \text{Maximum Tire Life Hours} & \\ \{1.a.(9)(c)\} & & \{1.c.(9)(c)\} & & \{Appendix F\} & \\ (1.5 \times \$0) & / & (1.8 \times 0.92) & \times & 0 \text{ hr} & = \underline{\underline{\$0.00 /hr}} \end{array}$$

(4) Total Tire Wear Cost: Total [5.e.] = \$3.96 /hr
Sum {5.e.(1)} through {5.e.(3)}

f. Tire Repair Cost:

$$\begin{array}{rclcl} \text{Total Tire Wear Cost} & & & & \\ \text{per Hour} & \times & (0.15 \times \text{LAF}) & & \\ \{5.e.(4)\} & & \{Appendix B\} & & \\ \underline{\underline{\$3.96 /hr}} & \times & \underline{\underline{(0.15 \times 1.01)}} & & \text{Total [5.f.] = } \underline{\underline{\$0.60 /hr}} \end{array}$$

g. **TOTAL HOURLY OPERATING COST:** Total [5.] = \$40.68 /hr
Sum {5.a.} through {5.f.}

Region 08

6. HOURLY RATES

a. Total Hourly Rate: *[based on 40 hours per week (wk)]*

Ownership Cost {4.c.}	+	Operating Cost {5.g.}	
<u>\$20.06 /hr</u>	+	<u>\$40.68 /hr</u>	= <u>\$60.74 /hr</u>

b. Other Work Shifts Hourly Rate:

(Refer to Chapter 3, Adjustments to Rates, for methodology.)

Depreciation {4.a.(2)}	+	(FCCM {4.b.(2)} x 40 hr/wk / example:60 hr/wk)	+	Operating Cost {5.g.}	
<u>\$0.00 /hr</u>	+	<u>(\$0.00 /hr</u> x <u>40 hr/wk</u> / example:60 hr/wk)	+	<u>\$0.00 /hr</u>	= <u>\$0.00 /hr</u>

c. Standby Hourly Rate:

(Refer to Chapter 2, paragraph 2.28 for guidance on use.)

(Depreciation {4.a.(2)} x 0.50)	+	FCCM {4.b.(2)}	
<u>(\$0.00 /hr</u> x 0.50)	+	<u>\$0.00 /hr</u>	= <u>\$0.00 /hr</u>

(Refer to Chapter 3, paragraph 3.12 for guidance for overage equipment.)

See Figure 3-2 for standby calculations for overage equipment

See Chapter 3 if rate adjustments are necessary.

Figure 3-1. Total Hourly Rate Calculation for Overage Equipment Page 6 of 6

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

Table 3-2. Equipment Age Adjustment Factors

for

Standby costs

The factors in this table are used when the age of a unit of equipment is other than the age of the equipment listed in table 2-1.

These factors are multiplied by the hourly standby costs shown in table 2-1 and result in a standby rate adjusted for the actual age of the equipment being considered.

When the actual "life" in hours of the unit of equipment has exceeded the economic life given in appendix D, the age will be determined as discussed in chapter 3.

Refer to chapter 3, as follows:

3-13. Rate Adjustments Overage Equipment Standby

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
A10 0.00	AGGREGATE / CHIP SPREADERS																		
A10 0.10	SELF-PROPELLED	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.86	0.85	0.82	0.79	0.77	0.75	0.73	0.71
A10 0.20	TOWED & TAILGATE	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.88	0.86	0.85	0.82	0.79	0.77	0.75	0.73	0.70
A15 0.00	AIR COMPRESSORS, PORTABLE																		
A15 0.10	ROTARY SCREW	1.19	1.12	1.04	1.00	0.96	0.92	0.92	0.91	0.92	0.90	0.92	0.92	0.91	0.91	0.91	0.88	0.89	0.88
A15 0.20	SHOP TYPE	1.18	1.11	1.04	1.00	0.96	0.93	0.92	0.92	0.92	0.91	0.92	0.92	0.92	0.92	0.91	0.89	0.89	0.89
A20 0.00	AIR HOSE, TOOLS & EQUIPMENT																		
A20 0.10	AIR DRILL HOSE	1.17	1.11	1.04	1.00	0.96	0.93	0.93	0.92	0.93	0.91	0.93	0.92	0.92	0.92	0.91	0.90	0.90	0.89
A20 0.20	SANDBLAST HOSE	1.17	1.11	1.04	1.00	0.96	0.93	0.93	0.92	0.93	0.91	0.93	0.92	0.92	0.92	0.91	0.90	0.90	0.89
A20 0.30	SANDBLASTERS, BREAKERS, & MISC. AIR TOOLS	1.18	1.11	1.04	1.00	0.96	0.93	0.92	0.92	0.92	0.91	0.92	0.92	0.92	0.92	0.91	0.89	0.90	0.89
A25 0.00	ASPHALT PAVING DISTRIBUTORS	1.12	1.07	1.03	1.00	0.96	0.90	0.91	0.91	0.91	0.89	0.87	0.86	0.83	0.81	0.79	0.77	0.75	0.73
A30 0.00	ASPHALT PAVERS & MISCELLANEOUS ROAD EQUIPMENT																		
A30 0.10	SELF PROPELLED	1.12	1.07	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.87	0.86	0.83	0.80	0.78	0.76	0.75	0.72
A30 0.20	TOWED	1.12	1.07	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.87	0.85	0.82	0.80	0.78	0.76	0.74	0.71
A30 0.30	SLURRY SEAL PAVERS (Cold mix)	1.12	1.07	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.87	0.85	0.83	0.80	0.78	0.76	0.74	0.72
A30 0.40	MISCELLANEOUS ROAD EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.87	0.85	0.82	0.80	0.78	0.76	0.74	0.71
A35 0.00	ASPHALT PAVING KETTLES	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.88	0.86	0.85	0.82	0.79	0.77	0.75	0.73	0.70
A40 0.00	ASPHALT & CONCRETE MILLERS / PROFILERS / PLANERS / ROTARY GRINDERS	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.88	0.86	0.85	0.82	0.79	0.77	0.75	0.73	0.70
A45 0.00	ASPHALT RECYCLERS & SEALERS	1.13	1.08	1.03	1.00	0.95	0.89	0.90	0.90	0.90	0.88	0.86	0.84	0.81	0.78	0.77	0.74	0.73	0.70
B10 0.00	BATCH PLANTS, ASPHALT & CONCRETE																		
B10 0.10	ASPHALT	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.86	0.85	0.82	0.79	0.77	0.75	0.73	0.71
B10 0.20	CONCRETE	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.86	0.85	0.82	0.79	0.77	0.75	0.73	0.71

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																		
		Year Purchased New																		
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
B10	0.30	PUGMILL	1.12	1.07	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.89	0.87	0.85	0.82	0.80	0.78	0.76	0.74	0.71
B15	0.00	BROOMS, STREET SWEEPERS & FLUSHERS	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.83	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
B20	0.00	BRUSH CHIPPERS	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.83	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
B25	0.00	BUCKETS, CLAMHELL	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.78	0.80	0.81	0.80	0.80	0.78	0.77	0.76	0.77	0.73
B30	0.00	BUCKETS, CONCRETE																		
B30	0.10	GENERAL PURPOSE, MANUAL TRIP	1.06	1.02	1.01	1.00	0.95	0.89	0.87	0.85	0.79	0.80	0.81	0.81	0.80	0.79	0.78	0.77	0.78	0.74
B30	0.20	LAYDOWN	1.06	1.02	1.01	1.00	0.95	0.89	0.87	0.85	0.79	0.80	0.81	0.81	0.80	0.79	0.78	0.77	0.78	0.74
B30	0.30	LOWBOY	1.06	1.02	1.01	1.00	0.95	0.89	0.87	0.85	0.79	0.80	0.81	0.81	0.80	0.79	0.78	0.77	0.78	0.74
B30	0.40	LOW SLUMP	1.06	1.02	1.01	1.00	0.95	0.89	0.87	0.85	0.79	0.80	0.81	0.81	0.80	0.79	0.78	0.77	0.78	0.74
B35	0.00	BUCKETS, DRAGLINE																		
B35	0.10	LIGHT WEIGHT	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.78	0.80	0.81	0.80	0.80	0.78	0.77	0.76	0.77	0.73
B35	0.20	MEDIUM WEIGHT	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.79	0.80	0.81	0.80	0.80	0.78	0.77	0.76	0.77	0.73
B35	0.30	HEAVY WEIGHT	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.79	0.80	0.81	0.80	0.80	0.78	0.77	0.77	0.77	0.73
C05	0.00	CHAIN SAWS	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
C10	0.00	COMPACTORS, WALK-BEHIND OR REMOTE CONTROLLER																		
C10	0.10	COMPACTORS, RAMMERS / TAMPERS & VIBRATORY PLATES	1.11	1.06	1.02	1.00	0.96	0.90	0.87	0.85	0.84	0.84	0.83	0.82	0.80	0.79	0.77	0.75	0.74	0.72
C10	0.20	ROLLERS, VIBRATORY	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
C15	0.00	CONCRETE CLEANERS / ABRASIVE BLASTERS																		
C15	0.10	WALK BEHIND	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
C15	0.20	TRUCK/TRAILER MOUNTED	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
C20	0.00	CONCRETE BUGGIES	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
C25	0.00	CONCRETE FINISHERS/SCREEDS/SPREADERS																		

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Year Purchased New																	
		Life in Years							Year Purchased New										
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
C25 0.10	FINISHERS/TROWELS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.70	0.68
C25 0.20	VIBRATORY SCREED	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.70	0.68
C25 0.25	VIBRATORY LASER SCREED	1.13	1.07	1.03	1.00	0.95	0.87	0.84	0.82	0.80	0.80	0.79	0.78	0.75	0.74	0.71	0.69	0.68	0.65
C25 0.30	MATERIAL/TOPPING SPREADERS	1.13	1.07	1.03	1.00	0.95	0.87	0.84	0.82	0.80	0.80	0.79	0.78	0.75	0.74	0.71	0.69	0.68	0.65
C30 0.00	CONCRETE GRINDERS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.70	0.68
C35 0.00	CONCRETE GUNITERS / SHOTCRETERS	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.81	0.81	0.80	0.78	0.76	0.75	0.72	0.70	0.69	0.67
C40 0.00	CONCRETE MIXING UNITS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.70	0.68
C45 0.00	CONCRETE PAVING MACHINES	1.13	1.08	1.03	1.00	0.95	0.90	0.90	0.90	0.90	0.88	0.86	0.85	0.82	0.79	0.77	0.75	0.73	0.70
C55 0.00	CONCRETE PUMPS	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.83	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
C60 0.00	CONCRETE SAWS (Add cost for sawblade wear)	1.11	1.06	1.03	1.00	0.96	0.89	0.86	0.85	0.84	0.83	0.82	0.81	0.79	0.78	0.76	0.74	0.73	0.71
C65 0.00	CONCRETE VIBRATORS	1.18	1.11	1.04	1.00	0.96	0.93	0.92	0.92	0.92	0.91	0.92	0.92	0.92	0.92	0.91	0.89	0.89	0.89
C70 0.00	CRANES, GANTRY & STRADDLE																		
C75 0.00	CRANES, HYDRAULIC, SELF-PROPELLED	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.80	0.79	0.78	0.76	0.75	0.72	0.71	0.70	0.67
C80 0.00	CRANES, HYDRAULIC, TRUCK MOUNTED																		
C80 0.01	UNDER 26 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.80	0.79	0.78	0.76	0.75	0.72	0.71	0.70	0.67
C80 0.02	26 TON THRU 65 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.78	0.80	0.79	0.78	0.77	0.75	0.73	0.71	0.70	0.67
C80 0.03	66 TON THRU 125 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.79	0.80	0.80	0.78	0.77	0.75	0.73	0.71	0.71	0.67
C80 0.04	OVER 125 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.79	0.80	0.80	0.79	0.77	0.75	0.73	0.72	0.71	0.68
C85 0.00	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER MOUNTED																		
C85 0.11	DRAGLINE, CLAMSHELL, 0 THRU 1.0 CY	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.84	0.78	0.79	0.79	0.77	0.76	0.74	0.72	0.70	0.69	0.66
C85 0.12	DRAGLINE, CLAMSHELL, OVER 1.0 CY THRU 2.5 CY	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.70	0.69	0.66
C85 0.13	DRAGLINE, CLAMSHELL, OVER 2.5 CY THRU 5.0 CY	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.71	0.70	0.67

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
C85 0.14	DRAGLINE, CLAMSHELL, OVER 5.0 CY	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.78	0.80	0.79	0.78	0.76	0.75	0.73	0.71	0.70	0.67
C85 0.21	LIFTING, 0 THRU 25 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.70	0.69	0.66
C85 0.22	LIFTING, 26 TON THRU 50 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.71	0.70	0.67
C85 0.23	LIFTING, 51 TON THRU 150 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.79	0.80	0.80	0.79	0.77	0.75	0.73	0.72	0.71	0.68
C85 0.24	LIFTING, OVER 150 TON	1.06	1.02	1.01	1.00	0.95	0.89	0.87	0.85	0.79	0.80	0.80	0.79	0.77	0.75	0.73	0.72	0.71	0.68
C90 0.00	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MOUNTED																		
C90 0.01	UNDER 26 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.80	0.79	0.78	0.76	0.75	0.72	0.71	0.70	0.67
C90 0.02	26 TON THRU 65 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.78	0.80	0.79	0.78	0.77	0.75	0.73	0.71	0.70	0.67
C90 0.03	66 TON THRU 125 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.71	0.70	0.67
C90 0.04	OVER 125 TON	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.78	0.80	0.79	0.78	0.76	0.75	0.73	0.71	0.70	0.67
C95 0.00	CRANES, TOWER	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.71	0.70	0.67
D10 0.00	DRILLS, AIR/HYDRAULIC, CRWLR MTD, 0" THRU 6.5" DIA HOLE (Add cost for drill steel and bit wear)																		
D10 0.10	DRILLS, AIR TRACK (Add cost for drill steel and bit wear)	1.21	1.16	1.08	1.00	0.92	0.85	0.79	0.77	0.70	0.68	0.67	0.66	0.65	0.63	0.61	0.59	0.58	0.56
D10 0.20	DRILLS, HYDRAULIC TRACK (Add cost for drill steel and bit wear)	1.22	1.16	1.08	1.00	0.92	0.84	0.78	0.76	0.69	0.67	0.66	0.64	0.63	0.62	0.59	0.57	0.56	0.54
D15 0.00	DRILLS, HORIZONTAL BORING & GROUND PIERCING (Add cost for drill steel and bit wear)	1.22	1.16	1.08	1.00	0.92	0.84	0.78	0.76	0.69	0.67	0.66	0.64	0.63	0.62	0.59	0.57	0.56	0.54
D20 0.00	DRILLS, CORE, COLUMN MOUNTED (Add cost for drill steel and bit wear)	1.23	1.17	1.08	1.00	0.92	0.84	0.78	0.76	0.68	0.66	0.65	0.64	0.62	0.61	0.58	0.56	0.55	0.53
D25 0.00	DRILLS, CORE & DOWELLING (Add cost for drill steel and bit wear)	1.22	1.16	1.08	1.00	0.92	0.84	0.78	0.76	0.69	0.67	0.66	0.64	0.63	0.62	0.59	0.57	0.56	0.54
D30 0.00	DRILLS, EARTH / AUGER (Add cost for drill steel and cutting edge wear)	1.22	1.16	1.08	1.00	0.92	0.84	0.78	0.76	0.69	0.67	0.66	0.64	0.63	0.62	0.59	0.57	0.56	0.54
D35 0.00	DRILLS, ROTARY BLASTHOLE (Add cost for drill steel and bit wear)																		
D35 0.11	DIESEL, 4.5" THRU 9.875" DIAMETER HOLE (Add cost for drill steel and bit wear)	1.20	1.15	1.08	1.00	0.92	0.85	0.80	0.78	0.71	0.70	0.68	0.67	0.66	0.65	0.62	0.60	0.59	0.58
D35 0.12	DIESEL, OVER 9.875" DIAMETER (Add cost for drill steel and bit wear)	1.20	1.15	1.07	1.00	0.93	0.86	0.80	0.79	0.72	0.70	0.69	0.68	0.67	0.66	0.63	0.61	0.60	0.59
D35 0.21	ELECTRIC, 4.5" THRU 9.875" DIAMETER HOLE (Add cost for drill steel and bit wear)	1.20	1.15	1.08	1.00	0.92	0.85	0.80	0.78	0.71	0.70	0.68	0.67	0.66	0.65	0.62	0.60	0.59	0.58

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
D35 0.22	ELECTRIC, OVER 9.875" DIAMETER (Add cost for drill steel and bit wear)	1.20	1.15	1.07	1.00	0.93	0.86	0.80	0.79	0.72	0.70	0.69	0.68	0.67	0.66	0.63	0.61	0.60	0.59
F10 0.00	FORK LIFTS	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
G10 0.00	GENERATOR SETS																		
G10 0.10	PORTABLE	1.15	1.11	1.05	1.00	0.95	0.90	0.88	0.88	0.88	0.88	0.87	0.87	0.87	0.87	0.86	0.84	0.83	0.81
G10 0.20	SKID MOUNTED	1.15	1.11	1.05	1.00	0.95	0.90	0.88	0.88	0.88	0.88	0.88	0.87	0.87	0.87	0.86	0.84	0.83	0.81
G15 0.00	GRADERS, MOTOR	1.11	1.06	1.01	1.00	0.96	0.91	0.88	0.87	0.86	0.85	0.84	0.81	0.78	0.77	0.72	0.71	0.68	0.63
H10 0.00	HAMMERS, HYDRAULIC (Demolition tool) (Add cost for point wear)	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
H13 0.00	HAZARDOUS/TOXIC WASTE EQUIPMENT																		
H13 0.11	COMPACTORS (Compression force) 0 THRU 50 TONS	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
H13 0.12	COMPACTORS (Compression force) OVER 50 TONS	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.70
H13 0.21	FILTER PRESSES, STATIONARY	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
H13 0.22	FILTER PRESSES, MOBILE	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
H13 0.30	CENTRIFUGES	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
H13 0.40	SHREDDERS	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
H13 0.51	SOIL TREATMENT PLANT, MOBILE	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
H13 0.61	SLUDGE PROCESSING EQUIP, SLUDGE DISPENSERS	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
H13 0.71	WASTE HANDLING EQUIPMENT, DRUM HANDLING	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
H15 0.00	HEATERS, SPACE																		
H20 0.00	HOISTS & AIR WINCHES	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
H25 0.00	HYDRAULIC EXCAVATORS, CRAWLER MOUNTED																		
H25 0.10	0 LBS THRU 12,500 LBS (COMPACT EXCAVATORS)	1.07	1.03	1.01	1.00	0.94	0.87	0.85	0.82	0.76	0.77	0.77	0.75	0.73	0.71	0.69	0.67	0.66	0.62
H25 0.11	OVER 12,500 LBS THRU 40,000 LBS	1.07	1.03	1.01	1.00	0.94	0.87	0.85	0.82	0.76	0.77	0.77	0.75	0.73	0.72	0.69	0.67	0.66	0.63

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Year Purchased New																	
		Life in Years																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
H25 0.12	OVER 40,000 LBS THRU 100,000 LBS	1.07	1.03	1.01	1.00	0.94	0.88	0.85	0.83	0.77	0.78	0.77	0.76	0.74	0.73	0.70	0.68	0.68	0.64
H25 0.13	OVER 100,000 LBS THRU 160,000 LBS	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.83	0.77	0.79	0.78	0.77	0.75	0.73	0.71	0.69	0.69	0.65
H25 0.14	OVER 160,000 LBS	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.70	0.69	0.66
H25 0.21	ATTACHMENTS, MOBILE SHEARS	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.69
H25 0.22	ATTACHMENTS, MATERIAL HANDLING	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
H25 0.23	ATTACHMENTS, CONCRETE PULVERIZERS	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.69
H25 0.24	ATTACHMENTS, COMPACTORS	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.69
H30 0.00	HYDRAULIC EXCAVATORS, WHEEL MOUNTED																		
H30 0.01	0 THRU 1.0 CY	1.07	1.03	1.01	1.00	0.94	0.87	0.85	0.82	0.76	0.77	0.77	0.75	0.73	0.71	0.69	0.67	0.66	0.62
H30 0.02	OVER 1.0 CY	1.07	1.03	1.01	1.00	0.94	0.88	0.85	0.82	0.76	0.77	0.77	0.76	0.74	0.72	0.70	0.68	0.67	0.63
H35 0.00	HYDRAULIC SHOVELS, CRAWLER MOUNTED																		
H35 0.11	DIESEL, 0 CY THRU 5.0 CY	1.06	1.02	1.01	1.00	0.94	0.88	0.86	0.84	0.78	0.79	0.79	0.77	0.76	0.74	0.72	0.70	0.69	0.66
H35 0.12	DIESEL, OVER 5.0 CY	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.70	0.69	0.66
H35 0.21	ELECTRIC, OVER 2.5 CY	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.71	0.70	0.67
L10 0.00	LAND CLEARING EQUIPMENT	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.86	0.86	0.85	0.84	0.81	0.79	0.78	0.75	0.72	0.69	0.65
L15 0.00	LANDSCAPING EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
L20 0.00	LIGHTING SETS, TRAILER MOUNTED																		
L20 0.10	METALLIC VAPOR	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
L25 0.00	LINE STRIPING EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
L30 0.00	LOADERS, BELT (Conveyor belts) & ACCESSORIES	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
L35 0.00	LOADERS, FRONT END, CRAWLER TYPE	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.86	0.86	0.85	0.84	0.81	0.79	0.78	0.75	0.72	0.69	0.65
L40 0.00	LOADERS, FRONT END, WHEEL TYPE																		

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Year Purchased New																	
		Life in Years							Year Purchased New										
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
L40 0.11	ARTICULATED, 0 THRU 225 HP	1.13	1.06	1.02	1.00	0.96	0.90	0.87	0.85	0.85	0.85	0.83	0.82	0.79	0.78	0.76	0.73	0.72	0.69
L40 0.12	ARTICULATED, OVER 225 HP	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.86	0.86	0.86	0.85	0.83	0.81	0.80	0.77	0.75	0.74	0.71
L40 0.20	SKID STEER	1.12	1.06	1.02	1.00	0.96	0.90	0.88	0.86	0.85	0.85	0.84	0.82	0.80	0.79	0.76	0.74	0.73	0.70
L40 0.21	SKID STEER ATTACHMENTS	1.13	1.06	1.02	1.00	0.95	0.90	0.87	0.85	0.85	0.84	0.83	0.81	0.79	0.78	0.75	0.73	0.71	0.69
L40 0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	1.13	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85	0.85	0.84	0.82	0.80	0.79	0.76	0.74	0.72	0.69
L40 0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.87	0.86	0.86	0.85	0.83	0.81	0.81	0.78	0.76	0.74	0.72
L45 0.00	LOADERS / BACKHOE, CRAWLER TYPE	1.12	1.06	1.02	1.00	0.96	0.90	0.88	0.86	0.85	0.85	0.84	0.81	0.79	0.78	0.75	0.72	0.69	0.64
L50 0.00	LOADERS / BACKHOE, WHEEL TYPE	1.13	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85	0.85	0.84	0.82	0.80	0.79	0.76	0.74	0.72	0.69
L55 0.00	LOADER / BACKHOE, ATTACHMENTS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
L60 0.00	LOG SKIDDERS	1.17	1.11	1.05	1.00	0.95	0.91	0.87	0.84	0.83	0.81	0.80	0.77	0.76	0.75	0.74	0.73	0.71	0.69
M10 0.00	MARINE EQUIPMENT (NON DREDGING)																		
M10 0.11	AQUATIC MAINTENANCE	1.14	1.09	1.05	1.00	0.96	0.92	0.87	0.83	0.82	0.80	0.78	0.77	0.76	0.73	0.70	0.68	0.67	0.64
M10 0.12	AQUATIC MAINTENANCE ATTACHMENTS	1.15	1.10	1.05	1.00	0.96	0.92	0.86	0.81	0.80	0.78	0.76	0.76	0.74	0.71	0.67	0.66	0.65	0.61
M10 0.21	HYDRAULIC CUTTERHEAD DREDGE, 8" OR LESS, TRANSPORTABLE	1.13	1.08	1.05	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.79	0.79	0.77	0.75	0.71	0.70	0.69	0.66
M10 0.22	HYDRAULIC CUTTERHEAD DREDGE, 8" - 12", TRANSPORTABLE	1.13	1.08	1.05	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.79	0.79	0.77	0.75	0.71	0.70	0.69	0.66
M10 0.23	HYDRAULIC AUGERHEAD DREDGE, 12" OR LESS, TRANSPORTABLE	1.13	1.08	1.05	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.79	0.79	0.77	0.75	0.71	0.70	0.69	0.66
M10 0.24	HYDRAULIC FLOATING PUMPS, 12" OR LESS, TRANSPORTABLE	1.13	1.09	1.05	1.00	0.96	0.93	0.87	0.83	0.82	0.80	0.79	0.78	0.77	0.74	0.71	0.69	0.68	0.65
M10 0.25	HYDRAULIC DREDGE PUMPS, 12" OR LESS, TRANSPORTABLE	1.14	1.09	1.05	1.00	0.96	0.92	0.87	0.82	0.81	0.79	0.78	0.77	0.75	0.72	0.69	0.67	0.66	0.63
M10 0.26	HYDRAULIC DREDGE / PUMP ATTACHMENTS	1.14	1.09	1.05	1.00	0.96	0.92	0.87	0.82	0.81	0.79	0.78	0.77	0.75	0.72	0.69	0.67	0.66	0.63
M10 0.31	SMALL MECH DREDGES, CLAMHELL, BARGE-MTD TO 5 CY	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.79	0.80	0.80	0.78	0.77	0.75	0.73	0.71	0.71	0.67
M10 0.32	SMALL MECH DREDGES, AMPHIBIOUS EXCAVATORS	1.06	1.02	1.01	1.00	0.94	0.89	0.86	0.84	0.78	0.79	0.79	0.78	0.76	0.74	0.72	0.70	0.69	0.66
M10 0.33	SMALL MECH DREDGES, HOE-MOUNTED DREDGING ATTACH	1.13	1.09	1.05	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.79	0.79	0.77	0.74	0.71	0.70	0.69	0.66

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
M10 0.41	WORK FLOATS (NON-DREDGING)	1.14	1.09	1.05	1.00	0.96	0.93	0.87	0.83	0.82	0.80	0.79	0.78	0.77	0.74	0.70	0.69	0.68	0.65
M10 0.42	WORK BARGES (SECTIONAL, NON-DREDGING)	1.13	1.08	1.04	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.80	0.79	0.78	0.76	0.72	0.71	0.70	0.67
M10 0.45	FLAT-DECK OR CARGO BARGE (NON-DREDGING)	1.12	1.08	1.04	1.00	0.97	0.93	0.89	0.85	0.84	0.82	0.81	0.80	0.79	0.76	0.73	0.72	0.71	0.68
M10 0.46	DUMP SCOW (NON-DREDGING)	1.12	1.08	1.04	1.00	0.97	0.93	0.89	0.85	0.84	0.82	0.81	0.80	0.79	0.76	0.73	0.72	0.71	0.68
M10 0.47	DRILL BARGE (NON-DREDGING)	1.13	1.08	1.04	1.00	0.96	0.93	0.88	0.85	0.83	0.82	0.80	0.80	0.78	0.76	0.73	0.71	0.70	0.67
M10 0.48	ALL OTHER BARGES (NON-DREDGING)	1.13	1.08	1.04	1.00	0.96	0.93	0.88	0.85	0.83	0.82	0.80	0.80	0.78	0.76	0.73	0.71	0.70	0.67
M10 0.51	BOATS & LAUNCHES, 0 THRU 250 HP	1.13	1.09	1.05	1.00	0.96	0.93	0.87	0.83	0.82	0.80	0.79	0.78	0.77	0.74	0.71	0.69	0.68	0.65
M10 0.53	BOATS & LAUNCHES, 251 THRU 500 HP	1.13	1.08	1.05	1.00	0.96	0.93	0.88	0.84	0.83	0.81	0.80	0.79	0.78	0.75	0.72	0.70	0.69	0.66
M10 0.54	TUGS, 501 THRU 1,000 HP	1.12	1.08	1.04	1.00	0.96	0.93	0.88	0.85	0.84	0.82	0.80	0.80	0.79	0.76	0.73	0.72	0.71	0.68
M10 0.55	TUGS, 1,000 THRU 2,000 HP	1.12	1.08	1.04	1.00	0.97	0.93	0.89	0.85	0.84	0.82	0.81	0.80	0.79	0.76	0.73	0.72	0.71	0.68
P10 0.00	PILE HAMMER ACCESSORIES - EXTRACTORS & BOX LEADS	1.14	1.08	1.03	1.00	0.94	0.86	0.82	0.80	0.79	0.78	0.77	0.75	0.73	0.71	0.69	0.66	0.65	0.62
P20 0.00	PILE HAMMERS, DOUBLE ACTING																		
P20 0.10	DIESEL	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.82	0.81	0.81	0.80	0.78	0.76	0.74	0.72	0.70	0.69	0.66
P20 0.20	PNEUMATIC (STEAM/AIR)	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
P25 0.00	PILE HAMMERS, SINGLE ACTING																		
P25 0.10	DIESEL	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
P25 0.20	PNEUMATIC (STEAM/AIR)	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.69
P30 0.00	PILE HAMMERS, DRIVER/ EXTRACTOR, VIBRATORY	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
P35 0.00	PIPELAYERS	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.87	0.86	0.86	0.85	0.82	0.80	0.79	0.76	0.73	0.70	0.66
P40 0.00	PLATFORMS & MAN-LIFTS	1.06	1.02	1.01	1.00	0.94	0.89	0.87	0.84	0.78	0.80	0.79	0.78	0.76	0.75	0.73	0.71	0.70	0.67
P45 0.00	PUMPS, GROUT	1.12	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
P50 0.00	PUMPS, WATER, CENTRIFUGAL, TRASH																		

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
P50 0.11	ENGINE DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P50 0.12	ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P50 0.21	WHEEL MOUNTED, ENGINE DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P50 0.22	WHEEL MOUNTED, ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P50 0.31	HOSES, PUMP, SUCTION & DISCHARGE	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.85	0.83	0.83	0.82	0.81	0.79	0.78	0.76	0.74	0.73	0.71
P55 0.00	PUMPS, WATER, SUBMERSIBLE																		
P55 0.01	ENGINE DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P55 0.02	ELECTRIC DRIVE	1.12	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
P60 0.00	PUMPS, WATER, CENTRIFUGAL, DEWATERING																		
P60 0.11	SKID MOUNTED, ENGINE DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P60 0.12	SKID MOUNTED, ELECTRIC DRIVE	1.12	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
P60 0.21	WHEEL MOUNTED, ENGINE DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P60 0.22	WHEEL MOUNTED, ELECTRIC DRIVE	1.12	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
P65 0.00	PUMPS, WATER, DIAPHRAGM																		
P65 0.11	SKID MOUNTED, ENGINE DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P65 0.12	SKID MOUNTED, ELECTRIC DRIVE	1.12	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
P65 0.21	WHEEL MOUNTED, ENGINE DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
P65 0.22	WHEEL MOUNTED, ELECTRIC DRIVE	1.12	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
P70 0.00	PUMPS, WATER (For core drills)																		
P70 0.01	ENGINE DRIVE	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.81	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
P70 0.02	ELECTRIC DRIVE	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.81	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
R10 0.00	RIPPERS & HYDRAULIC BANK SLOPERS (Add cost for point wear)	1.12	1.06	1.02	1.00	0.96	0.90	0.88	0.86	0.85	0.85	0.84	0.81	0.79	0.78	0.75	0.72	0.69	0.64

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Year Purchased New																		
		Life in Years																		
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
R15	0.00	ROLLERS, STATIC, TOWED, PNEUMATIC	1.17	1.11	1.05	1.00	0.95	0.91	0.86	0.84	0.83	0.81	0.82	0.80	0.78	0.77	0.75	0.73	0.68	0.68
R20	0.00	ROLLERS, STATIC, TOWED, STEEL DRUM	1.17	1.11	1.05	1.00	0.95	0.91	0.86	0.84	0.83	0.81	0.82	0.80	0.78	0.77	0.75	0.73	0.68	0.68
R30	0.00	ROLLERS, STATIC, SELF-PROPELLED																		
R30	0.01	PNEUMATIC	1.17	1.11	1.05	1.00	0.95	0.91	0.86	0.84	0.83	0.81	0.83	0.81	0.79	0.78	0.76	0.74	0.69	0.69
R30	0.02	SMOOTH DRUM	1.17	1.11	1.05	1.00	0.95	0.91	0.87	0.84	0.83	0.81	0.83	0.81	0.79	0.78	0.76	0.74	0.70	0.69
R30	0.03	TAMPING FOOT, LANDFILL & SOIL COMPACTORS	1.17	1.11	1.05	1.00	0.95	0.91	0.86	0.84	0.83	0.81	0.82	0.80	0.79	0.78	0.76	0.73	0.69	0.68
R40	0.00	ROLLERS, VIBRATORY, TOWED	1.18	1.11	1.05	1.00	0.95	0.90	0.86	0.83	0.82	0.80	0.82	0.80	0.78	0.77	0.75	0.72	0.68	0.67
R45	0.00	ROLLERS, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM	1.18	1.11	1.05	1.00	0.95	0.90	0.86	0.83	0.82	0.80	0.82	0.80	0.78	0.77	0.75	0.72	0.68	0.67
R50	0.00	ROLLERS, VIBRATORY, SELF-PROPELLED, SINGLE DRUM	1.18	1.12	1.06	1.00	0.94	0.90	0.85	0.83	0.81	0.79	0.81	0.79	0.77	0.76	0.74	0.71	0.66	0.66
R55	0.00	ROOFING EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.69
S10	0.00	SCRAPERS, ELEVATING																		
S10	0.01	0 THRU 200 HP	1.11	1.06	1.01	1.00	0.96	0.91	0.88	0.87	0.86	0.85	0.83	0.81	0.78	0.77	0.72	0.71	0.68	0.63
S10	0.02	OVER 200 HP	1.11	1.06	1.01	1.00	0.96	0.91	0.88	0.87	0.85	0.85	0.83	0.80	0.78	0.77	0.72	0.70	0.68	0.63
S15	0.00	SCRAPERS, CONVENTIONAL	1.10	1.05	1.01	1.00	0.96	0.92	0.88	0.87	0.86	0.86	0.84	0.81	0.79	0.78	0.73	0.72	0.69	0.64
S20	0.00	SCRAPERS, TANDEM POWERED	1.10	1.05	1.01	1.00	0.96	0.92	0.88	0.87	0.86	0.86	0.84	0.81	0.79	0.78	0.73	0.72	0.69	0.64
S25	0.00	SCRAPERS, TRACTOR DRAWN	1.10	1.05	1.01	1.00	0.96	0.92	0.88	0.87	0.86	0.85	0.84	0.81	0.79	0.77	0.73	0.71	0.69	0.64
S30	0.00	SCREENING & CRUSHING PLANTS																		
S30	0.10	CONVEYORS	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
S30	0.20	CRUSHERS - VERTICAL & HORIZONTAL SHAFT IMPACTOR	1.10	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.79	0.77	0.76	0.75	0.73
S30	0.21	CRUSHERS - CONE	1.10	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.79	0.77	0.76	0.75	0.73
S30	0.22	CRUSHERS - JAW	1.10	1.06	1.02	1.00	0.96	0.90	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.79	0.77	0.76	0.75	0.73
S30	0.30	SCREENING PLANT	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
S35 0.00	SNOW REMOVAL EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
S40 0.00	SOIL & ROAD STABILIZERS	1.11	1.06	1.01	1.00	0.96	0.91	0.88	0.87	0.86	0.85	0.83	0.81	0.78	0.77	0.72	0.71	0.68	0.63
S45 0.00	SPLITTERS, ROCK & CONCRETE	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
T10 0.00	TRACTOR BLADES & ATTACHMENTS (including agricultural)	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.86	0.86	0.85	0.84	0.81	0.79	0.78	0.75	0.72	0.69	0.65
T15 0.00	TRACTORS, CRAWLER (DOZER) (includes blade)																		
T15 0.01	0 THRU 225 HP	1.13	1.06	1.02	1.00	0.95	0.90	0.87	0.85	0.84	0.84	0.83	0.80	0.78	0.76	0.73	0.70	0.66	0.62
T15 0.02	226 HP THRU 425 HP	1.12	1.06	1.02	1.00	0.96	0.90	0.88	0.86	0.86	0.85	0.84	0.81	0.79	0.78	0.75	0.72	0.69	0.64
T15 0.03	OVER 425 HP	1.12	1.06	1.02	1.00	0.96	0.91	0.88	0.87	0.86	0.86	0.85	0.82	0.80	0.79	0.76	0.73	0.70	0.66
T20 0.00	TRACTORS, WHEEL TYPE (DOZER)	1.16	1.11	1.05	1.00	0.95	0.91	0.87	0.85	0.84	0.82	0.81	0.78	0.77	0.75	0.75	0.74	0.71	0.70
T25 0.00	TRACTORS, AGRICULTURAL																		
T25 0.10	CRAWLER	1.17	1.11	1.05	1.00	0.95	0.91	0.87	0.84	0.83	0.81	0.80	0.77	0.76	0.75	0.74	0.73	0.71	0.69
T25 0.20	WHEEL	1.17	1.11	1.05	1.00	0.95	0.91	0.86	0.84	0.83	0.81	0.80	0.77	0.76	0.74	0.74	0.73	0.70	0.69
T30 0.00	TRENCHERS, CHAIN TYPE CUTTER	1.18	1.11	1.05	1.00	0.95	0.90	0.82	0.83	0.82	0.80	0.79	0.76	0.73	0.71	0.70	0.67	0.63	0.60
T35 0.00	TRENCHERS, WHEEL TYPE CUTTER	1.18	1.11	1.05	1.00	0.95	0.90	0.82	0.83	0.82	0.80	0.79	0.76	0.73	0.71	0.70	0.67	0.63	0.60
T40 0.00	TRUCK OPTIONS																		
T40 0.10	CRANES / HOISTS, PERSONNEL & MATERIAL HANDLING	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
T40 0.20	DUMP BODY, REAR	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.83	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T40 0.30	FLATBEDS, WITH SIDES	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
T40 0.41	HOIST, ELECTRIC DRIVE	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
T40 0.50	TRANSIT MIXERS	1.12	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
T40 0.60	WATER TANKS	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.81	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
T40 0.70	ALL OTHER OPTIONS	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.82	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years							Year Purchased New										
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
T45 0.00	TRUCK TRAILERS																		
T45 0.10	BOTTOM DUMP	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T45 0.20	END DUMP	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T45 0.30	PUP TRAILER	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.83	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T45 0.41	LOWBOY, RIGID NECK, DROP DECK	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T45 0.50	FLATBED TRAILER	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T45 0.60	MISCELLANEOUS / UTILITY	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T45 0.70	WATER TANKER TRAILER	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.75	0.73	0.71	0.70	0.68
T45 0.80	DECONTAMINATION FACILITY	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.81	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
T45 0.90	TANK TRAILERS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.75	0.73	0.71	0.70	0.68
T50 0.00	TRUCKS, HIGHWAY (Add attachments as required)																		
T50 0.01	0 THRU 10,000 GVW	1.13	1.07	1.04	1.00	0.96	0.91	0.89	0.87	0.85	0.85	0.87	0.85	0.86	0.88	0.87	0.85	0.80	0.76
T50 0.02	OVER 10,000 THRU 30,000 GVW (Chassis only - Add options)	1.12	1.07	1.03	1.00	0.96	0.91	0.89	0.88	0.85	0.85	0.88	0.85	0.86	0.88	0.87	0.85	0.81	0.76
T50 0.03	OVER 30,000 GVW (Chassis only - Add options)	1.12	1.07	1.03	1.00	0.96	0.91	0.89	0.88	0.86	0.86	0.88	0.86	0.86	0.88	0.88	0.85	0.81	0.77
T55 0.00	TRUCKS, OFF-HIGHWAY																		
T55 0.10	RIGID FRAME	1.09	1.06	1.02	1.00	0.95	0.88	0.83	0.82	0.81	0.79	0.78	0.77	0.76	0.74	0.71	0.67	0.65	0.64
T55 0.20	ARTICULATED FRAME	1.09	1.06	1.02	1.00	0.95	0.88	0.83	0.82	0.80	0.79	0.77	0.76	0.75	0.73	0.70	0.66	0.64	0.63
T56 0.00	TRUCKS, OFF-HIGHWAY/PRIME MOVER TRACTORS & WAGONS																		
T56 0.10	PRIME MOVER TRACTORS	1.09	1.06	1.02	1.00	0.95	0.88	0.83	0.82	0.81	0.79	0.78	0.77	0.76	0.74	0.71	0.67	0.65	0.64
T56 0.20	WAGONS, BOTTOM DUMP	1.09	1.06	1.02	1.00	0.95	0.88	0.82	0.81	0.80	0.78	0.77	0.76	0.75	0.72	0.70	0.65	0.63	0.62
T56 0.30	WAGONS, REAR DUMP	1.10	1.07	1.03	1.00	0.95	0.87	0.82	0.81	0.80	0.78	0.76	0.75	0.74	0.72	0.69	0.65	0.62	0.62
T57 0.00	TRUCKS, VACUUM	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																		
		Year Purchased New																		
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	
T60	0.00	TRUCKS, WATER, OFF-HIGHWAY	1.10	1.07	1.03	1.00	0.95	0.87	0.82	0.81	0.80	0.78	0.76	0.75	0.74	0.72	0.69	0.65	0.62	0.62
T65	0.00	TUNNEL/MINING EQUIPMENT																		
T65	0.10	DRIFTING & TUNNELING DRILLS	1.20	1.15	1.07	1.00	0.93	0.86	0.80	0.79	0.72	0.71	0.69	0.68	0.67	0.66	0.63	0.62	0.60	0.59
T65	0.20	TUNNEL BORING MACHINES	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.82	0.80	0.78	0.76	0.75	0.73	0.71
T65	0.30	PRODUCTION DRILLING RIGS	1.20	1.15	1.07	1.00	0.93	0.86	0.80	0.78	0.72	0.70	0.69	0.68	0.67	0.65	0.63	0.61	0.60	0.58
T65	0.40	ROADHEADERS & CONTINUOUS MINERS	1.11	1.06	1.03	1.00	0.96	0.90	0.86	0.85	0.84	0.84	0.83	0.81	0.80	0.78	0.76	0.74	0.73	0.71
T65	0.50	ROCK BOLTING EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
T65	0.61	LOADING & HAULING EQUIPMENT, DIESEL OR GAS	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.70
T65	0.62	LOADING & HAULING EQUIPMENT, ELECTRIC	1.11	1.06	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.81	0.79	0.77	0.75	0.73	0.72	0.70
T65	0.63	LOADING & HAULING EQUIPMENT, AIR-POWERED	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.75	0.73	0.71	0.70	0.68
T65	0.70	LOCOMOTIVES	1.12	1.07	1.03	1.00	0.95	0.89	0.86	0.84	0.83	0.83	0.82	0.80	0.78	0.77	0.75	0.73	0.72	0.70
T65	0.90	OTHER TUNNELING EQUIPMENT	1.12	1.07	1.03	1.00	0.95	0.89	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.76	0.74	0.72	0.71	0.69
W10	0.00	WAGONS, BOTTOM DUMP	1.09	1.06	1.02	1.00	0.95	0.88	0.83	0.82	0.80	0.79	0.77	0.76	0.75	0.73	0.70	0.66	0.64	0.63
W15	0.00	WAGONS, REAR DUMP	1.09	1.06	1.02	1.00	0.95	0.88	0.83	0.82	0.80	0.79	0.77	0.76	0.75	0.73	0.70	0.66	0.64	0.63
W25	0.00	WATER & CO2 BLASTERS																		
W25	0.10	LOW PRESSURE, (< 5,000 PSI)	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
W25	0.20	HIGH PRESSURE, (>= 5,000 PSI)	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
W25	0.30	STEAM CLEANERS	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.82	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
W25	0.40	CO2 BLASTERS	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68
W25	0.50	WET ABRASIVE BLASTING SYSTEM (TORBO)	1.13	1.08	1.03	1.00	0.95	0.87	0.83	0.82	0.80	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67	0.65
W30	0.00	WATER TANKS																		
W30	0.10	PORTABLE WITH WHEELS	1.10	1.07	1.03	1.00	0.95	0.87	0.82	0.81	0.80	0.78	0.76	0.75	0.74	0.72	0.69	0.65	0.62	0.62

Table 3-2 Equipment Age Adjustment Factors for Standby Cost

CATEGORY SUB	REGION 8 TYPE OF EQUIPMENT	Life in Years																	
		Year Purchased New																	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992
W30 0.20	SKID MOUNTED	1.10	1.07	1.03	1.00	0.95	0.87	0.82	0.81	0.80	0.78	0.76	0.75	0.74	0.72	0.69	0.65	0.62	0.62
W35 0.00	WELDERS																		
W35 0.10	ENGINE DRIVEN	1.13	1.07	1.03	1.00	0.95	0.88	0.84	0.83	0.81	0.81	0.80	0.79	0.77	0.75	0.73	0.71	0.69	0.67
W35 0.20	ELECTRIC DRIVEN	1.12	1.07	1.03	1.00	0.95	0.88	0.85	0.83	0.82	0.82	0.81	0.79	0.77	0.76	0.73	0.71	0.70	0.68

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

STANDBY HOURLY RATE CALCULATION FOR OVERAGE EQUIPMENT

EXAMPLE

Assume the following set of given information for the rate calculation example:

1. The unit of equipment is not listed in table 2-1.
2. The equipment is contractor owned.
3. Data for the unit in question:
 - a. Caterpillar front-end wheel loader
 - b. Model 950-F11, 4WD, 3.25 CY capacity
 - c. Serial number indicates year of manufacture = 1997
 - d. Actual purchase price in 1997 = \$195,628
(includes all regional discounts, sales tax and freight)
 - e. Horsepower is 170 hp (fuel is Diesel off-road)
 - f. Drive tire (DT) size = 23.50 x 25, 16 ply, L-3 (appendix F tire code ANNB5)
DT cost (2009) = 4 tires x \$2,053/tire = \$8,212
 - g. Weight = 35,100 lbs
4. Use the actual cost data as follows:
 - a. Purchase price (TEV) = \$195,628
 - b. Year of manufacture = 1997
5. Hourly rate is computed as follows:

Figure 3-2. Total Hourly Rate Calculation for Overage Equipment

Example: The piece of equipment shown in this example is based on a known piece of equipment for illustration purposes only.

USE THIS WORKSHEET TO COMPUTE A HOURLY RATE FOR EQUIPMENT THAT IS NOT IN THIS PAMPHLET OR IS IN THE PAMPHLET BUT NOT EQUIVALENT IN SIZE, CAPACITY, HORSEPOWER OR VALUE. (See Appendix A for a blank form)

Region 08

1. EQUIPMENT INFORMATION AND EXPENSE FACTORS

ID No: _____

a. Equipment Specification Data:

(1)	Equipment Description:	Loader, Front-end, Wheel, 4WD, 4 CY capacity	
(2)	Model and Series:	Caterpillar Model 950-F11	
(3)	Present Year or Year of Use:	2009	
(4)	Year Manufactured:	1997	
(5)	Horsepower - Equipment:	170	
(6)	Horsepower - Carrier:	0	
(7)	Fuel type: - Equipment: 0-None; 1-electric; 2-gasoline; 3-diesel off-road; 4-diesel on-road; 5-marine gas; 6-marine diesel	Enter number from 0 to 6 ==>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; margin: 0 auto;">3</div>
			D-off
	- Carrier: 0-None; 1-electric; 2-gasoline; 3-diesel off-road; 4-diesel on-road; 5-marine gas; 6-marine diesel	Enter number from 0 to 6 ==>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; margin: 0 auto;">0</div>
			None
(8)	Shipping Weight (cwt):		351 cwt

(9) Tire size and number of tires: (Cost of tires based on present year - see 1.a.(3) and Appendix F)

	<u>Size/Ply</u>	<u>App F Code</u>	<u>No.</u>	<u>Unit Price</u>	<u>Cost</u>
(a) Front (FT):			0	\$0	\$0
(b) Drive (DT):	23.5X25/16Ply	ANNB5	4	\$2,053	\$8,212
(c) Trailing (TT):			0	\$0	\$0
(d) Total Tire Cost:					\$8,212

(10) List Price + Accessories: _____
[at Year (yr) of Manufacture] \$0 OR actual purchase price: \$195,628

USE APPENDIX D TO COMPLETE THE FOLLOWING DATA:

b.	Category and Subcategory Number:	L40	0.11
c.	Hourly Expense Calculation Factors:		
(1)	Economic Key (EK):		45
(2)	Condition (C): A =Average D =Difficult S =Severe	A	AVERAGE
(3)	Discount Code (DC): B = 7.5% (0.075) or S = 15.0% (0.15)	B	0.075
(4)	Life in Hours (LIFE):		9,250
(5)	Salvage Value Percentage (SLV):		0.25
(6)	Fuel Factor - Equipment [Electric (E) Gas (G) Diesel (D)]:		0.031
(7)	Fuel Factor - Carrier (E G D):		0.000
(8)	Filter, Oil, and Grease (FOG) Factor (E G D):		0.111
(9)	Tire Wear Factor:		
	(a) Front (FT):		0.83
	(b) Drive (DT):		0.54
	(c) Trailing (TT):		0.92
(10)	Repair Cost Factor (RCF):		0.70

Figure 3-2. Total Hourly Rate Calculation for Overage Equipment Page 1 of 6

Region 08

2. EQUIPMENT VALUE

a. List Price + Accessories: [at Year (yr) of Manufacture]				=	<u>\$0</u>
(1) Discount:	(List Price + Accessories) x	Discount Code			
	{1.a.(10)}	{1.c.(3)}			
	<u>\$0</u>	+ <u>\$0.00</u>	x <u>0.075</u>	=	<u>\$0</u>
(2) Subtotal {2.a.} - {2.a.(1)}				Subtotal	= <u><u>\$0</u></u>
(3) Sales or Import Tax:	Subtotal	x	Tax Rate		
	{2.a.(2)}		{Appendix B}		
	<u>\$0</u>	x	<u>6.00%</u>	=	<u>\$0</u>
(4) Total Discounted Price: {Subtotal: 2.a.(2) + 2.a.(3)}				Subtotal	= <u><u>\$0</u></u>
b. Freight:	Shipping Weight	x	Freight Rate per cwt		
	{1.a.(8)}		{Appendix B}		
	<u>0,000 cwt</u>	x	<u>\$0.00 /cwt</u>	=	<u>\$0</u>
c. TOTAL EQUIPMENT VALUE (TEV):			TOTAL[2.]:	=	<u>\$195,628</u>
	{2.a.(4)} + {2.b} OR actual purchase price {1a.(10)}				
	<i>(See chapter 3 for used and overage equipment rate adjustments.)</i>				

3. DEPRECIATION PERIOD (N)

a.	LIFE	/	Working Hours Per Year (WHPY)	=	<u>N</u>
	{1.c.(4)}		{Appendix B}		
	<u>9,250 hr</u>	/	<u>1,540 hr/yr</u>	=	<u>6.01 yrs</u>

4. OWNERSHIP COST

a. Depreciation					
(1) Tire Cost Index (TCI):					
	Tire Index, Year of Manufacture,	/	Tire Index, Present Year or Year of Use	=	<u>TCI</u>
	{1.a.(4)}		{1.a.(3)}		
	Appendix E, EK=100		Appendix E, EK=100		
	<u>2431</u>	/	<u>3382</u>	=	<u>0.719</u>
(2)	[TEV	x	(1.0-SLV) - (TCI	x	Tire Cost)] / LIFE
	{2.c.}		{1.c.(5)} - {4.a.(1)}	x	{1.a.(9)(d)} / {1.c.(4)}
	<u>[\$195,628</u>	x	<u>(1.0-0.25)</u>	x	<u>[\$8,212.]</u> / <u>9,250 /hr</u>
				=	<u>\$15.22 /hr</u>

Figure 3-2. Total Hourly Rate Calculation for Overage Equipment Page 2 of 6

Region 08

4. **OWNERSHIP COST (Continued)**

b. Facilities Capital Cost of Money (FCCM):

(1)	[(N - 1.0) {3.a.}]	x	(1.0 + SLV) {1.c.5.}	+	2.0]	/	(2.0 x N) {3.a.}	=	Avg Value Factor (AVF)
	<u>[(6.01 yr - 1.0)</u>	x	<u>(1.0 + 0.25)</u>	+	2.0]	/	<u>(2.0 x 6.01 yr)</u>	=	<u>0.687</u>
(2)	TEV {2.c.}	x	AVF {4.b.(1)}	x	Adjusted Cost-of-Money {Appendix B}	/	WHPY {Appendix B}	=	
	<u>\$195,628</u>	x	<u>0.687</u>	x	<u>3.90%</u>	/	<u>1,540 hr/yr</u>	=	<u>\$3.40 /hr</u>

c. **TOTAL HOURLY OWNERSHIP COST:**
{4.a.(2)} + {4.b.(2)}

TOTAL [4.]: = \$18.62 /hr

5. **OPERATING COST**

a. Fuel Costs:

(1) Equipment:

Fuel Factor {1.c.(6)}	x	Horsepower (hp) {1.a.(5)}	x	Fuel Cost per Gallon (gal) {Appendix B}	=	
<u>0.000</u>	x	<u>0 hp</u>	x	<u>\$0.00 /gal</u>	=	<u>\$0.00 /hr</u>

(2) Carrier:

Fuel Factor {1.c.(7)}	x	hp {1.a.(6)}	x	Fuel Cost per gal {Appendix B}	=	
<u>0.000</u>	x	<u>0 hp</u>	x	<u>\$0.00 /gal</u>	=	<u>\$0.00 /hr</u>

(3) Total Hourly Fuel Cost:
{5.a (1)} + {5.a (2)}

Total [5.a.] = \$0.00 /hr

b. FOG Cost:

(1) Equipment:

FOG Factor {1.c.(8)}	x	Equipment Hourly Fuel Cost {5.a.(1)}	x	Labor Adjustment Factor (LAF) {Appendix B}	=	
<u>0.000</u>	x	<u>\$0.00 /hr</u>	x	<u>0.00</u>	=	<u>\$0.00 /hr</u>

Figure 3-2. Total Hourly Rate Calculation for Overage Equipment Page 3 of 6

Region 08

5. **OPERATING COST (Continued)**

(2) Carrier:

FOG Factor	x	Carrier Hourly Fuel Cost	x	LAF	
{1.c.(8)}		{5.a.(2)}		{Appendix B}	
<u>0.000</u>	x	<u>\$0.00 /hr</u>	x	<u>0.00</u>	= <u>\$0.00 /hr</u>

(3) Total Hourly FOG Cost: Total [5.b.] = \$0.00 /hr
 {5.b.(1)} + {5.b.(2)}

c. Alternative Fuel/FOG Cost: Total [5.c.] = \$0.00 hr
 (See chapter 2, paragraph 2.24.d. for guidance on when to use.)

d. Repair Cost:

(1) Economic Adjustment Factor (EAF):
 EK is from {1.c.(1)}

Economic Index, Present Year or Year of Use {1.a.(3)} Appendix E, EK={1.c.(1)}	/	Economic Index, Year of Manufacture, {1.a.(4)} Appendix E, EK={1.c.(1)}		= <u>0.000</u>
<u>0000</u>	/	<u>0000</u>		

(See table 3-1 for last year of economic life.)

(2) Repair Factor (RF):

RCF	x	EAF	x	LAF	= <u>RF</u>
{1.c.(10)}		{5.d.(1)}		{Appendix B}	
<u>0.00</u>	x	<u>0.000</u>	x	<u>0.00</u>	= <u>0.000</u>

(3) Repair Cost:

[TEV	-	(TCI	x	Tire Cost)]	x	RF	/	LIFE
{2.c.}		{4.a.(1)}		{1.a.(9)(d)}		{5.d.(2)}		{1.c.(4)}
<u>[\$0</u>	-	<u>(0.000</u>	x	<u>\$0]</u>	x	<u>0.000</u>	/	<u>0</u>

(4) Total Hourly Repair Cost: Total [5.d.] = \$0.00 /hr

Figure 3-2. Total Hourly Rate Calculation for Overage Equipment Page 4 of 6

Region 08

5. **OPERATING COST (Continued)**

e. Tire Wear Cost: (Use current price levels. See Appendix F.)

(1) Front Tires (FT):

$$\begin{array}{rclclcl} (1.5 \times \text{FT Cost}) & / & (1.8 \times \text{FT Wear Factor}) & \times & \text{Maximum Tire Life Hours} & \\ \{1.a.(9)(a)\} & & \{1.c.(9)(a)\} & & \{\text{Appendix F}\} & \\ \underline{(1.5 \times \$0)} & / & \underline{(1.8 \times 0.00)} & \times & \underline{0 \text{ hrs}} & = \underline{\$0.00/\text{hr}} \end{array}$$

(2) Drive Tires (DT):

$$\begin{array}{rclclcl} (1.5 \times \text{DT Cost}) & / & (1.8 \times \text{DT Wear Factor}) & \times & \text{Maximum Tire Life Hours} & \\ \{1.a.(9)(b)\} & & \{1.c.(9)(b)\} & & \{\text{Appendix F}\} & \\ \underline{(1.5 \times \$0)} & / & \underline{(1.8 \times 0.00)} & \times & \underline{0 \text{ hrs}} & = \underline{\$0.00/\text{hr}} \end{array}$$

(3) Trailing Tires (TT):

$$\begin{array}{rclclcl} (1.5 \times \text{TT Cost}) & / & (1.8 \times \text{TT Wear Factor}) & \times & \text{Maximum Tire Life Hours} & \\ \{1.a.(9)(c)\} & & \{1.c.(9)(c)\} & & \{\text{Appendix F}\} & \\ \underline{(1.5 \times \$0)} & / & \underline{(1.8 \times 0.00)} & \times & \underline{0 \text{ hr}} & = \underline{\$0.00/\text{hr}} \end{array}$$

(4) Total Tire Wear Cost:
Sum {5.e.(1)} through {5.e.(3)}

Total [5.e.] = \$0.00/hr

f. Tire Repair Cost:

$$\begin{array}{rclclcl} \text{Total Tire Wear Cost} & & & & & \\ \text{per Hour} & \times & (0.15 \times \text{LAF}) & & & \\ \{5.e.(4)\} & & \{\text{Appendix B}\} & & & \\ \underline{\$0.00/\text{hr}} & \times & \underline{(0.15 \times 0.00)} & & & \\ & & & & \text{Total [5.f.] = } & \underline{\$0.00/\text{hr}} \end{array}$$

g. TOTAL HOURLY OPERATING COST:
Sum {5.a.} through {5.f.}

Total [5.] = \$0.00/hr

Region 08

6. **HOURLY RATES**

a. Total Hourly Rate: *[based on 40 hours per week (wk)]*

$$\begin{array}{rcl} \text{Ownership Cost} & + & \text{Operating Cost} \\ \{4.c.\} & & \{5.g.\} \\ \\ \underline{\$0.00 /hr} & + & \underline{\$0.00 /hr} \end{array}$$

$$= \underline{\underline{\$0.00 /hr}}$$

See Figure 3-1 for hourly rate calculations for overage equipment

b. Other Work Shifts Hourly Rate:
(Refer to Chapter 3, Adjustments to Rates, for methodology.)

$$\begin{array}{rcl} \text{Depreciation} & + & (\text{FCCM} \times 40 \text{ hr/wk} / \text{Work hr/wk}) + \text{Operating Cost} \\ \{4.a.(2)\} & & \{4.b.(2)\} \qquad \qquad \qquad \text{example:60 hr/wk} \qquad \qquad \{5.g.\} \\ \\ \underline{\$0.00 /hr} & + & \underline{\$0.00 /hr} \times \underline{40 \text{ hr/wk}} / \underline{60 \text{ hr/wk}} + \underline{\$0.00 /hr} \\ & & \text{example:60 hr/wk} \end{array}$$

$$= \underline{\underline{\$0.00 /hr}}$$

c. Standby Hourly Rate:
(Refer to Chapter 2, paragraph 2.28 for guidance on use.)

$$\begin{array}{rcl} (\text{Depreciation} \times 0.50) & + & \text{FCCM} \\ \{4.a.(2)\} & & \{4.b.(2)\} \\ \\ (\underline{\$15.22 /hr} \times 0.50) & + & \underline{\$3.40 /hr} \end{array}$$

$$= \underline{\underline{\$11.01 /hr}}$$

(Refer to Chapter 3, paragraph 3.12 for guidance for overage equipment.)

See Chapter 3 if rate adjustments are necessary.

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

CHAPTER 4.0 - METHODOLOGY FOR DREDGING PLANT AND MARINE EQUIPMENT

SECTION I. GENERAL

4.1 Contents

This chapter contains the methodology used to compute ownership and operating rates for dredging plant and permanent floating plant such as floating pile-driving equipment. Dredging plant is marine equipment used for dredging operations for the majority of its life or designed and built for marine/dredging use.

4.2 General

a. The ownership and operating rates provided in table 2-1, category M-10, are based on the methodology in chapter 2 for non-dredging equipment. However, the cost data (Acquisition Cost, Horsepower, and Fuel Type) may be used for calculation of dredging plant and marine equipment rates, provided they are calculated in accordance with the methodology provided in this chapter.

b. Table 4-1 shows ownership and operating cost factors for various types of dredging plant. When a type of plant is not listed, the cost is estimated by using the factors listed in this table for a similar type of plant.

c. The methodology for determining operating rates for hopper dredges was omitted from this pamphlet due to the limited number of hopper dredges and the complexity of the methods used to calculate the rates. Further information can be found in Engineer Regulation (ER) 1110-2-1302, *Engineering and Design, Civil Works Cost Engineering*, on the Internet at <http://140.194.76.129/publications/eng-regs/er1110-2-1302/toc.htm>, and in Engineer Technical Letter (ETL) 1110-2-573 *Engineering and Design: Construction Cost Estimating Guide for Civil Works* located at <http://140.194.76.129/publications/eng-tech-ltrs/etl1110-2-573/toc.htm>. The methodology for calculating ownership cost is in section V of this chapter.

d. For mechanical dredges, the cost of the bucket is typically included in the plant value; therefore, no additional allowance should be made for ownership cost. If the bucket cost is not included in the plant value, the bucket may be treated as a separate unit of equipment.

SECTION II. ANNUAL USE

4.3 Time Available to Dredge

a. The number of months available per calendar year (yr) for dredging shall be based on the work time available to dredge, excluding downtime for major repairs, work in dry dock, bad weather, and environmental restrictions. Figure 4-1 depicts months available for dredging, including mobilization and demobilization, based on historic data collected by the U.S. Army Corps of Engineers' regional dredge estimating teams. The data in figure 4-1 shall be used for computing the ownership costs unless specified otherwise in the contract documents.

AVAILABLE TIME TO DREDGE BY REGION (In Months)			
	<u>Type of Dredging Operation</u>		
<u>Region</u>	<u>Pipeline</u>	<u>Bucket</u>	<u>Hopper</u>
Atlantic Coast and tributaries	9	10	10
Gulf Coast, Lower Mississippi, and Tributaries	10	10	11
Great Lakes, Upper Mississippi, and Tributaries	8	8	8
West Coast and Tributaries	9	9	9

Figure 4-1. Months Available by Region

SECTION III. LIFE

4.4 Life

The life for determining ownership and operating costs is defined as follows:

a. The Useful Life is expressed in years in table 4-1. It is the economic life of the equipment and is used to develop ownership rates for various types of dredging plant.

b. The Physical Life is expressed in hours (hrs) in table 4-1. It is the life of the unit based on effective working time and is used to develop operating rates for various types of dredging plant.

4.5 Annual Hours Available

The annual hours available to dredge can be established for each type of plant based on the months available and the estimated effective monthly hours worked. Dredging time is defined as effective plus non-effective working time. "Effective working time" is defined as time during the dredging operation when actual production is taking place. "Non-effective working time" is defined as time during the dredging operation when the dredge is operational but no production is taking place. For complete definition of terms see ER 1110-2-1302, *Engineering and Design, Civil Works Cost Engineering*. The total annual hours available can be expressed by formula, as follows:

$$\text{Available Hours per yr} = \text{Months Available/yr} \times \text{Effective Hours/Month}$$

Where:

- Months Available/yr is found in figure 4-1.
- Effective Hours/Month is the effective working time.

SECTION IV. SALVAGE VALUE

4.6 Salvage Value (SLV)

The salvage value, expressed as a decimal, is shown in table 4-1 for different types of plant.

SECTION V. OWNERSHIP COST

4.7 Ownership Cost

Ownership cost is calculated based on a percent of plant value. Plant value is the acquisition cost plus the cost of any initial capital improvements. The value of initial capital improvements is based on those betterments, which were made within 1 year of purchase. Capital improvements do not include any replacement or repair work. Repairs or replacements are an operating cost and are covered in the repair cost allowance. Capital improvements are considered betterments, where the plant has been improved (*e.g.*, adding radar or upgrade of engines). (Note: Only the cost difference between replacement of existing similar engines and actual cost for upgrading engines should be considered as capital improvement). For capital improvements not made within the first year after the initial acquisition, see section VIII.

a. The ownership cost is determined from the plant value and is the total expense rate based on depreciation and CMR. When cost or pricing data is available, the actual acquisition price shall be used. Otherwise, the value of a similar piece of plant is used and, if necessary, adjusted so that capacity, size, and horsepower are properly considered.

b. Ownership rate is determined on a yearly basis and distributed over a monthly basis. The monthly rate is calculated based on the available use months by using the following formula:

$$\text{Monthly Ownership Cost} = \frac{\text{Plant Value} \times (\text{Yearly DEPR Percent} + \text{Yearly CMR Percent})}{\text{Available Use Months}}$$

Where:

- Plant Value = Acquisition price plus initial capital improvements.
- Yearly DEPR Percent = Ownership percent per year for depreciation.
- Yearly CMR Percent = Ownership percent per year for cost of money rate.
- Available Use Months is from figure 4-1.

4.8 Depreciation Factor

Depreciation is computed using the straight-line method. The depreciable value is the acquisition cost, plus initial capital improvements, less estimated salvage. The basis for determining the yearly percentage factor for depreciation is expressed by the following formula:

$$\text{Yearly DEPR Percent} = (1 - \text{SLV}) / N$$

Where:

- N = Useful Life from table 4-1.
- SLV = Salvage Value from table 4-1.

4.9 The Cost of Money Rate (CMR) Factor

The CMR factor is calculated on a yearly basis and is expressed here as an annual percentage factor. The CMR used in the calculation is the rate in effect at the time the work was performed. This formula is expressed as follows:

$$\text{Yearly CMR Percent} = \frac{[(N - 1)(1 + \text{SLV}) + 2](\text{discounted CMR})}{2N}$$

Where:

- N = Useful Life from table 4-1.
- SLV = Salvage Value from table 4-1.
- Discounted CMR = Cost of money rate (appendix I) reduced by 25 percent for overhead and profit allowance.

4.10 Other Ownership Elements

Taxes, storage (lay up), and insurance are considered indirect (overhead) costs as defined in ER 1110-2-1302, appendix D. These costs are not included in ownership rates since they vary by geographic area and with individual contractors. These costs are considered as overhead costs and are, therefore, not included here so they will not be duplicated in the overhead in the estimate or submitted proposal.

SECTION VI. OPERATING FACTORS

4.11 Hourly Operating Cost

Operating cost is based on effective working time. Dredging plant operating factors are shown in table 4-1. These factors, which are described in paragraph 4.12, are not intended to replace historical data but shall be used when historical data is limited or nonexistent.

4.12 Prime and Secondary Power

Prime power refers to the primary operating engine for the dredge or other piece of attendant plant. Secondary power refers to all other secondary engines or power plants. If more than one secondary power engine is present, the horsepower is totaled. Fuel consumption factors are prepared on the same basis as in chapter 2. Hourly fuel costs are calculated separately for the primary and secondary engines. The formula used is expressed as follows:

$$\text{Hourly Fuel Cost} = \text{Horsepower} \times \text{Fuel Cost/Gallon} \times \text{Engine Fuel Factor}$$

Where:

- Horsepower is the engines rated horsepower.
- Fuel Cost/Gallon is based on values shown in appendix B. See chapter 3 for fuel cost adjustments.

- Fuel Factor - Gas or Diesel Fuel. The fuel factor is listed in table 4-1 for the primary and secondary engines.

4.13 Water, Lube, and Supplies (WLS)

This factor is similar to the filters, oil, and grease (FOG) factor described in chapter 2. This item is computed as either a percentage of the hourly fuel costs or, if the type of plant has no engine, a reasonable hourly cost should be included.

This factor does not include an allowance for the oiler normally assigned to the dredge or other piece of dredging plant. The formula is expressed as follows:

$$\text{Water, Lube, and Supply Cost} = \text{WLS factor} \times \text{Hourly Fuel Cost}$$

Where:

- WLS Factor is obtained from table 4-1.
- Hourly Fuel cost is calculated as shown in paragraph 4-12.

4.14 Repairs (RPR)

This factor includes an allowance for all major and minor repairs and is similar to the maintenance and repair cost factor (RCF) described in chapter 2. The economic adjustment factor (EAF) and the labor adjustment factor (LAF) are required to develop this cost. The formula is expressed as follows:

$$\text{Repair Cost} = \frac{(\text{Total Plant Value} \times \text{RPR} \times \text{EAF} \times \text{LAF})}{\text{Life in hr}}$$

Where:

- Total Plant Value = Acquisition price plus Initial capital improvements.
- RPR = Repair Factor from table 4-1.
- EAF = Economic Index (present year)/ Economic Index (acquisition year).
- LAF = Labor Adjustment Factor from appendix B.
- Life in hrs = Physical Life from table 4-1.

It should be noted that the repair allowance does not include the following estimated additive items:

a. Excessive dredge wear for parts (e.g., cutter teeth and main suction pumps) is not included due to the wide variety of materials being dredged. The original cost of the bucket and normal wear are typically included in the plant value covered in the plant rate. Excessive bucket wear for mechanical dredges is estimated as an additive item or treated as a separate unit of equipment from table 2-1. Allowances for wear due to

abrasive material should only be included as an additive item if it is warranted and is not considered elsewhere in the estimate.

b. Dry docking costs, which represent an allowance for rental of the dry dock facility, are not included because they vary greatly depending on the facilities available. Repairs incurred while in dry dock, which occur periodically, are in the repairs. Dry docking costs will be allocated on an average annual basis over the years between such occurrences in accordance with Cost Accounting Standards and Generally Accepted Accounting Practices.

c. There is no predetermined allowance in the dredging plant methodology for jobsite yard costs, mobilization, or demobilization. All of these cost elements must be separately estimated to match each project's construction conditions.

SECTION VII. STANDBY

4.15 Standby Rate

The standby rate is computed by allowing the full ownership cost. In addition to the standby ownership rate, it may be necessary on dredges to include operating costs. Examples of allowable operating cost are as follows: a generator fuel allowance to account for operation of a diesel engine generator for power to operate pumps; navigation lights; minimum crew; *etc.*

a. Standby is a directed delay by the Government and will not be allowed during periods when the plant would have otherwise been in idle status, such as non-effective working time. Since ownership is calculated based on life in years computed monthly, standby should be paid only when additional time has been directed by the Government. Standby is to be paid on a 24-hour basis.

b. Standby for pipeline and accessories shall be based on pumping mud in determining values from table 4-1.

SECTION VIII. NEGOTIATED PROCUREMENT

4.16 Rates

The calculated dredging plant rates based on the methodology presented in this chapter should be used for preparing a reasonable contract estimate. When adequate cost or pricing data is available and submitted by the contractor for negotiated procurement, the rates may be adjusted in accordance with the methodology in this chapter. Cost or pricing data is defined in FAR 15.4, *Contract Pricing*.

4.17 Allowance for Additional Capital Improvements

Allowance for additional capital improvements shall be calculated in accordance with accepted general accounting principles. When adequate cost or pricing data is not available, factors for a similar unit of equipment may be used for determining the ownership rate for overage equipment and plant.

4.18 Overage Plant

When the plant has exceeded the useful life given in table 4-1, it is considered overage. The ownership rate for overage plant should be determined with the same methodology described in section V.

a. When actual cost or pricing data is available to adjust the operating rate, the data must be accurate, complete, and established in accordance with accepted general accounting principles.

b. When actual cost or pricing data is not available, the total hourly operating rate for overage equipment shall be computed on the basis that the equipment is equal to the useful life as shown in table 4-1.

4.19 Dredging Plant Purchased Used

For plant purchased used, the ownership and operating rate must be calculated on an individual case, due to the varying conditions. When actual cost or pricing data is not available, the methodology from this chapter shall be used and values for life and salvage from table 4-1 can be adjusted. Support for adjustments can be obtained by calling the Chief, Cost Engineering Branch, Engineering and Construction Division, Walla Walla District, U.S. Army Corps of Engineers (CENWW-EC-X), telephone 509-527-7511 or 509-527-7510.

SECTION IX. RATE CALCULATION EXAMPLE

4.20 Rate Calculation Example

The example shown in figure 4-2 illustrates the use of figure 4-1, table 4-1, and the regional data from appendix B to generate a rate. For illustration purposes, assume that a 24-inch hydraulic dredge (pipeline) was purchased new in 1991 for \$3,700,000, including tax and delivery, and there were no initial capital improvements. This example uses 500 hours per month and a discounted CMR of 4.20 percent.

Table 4-1. Dredging Plant Cost Factors

Type of Plant	Useful Life	Physical Life	Salvage Value	Prime Engine Fuel Factor			Secondary Engine Fuel Factor			WLS %		RPR %
	YRS	HR	SLV	HPF	G	D	HPF	G	D	G	D	
Hydraulic Dredges - Pipeline (Cutterhead or Dustpan) (Based on Discharge Diameter) (Non-Truckable)												
8 inch and under	5	10,000	0.05	80	0.083	0.045	70	0.072	0.039	20	22	70
9 inch through 10 inch	6	12,000	0.05	80	0.083	0.045	70	0.072	0.039	20	22	80
11 inch through 12 inch	8	16,000	0.05	80	0.083	0.045	70	0.072	0.039	20	22	90
13 inch through 15 inch	15	40,000	0.05	80	0.083	0.045	70	0.072	0.039	20	22	100
16 inch through 17 inch	20	80,000	0.05	80	0.083	0.045	70	0.072	0.039	20	22	110
18 inch through 20 inch	20	100,000	0.05	80	0.083	0.045	70	0.072	0.039	20	22	120
21 inch through 22 inch	25	120,000	0.10	80	0.083	0.045	70	0.072	0.039	20	22	130
23 inch through 24 inch	25	130,000	0.10	80	0.083	0.045	70	0.072	0.039	20	22	130
25 inch through 29 inch	30	135,000	0.10	80	0.083	0.045	70	0.072	0.039	20	22	130
30 inch or larger	30	135,000	0.10	80	0.083	0.045	70	0.072	0.039	20	22	130
Barge Mounted Booster Pump (For Pipeline Dredges)												
16 inch through 17 inch	20	80,000	0.05	80	0.083	0.045	70	0.072	0.039	22	24	80
18 inch through 20 inch	20	100,000	0.10	80	0.083	0.045	70	0.072	0.039	22	24	90
21 inch through 22 inch	25	120,000	0.10	80	0.083	0.045	70	0.072	0.039	22	24	100
23 inch through 24 inch	25	130,000	0.10	80	0.083	0.045	70	0.072	0.039	22	24	110
25 inch through 29 inch	30	135,000	0.10	80	0.083	0.045	70	0.072	0.039	22	24	120
30 inch or larger	30	135,000	0.10	80	0.083	0.045	70	0.072	0.039	22	24	120

SLV = Salvage Value
WLS = Water, Lube and Supplies

HPF = Horsepower Factor
RPR = Repairs

G = Gas

D = Diesel

Table 4-1. Dredging Plant Cost Factors (Continued)

Type of Plant	Useful Life	Physical Life	Salvage Value	Prime Engine Fuel Factor			Secondary Engine Fuel Factor			WLS %		RPR %
	YRS	HR	SLV	HPF	G	D	HPF	G	D	G	D	
<u>Mechanical Dredges (Large)</u> ¹												
Clamshell - under 5 cy	8	18,000	0.05	70	0.072	0.039	60	0.062	0.033	22	24	90
Clamshell - 6 cy to 10 cy	13	26,000	0.05	70	0.072	0.039	60	0.062	0.033	22	24	100
Clamshell - 11 cy to 15 cy	20	40,000	0.05	70	0.072	0.039	60	0.062	0.033	22	24	110
Clamshell - 16 cy to 20 cy	25	75,000	0.05	70	0.072	0.039	60	0.062	0.033	22	24	120
Clamshell - 20 cy and over	30	90,000	0.05	70	0.072	0.039	60	0.062	0.033	22	24	130
All Other Types (Bucket or Dipper)	25	90,000	0.10	70	0.072	0.039	60	0.062	0.033	22	24	120
<u>Barge Mounted Crane with Clamshell Bucket</u>												
<u>Non - Dredging</u>												
Clamshell - under 6 cy	9	18,000	0.05	55	0.055	0.031	45	0.045	0.025	22	24	85
Clamshell - 6 cy to 10 cy	14	28,000	0.05	55	0.055	0.031	45	0.045	0.025	22	24	95
Clamshell - 11 cy to 15 cy	21	42,000	0.05	55	0.055	0.031	45	0.045	0.025	22	24	105
<u>Barge Mounted Lifting Crane</u>												
25 Ton to 75 Ton, 45' Boom	9	18,000	0.05	40	0.040	0.022	30	0.030	0.017	22	24	80
75 Ton to 125 Ton, 60' Boom	14	28,000	0.05	40	0.040	0.022	30	0.030	0.017	22	24	90
Over 125 Ton, over 60' Boom	21	42,000	0.05	40	0.040	0.022	30	0.030	0.017	22	24	100
<u>Barges (Used with Dredging)</u>												
Fuel or Water	20	90,000	0.05	20	0.021	0.011	20	0.021	0.011	18	20	60
Equipment or Work	20	90,000	0.05	20	0.021	0.011	20	0.021	0.011	18	20	60
Derrick	20	90,000	0.10	20	0.021	0.011	20	0.021	0.011	18	20	70
Anchor	20	90,000	0.05	20	0.021	0.011	20	0.021	0.011	18	20	60
Mooring Barge	20	90,000	0.05	20	0.021	0.011	20	0.021	0.011	18	20	60
Dump Scow	20	90,000	0.05	20	0.021	0.011	20	0.021	0.011	18	20	70

SLV = Salvage Value

WLS = Water, Lube and Supplies

¹ Sized by the largest bucket used (normally a mud bucket)

HPF = Horsepower Factor

RPR = Repairs

G = Gas

D = Diesel

Table 4-1. Dredging Plant Cost Factors (Continued)

Type of Plant	Useful Life	Physical Life	Salvage Value	Prime Engine Fuel Factor			Secondary Engine Fuel Factor			WLS %		RPR %
	YRS	HR	SLV	HPF	G	D	HPF	G	D	G	D	
<u>Boats – See Category M10</u>												
<u>Tugs and Tenders (Used with Dredging)</u>												
Under 500 hp	8	18,000	0.10	80	0.083	0.045	70	0.072	0.039	32	38	80
501 through 1,000 hp	10	40,000	0.10	80	0.083	0.045	70	0.072	0.039	32	38	90
1,001 through 2,000 hp	15	55,000	0.10	80	0.083	0.045	70	0.072	0.039	32	38	100
2,001 through 3,000 hp	20	100,000	0.10	80	0.083	0.045	70	0.072	0.039	32	38	110
Over 3,000 hp	25	120,000	0.10	80	0.083	0.045	70	0.072	0.039	32	38	120
<u>Pipeline and Accessories (Inland Environment)</u>												
<u>Metal Pipeline (under 20 inch)</u>												
Pumping Mud	2	9,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Sand	1	4,500	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Rock (Gravel)	0.3	1,500	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Joints	3	12,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	30
Pontoons/Floats	12	60,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
<u>Metal Pipeline (20 inch and Larger)</u>												
Pumping Mud	3	12,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Sand	1.5	6,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Rock (Gravel)	0.5	2,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Joints	3	12,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	30
Pontoons/Floats	12	60,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5

SLV = Salvage Value

WLS = Water, Lube and Supplies

HPF = Horsepower Factor

RPR = Repairs

G = Gas

D = Diesel

Table 4-1. Dredging Plant Cost Factors (Continued)

Type of Plant	Useful Life	Physical Life	Salvage Value	Prime Engine Fuel Factor			Secondary Engine Fuel Factor			WLS %		RPR %
	YRS	HR	SLV	HPF	G	D	HPF	G	D	G	D	
<u>Pipeline and Accessories (Ocean Environment)</u>												
<u>Metal Pipeline (All sizes)</u>												
Pumping Mud	2	9,000	0.40	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Sand	1	4,500	0.40	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Rock (Gravel)	0.3	1,500	0.40	0	0.000	0.000	0	0.000	0.000	0	0	5
Joints	1	4,500	0.40	0	0.000	0.000	0	0.000	0.000	0	0	5
Pontoons/Floats	2	9,000	0.40	0	0.000	0.000	0	0.000	0.000	0	0	5
<u>Metal Pipeline On-Shore</u>												
Pumping Mud	3	12,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Sand	1.5	6,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Pumping Rock (Gravel)	0.5	2,000	0.10	0	0.000	0.000	0	0.000	0.000	0	0	5
Standby Calculation: Standby for pipeline and accessories shall be based on pumping mud.												

SLV = Salvage Value
WLS = Water, Lube and Supplies

HPF = Horsepower Factor
RPR = Repairs

G = Gas

D = Diesel

Example: *The piece of equipment shown is based on a known piece of equipment for illustration purposes only.*

USE THIS WORKSHEET TO COMPUTE A MONTHLY AND HOURLY RATE FOR MARINE AND DREDGING PLANT

Region 08

ID No: _____

1. MARINE AND DREDGING PLANT INFORMATION AND EXPENSE FACTORS

a. Plant Pertinent Data:		
(1) Equipment Description:	<u>24" Hydraulic Cutter Suction Dredge</u>	
(2) Model and Series:	<u>Ellicott Series 4900 Super Dragon</u>	
(3) Present Year or Year of Use:		<u>2009</u>
(4) Acquisition Year:		<u>1991</u>
(5) Horsepower (hp) - Prime		<u>3,730 hp</u>
(6) Horsepower (hp) - Secondary Engine (s):		
(a) Electrical Generators		<u>200 hp</u>
(b) Hydraulic System		<u>1,325 hp</u>
(c) Cutter Head Drive		<u>750 hp</u>
(d) Hydraulic Water Jet		<u>200 hp</u>
	Total Secondary hp	<u>2,475 hp</u>
(7) Plant Value:		
(a) Acquisition Costs		<u>\$3,700,000</u>
(b) Capital Improvements		<u>\$0</u>
	Total Plant Value	<u>\$3,700,000</u>
(8) Hours Worked per Month (Effective Time)		<u>500 hrs/mo</u>
(9) Additive Item(s) (Monthly Costs To be Estimated)		
(a) Excessive Dredge Wear (Gravel)		<u>\$8,000 /mo</u>
(b) _____		<u>\$0 /mo</u>
(c) _____		<u>\$0 /mo</u>
(d) _____		<u>\$0 /mo</u>
(e) _____		<u>\$0 /mo</u>
	Total Additive Items	<u>\$8,000 /mo</u>
b. Appendix B, Area Factors Data		
(1) Labor Adjustment Factor (LAF)		<u>1.01</u>
(2) Fuel type		<u>Marine Diesel</u>
Fuel Cost Per Gallon		<u>\$2.41</u>
(3) Cost of Money Rate (undiscounted)		<u>4.875%</u>
(4) Cost of Money Rate (discounted)		<u>3.900%</u>
c. Appendix E, Economic Index Data (EK 105)		
(1) Economic Index, Acquisition Year		<u>4438</u>
(2) Economic Index, Present Year or Year of Use		<u>7762</u>

Input data, methodology and notes used in the following sections of this form are or have reference to EP 1110-1-8, CONSTRUCTION EQUIPMENT OWNERSHIP AND EXPENSE SCHEDULE (see chapter 4).

Region 08

1. MARINE AND DREDGING PLANT INFORMATION AND EXPENSE FACTORS (Continued)

d. Figure 4-1, Available Time to Dredge By Region Data (See Chapter 4, paragraph 4.3 for guidance)	
(1) Months Available Per Year (9 months is used for this example)	<u>9 months/yr</u>
e. Table 4-1, Dredging Plant Cost Factors Data	
(1) Useful Life (in Years) for Ownership (N)	<u>25 yrs</u>
(2) Physical Life (in Hours) for Repairs	<u>130,000 hrs</u>
(3) SLV (Salvage Value Factor)	<u>0.10</u>
(4) Prime Engine Fuel Factor (gal/bhp-hr)	<u>0.045</u>
(5) Secondary Engine Fuel Factor (gal/bhp-hr)	<u>0.039</u>
(6) WLS (Water, Lube & Supplies Factor) percent	<u>22%</u>
(7) RPR (Repair Cost Factor)	<u>1.30</u>

2. ANNUAL OWNERSHIP PERCENTAGE FACTORS

a. Depreciation Percent Per Year (DEPR)	
	$\frac{1.0 - \text{SLV}}{\text{1.e.(3)}} \div \frac{N}{\text{1.e.(1)}}$
	$\frac{1.0 - 0.10}{25 \text{ yrs}} = \underline{3.60\% /yr}$
b. Facilities Capital Cost of Money Percent Per Year (FCCM)	
	Discounted Money
	Rate
	/
	2N
	{1.e.(1)}
	{Appendix B}
	{1.e.(1)}
	$\frac{(N-1) \times (1+SLV)+2}{(25-1) \times (1+0.10)+2} \times \frac{3.900\%}{50.00} = \underline{2.22\% /yr}$
c. Total Ownership Percent Per Year (DEPR + FCCM)	<u>5.82% /yr</u>

3. OWNERSHIP COSTS

a. Ownership per Year	
	Total Ownership Percent Per Year
	(DEPR + FCCM)
	{2.c.}
	{1.a.(7)(a)}
	$\$3,700,000 \times 5.82\% = \underline{\$215,340.00 /yr}$
b. Monthly Ownership Expense	
	Ownership per Year / Months Available per Year
	{3.a.} / {1.d.(1)}
	$\$215,340.00 /yr / 9 \text{ months/yr} \text{ rounded} = \underline{\$23,927.00 /mo}$

Region 08

4. OPERATING COSTS

a. Fuel Cost

(1) Prime Engine Fuel

	Fuel Factor	x	HP	x	Fuel Cost per Gallon	
	{1.e.(4)}		{1.a.(5)}		{1.b.(2)}	
	<u>0.045 gal/bhp-hr</u>	x	<u>3,730</u>	x	<u>\$2.41</u>	= <u>\$404.52 /hr</u>

(2) Secondary Engine Fuel

	Fuel Factor	x	HP	x	Fuel Cost per Gallon	
	{1.e.(5)}		{1.a.(6)}		{1.b.(2)}	
	<u>0.039 gal/bhp-hr</u>	x	<u>2,475</u>	x	<u>\$2.41</u>	= <u>\$232.63 /hr</u>

(3) Total Fuel (Prime Engine Fuel + Secondary Engine Fuel) = \$637.15 /hr

b. Water, Lube, and Supply (WLS) Cost

(1) Prime Engine WLS

	WLS Factor	x	Hourly Fuel Cost	
	{1.e.(6)}		{4.a.(1)}	
	<u>0.22</u>	x	<u>\$404.52 /hr</u>	= <u>\$88.99 /hr</u>

(2) Secondary Engine WLS

	WLS Factor	x	Hourly Fuel Cost	
	{1.e.(6)}		{4.a.(2)}	
	<u>0.22</u>	x	<u>\$232.63 /hr</u>	= <u>\$51.18 /hr</u>

(3) Total Fuel (Prime Engine WLS + Secondary Engine WLS) = \$140.17 /hr

c. Repair Cost

(1) Economic Adjustment Factor (EAF)

	Economic Index for Present Year or Year of Use	/	Economic Index for Acquisition Year	
	{1.c.(2)}		{1.c.(1)}	
	<u>7762</u>	/	<u>4438</u>	= <u>1.749</u>

(2) Repair Cost

	Total Plant Value	x	RPR	x	EAF	x	LAF	/	Life in Hrs	
	{1.a.(7)}		{1.e.(7)}		{4.c.(1)}		{1.b.(1)}		{1.e.(2)}	
	<u>\$3,700,000</u>	x	<u>1.30</u>	x	<u>1.749</u>	x	<u>1.01</u>	/	<u>130,000</u>	= <u>\$65.36 /hr</u>

Region 08

4. OPERATING COSTS (Continued)

d. Total Hourly Operating Cost (Fuel + WLS + Repairs)

Fuel	+	WLS	+	Repairs	=	
{4.a.(3)}		{4.b.(3)}		{4.c.(2)}		
<u>\$637.15 /hr</u>		<u>\$140.17 /hr</u>		<u>\$65.36 /hr</u>		<u>\$842.68 /hr</u>

e. Monthly Operating Cost

Total Hourly Operating Cost	x	Hrs Worked per Mo				
{4.d.}		{1.a.(8)}				
<u>\$842.68 /hr</u>	x	<u>500 hrs/mo</u>		rounded =		<u>\$421,340.00 /mo</u>

5. TOTAL MONTHLY RATE

a. Ownership {3.b.} = \$23,927.00 /mo

b. Operating {4.e.} = \$421,340.00 /mo

c. Total Estimated Additive Items {1.a.(9))} = \$8,000.00 /mo

d. TOTAL MONTHLY RATE = \$453,267.00 /mo
{5.a.} + {5.b.} + {5.c.}

6. STANDBY ALLOWANCE

a. Standard Hourly Standby Expense

Monthly Ownership Expense	/	Maximum hrs/mo = 30.4 days/mo x 24 hrs/day				
{3.b.}						
<u>\$23,927.00 /mo</u>	/	<u>730 hrs/mo</u>		=		<u>\$32.78 /hr</u>

b. Generator Fuel Allowance for Dredge (An additional generator fuel allowance may be allowed under certain circumstances. This allowance is applicable to dredges only.)

Generator HP	/	Total Secondary HP	x	Secondary Fuel Cost	=	
{1.a.(6)}		{1.a.}		{4.a.(2)}		
<u>200 hp</u>	/	<u>2,475 hp</u>	x	<u>\$232.63</u>		<u>\$18.80 /hr</u>

c. TOTAL HOURLY STANDBY ALLOWANCE FOR DREDGE

Standby Expense	+	Generator Fuel Allowance				
{6.a.}		{6.b.}				
<u>\$32.78 /hr</u>	+	<u>\$18.80 /hr</u>		=		<u>\$51.58 /hr</u>

APPENDIX A REFERENCES

Section I: Required Publications
Section II: Related Publications
Section III. EFAR Reference
Section IV: Government Bookstores

Sample Equipment Rate Computation Worksheet

APPENDIX A

REFERENCES

SECTION I: REQUIRED PUBLICATIONS

Public Law 92-41. *The Renegotiation Act of 1971* [PL 92-41 (85 Stat. 97)].

Federal Acquisition Regulation 15.400. *Contract Pricing*, Government Printing Office, Washington, DC.

_____. 30.101. *Cost Accounting Standards*, Part 30, Government Printing Office, Washington, DC.

_____. 31.105. *Construction and Architect-Engineer Contracts*, Government Printing Office, Washington, DC.

_____. 31.205-10. *Cost of Money*, Government Printing Office, Washington, DC.

_____. 31.205-36. *Rental Costs*, Government Printing Office, Washington, DC.

_____. 49.000. *Termination of Contracts*, Government Printing Office, Washington, DC.

_____. 52.230-2. *Cost Accounting Standards*, Government Printing Office, Washington, DC.

Engineer Federal Acquisition Regulation Supplement (EFARS). 31.105 *Construction and Architect-Engineer Contracts*, Regulation Supplement, Government Printing Office, Washington, DC.

_____. 31.105-100. *Contract Clause*, Government Printing Office, Washington, DC.

Engineer Regulation 1110-2-1302. *Engineering and Design - Civil Works Cost Engineering*, U.S. Army Corps of Engineers.

U.S. Department of Labor, Bureau of Labor Statistics. *Producer Price Indexes*, Government Printing Office, Washington, DC. <http://www.bls.gov/ppi/>

SECTION II: RELATED PUBLICATIONS

_____. 2000. *Caterpillar Performance Handbook*, 31st ed, Peoria, Illinois.

_____. 2001. *Caterpillar Performance Handbook*, 32nd ed, Peoria, Illinois.

_____. 2004. *Caterpillar Performance Handbook*, 34th ed, Peoria, Illinois.

_____. 2005. *Caterpillar Performance Handbook*, 35th ed, Peoria, Illinois.

_____. 2006. *Caterpillar Performance Handbook*, 36th ed, Peoria, Illinois.

_____. 2008. *Caterpillar Performance Handbook*, 38th ed, Peoria, Illinois.

_____. 2009. *Caterpillar Performance Handbook*, 39th ed, Peoria, Illinois.

Caterpillar Tractor Company, *Fundamentals of Earthmoving*, Peoria, Illinois, 1975.

Energy Information Administration, Official Energy Statistics from the U.S. Government.
Electric Power Monthly, Washington, DC.

_____. *Petroleum Marketing Monthly*, Washington, DC.

Equipment Watch. 2006. *Green Guide for Off-Highway Trucks and Trailers*, San Jose, California.

_____. 2006. *Green Guide Volume I*, San Jose, California.

_____. 2006. *Green Guide Volume II*, San Jose, California.

_____. 2006. *Contractor's Equipment Cost Guide*.

_____. 2006. *Cost Reference Guide*.

Euclid, Inc. 1982. *Euclid Hauler Handbook*, 15th ed, Cleveland, Ohio.

Fiat-Allis Construction Machinery, Inc. 1983. *Owning and Operating Costs*, Springfield, Illinois.

International Harvester, Pay Line Division. 1975. *Earthmoving Principles*, Schaumburg, Illinois.

Koehring Company. 1981. *Application Manual for Hydraulic Excavators and Shovels*, 1st ed, Milwaukee, Wisconsin.

EP 1110-1-8, Vol. 8
30 Nov 09

Goodyear Government Sales Department, *Federal Open Market & Net State Price List*, G302. March 1, 2009. Akron, Ohio.

Mitchell Industrial Tire Company (MITCO), www.mitco.com.

Goodyear Engineered Products, Veyance Technologies,
<http://www.goodyearrep.com/productsDetail.aspx?id=4156>.

Goodyear Tire and Rubber Company, U.S. Bulletin 300C, Base Price List.
September 1, 2008.

TITAN Tire Corporation, Tire Catalog, Volume 13 2009.

TITAN Tire Corporation, OTR Tires, Off-the-Road Tires made by Titan, General Tire,
Volume 2. 2009.

Nichols, H L Jr. 2005. *Moving the Earth*, 5th ed, McGraw-Hill Professional; 5 edition
(March 28, 2005).

R S Means Company, Inc. 2009. *Labor Rates for the Construction Industry*, 36th ed.,
Kingston, Massachusetts.

Terex Corporation. 1981. *Production and Cost Estimating of Material Movement with
Earthmoving Equipment*, Hudson, Ohio.

SECTION III: EFAR REFERENCE

**EFARS PART 31
CONTRACT COST PRINCIPLE AND PROCEDURES**

EAC 95-6

SUBPART 31.1 -- APPLICABILITY

31.105 Construction and Architect-Engineer Contracts.

(d)(2)(i)(b) In this case, equipment ownership and operating costs shall be determined using the Construction Equipment Ownership and Operating Expense Schedule published by the U.S. Army Corps of Engineers.

31.105-100 Contract Clause.

The contracting officer shall insert the statement at 52.231-5000 in all solicitations and contracts for construction within the United States that are expected to exceed the small purchase threshold.

EFARS Clause - 52.231-5000 Equipment Ownership and Operating Expense Schedule.

As prescribed in 31.105-100, insert the following clause in all solicitations and contracts for construction that are expected to exceed the small purchase threshold.

EQUIPMENT OWNERSHIP AND OPERATING EXPENSE SCHEDULE (MAR 1995) – EFARS.

(a) This clause does not apply to terminations. See 52.249-5000, *Basis for Settlement of Proposals*, and FAR Part 49, *Termination of Contracts*.

(b) Allowable cost for construction and marine plant and equipment in sound workable condition owned or controlled and furnished by a contractor or subcontractor at any tier shall be based on actual cost data for each piece of equipment or groups of similar serial and series for which the Government can determine both ownership and operating costs from the contractor's accounting records. When both ownership and operating costs cannot be determined for any piece of equipment or groups of similar serial or series equipment from the contractor's accounting records, costs for that equipment shall be based upon the applicable provisions of EP 1110-1-8, *Construction Equipment Ownership and Operating Expense Schedule, Region [Insert roman numeral for the appropriate region of the schedule]*. Working conditions shall be considered to

SECTION III: EFAR REFERENCE (Continued)

be average for determining equipment rates using the schedule unless specified otherwise by the contracting officer. For equipment not included in the schedule, rates for comparable pieces of equipment may be used or a rate may be developed using the formula provided in the schedule. For forward pricing, the schedule in effect at the time of negotiations shall apply. For retroactive pricing, the schedule in effect at the time the work was performed shall apply.

(c) Equipment rental costs are allowable, subject to the provisions of FAR 31.105, *Construction and Architect-Engineer Contract*, and FAR 31.205-36, *Rental Costs*. Rates for equipment rented from an organization under common control, lease-purchase arrangements, and sale-leaseback arrangements, will be determined using the schedule, except that actual rates will be used for equipment leased from an organization under common control that has an established practice of leasing the same or similar equipment or unaffiliated lessees.

(d) When actual equipment costs are proposed and the total amount of the pricing action exceeds the small purchase threshold, the contracting officer shall request the contractor to submit either certified cost or pricing data, or partial/limited data, as appropriate. The data shall be submitted on Standard Form 1411, Contract Pricing Proposal Cover Sheet.

SECTION IV. GOVERNMENT BOOKSTORES

U.S. Government periodicals are sold by the Office of the Superintendent of Documents. Orders may be placed by telephone or fax (Visa/Mastercard is accepted). Telephone: toll free 866-512-1800 (D.C. area: 202-512-1800). Fax: 202-512-2104.

Orders may also be placed electronically at Internet address <http://bookstore.gpo.gov/>.

RETURN POLICY: Publications are not accepted for exchange or credit unless an error was made in filling your order.

When ordering, please give the following information:

Title of Publication:	EP 1110-1-8, Construction Equipment Ownership and Operating Expense Schedule
Region:	Region I through XII
Volume No.	Volume No. 1 through No. 12
Media:	CD-ROM

Use this worksheet to compute rates for equipment that is not in this pamphlet.

1. **EQUIPMENT INFORMATION AND EXPENSE FACTORS**

ID No.: _____

a. Equipment Specification Data:

- (1) Equipment Description: _____
- (2) Model and Series: _____
- (3) Year of Use: _____
- (4) Year Manufactured: _____
- (5) Horsepower - Equipment: _____
- (6) Horsepower - Carrier: _____
- (7) Fuel type: - Equipment: gas/diesel off-road/diesel on-road/electric/air _____
- Carrier: gas/diesel off-road/diesel on-road/electric/air _____
- (8) Shipping Weight (cwt): _____
- (9) Tire size and number of tires: (Cost of tires based on year of use – see 1.a.(3) and appendix F)

	<u>No.</u>	<u>Size/Ply</u>	<u>Unit Price</u>	<u>Cost</u>
(a) Front (FT):	_____	_____	\$ _____	\$ _____
(b) Drive (DT):	_____	_____	\$ _____	\$ _____
(c) Trailing (TT):	_____	_____	\$ _____	\$ _____
(d) Total Tire Cost:				\$ _____

USE APPENDIX D TO COMPLETE THE FOLLOWING DATA:

- b. Category and Subcategory Number: _____
- c. Hourly Expense Calculation Factors:
 - (1) Economic Key (EK): _____
 - (2) Condition (C): _____ Average or Severe or Difficult
 - (3) Discount Code (DC): B = 7.5% (0.075) – or – S = 15.0% (0.15) _____
 - (4) Life in Hours (LIFE): _____
 - (5) Salvage Value Percentage (SLV): _____
 - (6) Fuel Factor – Equipment [Electric (E) Gas (G) Diesel (D)]: _____
 - (7) Fuel Factor – Carrier (E G D): _____
 - (8) Filters, Oil, and Grease (FOG) Factor (E G D): _____
 - (9) Tire Wear Factor:
 - (a) Front (FT): _____
 - (b) Drive (DT): _____
 - (c) Trailing (TT): _____
 - (10) Repair Cost Factor (RCF): _____

4. **OWNERSHIP COST (Continued)**

b. Facilities Capital Cost of Money (FCCM):

$$(1) \quad \frac{[(N) - 1.0] \times [1.0 + (SLV)] + 2.0}{[2.0 \times (N)]} = \text{Avg Value Factor}$$

[3.a.]
[1.c.5.]
[3.a.]
(AVF)

$$[[(\text{_____yr}) - 1.0] \times [1.0 + (\text{_____})] + 2.0] / [2.0 \times (\text{_____yr})]$$

$$= \text{_____ (AVF)}$$

$$(2) \quad (\text{TEV}) \times (\text{AVF}) \times (\text{Adjusted Cost - of - Money}) / (\text{WHPY})$$

[2.c.]
[4.b.(1)]
[Appendix B]
[Appendix B]

$$(\$ \text{_____}) \times (\text{_____}) \times (\text{_____}) / (\text{_____hr/yr})$$

$$= \$ \text{_____} / \text{hr}$$

c. **TOTAL HOURLY OWNERSHIP COST: TOTAL [4.]:** **=\$ _____ /hr**

[4.a.(2)] + [4.b.(2)]

5. **OPERATING COST**

a. Fuel Costs:

(1) Equipment:

$$(\text{Fuel Factor} \times (\text{Horsepower (hp)}) \times (\text{Fuel Cost Per Gallon (gal)}))$$

[1.c.(6)]
[1.a.(5)]
[Appendix B]

$$(\text{_____}) \times (\text{_____hp}) \times (\$ \text{_____} / \text{gal}) = \$ \text{_____} / \text{hr}$$

(2) Carrier:

$$(\text{Fuel Factor}) \times (\text{Horsepower}) \times (\text{Fuel Cost Per Gallon})$$

[1.c.(7)]
[1.a.(6)]
[Appendix B]

$$(\text{_____}) \times (\text{_____hp}) \times (\$ \text{_____} / \text{gal}) = \$ \text{_____} / \text{hr}$$

(3) Total Hourly Fuel Cost: **Total [5.a.] = \$ _____ /hr**

[(5.a.(1)) + [5.a.(2)]]

b. FOG Cost:

(1) Equipment:

$$(\text{FOG Factor}) \times (\text{Equipment Fuel Cost}) \times (\text{Labor Adjustment Factor (LAF)})$$

[1.c.(8)]
[5.a.(1)]
[Appendix B]

$$(\text{_____}) \times (\$ \text{_____} / \text{hr}) \times (\text{_____}) = \$ \text{_____} / \text{hr}$$

5. **OPERATING COST (Continued)**

(2) Carrier:

$$\text{(FOG Factor)} \times \text{(Carrier Fuel Cost)} \times \text{(LAF)}$$

[1.c.(8)] [5.a.(2)] [Appendix B]

$$(\text{_____}) \times (\$ \text{_____} / \text{hr}) \times (\text{_____}) = \$ \text{_____} / \text{hr}$$

(3) Total Hourly FOG Cost: **Total [5.b.] = \$_____ /hr**
[[5.b.(1)] + [5.b.(2)]]

c. Alternative Fuel/FOG Cost: **Total [5.c.] = \$_____ /hr**

(See chapter 2, paragraph 24.d. for guidance on when to use.)

d. Repair Cost:

(1) Economic Adjustment Factor (EAF):
(EK is from [1.c.(1)])

$$\text{(Economic Index for Year 1.a.(3))} / \text{(Economic Index for Year 1.a.(4))}$$

[Appendix E] [Appendix E]

$$(\text{_____}) / (\text{_____}) = \text{_____ (EAF)}$$

(See table 3-1 for last year of economic life.)

(2) Repair Factor (RF):

$$\text{(RCF)} \times \text{(EAF)} \times \text{(LAF)} = \text{Repair Factor (RF)}$$

[1.c.(10)] [5.d.(1)] [Appendix B]

$$(\text{_____}) \times (\text{_____}) \times (\text{_____}) = \text{_____ (RF)}$$

(3) Repair Cost:

$$[(\text{TEV}) - ((\text{TCI}) \times (\text{Tire Cost}))] \times (\text{RF}) / (\text{LIFE})$$

[2.c.] [4.a.(1)] [1.a.(9)(d)] [5.d.(2)] [1.c.(4)]

$$[(\$ \text{_____}) - [(\text{_____}) \times (\$ \text{_____})]] \times (\text{_____}) / (\text{_____})$$

(4) Total Hourly Repair Cost: **Total [5.d.] = \$_____ /hr**

5. **OPERATING COST (Continued)**

e. Tire Wear Cost: (Use current price levels. See Appendix F)

(1) Front Tires (FT):

$$\frac{[1.5 \times (\text{FT Cost})]}{[1.8 \times (\text{FT Wear Factor}) \times (\text{Maximum Tire Life Hours})]}$$

[1.a.(9)(a)]
[1.c.(9)(a)]
[Appendix G]

$$[1.5 \times (\$ \text{_____})] / [1.8 \times (\text{_____}) \times (\text{_____}/\text{hr})]$$

$$= \$ \text{_____} / \text{hr}$$

(2) Drive Tires (DT):

$$\frac{[1.5 \times (\text{DT Cost})]}{[1.8 \times (\text{DT Wear Factor}) \times (\text{Maximum Tire Life Hours})]}$$

[1.a.(9)(b)]
[1.c.(9)(b)]
[Appendix G]

$$[1.5 \times (\$ \text{_____})] / [1.8 \times (\text{_____}) \times (\text{_____}/\text{hr})]$$

$$= \$ \text{_____} / \text{hr}$$

(3) Trailing Tires (TT):

$$\frac{[1.5 \times (\text{TT Cost})]}{[1.8 \times (\text{TT Wear Factor}) \times (\text{Maximum Tire Life Hours})]}$$

[1.a.(9)(c)]
[1.c.(9)(c)]
[Appendix G]

$$[1.5 \times (\$ \text{_____})] / [1.8 \times (\text{_____}) \times (\text{_____}/\text{hr})]$$

$$= \$ \text{_____} / \text{hr}$$

(4) Total Tire Wear Cost:
[Sum 5.e.(1) through 5.e.(3)]

Total [5.e.] = \$ _____ /hr

f. Tire Repair Cost:

$$(\text{Total Tire Wear Cost}) \times 0.15 \times (\text{LAF})$$

[5.e.(4)]
[Appendix B]

$$(\$ \text{_____} / \text{hr}) \times 0.15 \times (\text{_____})$$

Total [5.f.] = \$ _____ /hr

g. **TOTAL HOURLY OPERATING COST:**
[Sum 5.a. through 5.f.]

TOTAL [5.] = \$ _____ /hr

6. **HOURLY RATES**

a. Total Hourly Rate: *[based on 40 hours per week (wk)]*

(Ownership Cost) + (Operating Cost)

(\$ _____/hr) + (\$ _____/hr)

=\$ _____/hr

b. Other Work Shifts Hourly Rate:

(Refer to Chapter 3, Adjustments to Rates, for methodology.)

[(Depreciation) + [(FCCM) x (40 hr/wk) / (Work hr/wk)] + (Operating Cost)]
[4.a.(2)] [4.b.(2)] (example: 60 hr/wk) [5.g.]

[(\$ _____/hr) + [(\$ _____/hr) x (40 hr/wk) / (_____ hr/wk)] + (\$ _____/hr)]

=\$ _____/hr

c. Standby Hourly Rate:

[(Depreciation) x 0.50] + (FCCM)
[4.a.(2)] [4.b.(2)]

[(\$ _____/hr) x 0.50] + (\$ _____/hr)

=\$ _____/hr

See Chapter 3 if rate adjustments are necessary.

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

APPENDIX B AREA FACTORS

APPENDIX B
AREA FACTORS

NORTHWEST

Region: 8

Total State Sales or Import Tax Rate:	6.00%
Working Hours Per Year (WHPY):	1,540 hrs/yr
Labor Adjustment Factor (LAF):	1.01
Electricity Cost Per Kilowatt-Hour:	\$0.067 /kW-Hr
Gasoline Cost Per Gallon:	\$3.13 /gal
Diesel Cost Per Gallon (Off-Road Use):	\$2.87 /gal
Diesel Cost Per Gallon (On-Road Use):	\$3.41 /gal
Cost-of-Money Rate (Full Rate):	4.875%
Cost-of-Money Rate (Adjusted):	3.900%

Freight Rates

over	0	cwt	thru	240	\$27.78
over	240	cwt	thru	300	\$26.06
over	300	cwt	thru	400	\$23.69
over	400	cwt	thru	500	\$21.52
over	500	cwt	thru	700	\$11.26
over	700	cwt	thru	800	\$9.51
over	800	cwt	thru	99,999	\$6.48

APPENDIX B AREA FACTORS (for all regions)

Below is a listing of all regional area factors for reference only. The area factor's used for this pamphlet are located on previous page B-1.

Reg	SST	WHPY	LAF	Elec	Gas	D-Off	D-On	Freight Cost															
								Thru CWT \$	Thru CWT \$	Thru CWT \$	Thru CWT \$	Thru CWT \$	Thru CWT \$	Thru CWT \$	Thru CWT \$								
1	NORTHEAST	2009	5.80%	1360	1.12	\$0.142	\$3.01	\$3.17	\$3.71	240	\$17.42	300	\$16.01	400	\$13.92	500	\$11.96	700	\$6.15	800	\$6.15	99,999	\$9.14
2	MIDEAST	2009	5.80%	1450	1.02	\$0.094	\$2.96	\$3.04	\$3.59	240	\$9.19	300	\$8.46	400	\$7.61	500	\$6.83	700	\$4.13	800	\$4.13	99,999	\$6.14
3	SOUTHEAST	2009	8.50%	1530	0.86	\$0.089	\$2.95	\$3.04	\$3.49	240	\$14.96	300	\$13.61	400	\$11.62	500	\$9.72	700	\$5.42	800	\$5.42	99,999	\$8.01
4	NORTHCENTRAL	2009	5.85%	1260	1.02	\$0.078	\$2.88	\$3.04	\$3.55	240	\$16.66	300	\$15.38	400	\$13.63	500	\$12.03	700	\$6.41	800	\$5.88	99,999	\$4.50
5	MIDWEST	2009	7.90%	1400	0.97	\$0.075	\$2.80	\$3.04	\$3.53	240	\$13.06	300	\$12.00	400	\$10.42	500	\$8.98	700	\$5.30	800	\$4.91	99,999	\$3.75
6	SOUTHWEST	2009	8.10%	1590	0.86	\$0.092	\$2.83	\$3.03	\$3.46	240	\$16.78	300	\$15.67	400	\$14.08	500	\$12.63	700	\$6.60	800	\$6.08	99,999	\$4.72
7	WEST	2009	8.50%	1630	1.14	\$0.097	\$3.17	\$2.92	\$3.44	240	\$26.94	300	\$25.13	400	\$22.50	500	\$20.06	700	\$9.71	800	\$8.53	99,999	\$6.26
8	NORTHWEST	2009	6.00%	1540	1.01	\$0.067	\$3.13	\$2.87	\$3.41	240	\$27.78	300	\$26.06	400	\$23.69	500	\$21.52	700	\$11.26	800	\$9.51	99,999	\$6.48
9	ALASKA	2009	1.50%	1040	1.19	\$0.132	\$3.65	\$4.17	\$4.42	240	\$44.02	300	\$41.59	400	\$38.40	500	\$35.48	700	\$27.35	800	\$25.43	99,999	\$22.10
10	HAWAII	2009	4.50%	1480	1.24	\$0.231	\$3.72	\$2.86	\$3.57	240	\$95.58	300	\$76.59	400	\$56.76	500	\$62.17	700	\$57.01	800	\$44.76	99,999	\$30.94
11	PUERTO RICO	2009	7.00%	1560	0.72	\$0.139	\$2.78	\$3.05	\$3.52	240	\$48.22	300	\$39.44	400	\$28.83	500	\$26.32	700	\$19.36	800	\$16.06	99,999	\$12.91
12	KWAJALEIN	2009	4.50%	1390	1.05	\$0.139	\$3.01	\$2.86	\$3.57	240	\$29.97	300	\$27.88	400	\$24.94	500	\$22.21	700	\$12.23	800	\$10.61	99,999	\$8.09

SST = State Sales tax **WHPY = Work Hours Per Year** **LAF = Labor Adjustment Factor** **Elec = Electricity Cost Per kW-Hr**
Gas = Gasoline Cost per Gal **D-Off = Diesel-Off Road Cost per Gal** **D-On = Diesel-On Road Cost per Gal** **CWT = Hundred Pounds**

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS		
EQUIPMENT TYPE	AVERAGE	SEVERE
<p><u>B25 and B35:</u> Buckets Clamshell or Dragline</p> <p>Depreciation Period:</p>	<p>Working in gravels, silts, and sands at low impact freshwater environment.</p> <p>8,000 - 10,000 hours</p>	<p>Working in rock, hard digging, high impact, or saltwater environment.</p> <p>6,500 - 8,000 hours</p>
<p><u>C80 and C90:</u> Cranes Hydraulic, Truck Mounted Mechanical, Truck Mounted</p> <p>Depreciation Period:</p>	<p>Lift less than rated capacity, intermittent duty.</p> <p>14,000 - 20,000 hours</p>	<p>Continuous lift near rated capacity, excessive swing, abrasive materials, sloped surfaces, and saltwater environment.</p> <p>12,000 - 18,000 hours</p>
<p><u>C85:</u> Cranes Mechanical Dragline, Lifting, or Clamshell Crawler Mounted</p> <p>Depreciation Period:</p>	<p>Gravels, silts, pull, and lift less than rated capacity.</p> <p>14,000 - 22,000 hours</p>	<p>Highly abrasive materials, impact breakout, continuous load near rated capacity, and saltwater environment.</p> <p>12,000 - 18,000 hours</p>
<p><u>G10:</u> Generators</p> <p>Depreciation Period:</p>	<p>Working below rated capacity, good field conditions.</p> <p>8,000 - 10,000 hours</p>	<p>Working at or above rated capacity, poor field conditions, such as saltwater.</p> <p>7,000 - 8,000 hours</p>

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS		
EQUIPMENT TYPE	AVERAGE	SEVERE
<p><u>G15:</u> Graders, Motor</p> <p>Depreciation Period:</p>	<p>Haul road maintenance; road construction, ditching; loose fill spreading; landforming, landleveling; summer road maintenance with medium to heavy winter snow removal; and elevating grader use.</p> <p>14,500 hours</p>	<p>Maintenance of hard-packed roads with embedded rock; heavy fill spreading; ripping scarifying of asphalt or concrete; continuous high load factor; and high impact.</p> <p>13,500 hours</p>
<p><u>H25:</u> Hydraulic Excavators Crawler Mounted</p> <p>Depreciation Period:</p>	<p>Mass excavation or trenching where machine digs all the time in natural bed clay soils; some traveling and steady, full throttle operation; and most log loading operations.</p> <p>8,500 - 19,000 hours</p>	<p>Continuous trenching or truck loading in rock or shot rock soils; large amount of travel over rough ground; machine continuously working on rock floor with constant high load factor and high impact; and saltwater environment.</p> <p>7,000 – 15,000 hours</p>
<p><u>H30:</u> Hydraulic Excavators Wheel Mounted</p> <p>Depreciation Period:</p>	<p>Continuous digging in sandy clay/sandy gravel, site development, and lumber yard applications.</p> <p>8,000 - 10,000 hours</p>	<p>Continuous digging in rock/natural bed clay, high impact, using hammer, and working in forests or quarries.</p> <p>6,500 - 8,000 hours</p>
<p><u>H35:</u> Hydraulic Shovels Crawler Mounted</p>	<p>Continuous loading in well shot rock or fairly tight</p>	<p>Continuous loading in poorly shot rock, virgin, or</p>

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS		
EQUIPMENT TYPE	AVERAGE	SEVERE
(nonelectric)	bank. Good underfoot conditions: dry floor, little impact, or sliding on undercarriage.	lightly blasted tight banks. Adverse underfoot conditions: rough floors, high impact sliding on undercarriage; and saltwater environment.
Depreciation Period:	14,000 - 18,000 hours	12,000 - 16,000 hours
L10: Land Clearing Equipment	Working in low impact conditions at or below rated capacity.	High impact conditions working at or above rated capacity.
Depreciation Period:	10,000 hours	7,000 hours
L30: Loaders, Belt (conveyors)	Working below rated capacity, with intermittent service.	Working at or above rated capacity with continuous service.
Depreciation Period:	10,000 hours	8,000 hours
L35: Loaders, Front End Crawler Type	Bank excavation, intermittent ripping, basement digging of natural bed clays, sands, silts, and gravels; some traveling; and steady full throttle operations.	Loading shot rock, cobbles, glacial till, and caliche; steel millwork; high density materials in standard bucket; continuous work on rock surfaces; large amount of ripping of tight rock materials; high impact conditions; and saltwater environment.
Depreciation Period:	10,000 hours	8,000 hours

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS		
EQUIPMENT TYPE	AVERAGE	SEVERE
<p><u>L40:</u> Loaders, Front End Wheel Type (does not include skid steer and tool carriers)</p> <p>Depreciation Period:</p>	<p>Continuous truck loading from stockpile; low to medium density materials in properly sized bucket; hopper charging in low to medium rolling resistance; loading from bank in good digging; and load and carry on poor surfaces and slight adverse grades.</p> <p>9,250 - 13,500 hours</p>	<p>Loading shot rock (large loaders); handling high density materials with counterweighted machine; steady loading from very tight banks; continuous work on rough or very soft surfaces; load and carry in hard digging; travel longer distances on poor surfaces with adverse grades and saltwater environment.</p> <p>8,750 - 12,000 hours</p>
<p><u>L45 and L50:</u> Loaders with Backhoe Crawler Type and Wheel Type</p> <p>Depreciation Period:</p>	<p>Utility applications in medium to heavy soil; occasional use of constant flow implements and dig depths to 3.05 meters (10 feet).</p> <p>8,000 hours</p>	<p>Production applications or digging in rock; regular use of constant flow implements; and dig depths over 3.05 meters (10 feet).</p> <p>6,000 hours</p>
<p><u>L60:</u> Log Skidders</p> <p>Depreciation Period:</p>	<p>Continuous turning, steady skidding for medium distances with moderate decking. Good underfooting: dry floor with few stumps and gradual rolling terrain.</p> <p>10,000 hours</p>	<p>Continuous turning, steady skidding for long distances with frequent decking; poor underfoot conditions: wet floor, steep slopes, and numerous stumps; and saltwater environment.</p> <p>8,000 hours</p>

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS		
EQUIPMENT TYPE	AVERAGE	SEVERE
<p><u>M10 - .31 and .32:</u> Clamshell dredges < 5 cy Amphibious Excavator</p> <p>Depreciation Period:</p>	<p>Gravel, silts, breakout force at less than capacity, freshwater conditions.</p> <p>10,000 - 20,000 hours</p>	<p>Rock, abrasive materials, load at rated capacity, saltwater conditions.</p> <p>9,000 - 18,000 hours</p>
<p><u>M10 - .51 and .53:</u> Boats, Skiffs, Crew Boats, Work Boats, Survey Boats, and Launches</p> <p>Depreciation Period:</p>	<p>Freshwater applications, light waves, and steady to light use.</p> <p>16,000 - 18,000 hours</p>	<p>Saltwater use, medium to high waves, heavy use.</p> <p>13,000 - 15,000 hours</p>
<p><u>P35:</u> Pipelayers</p> <p>Depreciation Period:</p>	<p>Typical pipelayer use in operating conditions ranging from very good to severe.</p> <p>14,000 hours</p>	<p>Continuous use in deep mud or water or on rock surfaces.</p> <p>11,500 hours</p>
<p><u>R10:</u> Rippers and Bank Slopers</p> <p>Depreciation Period:</p>	<p>Light rock, medium breakout force required.</p> <p>8,000 hours</p>	<p>Hard rock, excessive wear due to high breakout force.</p> <p>6,500 hours</p>
<p><u>S10, S15, S20, and S25:</u> Scrapers Self-Propelled Tractor Drawn Soil Stabilizers</p> <p>Depreciation Period:</p>	<p>Varying loading and haul road conditions; long and short hauls; adverse and favorable grades; some impact; and typical road-building use on a variety of jobs.</p> <p>10,000 - 15,000 hours</p>	<p>High impact conditions, such as loading ripped rock; overloading, continuous high total resistance conditions; and rough haul roads.</p> <p>8,000 - 13,500 hours</p>

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS		
EQUIPMENT TYPE	AVERAGE	SEVERE
<p><u>T15:</u> Tractors Crawler (Dozer)</p> <p>Depreciation Period:</p>	<p>Production dozing in clays, sands, gravels, and talus rock. Push-loading scrapers, borrow pit ripping, most land clearing and skidding applications. Medium impact conditions. Production landfill work.</p> <p>10,000 - 15,000 hours</p>	<p>Heavy rock ripping; tandem ripping; pushloading and dozing in hard rock; work on rock surfaces; continuous high impact conditions; and saltwater environment.</p> <p>8,000 - 12,500 hours</p>
<p><u>T20:</u> Tractors Wheel Type (Dozer)</p> <p>Depreciation Period:</p>	<p>Production dozing, push loading in clays, sands, silts, loose gravels; and shovel cleanup.</p> <p>14,000 hours</p>	<p>Production dozing in rock; push loading in rocky, boulder strewn borrow pits; high impact conditions; and landfill compactor work.</p> <p>13,000 hours</p>
<p><u>T30:</u> Trenchers Chain and Wheel Type</p> <p>Depreciation Period:</p>	<p>Working in sands and silts below rated capacity of the machine.</p> <p>8,000 hours</p>	<p>Working in gravels and abrasive materials at or above the rated capacity of the machine.</p> <p>6,000 hours</p>
<p><u>T45 and T50:</u> Truck Trailers Trucks, Highway</p> <p>Depreciation Period:</p>	<p>Varying loading and road conditions; and typical construction use on a variety of jobs.</p> <p>8,000 - 12,000 hours</p>	<p>Consistently poor road conditions; and oversized loading equipment.</p> <p>6,500 - 10,000 hours</p>

APPENDIX C GUIDE FOR SELECTING OPERATING CONDITIONS		
EQUIPMENT TYPE	AVERAGE	SEVERE
<p><u>T55 and T60:</u> Truck, Off-Highway Trucks, Water, Off-Highway (Articulated and Rigid)</p> <p>Depreciation Period:</p>	<p>Varying load and haul road conditions; high rolling resistance and poor traction during part of the job; some adverse grades; some impact loads; and typical use in road building, dam construction, open-pit mining, <i>etc.</i></p> <p>12,000 - 20,000 hours</p>	<p>Continuous use on very poorly maintained haul roads, high rolling resistance, and poor traction; frequent adverse grades and high impact loads; and poorly matched loading equipment with continuous overloading.</p> <p>10,000 - 18,000 hours</p>
<p><u>W10 and W15:</u> Wagons Bottom Dump Rear Dump</p> <p>Chapter 1</p> <p>Depreciation Period:</p>	<p>Varying load and haul road conditions; long and short hauls; high rolling resistance and poor traction during part of the job; some adverse grades; some impact; typical road building use in a variety of jobs; and dam construction, open-pit mining, <i>etc.</i></p> <p>12,000 hours</p>	<p>Continuous use on very poorly maintained haul roads, high rolling resistance, and poor traction; high impact conditions, such as loading ripped rock; frequent adverse grades and high impact loads; and poorly matched loading equipment with continuous overloading.</p> <p>10,000 hours</p>

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
A10	0.00	AGGREGATE / CHIP SPREADERS	1																			
A10	0.10	SELF-PROPELLED	10	A	B	8,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.000	.102	.102	0.83	0.72	0.92	0.75
A10	0.20	TOWED & TAILGATE	10	A	B	6,000	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.73	0.00	0.82	0.60
A15	0.00	AIR COMPRESSORS, PORTABLE	1																			
A15	0.10	ROTARY SCREW	5	A	B	10,000	0.20	75	.750	.068	.036	0	.000	.000	.000	.477	.136	.119	0.66	0.00	0.73	0.75
A15	0.20	SHOP TYPE	5	A	B	12,000	0.15	75	.750	.068	.036	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.65
A20	0.00	AIR HOSE, TOOLS & EQUIPMENT	1																			
A20	0.10	AIR DRILL HOSE	5	A	B	3,500	0.05	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	1.50
A20	0.20	SANDBLAST HOSE	5	A	B	3,500	0.05	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	1.65
A20	0.30	SANDBLASTERS, BREAKERS, & MISC. AIR TOOLS	5	A	B	6,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	0.96	0.84	1.07	1.50
A25	0.00	ASPHALT PAVING DISTRIBUTORS	10	A	B	6,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.119	0.96	0.63	1.07	0.85
A30	0.00	ASPHALT PAVERS & MISCELLANEOUS ROAD EQUIPMENT	1																			
A30	0.10	SELF PROPELLED	10	A	B	8,000	0.15	70	.700	.063	.034	0	.000	.000	.000	.000	.136	.119	1.08	0.72	1.20	1.00
A30	0.20	TOWED	10	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.119	1.08	0.00	1.20	0.80
A30	0.30	SLURRY SEAL PAVERS (Cold mix)	10	A	B	12,000	0.20	60	.600	.054	.029	13	.130	.012	.006	.000	.100	.100	1.08	0.71	1.20	0.55
A30	0.40	MISCELLANEOUS ROAD EQUIPMENT	10	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.119	1.08	0.71	1.20	0.80
A35	0.00	ASPHALT PAVING KETTLES	10	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.119	1.08	0.71	1.20	0.80
A40	0.00	ASPHALT & CONCRETE MILLERS / PROFILERS / PLANERS / ROTARY GRINDERS	10	A	B	6,000	0.20	95	.950	.086	.045	0	.000	.000	.000	.000	.136	.119	1.08	0.71	1.20	1.00
A45	0.00	ASPHALT RECYCLERS & SEALERS	10	A	B	5,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.119	1.08	0.71	1.20	0.90
B10	0.00	BATCH PLANTS, ASPHALT & CONCRETE	1																			
B10	0.10	ASPHALT	10	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.72	1.20	1.00

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
B10	0.20	CONCRETE	10	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.71	1.20	1.00
B10	0.30	PUGMILL	10	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.71	1.20	1.00
B15	0.00	BROOMS, STREET SWEEPERS & FLUSHERS	95	A	B	8,000	0.10	65	.650	.059	.031	13	.130	.012	.006	.000	.102	.119	0.96	0.63	1.07	0.80
B20	0.00	BRUSH CHIPPERS	95	A	B	8,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.119	0.00	0.00	0.92	0.90
B25	0.00	BUCKETS, CLAMSHELL	15	A	B	8,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.70
B25	0.00	BUCKETS, CLAMSHELL	15	S	B	6,500	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.80
B30	0.00	BUCKETS, CONCRETE	1																			
B30	0.10	GENERAL PURPOSE, MANUAL TRIP	15	A	B	8,000	0.05	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.70
B30	0.20	LAYDOWN	15	A	B	8,000	0.05	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.75
B30	0.30	LOWBOY	15	A	B	8,000	0.05	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.80
B30	0.40	LOW SLUMP	15	A	B	8,000	0.05	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.80
B35	0.00	BUCKETS, DRAGLINE	1																			
B35	0.10	LIGHT WEIGHT	15	A	B	8,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.70
B35	0.10	LIGHT WEIGHT	15	S	B	6,500	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.80
B35	0.20	MEDIUM WEIGHT	15	A	B	9,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.70
B35	0.20	MEDIUM WEIGHT	15	S	B	7,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.80
B35	0.30	HEAVY WEIGHT	15	A	B	10,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.70
B35	0.30	HEAVY WEIGHT	15	S	B	8,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.80
C05	0.00	CHAIN SAWS	95	A	B	2,000	0.10	90	.900	.081	.043	0	.000	.000	.000	.477	.136	.161	0.00	0.00	0.00	2.50
C10	0.00	COMPACTORS, WALK-BEHIND OR REMOTE CONTROLLER	1																			
C10	0.10	COMPACTORS, RAMMERS / TAMPERS & VIBRATORY PLATES	95	A	B	4,000	0.05	90	.900	.081	.043	0	.000	.000	.000	.477	.102	.102	0.00	0.00	0.00	1.20

EK=Economic Key (Appendix E)
 C=Operating Conditions (A=average, S=severe)
 DC=Discount Code (B=basic 7.5%, S=special 15%)
 RCF=Repair Cost Factor

LIFE=Economic Life
 SLV=Salvage Value
 HPF=Horsepower Factor

E=Electric Powered
 G=Gas Powered
 D=Diesel Powered

FT=Front Tire
 DT=Drive Tire
 TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
C10	0.20	ROLLERS, VIBRATORY	95	A	B	4,000	0.15	90	.900	.081	.043	0	.000	.000	.000	.477	.102	.102	0.00	0.00	0.00	1.20
C15	0.00	CONCRETE CLEANERS / ABRASIVE BLASTERS	1	A																		
C15	0.10	WALK BEHIND	95	A	B	4,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.530	.136	.119	0.00	0.00	0.00	0.90
C15	0.20	TRUCK/TRAILER MOUNTED	95	A	B	8,000	0.20	95	.950	.086	.045	50	.500	.045	.024	.000	.136	.119	0.72	0.66	0.79	0.90
C20	0.00	CONCRETE BUGGIES	95	A	B	4,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.530	.136	.119	0.96	0.63	1.07	0.70
C25	0.00	CONCRETE FINISHERS/SCREEDS/SPREADERS	1																			
C25	0.10	FINISHERS/TROWELS	95	A	B	5,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.530	.136	.119	0.00	0.00	0.00	0.80
C25	0.20	VIBRATORY SCREED	95	A	B	5,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.530	.136	.119	0.96	0.84	1.07	0.80
C25	0.25	VIBRATORY LASER SCREED	95	A	B	8,000	0.30	65	.650	.059	.031	0	.000	.000	.000	.000	.180	.160	0.96	0.84	1.07	0.60
C25	0.30	MATERIAL/TOPPING SPREADERS	95	A	B	8,000	0.30	65	.650	.059	.031	0	.000	.000	.000	.000	.180	.160	0.96	0.84	1.07	0.60
C30	0.00	CONCRETE GRINDERS	95	A	B	5,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.530	.136	.119	0.00	0.00	0.00	0.90
C35	0.00	CONCRETE GUNITERS / SHOTCRETTERS	95	A	B	7,000	0.25	75	.750	.068	.036	0	.000	.000	.000	.477	.136	.119	0.96	0.86	1.07	0.90
C40	0.00	CONCRETE MIXING UNITS	95	A	B	5,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.530	.136	.119	0.00	0.00	0.92	0.80
C45	0.00	CONCRETE PAVING MACHINES	10	A	B	6,000	0.20	75	.750	.068	.036	0	.000	.000	.000	.000	.136	.119	1.08	0.72	1.20	1.00
C55	0.00	CONCRETE PUMPS	95	A	B	8,000	0.10	70	.700	.063	.034	10	.100	.009	.005	.477	.136	.119	0.96	0.86	1.07	1.00
C60	0.00	CONCRETE SAWS (Add cost for sawblade wear)	95	A	B	6,000	0.10	90	.900	.081	.043	0	.000	.000	.000	.477	.136	.161	0.00	0.00	0.00	1.00
C65	0.00	CONCRETE VIBRATORS	5	A	B	4,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.161	0.00	0.00	0.00	2.50
C70	0.00	CRANES, GANTRY & STRADDLE	1																			
C75	0.00	CRANES, HYDRAULIC, SELF-PROPELLED	20	A	B	14,000	0.15	75	.750	.068	.036	0	.000	.000	.000	.000	.136	.127	0.66	0.59	0.73	0.80
C80	0.00	CRANES, HYDRAULIC, TRUCK MOUNTED	1																			
C80	0.01	UNDER 26 TON	20	A	B	14,000	0.15	65	.650	.059	.031	10	.100	.009	.005	.000	.161	.153	0.66	0.58	0.73	0.60
C80	0.01	UNDER 26 TON	20	S	B	12,000	0.15	85	.850	.077	.041	13	.130	.012	.006	.000	.161	.153	0.18	0.14	0.20	0.65
C80	0.02	26 TON THRU 65 TON	20	A	B	16,000	0.15	65	.650	.059	.031	10	.100	.009	.005	.000	.127	.110	0.66	0.58	0.73	0.70

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
C80	0.02	26 TON THRU 65 TON	20	S	B	14,000	0.15	85	.850	.077	.041	13	.130	.012	.006	.000	.127	.110	0.18	0.14	0.20	0.75
C80	0.03	66 TON THRU 125 TON	20	A	B	18,000	0.15	65	.650	.059	.031	10	.100	.009	.005	.000	.127	.110	0.66	0.58	0.73	0.80
C80	0.03	66 TON THRU 125 TON	20	S	B	16,000	0.15	85	.850	.077	.041	13	.130	.012	.006	.000	.127	.110	0.18	0.14	0.20	0.85
C80	0.04	OVER 125 TON	20	A	B	20,000	0.15	65	.650	.059	.031	10	.100	.009	.005	.000	.127	.110	0.66	0.58	0.73	0.90
C80	0.04	OVER 125 TON	20	S	B	18,000	0.15	85	.850	.077	.041	13	.130	.012	.006	.000	.127	.110	0.18	0.14	0.20	0.95
C85	0.00	CRANES, MECHANICAL, LATTICE BOOM, CRAWLER MOUNTED	1																			
C85	0.11	DRAGLINE, CLAMSHELL, 0 THRU 1.0 CY	20	A	B	14,000	0.20	55	.550	.050	.026	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	0.80
C85	0.11	DRAGLINE, CLAMSHELL, 0 THRU 1.0 CY	20	S	B	12,000	0.20	72	.720	.065	.034	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	0.90
C85	0.12	DRAGLINE, CLAMSHELL, OVER 1.0 CY THRU 2.5 CY	20	A	B	16,000	0.20	55	.550	.050	.026	0	.000	.000	.000	.000	.144	.144	0.00	0.00	0.00	0.85
C85	0.12	DRAGLINE, CLAMSHELL, OVER 1.0 CY THRU 2.5 CY	20	S	B	13,000	0.20	72	.720	.065	.034	0	.000	.000	.000	.000	.144	.144	0.00	0.00	0.00	0.95
C85	0.13	DRAGLINE, CLAMSHELL, OVER 2.5 CY THRU 5.0 CY	20	A	B	18,000	0.20	55	.550	.050	.026	0	.000	.000	.000	.000	.093	.093	0.00	0.00	0.00	0.95
C85	0.13	DRAGLINE, CLAMSHELL, OVER 2.5 CY THRU 5.0 CY	20	S	B	15,000	0.20	72	.720	.065	.034	0	.000	.000	.000	.000	.093	.093	0.00	0.00	0.00	1.05
C85	0.14	DRAGLINE, CLAMSHELL, OVER 5.0 CY	20	A	B	20,000	0.20	55	.550	.050	.026	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	1.05
C85	0.14	DRAGLINE, CLAMSHELL, OVER 5.0 CY	20	S	B	16,000	0.20	72	.720	.065	.034	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	1.15
C85	0.21	LIFTING, 0 THRU 25 TON	20	A	B	16,000	0.20	40	.400	.036	.019	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	0.65
C85	0.21	LIFTING, 0 THRU 25 TON	20	S	B	13,000	0.20	52	.520	.047	.025	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	0.70
C85	0.22	LIFTING, 26 TON THRU 50 TON	20	A	B	18,000	0.20	40	.400	.036	.019	0	.000	.000	.000	.000	.085	.085	0.00	0.00	0.00	0.75
C85	0.22	LIFTING, 26 TON THRU 50 TON	20	S	B	15,000	0.20	52	.520	.047	.025	0	.000	.000	.000	.000	.085	.085	0.00	0.00	0.00	0.80
C85	0.23	LIFTING, 51 TON THRU 150 TON	20	A	B	20,000	0.15	40	.400	.036	.019	0	.000	.000	.000	.000	.093	.093	0.00	0.00	0.00	0.85

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
C85	0.23	LIFTING, 51 TON THRU 150 TON	20	S	B	16,000	0.15	52	.520	.047	.025	0	.000	.000	.000	.000	.093	.093	0.00	0.00	0.00	0.90
C85	0.24	LIFTING, OVER 150 TON	20	A	B	22,000	0.15	40	.400	.036	.019	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	0.95
C85	0.24	LIFTING, OVER 150 TON	20	S	B	18,000	0.15	52	.520	.047	.025	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	1.00
C90	0.00	CRANES, MECHANICAL, LATTICE BOOM, TRUCK MOUNTED	1																			
C90	0.01	UNDER 26 TON	20	A	B	14,000	0.15	50	.500	.045	.024	10	.100	.009	.005	.000	.161	.153	0.66	0.58	0.73	0.60
C90	0.01	UNDER 26 TON	20	S	B	12,000	0.15	65	.650	.059	.031	13	.130	.012	.006	.000	.161	.153	0.18	0.14	0.20	0.65
C90	0.02	26 TON THRU 65 TON	20	A	B	16,000	0.15	50	.500	.045	.024	10	.100	.009	.005	.000	.127	.110	0.66	0.58	0.73	0.70
C90	0.02	26 TON THRU 65 TON	20	S	B	14,000	0.15	65	.650	.059	.031	13	.130	.012	.006	.000	.127	.110	0.18	0.14	0.20	0.75
C90	0.03	66 TON THRU 125 TON	20	A	B	18,000	0.20	50	.500	.045	.024	10	.100	.009	.005	.000	.127	.110	0.66	0.58	0.73	0.80
C90	0.03	66 TON THRU 125 TON	20	S	B	16,000	0.20	65	.650	.059	.031	13	.130	.012	.006	.000	.127	.110	0.18	0.14	0.20	0.85
C90	0.04	OVER 125 TON	20	A	B	20,000	0.20	50	.500	.045	.024	10	.100	.009	.005	.000	.127	.110	0.66	0.58	0.73	0.90
C90	0.04	OVER 125 TON	20	S	B	18,000	0.20	65	.650	.059	.031	13	.130	.012	.006	.000	.127	.110	0.18	0.14	0.20	0.95
C95	0.00	CRANES, TOWER	20	A	B	18,000	0.20	65	.650	.059	.031	10	.100	.009	.005	.530	.127	.110	0.00	0.00	0.92	0.85
D10	0.00	DRILLS, AIR/HYDRAULIC, CRWLR MTD, 0" THRU 6.5" DIA HOLE (Add cost for drill steel and bit wear)	1																			
D10	0.10	DRILLS, AIR TRACK (Add cost for drill steel and bit wear)	25	A	B	14,000	0.25	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	1.00
D10	0.20	DRILLS, HYDRAULIC TRACK (Add cost for drill steel and bit wear)	25	A	B	10,000	0.25	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	1.00
D15	0.00	DRILLS, HORIZONTAL BORING & GROUND PIERCING (Add cost for drill steel and bit wear)	25	A	B	10,000	0.25	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.90
D20	0.00	DRILLS, CORE, COLUMN MOUNTED (Add cost for drill steel and bit wear)	25	A	B	8,000	0.25	80	.800	.072	.038	0	.000	.000	.000	.477	.068	.102	0.00	0.00	0.00	0.85

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
D25	0.00	DRILLS, CORE & DOWELLING (Add cost for drill steel and bit wear)	25	A	B	10,000	0.25	80	.800	.072	.038	0	.000	.000	.000	.477	.068	.102	0.00	0.00	0.92	1.00
D30	0.00	DRILLS, EARTH / AUGER (Add cost for drill steel and cutting edge wear)	25	A	B	10,000	0.25	80	.800	.072	.038	10	.100	.009	.005	.477	.136	.119	0.96	0.86	1.07	1.00
D35	0.00	DRILLS, ROTARY BLASTHOLE (Add cost for drill steel and bit wear)	1																			
D35	0.11	DIESEL, 4.5" THRU 9.875" DIAMETER HOLE (Add cost for drill steel and bit wear)	25	A	B	14,000	0.20	80	.800	.072	.038	10	.100	.009	.005	.005	.161	.161	0.00	0.00	0.00	1.00
D35	0.12	DIESEL, OVER 9.875" DIAMETER (Add cost for drill steel and bit wear)	25	A	B	18,000	0.20	80	.800	.072	.038	10	.100	.009	.005	.011	.136	.136	0.96	0.86	1.07	1.00
D35	0.21	ELECTRIC, 4.5" THRU 9.875" DIAMETER HOLE (Add cost for drill steel and bit wear)	25	A	B	14,000	0.20	70	.700	.063	.034	10	.100	.009	.005	.530	.000	.000	0.00	0.00	0.00	0.55
D35	0.22	ELECTRIC, OVER 9.875" DIAMETER (Add cost for drill steel and bit wear)	25	A	B	18,000	0.20	70	.700	.063	.034	10	.100	.009	.005	.530	.000	.000	0.00	0.00	0.00	0.55
F10	0.00	FORK LIFTS	95	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.102	.102	0.83	0.46	0.92	0.75
G10	0.00	GENERATOR SETS	1																			
G10	0.10	PORTABLE	30	A	B	8,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.73	0.60
G10	0.10	PORTABLE	30	S	B	7,000	0.10	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.20	0.70
G10	0.20	SKID MOUNTED	30	A	B	10,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	0.70
G10	0.20	SKID MOUNTED	30	S	B	8,000	0.10	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	0.80
G15	0.00	GRADERS, MOTOR	35	A	B	14,500	0.25	60	.600	.054	.029	0	.000	.000	.000	.000	.085	.144	0.83	0.54	0.92	0.75
G15	0.00	GRADERS, MOTOR	35	S	B	13,500	0.25	78	.780	.070	.037	0	.000	.000	.000	.000	.085	.144	0.27	0.16	0.30	0.85
H10	0.00	HAMMERS, HYDRAULIC (Demolition tool) (Add cost for point wear)	95	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.00
H13	0.00	HAZARDOUS/TOXIC WASTE EQUIPMENT	1																			

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
H13	0.11	COMPACTORS (Compression force) 0 THRU 50 TONS	95	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.530	.102	.102	1.08	0.86	1.20	0.80
H13	0.12	COMPACTORS (Compression force) OVER 50 TONS	95	A	B	12,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.530	.102	.102	1.08	0.86	1.20	0.90
H13	0.21	FILTER PRESSES, STATIONARY	95	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.530	.102	.102	0.00	0.00	0.00	0.90
H13	0.22	FILTER PRESSES, MOBILE	95	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.530	.102	.102	0.66	0.59	0.73	0.80
H13	0.30	CENTRIFUGES	95	A	B	4,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.530	.000	.000	0.00	0.00	0.00	0.70
H13	0.40	SHREDDERS	95	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.86	1.20	0.90
H13	0.51	SOIL TREATMENT PLANT, MOBILE	95	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	0.77	0.69	0.86	1.00
H13	0.61	SLUDGE PROCESSING EQUIP, SLUDGE DISPENSERS	95	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	1.00
H13	0.71	WASTE HANDLING EQUIPMENT, DRUM HANDLING	95	A	B	4,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	1.00
H15	0.00	HEATERS, SPACE	1																			
H20	0.00	HOISTS & AIR WINCHES	95	A	B	9,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	0.80
H25	0.00	HYDRAULIC EXCAVATORS, CRAWLER MOUNTED	1																			
H25	0.10	0 LBS THRU 12,500 LBS (COMPACT EXCAVATORS)	65	A	B	8,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.149	.149	0.00	0.00	0.00	0.70
H25	0.10	0 LBS THRU 12,500 LBS (COMPACT EXCAVATORS)	65	S	B	7,000	0.25	85	.850	.077	.041	0	.000	.000	.000	.000	.149	.149	0.00	0.00	0.00	0.80
H25	0.11	OVER 12,500 LBS THRU 40,000 LBS	65	A	B	8,500	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.149	.149	0.00	0.00	0.00	0.70
H25	0.11	OVER 12,500 LBS THRU 40,000 LBS	65	S	B	7,000	0.25	85	.850	.077	.041	0	.000	.000	.000	.000	.149	.149	0.00	0.00	0.00	0.85
H25	0.12	OVER 40,000 LBS THRU 100,000 LBS	65	A	B	12,000	0.25	65	.600	.059	.031	0	.000	.000	.000	.000	.149	.149	0.00	0.00	0.00	0.80
H25	0.12	OVER 40,000 LBS THRU 100,000 LBS	65	S	B	10,000	0.25	85	.800	.077	.041	0	.000	.000	.000	.000	.149	.149	0.00	0.00	0.00	0.95
H25	0.13	OVER 100,000 LBS THRU 160,000 LBS	65	A	B	16,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.047	.047	0.00	0.00	0.00	1.00
H25	0.13	OVER 100,000 LBS THRU 160,000 LBS	65	S	B	13,500	0.25	85	.850	.077	.041	0	.000	.000	.000	.000	.047	.047	0.00	0.00	0.00	1.10
H25	0.14	OVER 160,000 LBS	65	A	B	19,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.051	.051	0.00	0.00	0.00	1.10

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
H25	0.14	OVER 160,000 LBS	65	S	B	15,000	0.25	85	.850	.077	.041	0	.000	.000	.000	.000	.051	.051	0.00	0.00	0.00	1.25
H25	0.21	ATTACHMENTS, MOBILE SHEARS	95	A	B	6,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	0.90
H25	0.22	ATTACHMENTS, MATERIAL HANDLING	95	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	0.80
H25	0.23	ATTACHMENTS, CONCRETE PULVERIZERS	95	A	B	6,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.00
H25	0.24	ATTACHMENTS, COMPACTORS	95	A	B	6,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.00
H30	0.00	HYDRAULIC EXCAVATORS, WHEEL MOUNTED	1																			
H30	0.01	0 THRU 1.0 CY	65	A	B	8,000	0.25	60	.600	.054	.029	10	.100	.009	.005	.000	.149	.141	0.83	0.54	0.92	0.50
H30	0.01	0 THRU 1.0 CY	65	S	B	6,500	0.25	78	.780	.070	.037	13	.130	.012	.006	.000	.149	.141	0.25	0.15	0.28	0.55
H30	0.02	OVER 1.0 CY	65	A	B	10,000	0.25	60	.600	.054	.029	10	.100	.009	.005	.000	.149	.141	0.83	0.54	0.92	0.60
H30	0.02	OVER 1.0 CY	65	S	B	8,000	0.25	78	.780	.070	.037	13	.130	.012	.006	.000	.149	.141	0.25	0.15	0.28	0.65
H35	0.00	HYDRAULIC SHOVELS, CRAWLER MOUNTED	1																			
H35	0.11	DIESEL, 0 CY THRU 5.0 CY	65	A	B	14,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.047	.047	0.00	0.00	0.00	1.00
H35	0.11	DIESEL, 0 CY THRU 5.0 CY	65	S	B	12,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.047	.047	0.00	0.00	0.00	1.10
H35	0.12	DIESEL, OVER 5.0 CY	65	A	B	16,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.051	.051	0.00	0.00	0.00	1.20
H35	0.12	DIESEL, OVER 5.0 CY	65	S	B	14,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.051	.051	0.00	0.00	0.00	1.30
H35	0.21	ELECTRIC, OVER 2.5 CY	65	A	B	18,000	0.20	50	.500	.045	.024	0	.000	.000	.000	.265	.000	.000	0.00	0.00	0.00	0.80
H35	0.21	ELECTRIC, OVER 2.5 CY	65	S	B	16,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.265	.000	.000	0.00	0.00	0.00	0.90
L10	0.00	LAND CLEARING EQUIPMENT	70	A	B	10,000	0.20	60	.600	.054	.029	10	.100	.009	.005	.000	.127	.110	0.83	0.54	0.92	0.90
L10	0.00	LAND CLEARING EQUIPMENT	70	S	B	7,000	0.20	78	.780	.070	.037	13	.130	.012	.006	.000	.127	.110	0.25	0.15	0.28	1.00
L15	0.00	LANDSCAPING EQUIPMENT	95	A	B	4,000	0.15	80	.800	.072	.038	13	.130	.012	.006	.477	.102	.102	0.59	0.30	0.66	0.70
L20	0.00	LIGHTING SETS, TRAILER MOUNTED	1																			
L20	0.10	METALLIC VAPOR	95	A	B	8,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.102	0.66	0.58	0.73	1.50
L25	0.00	LINE STRIPING EQUIPMENT	95	A	B	8,000	0.20	85	.850	.077	.041	13	.130	.012	.006	.000	.102	.102	0.66	0.58	0.73	1.20

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
L30	0.00	LOADERS, BELT (Conveyor belts) & ACCESSORIES	95	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.119	.119	0.66	0.58	0.73	1.00
L30	0.00	LOADERS, BELT (Conveyor belts) & ACCESSORIES	95	S	B	8,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.477	.119	.119	0.21	0.16	0.23	1.10
L35	0.00	LOADERS, FRONT END, CRAWLER TYPE	40	A	B	10,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.000	.170	.101	0.00	0.00	0.00	1.10
L35	0.00	LOADERS, FRONT END, CRAWLER TYPE	40	S	B	8,000	0.20	91	.910	.082	.044	0	.000	.000	.000	.000	.170	.101	0.00	0.00	0.00	1.25
L40	0.00	LOADERS, FRONT END, WHEEL TYPE	1																			
L40	0.11	ARTICULATED, 0 THRU 225 HP	45	A	B	9,250	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.170	.111	0.83	0.54	0.92	0.70
L40	0.11	ARTICULATED, 0 THRU 225 HP	45	S	B	8,750	0.25	85	.850	.077	.041	0	.000	.000	.000	.000	.170	.111	0.25	0.15	0.28	0.80
L40	0.12	ARTICULATED, OVER 225 HP	45	A	B	13,500	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.170	.080	0.83	0.54	0.92	0.70
L40	0.12	ARTICULATED, OVER 225 HP	45	S	B	12,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.170	.080	0.25	0.15	0.28	0.75
L40	0.20	SKID STEER	45	A	B	8,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.000	.170	.111	0.57	0.29	0.63	0.80
L40	0.21	SKID STEER ATTACHMENTS	45	A	B	4,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.170	.170	0.00	0.00	0.00	1.00
L40	0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	45	A	B	10,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.170	.111	0.83	0.54	0.92	0.85
L40	0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	45	S	B	9,250	0.25	85	.850	.077	.041	0	.000	.000	.000	.000	.170	.111	0.25	0.15	0.28	0.90
L40	0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	45	A	B	12,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.170	.080	0.83	0.54	0.92	0.85
L40	0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	45	S	B	10,000	0.15	85	.850	.077	.041	0	.000	.000	.000	.000	.170	.080	0.25	0.15	0.28	0.90
L45	0.00	LOADERS / BACKHOE, CRAWLER TYPE	40	A	B	8,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.000	.441	.524	0.00	0.00	0.00	1.35
L45	0.00	LOADERS / BACKHOE, CRAWLER TYPE	40	S	B	6,000	0.20	91	.910	.082	.044	0	.000	.000	.000	.000	.441	.524	0.00	0.00	0.00	1.40
L50	0.00	LOADERS / BACKHOE, WHEEL TYPE	45	A	B	10,000	0.25	50	.500	.045	.024	0	.000	.000	.000	.000	.441	.441	0.83	0.54	0.92	0.80
L50	0.00	LOADERS / BACKHOE, WHEEL TYPE	45	S	B	6,000	0.25	70	.700	.063	.034	0	.000	.000	.000	.000	.441	.441	0.25	0.15	0.28	0.85
L55	0.00	LOADER / BACKHOE, ATTACHMENTS	95	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.441	.441	0.00	0.00	0.00	1.00

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
L60	0.00	LOG SKIDDERS	75	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.119	0.83	0.54	0.92	0.70
L60	0.00	LOG SKIDDERS	75	S	B	8,000	0.15	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.119	0.25	0.15	0.28	0.80
M10	0.00	MARINE EQUIPMENT (NON DREDGING)	1																			
M10	0.11	AQUATIC MAINTENANCE	105	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.70
M10	0.12	AQUATIC MAINTENANCE ATTACHMENTS	105	A	B	6,000	0.20	80	.800	.072	.038	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.60
M10	0.21	HYDRAULIC CUTTERHEAD DREDGE, 8" OR LESS, TRANSPORTABLE	105	A	B	16,000	0.10	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.70
M10	0.22	HYDRAULIC CUTTERHEAD DREDGE, 8" - 12", TRANSPORTABLE	105	A	B	16,000	0.10	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.80
M10	0.23	HYDRAULIC AUGERHEAD DREDGE, 12" OR LESS, TRANSPORTABLE	105	A	B	16,000	0.10	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.80
M10	0.24	HYDRAULIC FLOATING PUMPS, 12" OR LESS, TRANSPORTABLE	105	A	B	8,000	0.10	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.70
M10	0.25	HYDRUALIC DREDGE PUMPS, 12" OR LESS, TRANSPORTABLE	105	A	B	6,000	0.15	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.70
M10	0.26	HYDRAULIC DREDGE / PUMP ATTACHMENTS	105	A	B	6,000	0.15	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.60
M10	0.31	SMALL MECH DREDGES, CLAMSHELL, BARGE-MTD TO 5 CY	20	A	B	18,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.102	.102	0.00	0.00	0.00	1.00
M10	0.31	SMALL MECH DREDGES, CLAMSHELL, BARGE-MTD TO 5 CY	20	S	B	16,000	0.15	85	.850	.077	.041	0	.000	.000	.000	.477	.102	.102	0.00	0.00	0.00	1.05
M10	0.32	SMALL MECH DREDGES, AMPHIBIOUS EXCAVATORS	65	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.161	.161	0.00	0.00	0.00	1.00
M10	0.32	SMALL MECH DREDGES, AMPHIBIOUS EXCAVATORS	65	S	B	9,000	0.15	85	.850	.077	.041	0	.000	.000	.000	.477	.161	.161	0.00	0.00	0.00	1.10
M10	0.33	SMALL MECH DREDGES, HOE-MOUNTED DREDGING ATTACH	105	A	B	20,000	0.15	80	.800	.072	.038	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.90

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
M10	0.41	WORK FLOATS (NON-DREDGING)	105	A	B	6,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.50
M10	0.42	WORK BARGES (SECTIONAL, NON-DREDGING)	105	A	B	30,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.60
M10	0.45	FLAT-DECK OR CARGO BARGE (NON-DREDGING)	105	A	B	90,000	0.05	20	.200	.018	.010	0	.000	.000	.000	.000	.000	.136	0.00	0.00	0.00	0.60
M10	0.46	DUMP SCOW (NON-DREDGING)	105	A	B	90,000	0.05	20	.200	.018	.010	0	.000	.000	.000	.000	.000	.136	0.00	0.00	0.00	0.70
M10	0.47	DRILL BARGE (NON-DREDGING)	105	A	B	30,000	0.05	20	.200	.018	.010	0	.000	.000	.000	.000	.000	.136	0.00	0.00	0.00	0.70
M10	0.48	ALL OTHER BARGES (NON-DREDGING)	105	A	B	30,000	0.05	20	.200	.018	.010	0	.000	.000	.000	.000	.000	.136	0.00	0.00	0.00	0.70
M10	0.51	BOATS & LAUNCHES, 0 THRU 250 HP	105	A	B	16,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.161	0.00	0.00	0.00	0.70
M10	0.51	BOATS & LAUNCHES, 0 THRU 250 HP	105	S	B	13,000	0.15	85	.850	.077	.041	0	.000	.000	.000	.477	.136	.161	0.00	0.00	0.00	0.75
M10	0.53	BOATS & LAUNCHES, 251 THRU 500 HP	105	A	B	18,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.161	0.00	0.00	0.00	0.80
M10	0.53	BOATS & LAUNCHES, 251 THRU 500 HP	105	S	B	15,000	0.10	85	.850	.077	.041	0	.000	.000	.000	.477	.136	.161	0.00	0.00	0.00	0.85
M10	0.54	TUGS, 501 THRU 1,000 HP	105	A	B	40,000	0.10	60	.600	.054	.029	50	.500	.045	.024	.477	.136	.161	0.00	0.00	0.00	0.90
M10	0.55	TUGS, 1,000 THRU 2,000 HP	105	A	B	55,000	0.10	60	.600	.054	.029	50	.500	.045	.024	.477	.136	.161	0.00	0.00	0.00	1.00
P10	0.00	PILE HAMMER ACCESSORIES - EXTRACTORS & BOX LEADS	50	A	B	6,000	0.35	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.136	0.00	0.00	0.00	0.80
P20	0.00	PILE HAMMERS, DOUBLE ACTING	1																			
P20	0.10	DIESEL	50	A	B	6,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.10
P20	0.20	PNUEMATIC (STEAM/AIR)	50	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.10
P25	0.00	PILE HAMMERS, SINGLE ACTING	1																			
P25	0.10	DIESEL	50	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.00
P25	0.20	PNUEMATIC (STEAM/AIR)	50	A	B	6,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.00
P30	0.00	PILE HAMMERS, DRIVER/ EXTRACTOR, VIBRATORY	50	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.136	0.00	0.00	0.00	1.00
P35	0.00	PIPELAYERS	70	A	B	14,000	0.20	35	.350	.032	.017	0	.000	.000	.000	.000	.000	.170	0.00	0.00	0.00	0.95
P35	0.00	PIPELAYERS	70	S	B	11,500	0.20	46	.460	.041	.022	0	.000	.000	.000	.000	.000	.170	0.00	0.00	0.00	1.10

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
P40	0.00	PLATFORMS & MAN-LIFTS	20	A	B	8,000	0.10	50	.500	.045	.024	50	.500	.045	.024	.477	.136	.119	0.66	0.33	0.73	0.80
P45	0.00	PUMPS, GROUT	95	A	B	8,000	0.15	95	.950	.086	.045	0	.000	.000	.000	.477	.136	.119	0.66	0.59	0.73	1.00
P50	0.00	PUMPS, WATER, CENTRIFUGAL, TRASH	1																			
P50	0.11	ENGINE DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.66	0.00	0.73	0.90
P50	0.12	ELECTRIC DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.66	0.00	0.73	0.50
P50	0.21	WHEEL MOUNTED, ENGINE DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.66	0.00	0.73	0.90
P50	0.22	WHEEL MOUNTED, ELECTRIC DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.66	0.00	0.73	0.50
P50	0.31	HOSES, PUMP, SUCTION & DISCHARGE	95	A	B	4,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	1.50
P55	0.00	PUMPS, WATER, SUBMERSIBLE	1																			
P55	0.01	ENGINE DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.00	0.00	0.00	1.00
P55	0.02	ELECTRIC DRIVE	95	A	B	8,000	0.15	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.00	0.00	0.00	0.60
P60	0.00	PUMPS, WATER, CENTRIFUGAL, DEWATERING	1																			
P60	0.11	SKID MOUNTED, ENGINE DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.00	0.00	0.00	0.90
P60	0.12	SKID MOUNTED, ELECTRIC DRIVE	95	A	B	8,000	0.15	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.00	0.00	0.00	0.50
P60	0.21	WHEEL MOUNTED, ENGINE DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.00	0.00	0.73	0.90
P60	0.22	WHEEL MOUNTED, ELECTRIC DRIVE	95	A	B	8,000	0.15	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.00	0.00	0.73	0.50
P65	0.00	PUMPS, WATER, DIAPHRAGM	1																			
P65	0.11	SKID MOUNTED, ENGINE DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.00	0.00	0.00	0.90
P65	0.12	SKID MOUNTED, ELECTRIC DRIVE	95	A	B	8,000	0.15	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.00	0.00	0.00	0.50
P65	0.21	WHEEL MOUNTED, ENGINE DRIVE	95	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.00	0.00	0.73	0.80
P65	0.22	WHEEL MOUNTED, ELECTRIC DRIVE	95	A	B	8,000	0.15	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.00	0.00	0.73	0.40
P70	0.00	PUMPS, WATER (For core drills)	1																			
P70	0.01	ENGINE DRIVE	95	A	B	8,000	0.25	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.161	0.00	0.00	0.00	0.80

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
P70	0.02	ELECTRIC DRIVE	95	A	B	8,000	0.25	90	.900	.081	.043	0	.000	.000	.000	.477	.000	.000	0.00	0.00	0.00	0.40
R10	0.00	RIPPERS & HYDRAULIC BANK SLOPERS (Add cost for point wear)	70	A	B	8,000	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.90
R10	0.00	RIPPERS & HYDRAULIC BANK SLOPERS (Add cost for point wear)	70	S	B	6,500	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	1.00
R15	0.00	ROLLERS, STATIC, TOWED, PNEUMATIC	55	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.92	0.70
R20	0.00	ROLLERS, STATIC, TOWED, STEEL DRUM	55	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.92	0.80
R30	0.00	ROLLERS, STATIC, SELF-PROPELLED	1																			
R30	0.01	PNEUMATIC	55	A	B	8,000	0.15	80	.800	.072	.038	0	.000	.000	.000	.000	.102	.102	0.83	0.54	0.92	0.70
R30	0.02	SMOOTH DRUM	55	A	B	10,000	0.15	80	.800	.072	.038	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	0.80
R30	0.03	TAMPING FOOT, LANDFILL & SOIL COMPACTORS	55	A	B	12,000	0.20	80	.800	.072	.038	0	.000	.000	.000	.000	.102	.102	0.00	0.00	0.00	0.80
R40	0.00	ROLLERS, VIBRATORY, TOWED	55	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	0.80
R45	0.00	ROLLERS, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM	55	A	B	8,000	0.20	90	.900	.081	.043	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.10
R50	0.00	ROLLERS, VIBRATORY, SELF-PROPELLED, SINGLE DRUM	55	A	B	8,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.83	0.54	0.92	1.00
R55	0.00	ROOFING EQUIPMENT	95	A	B	6,000	0.15	60	.600	.054	.029	0	.000	.000	.000	.477	.102	.102	0.97	0.87	1.08	0.80
S10	0.00	SCRAPERS, ELEVATING	1																			
S10	0.01	0 THRU 200 HP	60	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.000	.170	0.84	0.55	0.93	0.90
S10	0.01	0 THRU 200 HP	60	S	B	8,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.000	.170	0.23	0.13	0.25	1.00
S10	0.02	OVER 200 HP	60	A	B	13,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.000	.136	0.84	0.55	0.93	0.95
S10	0.02	OVER 200 HP	60	S	B	11,500	0.25	85	.850	.077	.041	0	.000	.000	.000	.000	.000	.136	0.23	0.13	0.25	1.00
S15	0.00	SCRAPERS, CONVENTIONAL	60	A	B	15,000	0.20	60	.600	.054	.029	0	.000	.000	.000	.000	.000	.136	0.84	0.55	0.93	0.80
S15	0.00	SCRAPERS, CONVENTIONAL	60	S	B	12,500	0.20	78	.780	.070	.037	0	.000	.000	.000	.000	.000	.136	0.23	0.13	0.25	0.85

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
S20	0.00	SCRAPERS, TANDEM POWERED	60	A	B	15,000	0.20	62	.620	.056	.030	62	.620	.056	.030	.000	.000	.110	0.84	0.55	0.93	0.85
S20	0.00	SCRAPERS, TANDEM POWERED	60	S	B	13,500	0.20	81	.810	.073	.039	81	.810	.073	.039	.000	.000	.110	0.23	0.13	0.25	0.90
S25	0.00	SCRAPERS, TRACTOR DRAWN	60	A	B	12,000	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.84	0.55	0.93	0.70
S25	0.00	SCRAPERS, TRACTOR DRAWN	60	S	B	10,000	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.23	0.13	0.25	0.75
S30	0.00	SCREENING & CRUSHING PLANTS	1																			
S30	0.10	CONVEYORS	95	A	B	10,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.86	1.20	0.70
S30	0.10	CONVEYORS	95	S	B	8,000	0.10	78	.780	.070	.037	0	.000	.000	.000	.577	.163	.142	0.96	0.72	1.07	0.85
S30	0.20	CRUSHERS - VERTICAL & HORIZONTAL SHAFT IMPACTOR	95	A	B	25,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.86	1.20	1.00
S30	0.20	CRUSHERS - VERTICAL & HORIZONTAL SHAFT IMPACTOR	95	S	B	15,000	0.10	78	.780	.070	.037	0	.000	.000	.000	.577	.163	.142	0.96	0.72	1.07	1.25
S30	0.21	CRUSHERS - CONE	95	A	B	25,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.86	1.20	1.20
S30	0.21	CRUSHERS - CONE	95	S	B	15,000	0.10	78	.780	.070	.037	0	.000	.000	.000	.577	.163	.142	0.96	0.72	1.07	1.60
S30	0.22	CRUSHERS - JAW	95	A	B	25,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.86	1.20	0.65
S30	0.22	CRUSHERS - JAW	95	S	B	15,000	0.10	78	.780	.070	.037	0	.000	.000	.000	.577	.163	.142	0.96	0.72	1.07	0.85
S30	0.30	SCREENING PLANT	95	A	B	10,000	0.10	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	1.08	0.86	1.20	0.80
S30	0.30	SCREENING PLANT	95	S	B	8,000	0.10	78	.780	.070	.037	0	.000	.000	.000	.577	.163	.142	0.96	0.72	1.07	1.00
S35	0.00	SNOW REMOVAL EQUIPMENT	95	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.000	.119	0.00	0.00	0.00	0.80
S40	0.00	SOIL & ROAD STABILIZERS	60	A	B	10,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.000	.000	.119	0.84	0.55	0.96	0.85
S40	0.00	SOIL & ROAD STABILIZERS	60	S	B	8,000	0.20	91	.910	.082	.044	0	.000	.000	.000	.000	.000	.119	0.23	0.13	0.25	0.95
S45	0.00	SPLITTERS, ROCK & CONCRETE	95	A	B	6,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.136	0.00	0.00	0.00	1.00
T10	0.00	TRACTOR BLADES & ATTACHMENTS (including agricultural)	70	A	B	10,000	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.96	0.80

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
T10	0.00	TRACTOR BLADES & ATTACHMENTS (including agricultural)	70	S	B	8,000	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.86	0.90
T15	0.00	TRACTORS, CRAWLER (DOZER) (includes blade)	1																			
T15	0.01	0 THRU 225 HP	70	A	B	10,000	0.30	70	.700	.063	.034	0	.000	.000	.000	.000	.000	.153	0.00	0.00	0.00	1.10
T15	0.01	0 THRU 225 HP	70	S	B	8,000	0.30	91	.910	.082	.044	0	.000	.000	.000	.000	.000	.153	0.00	0.00	0.00	1.25
T15	0.02	226 HP THRU 425 HP	70	A	B	12,500	0.25	70	.700	.063	.034	0	.000	.000	.000	.000	.000	.119	0.00	0.00	0.00	1.20
T15	0.02	226 HP THRU 425 HP	70	S	B	10,500	0.25	91	.910	.082	.044	0	.000	.000	.000	.000	.000	.119	0.00	0.00	0.00	1.25
T15	0.03	OVER 425 HP	70	A	B	15,000	0.20	60	.600	.054	.029	0	.000	.000	.000	.000	.000	.066	0.00	0.00	0.00	1.20
T15	0.03	OVER 425 HP	70	S	B	12,500	0.20	78	.780	.070	.037	0	.000	.000	.000	.000	.000	.066	0.00	0.00	0.00	1.35
T20	0.00	TRACTORS, WHEEL TYPE (DOZER)	75	A	B	14,000	0.15	60	.600	.054	.029	0	.000	.000	.000	.000	.102	.119	0.96	0.63	0.00	0.60
T20	0.00	TRACTORS, WHEEL TYPE (DOZER)	75	S	B	13,000	0.15	78	.780	.070	.037	0	.000	.000	.000	.000	.102	.119	0.25	0.15	0.00	0.65
T25	0.00	TRACTORS, AGRICULTURAL	1																			
T25	0.10	CRAWLER	75	A	B	10,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.119	0.00	0.00	0.00	0.85
T25	0.20	WHEEL	75	A	B	8,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.119	0.96	0.73	0.00	0.70
T30	0.00	TRENCHERS, CHAIN TYPE CUTTER	80	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.119	.119	1.08	0.82	0.00	0.90
T30	0.00	TRENCHERS, CHAIN TYPE CUTTER	80	S	B	6,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.119	.119	0.32	0.22	0.00	1.00
T35	0.00	TRENCHERS, WHEEL TYPE CUTTER	80	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.119	.119	1.08	0.82	0.00	0.90
T35	0.00	TRENCHERS, WHEEL TYPE CUTTER	80	S	B	6,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.119	.119	0.32	0.22	0.00	1.00
T40	0.00	TRUCK OPTIONS	1																			
T40	0.10	CRANES / HOISTS, PERSONNEL & MATERIAL HANDLING	95	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.136	0.00	0.00	0.00	0.80
T40	0.20	DUMP BODY, REAR	95	A	B	8,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.70
T40	0.20	DUMP BODY, REAR	95	S	B	6,500	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.80

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
T40	0.30	FLATBEDS, WITH SIDES	95	A	B	8,000	0.20	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.00	0.60
T40	0.41	HOIST, ELECTRIC DRIVE	95	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.136	0.00	0.00	0.00	0.70
T40	0.50	TRANSIT MIXERS	95	A	B	8,000	0.15	65	.650	.059	.031	35	.350	.032	.017	.477	.136	.136	0.77	0.69	0.86	0.70
T40	0.60	WATER TANKS	95	A	B	8,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.136	0.00	0.00	0.00	0.60
T40	0.70	ALL OTHER OPTIONS	95	A	B	8,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.136	1.08	0.86	1.20	0.70
T45	0.00	TRUCK TRAILERS	1																			
T45	0.10	BOTTOM DUMP	95	A	B	10,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.66	0.00	0.73	0.70
T45	0.10	BOTTOM DUMP	95	S	B	8,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.18	0.00	0.20	0.80
T45	0.20	END DUMP	95	A	B	10,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.66	0.00	0.73	0.65
T45	0.20	END DUMP	95	S	B	8,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.18	0.00	0.20	0.75
T45	0.30	PUP TRAILER	95	A	B	8,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.66	0.00	0.73	0.60
T45	0.41	LOWBOY, RIGID NECK, DROP DECK	95	A	B	10,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.66	0.00	0.73	0.50
T45	0.50	FLATBED TRAILER	95	A	B	10,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.66	0.00	0.73	0.50
T45	0.60	MISCELLANEOUS / UTILITY	95	A	B	10,000	0.10	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.66	0.00	0.73	0.50
T45	0.70	WATER TANKER TRAILER	95	A	B	10,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.119	.102	0.66	0.92	0.73	0.60
T45	0.80	DECONTAMINATION FACILITY	95	A	B	8,000	0.25	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.66	0.00	0.73	0.70
T45	0.90	TANK TRAILERS	95	A	B	10,000	0.25	65	.650	.059	.031	0	.000	.000	.000	.000	.119	.102	0.66	0.00	0.73	0.70
T50	0.00	TRUCKS, HIGHWAY (Add attachments as required)	1																			
T50	0.01	0 THRU 10,000 GVW	85	A	S	8,000	0.20	15	.150	.014	.007	0	.000	.000	.000	.000	.119	.102	0.61	0.56	0.67	0.70
T50	0.01	0 THRU 10,000 GVW	85	S	S	6,500	0.20	20	.200	.018	.010	0	.000	.000	.000	.000	.119	.102	0.20	0.16	0.22	0.75
T50	0.02	OVER 10,000 THRU 30,000 GVW (Chassis only - Add options)	85	A	S	10,000	0.20	35	.350	.032	.017	0	.000	.000	.000	.000	.127	.110	0.72	0.66	0.79	0.65

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
T50	0.02	OVER 10,000 THRU 30,000 GVW (Chassis only - Add options)	85	S	S	8,000	0.20	46	.460	.041	.022	0	.000	.000	.000	.000	.127	.110	0.20	0.16	0.22	0.70
T50	0.03	OVER 30,000 GVW (Chassis only - Add options)	85	A	S	12,000	0.20	50	.500	.045	.024	0	.000	.000	.000	.000	.136	.119	0.77	0.71	0.86	0.65
T50	0.03	OVER 30,000 GVW (Chassis only - Add options)	85	S	S	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.136	.119	0.21	0.18	0.24	0.75
T55	0.00	TRUCKS, OFF-HIGHWAY	1																			
T55	0.10	RIGID FRAME	90	A	B	20,000	0.15	35	.350	.032	.017	0	.000	.000	.000	.000	.000	.144	0.84	0.73	0.93	0.90
T55	0.10	RIGID FRAME	90	S	B	18,000	0.15	45	.450	.041	.022	0	.000	.000	.000	.000	.000	.144	0.23	0.18	0.25	0.95
T55	0.20	ARTICULATED FRAME	90	A	B	13,000	0.15	50	.500	.045	.024	0	.000	.000	.000	.000	.000	.080	0.84	0.73	0.93	0.80
T55	0.20	ARTICULATED FRAME	90	S	B	12,250	0.15	60	.600	.054	.029	0	.000	.000	.000	.000	.000	.080	0.23	0.18	0.25	0.85
T56	0.00	TRUCKS, OFF-HIGHWAY/PRIME MOVER TRACTORS & WAGONS	1																			
T56	0.10	PRIME MOVER TRACTORS	90	A	B	20,000	0.15	40	.400	.036	.019	0	.000	.000	.000	.000	.102	.144	0.84	0.64	0.93	0.90
T56	0.10	PRIME MOVER TRACTORS	90	S	B	18,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.136	0.23	0.16	0.25	0.95
T56	0.20	WAGONS, BOTTOM DUMP	90	A	B	15,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.136	0.84	0.64	0.93	0.65
T56	0.20	WAGONS, BOTTOM DUMP	90	S	B	10,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.136	0.23	0.16	0.25	0.75
T56	0.30	WAGONS, REAR DUMP	90	A	B	12,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.136	0.84	0.65	0.93	0.60
T57	0.00	TRUCKS, VACUUM	95	A	B	10,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.119	0.23	0.17	0.25	0.80
T60	0.00	TRUCKS, WATER, OFF-HIGHWAY	90	A	B	12,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.136	0.90	0.69	1.00	0.70
T60	0.00	TRUCKS, WATER, OFF-HIGHWAY	90	S	B	10,000	0.20	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.136	0.25	0.17	0.28	0.80
T65	0.00	TUNNEL/MINING EQUIPMENT	1																			
T65	0.10	DRIFTING & TUNNELING DRILLS	25	A	B	14,000	0.15	80	.800	.072	.038	13	.130	.012	.006	.530	.136	.119	0.67	0.57	0.00	0.90
T65	0.20	TUNNEL BORING MACHINES	95	A	B	18,000	0.15	70	.700	.063	.034	0	.000	.000	.000	.530	.000	.000	0.00	0.00	0.00	0.70
T65	0.20	TUNNEL BORING MACHINES	95	S	B	16,000	0.15	91	.910	.082	.044	0	.000	.000	.000	.530	.000	.000	0.00	0.00	0.00	0.80

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

**APPENDIX D
EQUIPMENT HOURLY CALCULATION FACTORS**

CATEGORY	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV	HPF	EQUIPMENT FUEL FACTORS			HPF	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			RCF
									E	G	D		E	G	D	E	G	D	FT	DT	TT	
T65	0.30	PRODUCTION DRILLING RIGS	25	A	B	12,000	0.15	80	.800	.072	.038	0	.000	.000	.000	.530	.136	.119	0.00	0.00	0.00	0.90
T65	0.40	ROADHEADERS & CONTINUOUS MINERS	95	A	B	16,000	0.15	70	.700	.063	.034	0	.000	.000	.000	.530	.000	.000	0.00	0.00	0.00	0.90
T65	0.40	ROADHEADERS & CONTINUOUS MINERS	95	S	B	14,000	0.15	91	.910	.082	.044	0	.000	.000	.000	.530	.000	.000	0.00	0.00	0.00	1.00
T65	0.50	ROCK BOLTING EQUIPMENT	95	A	B	10,000	0.20	80	.800	.072	.038	10	.100	.009	.005	.530	.136	.119	0.00	0.00	0.00	0.80
T65	0.61	LOADING & HAULING EQUIPMENT, DIESEL OR GAS	95	A	B	12,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.000	.136	.127	0.00	0.00	0.00	0.75
T65	0.62	LOADING & HAULING EQUIPMENT, ELECTRIC	95	A	B	14,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.477	.102	.102	0.00	0.00	0.00	0.70
T65	0.63	LOADING & HAULING EQUIPMENT, AIR-POWERED	95	A	B	10,000	0.25	70	.700	.063	.034	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.65
T65	0.70	LOCOMOTIVES	95	A	B	12,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.477	.136	.119	0.00	0.00	0.00	0.75
T65	0.90	OTHER TUNNELING EQUIPMENT	95	A	B	10,000	0.20	70	.700	.063	.034	13	.130	.012	.006	.477	.136	.127	0.00	0.00	0.00	0.80
W10	0.00	WAGONS, BOTTOM DUMP	90	A	B	12,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.136	0.88	0.67	0.98	0.65
W10	0.00	WAGONS, BOTTOM DUMP	90	S	B	10,000	0.15	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.136	0.25	0.17	0.28	0.75
W15	0.00	WAGONS, REAR DUMP	90	A	B	12,000	0.15	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.136	0.88	0.77	0.98	0.60
W15	0.00	WAGONS, REAR DUMP	90	S	B	10,000	0.15	85	.850	.077	.041	0	.000	.000	.000	.000	.102	.136	0.25	0.19	0.28	0.70
W25	0.00	WATER & CO2 BLASTERS	1																			
W25	0.10	LOW PRESSURE, (< 5,000 PSI)	95	A	B	4,000	0.20	95	.950	.086	.045	0	.000	.000	.000	.424	.102	.119	0.96	0.73	1.07	1.10
W25	0.20	HIGH PRESSURE, (>= 5,000 PSI)	95	A	B	4,000	0.20	95	.950	.086	.045	0	.000	.000	.000	.424	.102	.119	0.96	0.73	1.07	1.20
W25	0.30	STEAM CLEANERS	95	A	B	4,000	0.20	95	.950	.086	.045	0	.000	.000	.000	.424	.102	.119	0.00	0.00	0.73	1.10
W25	0.40	CO2 BLASTERS	95	A	B	6,000	0.20	70	.700	.063	.034	0	.000	.000	.000	.530	.127	.148	0.00	0.00	0.73	1.00
W25	0.50	WET ABRASIVE BLASTING SYSTEM (TORBO)	95	A	B	10,000	0.35	0	.000	.000	.000	0	.000	.000	.000	.000	.000	.000	0.00	0.00	0.73	0.40
W30	0.00	WATER TANKS	1																			
W30	0.10	PORTABLE WITH WHEELS	90	A	B	12,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.119	0.00	0.00	0.73	0.60
W30	0.20	SKID MOUNTED	90	A	B	12,000	0.20	65	.650	.059	.031	0	.000	.000	.000	.000	.102	.119	0.00	0.00	0.00	0.50

EK=Economic Key (Appendix E)
C=Operating Conditions (A=average, S=severe)
DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

LIFE=Economic Life
SLV=Salvage Value
HPF=Horsepower Factor

E=Electric Powered
G=Gas Powered
D=Diesel Powered

FT=Front Tire
DT=Drive Tire
TT=Trailing Tire

APPENDIX D EQUIPMENT HOURLY CALCULATION FACTORS

CATEGORY	SUB	DESCRIPTION	E K	C	D C	L I F E	S L V	H P F	EQUIPMENT FUEL FACTORS			H P F	CARRIER FUEL FACTORS			FOG FACTORS			TIRE WEAR FACTORS			R C F
									E	G	D		E	G	D	E	G	D	F T	D T	T T	
W35	0.00	WELDERS	1																			
W35	0.10	ENGINE DRIVEN	95	A	B	8,000	0.25	80	.800	.072	.038	0	.000	.000	.000	.000	.102	.102	0.00	0.00	1.07	0.75
W35	0.20	ELECTRIC DRIVEN	95	A	B	6,000	0.20	30	.300	.027	.014	0	.000	.000	.000	.424	.000	.000	0.00	0.00	0.00	0.50

EK=Economic Key (Appendix E)
 C=Operating Conditions (A=average, S=severe)
 DC=Discount Code (B=basic 7.5%, S=special 15%)
 RCF=Repair Cost Factor

LIFE=Economic Life
 SLV=Salvage Value
 HPF=Horsepower Factor

E=Electric Powered
 G=Gas Powered
 D=Diesel Powered

FT=Front Tire
 DT=Drive Tire
 TT=Trailing Tire

APPENDIX E ECONOMIC INDEXES FOR CONSTRUCTION EQUIPMENT

APPENDIX E ECONOMIC INDEXES FOR CONSTRUCTION EQUIPMENT

KEY		Note: Table 2-1 Equipment Rates are based on equipment purchased new in the year 2006 {--Projected-----}																		
(EK)	EQUIPMENT DIVISIONS	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993
5	Air Equipment	2714	2655	2602	2457	2319	2234	2157	2085	2075	2069	2079	2047	2078	2074	2070	2063	2053	2012	2022
10	Asphalt & Concrete Paving Equipment	4756	4653	4557	4381	4228	4116	3950	3758	3763	3769	3766	3717	3638	3589	3490	3390	3323	3248	3189
15	Buckets	9362	9158	8972	8687	8604	8502	8057	7626	7443	7254	6804	6900	6982	6930	6888	6774	6672	6638	6663
20	Cranes, Draglines & Clamshells - Crawler & Truck Mtd	7205	7048	6905	6685	6621	6543	6201	5869	5728	5582	5236	5310	5289	5225	5116	5013	4880	4783	4736
25	Drills	6273	6137	6017	5783	5448	5104	4762	4444	4192	4116	3819	3736	3683	3626	3574	3518	3394	3320	3268
30	Generators	6099	5966	5839	5623	5357	5112	4888	4641	4566	4548	4548	4529	4520	4517	4484	4511	4457	4343	4294
35	Graders, Motor	7782	7613	7451	7152	6909	6825	6578	6318	6117	6049	5979	5952	5853	5682	5544	5466	5186	5088	4946
40	Loaders, Track	7984	7810	7636	7259	7037	6907	6653	6347	6177	6081	6058	6032	5960	5792	5686	5606	5434	5257	5068
45	Loaders, Wheel	7368	7208	7047	6699	6494	6374	6140	5857	5701	5612	5591	5567	5511	5409	5303	5251	5101	4988	4894
50	Pile Driving Equipment	6939	6789	6647	6377	6176	6033	5787	5450	5270	5195	5127	5112	5062	4993	4892	4809	4700	4598	4539
55	Rollers	7351	7191	7050	6736	6424	6145	5872	5646	5406	5285	5225	5130	5204	5092	5001	4950	4851	4719	4484
60	Scrapers & Soil Stabilizers	7782	7613	7451	7152	6909	6825	6578	6318	6117	6049	5979	5952	5853	5682	5544	5466	5186	5088	4946
65	Shovels, Backhoes & Hydraulic Excavators	7205	7048	6905	6685	6621	6543	6201	5869	5728	5582	5236	5310	5289	5225	5116	5013	4880	4783	4736
70	Tractors, Crawlers & Attachments	7984	7810	7636	7259	7037	6907	6653	6347	6177	6081	6058	6032	5960	5792	5686	5606	5434	5257	5068
75	Tractor, Wheel	7030	6877	6742	6442	6144	5876	5616	5400	5170	5055	4997	4906	4833	4695	4624	4540	4527	4484	4342
80	Trenchers	9074	8877	8702	8314	7930	7584	7248	6970	6466	6524	6450	6332	6223	6042	5833	5749	5670	5509	5207
85	Trucks, Highway	5570	5449	5334	5122	4965	4820	4638	4450	4356	4306	4216	4212	4307	4216	4241	4318	4293	4190	4025
90	Trucks & Wagons - Off-Highway	8177	7999	7844	7650	7392	7231	6896	6424	6095	6026	5931	5828	5715	5651	5581	5440	5265	4979	4837
95	All Other Equipment	6939	6789	6647	6377	6176	6033	5787	5450	5270	5195	5127	5112	5062	4993	4892	4809	4700	4598	4539
100	All Tires & Tubes	3516	3440	3382	3267	3025	2926	2759	2614	2487	2430	2401	2373	2371	2400	2431	2475	2559	2517	2525
105	Marine Equipment	8102	7926	7762	7460	7202	6905	6661	6436	6101	5846	5771	5645	5556	5513	5429	5245	5036	4951	4881

EK = Economic Key

APPENDIX E
ECONOMIC INDEXES FOR CONSTRUCTION EQUIPMENT

KEY		Note: Table 2-1 Equipment Rates are based on equipment purchased new in the year 2006																	
(EK)	EQUIPMENT DIVISIONS	1992	1991	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1980	1979	1978	1977	1976	1975
5	Air Equipment	2008	1963	1956	1888	1801	1730	1720	1733	1683	1695	1668	1563	1630	1521	1354	1295	1186	1165
10	Asphalt & Concrete Paving Equipment	3092	3106	2967	2867	2793	2730	2687	2687	2611	2583	2620	2461	2296	2111	1941	1815	1686	1610
15	Buckets	6380	5901	5640	5314	4872	4767	4713	4640	4527	4471	4541	4313	3879	3280	2963	2738	2520	2175
20	Cranes, Draglines & Clamshells - Crawler & Truck Mtd	4540	4298	4152	3967	3688	3595	3485	3395	3339	3282	3213	3009	2782	2512	2301	2138	2010	1843
25	Drills	3196	3163	3069	2969	2807	2792	2786	2832	2803	2836	2810	2602	2265	1993	1858	1699	1638	1559
30	Generators	4234	4181	4116	3998	3773	3575	3514	3510	3400	3314	3236	3160	2817	2390	2301	2128	2053	1839
35	Graders, Motor	4655	4509	4359	4219	4010	3914	3759	3738	3645	3643	3561	3276	2992	2687	2492	2259	2109	1956
40	Loaders, Track	4816	4677	4555	4404	4163	3918	3770	3767	3791	3792	3655	3349	3061	2750	2482	2247	2053	1916
45	Loaders, Wheel	4758	4640	4532	4409	4235	4099	3991	3973	3944	3873	3788	3441	2938	2606	2375	2156	2002	1907
50	Pile Driving Equipment	4427	4305	4182	4029	3845	3745	3668	3626	3570	3519	3439	3208	2894	2562	2329	2135	1989	1852
55	Rollers	4460	4668	4630	4507	4412	4217	4151	4090	3926	3744	3431	3199	2913	2653	2396	2139	1983	1872
60	Scrapers & Soil Stabilizers	4655	4509	4359	4219	4010	3914	3759	3738	3645	3643	3561	3276	2992	2687	2492	2259	2109	1956
65	Shovels, Backhoes & Hydraulic Excavators	4540	4298	4152	3967	3688	3595	3485	3395	3339	3282	3213	3009	2782	2512	2301	2138	2010	1843
70	Tractors, Crawlers & Attachments	4816	4677	4555	4404	4163	3918	3770	3767	3791	3792	3655	3349	3061	2750	2482	2247	2053	1916
75	Tractor, Wheel	4270	4186	4123	4018	3936	3862	3820	3818	3656	3557	3530	3256	2927	2578	2319	2125	1956	1843
80	Trenchers	5015	4948	4886	4753	4679	4600	4586	4488	4431	4360	4097	3618	3153	2772	2580	2300	1894	1633
85	Trucks, Highway	3838	3669	3546	3495	3363	3299	3282	3139	3055	2934	2824	2638	2324	2108	1934	1775	1646	1524
90	Trucks & Wagons - Off-Highway	4797	4739	4617	4405	4094	3915	3840	3822	3786	3744	3662	3363	2964	2588	2364	2196	2081	1965
95	All Other Equipment	4427	4305	4182	4029	3845	3745	3668	3626	3570	3519	3439	3208	2894	2562	2329	2135	1989	1852
100	All Tires & Tubes	2524	2506	2470	2480	2399	2322	2340	2374	2421	2453	2552	2506	2369	2055	1792	1699	1615	1485
105	Marine Equipment	4679	4438	4271	4091	3920	3886	3863	3749	3633	3497	3391	3239	2922	2587	2352	2156	2008	1870

EK = Economic Key

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

APPENDIX F TIRE DESCRIPTION AND TIRE COST

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
<u>LT TRUCK/RECREATIONAL VEHICLE, RADIAL</u>						
WORKHORSE EXTRA GRIP RADIAL			<i>(Life = 5000 hrs)</i>			
ABAA3		LT265/75R16	10.40 x 16.00	10	TL	\$203
WRANGLER RADIAL AT			<i>(Life = 5000 hrs)</i>			
ABAC1		LT235/75R15	9.25 x 15.00	6	TL	\$147
ABAC2		31-1050R15	10.50 x 15.00	6	TL	\$141
SERVICE TRAILER - MARATHON RADIAL			<i>(Life = 5000 hrs)</i>			
ABBF1		ST175/80R13	7.00 x 13.00	4	TL	\$81
ABBF3		ST185/80R13	7.20 x 13.00	6	TL	\$93
ABBF5		ST205/75R14	8.00 x 14.00	6	TL	\$106
ABBF8		ST205/75R15	8.00 x 15.00	6	TL	\$125
ABBF6		ST215/75R14	8.50 x 14.00	6	TL	\$112
ABBF9		ST225/75R15	8.80 x 15.00	6	TL	\$126
ABBF10		ST225/75R15	8.80 x 15.00	8	TL	\$139
<u>LT TRUCK/RECREATIONAL VEHICLE, BIAS</u>						
WORKHORSE RIB			<i>(Life = 5000 hrs)</i>			
ACBA2		700-15LT	8.30 x 15.00	8	TL	\$165
ACBA7		875-16.5LT	8.80 x 16.50	10	TL	\$193
ACBA4		750-16LT	8.90 x 16.00	10	TL	\$190
ACBA9		950-16.5LT	9.60 x 16.50	10	TL	\$212
TRACTION HI-MILER			<i>(Life = 5000 hrs)</i>			
ACBC1		6.70-15LT	7.50 x 15.00	6	TL	\$162
ACBC3		8-14.5LT	8.00 x 14.50	12	TL	\$278
ACBC4		9-14.5LT	9.50 x 14.50	12	TL	\$312
CUSTOM HI-MILER			<i>(Life = 5000 hrs)</i>			
ACBD1		12-16.5LT	12.10 x 16.50	12	TL	\$621
<u>OVER-THE-ROAD TRUCK, COMMERCIAL, RADIAL</u>						
COMMERICAL RADIAL LT TRUCK			<i>(Life = 5000 hrs)</i>			
ADCA2		LT225/75R16	7.50 x 16.00	10	TL	\$242
ADCA17		8R19.5	8.00 x 19.50	10	TL	\$422
ADCA18		8R195	8.00 x 19.50	12	TL	\$248

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
ADCA4		LT215/85R16	8.50 x 16.00	10	TL	\$180
ADCA3		LT215/85R16	8.50 x 16.00	8	TL	\$197
ADCA1		750R16LT	8.70 x 16.00	8	TL	\$174
ADCA6		LT225/75R16	8.80 x 16.00	10	TL	\$175
ADCA19		225/70R195	8.85 x 19.50	12	TL	\$282
ADCA8		LT235/85R16	9.25 x 16.00	10	TL	\$169
ADCA21		245/70R195	9.65 x 19.50	14	TL	\$373
ADCA11		LT245/75R16	9.80 x 16.00	10	TL	\$185
COMMERCIAL RADIAL TRUCK TL			<i>(Life = 5000 hrs)</i>			
ADCB2		9R175	9.00 x 17.50	16	TL	\$299
ADCB5		9R22.5	9.00 x 22.50	12	TL	\$296
ADCB3		10R175	10.00 x 17.50	16	TL	\$301
ADCB7		10R22.5	10.00 x 22.50	14	TL	\$400
ADCB4		11R17.5	11.00 x 17.50	16	TL	\$389
ADCB8		11R22.5	11.00 x 22.50	16	TL	\$509
ADCB13		11R24.5	11.00 x 24.50	16	TL	\$550
ADCB10		12R22.5	12.00 x 22.50	16	TL	\$597
ADCB14		12R24.5	12.00 x 24.50	16	TL	\$614
LOW PROFILE RADIAL TRUCK TL			<i>(Life = 5000 hrs)</i>			
ADCC1		215/75R175	8.40 x 17.50	16	TL	\$269
ADCC5		245/75R22.5	9.60 x 22.50	14	TL	\$306
ADCC3		255/70R22.5	10.00 x 22.50	16	TL	\$353
ADCC2		265/70R19.5	10.40 x 19.50	14	TL	\$327
ADCC6		265/75R22.5	10.40 x 22.50	14	TL	\$372
ADCC4		275/70R22.5	10.80 x 22.50	16	TL	\$412
ADCC12		285/75R24.5	11.20 x 24.50	14	TL	\$543
ADCC8		295/75R22.5	11.60 x 22.50	16	TL	\$551
ADCC10		315/80R22.5	12.40 x 22.50	18	TL	\$596
SUPER SINGLE COMMERCIAL RADIAL TRUCK			<i>(Life = 5000 hrs)</i>			
ADCD1		385/65R22.5	15.10 x 22.50	18	TL	\$684
ADCD2		425/65R22.5	16.70 x 22.50	20	TL	\$769
ADCD3		445/65R22.5	17.50 x 22.50	20	TL	\$869
COMMERCIAL RADIAL TRUCK TT			<i>(Life = 5000 hrs)</i>			
ADCE1		825R15	8.25 x 15.00	14	TT	\$315
ADCE5		9.00R20	8.25 x 20.00	12	TT	\$372

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
ADCE6		9.00R20	9.00 x 20.00	12	TT	\$396
ADCE3		1000R15	10.00 x 15.00	14	TT	\$412
ADCE7		1000R20	10.00 x 20.00	14	TT	\$441
ADCE13		10R22.5	10.00 x 22.50	12	TL	\$440
ADCE12		365/80R20	10.40 x 20.00	18	TT	\$660
ADCE9		1100R20	11.00 x 20.00	16	TT	\$514
ADCE10		1100R20	11.00 x 20.00	16	TT	\$587
ADCE14		1100R22	11.00 x 22.00	16	TT	\$609
ADCE15		1100R24	11.00 x 24.00	16	TT	\$610
ADCE11		1200R20	12.00 x 20.00	18	TT	\$627
ADCE17		1200R24	12.00 x 24.00	18	TT	\$683
<u>FARM, FRONT</u>						
DYNA RIB F-2-M			<i>(Life = 5000 hrs)</i>			
AFED2	F-2M	1000-16	10.00 x 16.00	8	TL	\$316
AFED1	F-2M	11L-15	11.00 x 15.00	6	TL	\$296
AFED4	F-2M	1100-16	11.00 x 16.00	8	TL	\$418
AFED8	F-2M	1100-24	11.00 x 24.00	12	TL	\$827
AFED6	F-2M	14L-161	14.00 x 16.10	10	TL	\$690
AFED7	F-2M	165L-161	16.50 x 16.10	8	TL	\$800
SINGLE RIB FRONT TRACTOR F-1			<i>(Life = 5000 hrs)</i>			
AFEE1	F-1	600-16	6.00 x 16.00	4	TT	\$180
FARM HIGHWAY SERVICE			<i>(Life = 5000 hrs)</i>			
AFEF2	I-1	95L-15FI	9.50 x 15.00	D	TL	\$240
AFEF5	I-1	11L-15FI	11.00 x 15.00	F	TL	\$314
AFEF7	I-1	125L-15FI	12.50 x 15.00	F	TL	\$434
FARM UTILITY			<i>(Life = 5000 hrs)</i>			
AFEG7	I-1	750-14	7.50 x 14.00	4	TL	\$167
AFEG14	I-1	760-15	7.60 x 15.00	8	TL	\$187
AFEG8	I-1	85L-14	8.50 x 14.00	6	TL	\$173
AFEG1	I-1	95L-14	9.50 x 14.00	8	TT	\$163
AFEG17	I-1	95L-15	9.50 x 15.00	12	TL	\$247
AFEG18	I-1	1000-15	10.00 x 15.00	8	TL	\$255
AFEG11	I-1	11L-14	11.00 x 14.00	8	TL	\$194
AFEG22	I-1	11L-15	11.00 x 15.00	10	TL	\$271

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AFEG20	I-1	11L-15	11.00 x 15.00	8	TL	\$190
AFEG34	I-1	11L-16	11.00 x 16.00	10	TL	\$248
AFEG25	I-1	125L-15	12.50 x 15.00	12	TL	\$305
AFEG30	I-1	125L-16	12.50 x 16.00	12	TL	\$349
AFEG29	I-1	125L-16	12.50 x 16.00	8	TL	\$309
AFEG28	I-1	14L-161	14.00 x 16.10	12	TL	\$514
AFEG31	I-1	165L-161	16.50 x 16.10	10	TL	\$619
AFEG32	I-1	19L-161	19.00 x 16.10	10	TL	\$671
AFEG27	I-1	215L-161	21.50 x 16.10	14	TL	\$1,063
FOUR RIB FRONT TRACTOR F-2-M			<i>(Life = 5000 hrs)</i>			
AFEH1	F-2M	750-16	7.50 x 16.00	6	TT	\$196
AFEH3	F-2M	1000-16	10.00 x 16.00	8	TT	\$280
AFEH4	F-2M	1100-16	11.00 x 16.00	8	TT	\$326
IMPLEMENT RIB			<i>(Life = 5000 hrs)</i>			
AFEK11	I-1	400-18	4.00 x 18.00	4	TT	\$137
AFEK4	I-1	500-15	5.00 x 15.00	4	TL	\$138
AFEK16	I-1	590-15	5.90 x 15.00	4	TL	\$142
AFEK6	I-1	600-16	6.00 x 16.00	6	TT	\$149
AFEK7	I-1	650-16	6.50 x 16.00	6	TT	\$143
AFEK5	I-1	670-15	6.70 x 15.00	6	TL	\$153
AFEK9	I-1	750-16	7.50 x 16.00	10	TT	\$200
AFEK10	I-1	900-16	9.00 x 16.00	10	TL	\$288
AFEK13	I-1	900-24	9.00 x 24.00	8	TL	\$457
AFEK14	I-1	1125-28	11.25 x 28.00	12	TT	\$1,207
LABORER F-3			<i>(Life = 5000 hrs)</i>			
AFEL6	F-3	145/75-161	5.70 x 16.10	10	TL	\$858
AFEL2	F-3	11L-15	11.00 x 15.00	10	TL	\$273
AFEL4	F-3	11L-16	11.00 x 16.00	10	TL	\$257
AFEL5	F-3	11L-16	11.00 x 16.00	12	TL	\$296
MULTI-RIB F-3			<i>(Life = 5000 hrs)</i>			
AFEM1	F-3	900-10	9.00 x 10.00	10	TT	\$264
TFEM2	F-3	1100-16	11.00 x 16.00	12	TL	\$407
SMOOTH			<i>(Life = 5000 hrs)</i>			
AFEN1	I-1	169-30	16.90 x 30.00	6	TL	\$1,742

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
SMOOTH IMP			<i>(Life = 5000 hrs)</i>			
AFE01		400-8	4.00 x 8.00	4	TL	\$91
AFE03		600-16	6.00 x 16.00	10	TL	\$283
AFE02		11L-15	11.00 x 15.00	10	TL	\$271
SOFTRAC II			<i>(Life = 5000 hrs)</i>			
AFEP1	I-2	165L-161	16.50 x 16.10	6	TL	\$742
AFEP3	I-2	215L-161	21.50 x 16.10	10	TL	\$1,464
SUPER RIB F-2			<i>(Life = 5000 hrs)</i>			
TFER1	F-2	400-12	4.00 x 12.00	4	TT	\$86
COMPACT UTILITY R-1			<i>(Life = 5000 hrs)</i>			
TFES2		5-12	5.00 x 12.00	4	TL	\$91
AFES1		7-16	7.00 x 16.00	6	TL	\$179
SURE GRIP IMPLEMENT			<i>(Life = 5000 hrs)</i>			
AFET1	I-3	105/80-18	10.50 x 18.00	10	TL	\$725
AFET2	I-3	125/80-18	12.50 x 18.00	10	TL	\$781
SURE GRIP LUG			<i>(Life = 5000 hrs)</i>			
AFEU2	I-3	105/80-18	10.50 x 18.00	10	TL	\$732
AFEU1	I-3	124-16	12.40 x 16.00	4	TL	\$631
AFEU3	I-3	125/80-18	12.50 x 18.00	10	TL	\$696
SURE GRIP TRACTION			<i>(Life = 5000 hrs)</i>			
AFEV1	I-3	670-15	6.70 x 15.00	4	TT	\$160
AFEV5	I-3	750-16	7.50 x 16.00	4	TL	\$249
AFEV2	I-3	750-18	7.50 x 18.00	4	TT	\$245
AFEV3	I-3	750-20	7.50 x 20.00	4	TT	\$291
AFEV4	I-3	760-15	7.60 x 15.00	6	TL	\$213
TRACTION IMPLEMENT			<i>(Life = 5000 hrs)</i>			
AFEW1	I-3	500-15	5.00 x 15.00	4	TL	\$155
AFEW2	I-3	590-15	5.90 x 15.00	4	TL	\$166
TRIPLE RIB HD			<i>(Life = 5000 hrs)</i>			
AFEX8	F-2	550-16	5.50 x 16.00	6	TT	\$169
AFEX10	F-2	600-16	6.00 x 16.00	6	TT	\$194
AFEX11	F-2	650-16	6.50 x 16.00	6	TT	\$170

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AFEX4	F-2	75L-15	7.50 x 15.00	6	TT	\$176
AFEX18	F-2	750-16	7.50 x 16.00	6	TL	\$220
AFEX13	F-2	750-16	7.50 x 16.00	8	TT	\$216
AFEX14	F-2	750-18	7.50 x 18.00	6	TT	\$236
AFEX5	F-2	95L-15	9.50 x 15.00	8	TT	\$254
AFEX16	F-2	1000-16	10.00 x 16.00	8	TL	\$299
AFEX6	F-2	11L-15	11.00 x 15.00	8	TT	\$290
AFEX17	F-2	1100-16	11.00 x 16.00	8	TL	\$384
TRIPLE RIB R/S F-2			<i>(Life = 5000 hrs)</i>			
AFEY2	F-2	400-15	4.00 x 15.00	4	TT	\$118
AFEY1	F-2	500-15	5.00 x 15.00	4	TT	\$121
DURATORQUE R-1			<i>(Life = 5000 hrs)</i>			
AFFU3	R-1	8-16	8.00 x 16.00	6	TL	\$250
<u>FARM, REAR</u>						
ALL TRACTION R-3			<i>(Life = 5000 hrs)</i>			
AGFA1	R-3	750-16	7.50 x 16.00	4	TT	\$231
ALL WEATHER R-3			<i>(Life = 5000 hrs)</i>			
AGFB2	R-3	95-24	9.50 x 24.00	4	TT	\$609
AGFB7	R-3	136-161	13.60 x 16.10	8	TL	\$1,030
AGFB5	R-3	136-28	13.60 x 28.00	6	TT	\$780
AGFB3	R-3	149-24	14.90 x 24.00	6	TL	\$783
AGFB4	R-3	169-24	16.90 x 24.00	6	TL	\$904
AGFB8	R-3	184-161	18.40 x 16.10	8	TL	\$1,102
AGFB10	R-3	184-26	18.40 x 26.00	12	TL	\$1,481
AGFB11	R-3	231-26	23.10 x 26.00	10	TL	\$2,209
AGFB12	R-3	231-26	23.10 x 26.00	12	TL	\$2,337
AGFB14	R-3	245-32	24.50 x 32.00	12	TL	\$3,285
AGFB13	R-3	28L-26	28.00 x 26.00	16	TL	\$3,118
AGFB15	R-3	305L-32	30.50 x 32.00	12	TL	\$3,581
AGFB16	R-3	305L-32 VA	30.50 x 32.00	24	TL	\$5,771
DT 800 RADIAL R-1W			<i>(Life = 5000 hrs)</i>			
AGFE1	R-1W	320/90R42	12.60 x 42.00	139A8	TL	\$1,748
AGFE3	R-1W	320/90R50	12.60 x 50.00	148A8	TL	\$2,207

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AGFE2	R-1W	380/90R46	14.90 x 46.00	149A8	TL	\$2,482
DT 812 RADIAL R-1W			<i>(Life = 5000 hrs)</i>			
AGFF1	R-1W	380/70R24	14.90 x 24.00	UK	TL	\$1,863
AGFF2	R-1W	420/70R28	16.50 x 28.00	UK	TL	\$1,171
AGFF3	R-1W	480/70R30	18.90 x 30.00	UK	TL	\$2,115
DT 820 RADIAL R-1W			<i>(Life = 5000 hrs)</i>			
AGFG2	R-1W	600/65R28	23.60 x 28.00	UK	TL	\$2,923
AGFG1	R-1W	620/75R26	24.40 x 26.00	UK	TL	\$4,648
AGFG5	R-1W	620/70R42	24.40 x 42.00	UK	TL	\$3,727
AGFG3	R-1W	650/75R34	25.60 x 34.00	UK	TL	\$4,625
AGFG4	R-1W	710/70R38	27.90 x 38.00	UK	TL	\$3,984
DYNA TORQUE RADIAL R-1			<i>(Life = 5000 hrs)</i>			
TGFH5	R-1	320/85R34	12.60 x 34.00	132D	TL	\$1,556
AGFH7	R-1	149R30	14.90 x 30.00	X3	TL	\$1,321
AGFH9	R-1	149R34	14.90 x 34.00	X3	TL	\$1,431
AGFH15	R-1	149R46	14.90 x 46.00	X3	TL	\$1,490
TGFH6	R-1	385/85R34	15.20 x 34.00	141G	TL	\$1,736
AGFH16	R-1	420/80R46	16.50 x 46.00	UK	TL	\$2,971
AGFH8	R-1	169R30	16.90 x 30.00	X3	TL	\$1,762
TGFH2	R-1	184R26	18.40 x 26.00	X2	TL	\$1,842
AGFH10	R-1	184R38	18.40 x 38.00	X1	TL	\$1,320
AGFH13	R-1	184R42	18.40 x 42.00	X2	TL	\$1,644
AGFH17	R-1	184R46	18.40 x 46.00	X3	TL	\$1,981
AGFH12	R-1	208R38	20.80 x 38.00	X1	TL	\$1,819
AGFH14	R-1	208R42	20.80 x 42.00	X2	TL	\$1,925
DYNA TORQUE II R-1			<i>(Life = 5000 hrs)</i>			
AGFJ29	R-1	112-16	11.20 x 16.00	4	TL	\$375
AGFJ6	R-1	136-24	13.60 x 24.00	8	TT	\$843
AGFJ11	R-1	136-28	13.60 x 28.00	10	TL	\$937
AGFJ41	R-1	136-28	13.60 x 28.00	10	TL	\$937
AGFJ7	R-1	149-24	14.90 x 24.00	6	TL	\$721
AGFJ31	R-1	149-24	14.90 x 24.00	8	TL	\$737
AGFJ42	R-1	149-28	14.90 x 28.00	10	TL	\$1,160
AGFJ8	R-1	169-24	16.90 x 24.00	6	TT	\$806
AGFJ39	R-1	169-26	16.90 x 26.00	10	TL	\$1,479

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AGFJ43	R-1	169-28	16.90 x 28.00	10	TL	\$1,495
AGFJ37	R-1	169-34	16.90 x 34.00	6	TT	\$1,016
AGFJ23	R-1	169-38	16.90 x 38.00	14	TL	\$1,951
AGFJ40	R-1	184-26	18.40 x 26.00	12	TL	\$1,419
AGFJ18	R-1	184-34	18.40 x 34.00	8	TT	\$1,166
AGFJ24	R-1	184-38	18.40 x 38.00	8	TT	\$1,249
AGFJ19	R-1	208-34	20.80 x 34.00	8	TT	\$1,816
AGFJ25	R-1	208-38	20.80 x 38.00	8	TT	\$1,643
AGFJ27	R-1	208-42	20.80 x 42.00	10	TL	\$2,422
AGFJ45	R-1	231-26	23.10 x 26.00	12	TL	\$2,337
AGFJ20	R-1	231-34	23.10 x 34.00	8	TT	\$2,203
AGFJ35	R-1	245-32	24.50 x 32.00	12	TL	\$2,536
AGFJ34	R-1	28L-26	28.00 x 26.00	12	TL	\$3,055
AGFJ36	R-1	305L-32	30.50 x 32.00	14	TL	\$3,665
INDUSTRIAL SURE GRIP R-4			<i>(Life = 5000 hrs)</i>			
AGFK1	R-4	169-30	16.90 x 30.00	10	TT	\$2,058
AGFK3	R-4	184-28	18.40 x 28.00	12	TL	\$1,295
IT510 RADIAL R4			<i>(Life = 5000 hrs)</i>			
AGFL3	R-4	195LR24	19.50 x 24.00	UK	TL	\$1,854
IT525 RADIAL R4			<i>(Life = 5000 hrs)</i>			
AGFM1	R-4	149-24	14.90 x 24.00	8	TL	\$871
AGFM4	R-4	169-24	16.90 x 24.00	10	TL	\$1,005
AGFM12	R-4	169-28	16.90 x 28.00	10	TL	\$1,122
AGFM6	R-4	175L-24	17.50 x 24.00	10	TL	\$882
AGFM5	R-4	184-24	18.40 x 24.00	12	TL	\$1,390
AGFM7	R-4	195L-24	19.50 x 24.00	10	TL	\$1,252
AGFM8	R-4	195L-24	19.50 x 24.00	12	TL	\$1,278
AGFM9	R-4	21L-24	21.00 x 24.00	12	TL	\$1,542
AGFM11	R-4	21L-24	21.00 x 24.00	16	TL	\$1,774
AGFM14	R-4	21L-28	21.00 x 28.00	14	TL	\$1,821
POWER TORQUE R-1			<i>(Life = 5000 hrs)</i>			
AGFN1	R-1	6-12	6.00 x 12.00	4	TL	\$135
SPECIAL SURE GRIP R-2-0			<i>(Life = 5000 hrs)</i>			
AGFO2	R-2	149-24	14.90 x 24.00	6	TL	\$1,463

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AGFO11	R-2	184-26	18.40 x 26.00	10	TL	\$1,470
AGFO8	R-2	184-38	18.40 x 38.00	8	TL	\$2,057
AGFO12	R-2	VA500/95D32	19.70 x 32.00	20	TL	\$4,124
AGFO10	R-2	208-38	20.80 x 38.00	8	TL	\$1,840
AGFO3	R-2	231-26	23.10 x 26.00	10	TL	\$2,356
AGFO4	R-2	28L-26	28.00 x 26.00	12	TL	\$3,279
AGFO6	R-2	305L-32	30.50 x 32.00	14	TL	\$4,670
SPECIAL SURE GRIP RADIAL R-2-0			<i>(Life = 5000 hrs)</i>			
AGFP8	R-2	320/90R46	12.60 x 46.00		TL	\$2,101
AGFP9	R-2	340/85R46	13.40 x 46.00	UK	TL	\$2,271
AGFP1	R-2	169R28	16.90 x 28.00	X2	TL	\$2,168
AGFP2	R-2	169R30	16.90 x 30.00	X3	TL	\$2,373
AGFP3	R-2	184R38	18.40 x 38.00	X1	TL	\$2,376
AGFP5	R-2	184R42	18.40 x 42.00	X2	TL	\$2,814
AGFP7	R-2	184R46	18.40 x 46.00	X3	TL	\$3,126
AGFP4	R-2	208R38	20.80 x 38.00	X2	TL	\$2,930
AGFP6	R-2	208R42	20.80 x 42.00	X2	TL	\$2,720
SUPER TRACTION RADIAL R-1W			<i>(Life = 5000 hrs)</i>			
AGFQ3	R-1W	260/80R20	10.20 x 20.00	8	TL	\$551
AGFQ2	R-1W	112R20	11.20 x 20.00	UK	TL	\$899
AGFQ6	R-1W	136R28	13.60 x 28.00	UK	TL	\$1,733
AGFQ15	R-1W	136R38	13.60 x 38.00	UK	TL	\$2,074
AGFQ20	R-1W	149R24	14.90 x 24.00	X2	TL	\$1,861
AGFQ7	R-1W	149R28	14.90 x 28.00	UK	TL	\$1,909
AGFQ9	R-1W	149R30	14.90 x 30.00	UK	TL	\$1,545
AGFQ4	R-1W	169R24	16.90 x 24.00	UK	TL	\$2,553
AGFQ5	R-1W	169R26	16.90 x 26.00	UK	TL	\$2,604
AGFQ8	R-1W	169R28	16.90 x 28.00	UK	TL	\$1,873
AGFQ10	R-1W	169R30	16.90 x 30.00	UK	TL	\$1,991
AGFQ21	R-1W	169R34	16.90 x 34.00	X2	TL	\$2,557
AGFQ22	R-1W	169R38	16.90 x 38.00	X2	TT	\$2,683
AGFQ11	R-1W	184R26	18.40 x 26.00	UK	TL	\$1,951
AGFQ12	R-1W	184R30	18.40 x 30.00	UK	TL	\$2,853
AGFQ14	R-1W	184R34	18.40 x 34.00	UK	TL	\$3,053
AGFQ16	R-1W	184R38	18.40 x 38.00	UK	TL	\$2,030
AGFQ18	R-1W	184R42	18.40 x 42.00	UK	TL	\$2,678

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AGFQ17	R-1W	208R38	20.80 x 38.00	UK	TL	\$2,833
AGFQ19	R-1W	208R42	20.80 x 42.00	UK	TL	\$2,368
AGFQ13	R-1W	800/65R32	31.50 x 32.00	UK	TL	\$4,532
DURATORQUE R-1			<i>(Life = 5000 hrs)</i>			
AGFU1	R-1	149-28	14.90 x 28.00	6	TT	\$643
AGFU2	R-1	169-30	16.90 x 30.00	6	TT	\$902
AGFU3	R-1	184-30	18.40 x 30.00	8	TT	\$1,076
AGFU5	R-1	184-38	18.40 x 38.00	8	TT	\$1,192
<u>FARM, TERRA - 20" UP</u>						
SFT105			<i>(Life = 5000 hrs)</i>			
AHGA2	HF-1	54-3100-26	31.00 x 26.00	10	TL	\$2,442
SOF TRAC			<i>(Life = 5000 hrs)</i>			
AHGB3	HF-1	38-1400-20	14.00 x 20.00	4	TL	\$626
AHGB2	HF-1	41-1400-20	14.00 x 20.00	4	TL	\$675
AHGB1	HF-1	44-1800-20	18.00 x 20.00	4	TL	\$941
SUPER TERRA GRIP			<i>(Life = 5000 hrs)</i>			
AHGC1	HF-2	38-1400-20	14.00 x 20.00	8	TL	\$768
AHGC2	HF-2	42-2500-20	25.00 x 20.00	8	TL	\$2,259
AHGC7	HF-2	54-3100-26	31.00 x 26.00	10	TL	\$6,785
AHGC12	HF-2	67-3400-25	34.00 x 25.00	10	TL	\$5,629
AHGC11	HF-2	66-4300-25	43.00 x 25.00	20	TL	\$9,219
SUPER TERRA GRIP XT			<i>(Life = 5000 hrs)</i>			
AHGD1	HF-3	42-2500-20	25.00 x 20.00	12	TL	\$3,430
AHGD5	HF-3	48-3100-20	31.00 x 20.00	12	TL	\$4,352
AHGD6	HF-3	66-4300-25	43.00 x 25.00	10	TL	\$6,269
AHGD7	HF-3	73-4400-32	44.00 x 32.00	16	TL	\$9,815
TUNDRA GRIP			<i>(Life = 5000 hrs)</i>			
AHGF2	HF-1	66-4400-25	44.00 x 25.00	16	TL	\$7,285
AHGF1	HF-1	66-4400-25	44.00 x 25.00	20	TL	\$8,106
<u>FARM, SPECIALTY</u>						

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
SOFTRAC			<i>(Life = 5000 hrs)</i>			
IJHB2		18-650-8	6.50 x 8.00	4	TL	\$102
TJHB3		18-850-10	8.50 x 10.00	4	TL	\$109
AJHB1	HF-1	25-850-14	8.50 x 14.00	6	TL	\$214
AJHB5	HF-1	27-850-15	8.50 x 15.00	4	TL	\$217
AJHB4	HF-1	25-1050-15	10.50 x 15.00	4	TL	\$244
AJHB6	HF-1	27-1050-15	10.50 x 15.00	4	TL	\$271
AJHB7	HF-1	29-1250-15	12.50 x 15.00	4	TL	\$309
AJHB10	HF-1	31-1250-15	12.50 x 15.00	4	TL	\$311
AJHB11	HF-1	33-1250-15	12.50 x 15.00	4	TL	\$532
AJHB8	HF-1	31-1350-15	13.50 x 15.00	4	TL	\$359
AJHB9	HF-1	31-1550-15	15.50 x 15.00	4	TL	\$395
SUPER TERRA GRIP			<i>(Life = 5000 hrs)</i>			
AJHC3	HF-2	29-1250-15	12.50 x 15.00	6	TL	\$287
AJHC6	HF-2	31-1550-15	15.50 x 15.00	8	TL	\$505
AJHC7	HF-2	38-2000-16.1	20.00 x 16.00	8	TL	\$1,035
SURE GRIP LUG			<i>(Life = 5000 hrs)</i>			
AJHD9	HF-2	27-850-15	8.50 x 15.00	6	TL	\$244
AJHD1		10-165	10.00 x 16.50	6	TL	\$298
AJHD10	HF-2	27-1050-15	10.50 x 15.00	6	TL	\$358
AJHD4		12-165	12.00 x 16.50	10	TL	\$443
AJHD3		12-165	12.00 x 16.50	8	TL	\$394
AJHD5	I-3	14-175	14.00 x 17.50	10	TL	\$366
AJHD7	I-3	15-195	15.00 x 19.50	12	TL	\$553
AJHD6		15-195	15.00 x 19.50	12	TL	\$718
IT 323			<i>(Life = 5000 hrs)</i>			
AJHE1		10-165	10.00 x 16.50	8	TL	\$374
AJHE3		12-165	12.00 x 16.50	10	TL	\$519
AJHE4		31-1550-15	15.50 x 15.00	8	TL	\$930
POWER RIB			<i>(Life = 5000 hrs)</i>			
TJHJ1		18-850-8	8.50 x 8.00	4	TL	\$88
IJHJ2		20-1000-10	10.00 x 10.00	4	TL	\$186
RALLY			<i>(Life = 5000 hrs)</i>			
TJHK1		480-8	4.80 x 8.00	4	TL	\$43

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (I)	COST PER EACH
IJHK2		18-950-8	9.50 x 8.00	4	TL	\$201
TERRA RIB			<i>(Life = 5000 hrs)</i>			
AJHM2	HF-1	25-750-15	7.50 x 15.00	6	TL	\$221
AJHM4	HF-1	27-950-15	9.50 x 15.00	10	TL	\$358
AJHM6	HF-1	31-1350-15	13.50 x 15.00	8	TL	\$465
ATV			<i>(Life = 5000 hrs)</i>			
TJHN1		AT21-7-10	7.00 x 10.00	X3	TL	\$69
IJHN3		AT23-8-11	8.00 x 11.00	6	TL	\$146
TJHN5		AT24-9-11	9.00 x 11.00	6	TL	\$145
TRACKER ATT			<i>(Life = 5000 hrs)</i>			
IJHT1		AT24-8-11	8.00 x 11.00	X2	TL	\$161
IJHT2		AT24-10-11	10.00 x 11.00	X2	TL	\$157
<u>INDUSTRIAL, MINE SERVICE</u>						
HARD ROCK LUG MINE & INDUSTRIAL			<i>(Life = 5000 hrs)</i>			
TKJC1		10.00-20	10.00 x 20.00	18	TT	\$807
XTRA TRACTION LUG			<i>(Life = 5000 hrs)</i>			
AKJD2		8.25-15	8.25 x 15.00	16	TT	\$757
AKJD3		36-11x15(10.00L15)	10.00 x 15.00	16	TT	\$931
AKJD7		24x12x12	12.00 x 12.00	24	TL	\$752
AKJD6		35-15x15(14.50L-15)	14.50 x 15.00	32	TL	\$1,535
XTRA TRACTION GRIP			<i>(Life = 5000 hrs)</i>			
AKJE1		32x15-15	12.00 x 15.00	20	TL	\$1,202
<u>OFF-THE-ROAD, MED & HEAVY COMMERCIAL, RADIAL</u>						
G-2 GRADER SERVICE - RL2F, SG2B			<i>(Life = 3200 hrs)</i>			
AMLA1	G2	14.00R24	14.00 x 24.00	X1	TL	\$828
E-2 HAULAGE SERVICE - RL2F/GP2B RL2+			<i>(Life = 2800 hrs)</i>			
AMLB1	E/L/G3	17.5R25	17.50 x 25.00	X1	TL	\$1,253
AMLB8	L5	18.00R25	18.00 x 25.00	X2	TL	\$4,403
AMLB2	E/L/G3	20.5R25	20.50 x 25.00	X1	TL	\$1,771
AMLB9	E/L/G3	20.5R25	20.50 x 25.00	X2	TL	\$1,771
AMLB5	E/K 3T	20.5R25	20.50 x 25.00	X2	TL	\$3,143

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AMLB15	E4	21.00R35	21.00 x 35.00	X2	TL	\$7,384
AMLB3	E/L/G3	23.5R25	23.50 x 25.00	X1	TL	\$2,488
AMLB10	E/L/G3	23.5R25	23.50 x 25.00	X2	TL	\$2,659
AMLB21	E/L/G 3+T	26.5R25	26.50 x 25.00	X2	TL	\$5,530
AMLB22	E/L 3	29.5R25	29.50 x 25.00	X2	TL	\$6,607
AMLB17	E3	33.25R35	33.25 x 35.00	X2	TL	\$10,195
AMLB23	E3+	40.5/75R39	40.50 x 39.00	X2	TL	\$15,305
E-3 HAULAGE SERVICE - ROCK DESIGN RL3, RL3J, R			(Life = 2800 hrs)			
AMLC3	E3+	18.00R33	18.00 x 33.00	X2	TL	\$4,226
AMLC5	E3+	24.00R35	24.00 x 35.00	X2	TL	\$8,329
AMLC6	E3	29.5R29	29.50 x 29.00	X2	TL	\$7,546
AMLC7	E3	33.25R35	33.25 x 25.00	X2	TL	\$10,195
AMLC8	E3	37.25R35	37.35 x 35.00	X2	TL	\$12,390
AMLC9	E3	37.5R39	37.50 x 39.00	X2	TL	\$13,690
E-4 RL4J/RL4 & RL4H/RL4 E4			(Life = 5000 hrs)			
AMLD1	E4	12.00R24	12.00 x 24.00	X3	TT	\$1,516
AMLD2	E4	14.00R24	14.00 x 24.00	X3	TL	\$1,661
AMLD3	E4	14.00R25	14.00 x 25.00	X3	TL	\$1,750
AMLD4	E4	18.00R25	18.00 x 25.00	X2	TL	\$3,722
AMLD5	E4	18.00R33	18.00 x 33.00	X2	TL	\$5,093
AMLD14	E4	21.00R35	21.00 x 35.00	X2	TL	\$7,384
AMLD15	E4	24.00R35	24.00 x 25.00	X2	TL	\$9,698
AMLD7	E4	27.00R49	27.00 x 49.00	X2	TL	\$13,602
AMLD8	E4	30.00R51	30.00 x 51.00	X2	TL	\$17,439
AMLD9	E4	33.00R51	33.00 x 51.00	X2	TL	\$21,535
AMLD10	E4	36.00R51	36.00 x 51.00	X2	TL	\$24,665
AMLD11	E4	37.00R57	37.00 x 57.00	X2	TL	\$44,480
AMLD12	E4	40.00R57	40.00 x 57.00	X2	TL	\$45,057
MOBILE CRANE			(Life = 5000 hrs)			
AMLF1	E/L/G3	445/80R25 (17.5R25)	17.50 x 25.00	UK	TL	\$2,112
AMLF3	E/L/G3	525/80R25 (20.5R25)	20.60 x 25.00	UK	TL	\$1,771
L-5 DOZER & LOADER SERVICE RL5K			(Life = 8000 hrs)			
AMLG1	L5	20.5R25	20.50 x 25.00	X1	TL	\$3,907
AMLG2	L5	23.5R25	23.50 x 25.00	X1	TL	\$4,819

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
SPECIAL SERVICE - AT2A			<i>(Life = 5000 hrs)</i>			
AMLH1	E/L/G 3	14.00R20	14.00 x 20.00	18	TL	\$1,173
AMLH3	E/L/G 3	16.00R20	16.00 x 20.00	22	TL	\$1,764
AMLH4	E/L/G 3	16.00R21	16.00 x 21.00	22	TL	\$196
AMLH2	E/L/G3	17.5R25	17.50 x 25.00	X1	TL	\$1,253
AMLH6	E/L/G3	22/65R25	22.00 x 25.00	X1	TL	\$2,466
OFF-THE-ROAD, MED & HEAVY COMMERCIAL, BIAS						
INDUSTRIAL SURE GRIP MPT			<i>(Life = 5000 hrs)</i>			
ANMA1		10.5-20	10.50 x 20.00	10	TL	\$363
ANMA2		12.5-20	12.50 x 20.00	10	TL	\$464
E-1 HRR 1A			<i>(Life = 2500 hrs)</i>			
ANMB1	E3	14.00-25	14.00 x 25.00	20	TL	\$1,206
ANMB2	E1	16.00-25	16.00 x 25.00	32	TL	\$2,154
E-2 TRACTION EARTHMOVER SURE GRIP			<i>(Life = 2800 hrs)</i>			
ANMC3	E7	18.00-25	18.00 x 25.00	16	TL	\$1,604
E-3 ROCK SERVICE HARD ROCK LUG/HRL WC			<i>(Life = 2800 hrs)</i>			
ANME1	E3	12.00-20	12.00 x 20.00	20	TT	\$883
ANME2	E3	12.00-24	12.00 x 24.00	16	TT	\$844
ANME3	E3	14.00-24	14.00 x 24.00	28	TT	\$1,583
ANME4	E3	14.00-25	14.00 x 25.00	20	TL	\$1,206
ANME6	E3	16.00-25	16.00 x 25.00	24	TL	\$1,752
E-3 ROCK SERVICE SUPER HARD ROCK LUG			<i>(Life = 2800 hrs)</i>			
ANMF1	L5	26.5-25	26.50 x 25.00	24	TL	\$5,110
ANMF4	L5	29.5-25	29.50 x 25.00	28	TL	\$7,064
ANMF5	L4	29.5-29	29.50 x 29.00	28	TL	\$6,156
ANMF6	E3	29.5-29	29.50 x 29.00	34	TL	\$5,778
E-3 ROCK SERVICE SHRL8			<i>(Life = 2800 hrs)</i>			
ANMG4	E3	29.5-35	29.50 x 35.00	34	TL	\$6,077
ANMG1	E3	33.25-29	33.25 x 29.00	26	TL	\$6,344
TNMG6	E3	33.25-35	33.25 x 35.00	38	TL	\$9,551
ANMG7	E3	37.25-35	37.25 x 35.00	36	TL	\$8,020
ANMG9	E3	37.5-39	37.50 x 39.00	44	TL	\$8,961

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
E-3 ROCK SERVICE ELV3A, ELV4B, ELV4/5A			<i>(Life = 2800 hrs)</i>			
ANMH4	IND 5S	18.00-25	18.00 x 25.00	40	TL	\$4,768
ANMH9	IND 3	21.00-25	21.00 x 25.00	32	TL	\$4,544
E-3 ROCK SERVICE HRL 3F			<i>(Life = 2800 hrs)</i>			
ANMJ2	E3	33.25-35	33.25 x 35.00	32	TL	\$6,267
ANMJ5	E3	37.25-35	37.25 x 35.00	36	TL	\$8,016
ANMJ6	E3	37.5-39	37.50 x 39.00	44	TL	\$8,961
E-3 ROCK SERVICE WRL 3A			<i>(Life = 2800 hrs)</i>			
ANML1	E3	14.00-20	14.00 x 20.00	24	TT	\$1,253
ANML2	E3	14.00-24	14.00 x 24.00	24	TT	\$1,330
E-4 ROCK SERVICE HRL 4B			<i>(Life = 5000 hrs)</i>			
ANMN1	E4	16.00-25	16.00 x 25.00	28	TL	\$2,182
ANMN3	E4	18.00-33	18.00 x 33.00	32	TL	\$3,863
ANMN4	E4	21.00-35	21.00 x 35.00	36	TL	\$5,616
ANMN5	E4	24.00-35	24.00 x 35.00	36	TL	\$7,269
ANMN9	E4	36.00-51	36.00 x 51.00	58	TL	\$23,181
E-7 FLOTATION TYPE SAND RIB SRB 7A			<i>(Life = 3000 hrs)</i>			
TNMQ1	E7	14.00-20	14.00 x 20.00	10	TL	\$581
TNMQ2	E7	16.00-24	16.00 x 24.00	12	TL	\$1,510
TNMQ3	E7	18.00-25	18.00 x 25.00	16	TL	\$2,057
E-7 FLOTATION TYPE PAVER TIRE			<i>(Life = 3000 hrs)</i>			
ANMR1	E7	1600-24	16.00 x 24.00	12	TL	\$1,235
G-2 SGG2A			<i>(Life = 3200 hrs)</i>			
ANMT1	G2	13.00-24	13.00 x 24.00	10	TL	\$408
ANMT10	G2	13.00-24	13.00 x 24.00	12	TL	\$341
ANMT6	G2	14.00-24	14.00 x 24.00	12	TL	\$381
ANMT8	G2	16.00-24	16.00 x 24.00	12	TL	\$1,311
G-2 SGLDL 2A L2			<i>(Life = 3200 hrs)</i>			
ANMV2	L2/G2	15.5-25	15.50 x 25.00	12	TL	\$516
ANMV3	L2/G2	17.5-25	17.50 x 25.00	12	TL	\$540
ANMV4	L2/G2	17.5-25	17.50 x 25.00	16	TL	\$698
ANMV5	L2/G2	17.5-25	17.50 x 25.00	20	TL	\$900

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
G-2 SGLEL 2A ES/L2/G2			<i>(Life = 3200 hrs)</i>			
ANMW1	E/L/G2	20.5-25	20.50 x 25.00	12	TL	\$997
ANMW2	E/L/G2	20.5-25	20.50 x 25.00	16	TL	\$1,077
ANMW4	E/L/G2	23.5-25	23.50 x 25.00	12	TL	\$1,549
ANMW5	E/L/G2	23.5-25	23.50 x 25.00	16	TL	\$1,764
G-3 RKG 3A			<i>(Life = 3200 hrs)</i>			
TNMX1	G2	14.00-24	14.00 x 24.00	14	TL	\$826
L-2 DOZER/LOADER SERVICE TRACTION SG LUG DL			<i>(Life = 3200 hrs)</i>			
ANNA2	L3	26.5-25	26.50 x 25.00	20	TL	\$3,273
L-3 DOZER/LOADER SERVICE ROCK SERVICE E3/L3			<i>(Life = 3200 hrs)</i>			
ANNB1	E/L 3	20.5-25	20.50 x 25.00	12	TL	\$1,405
ANNB2	E/L 3	20.5-25	20.50 x 25.00	16	TL	\$1,445
ANNB5	E/L 3	23.5-25	23.50 x 25.00	16	TL	\$2,053
ANNB6	E/L 3	23.5-25	23.50 x 25.00	20	TL	\$2,345
L-3 DOZER/LOADER SERVICE ROCK SHRL DL			<i>(Life = 3200 hrs)</i>			
ANNC1	L3	26.5-25	26.50 x 25.00	20	TL	\$3,273
ANNC3	L4	29.5-25	29.50 x 25.00	28	TL	\$6,156
L-3 DOZER/LOADER SERVICE ROCK HRL DL 3A & 3F			<i>(Life = 3200 hrs)</i>			
ANND2	L/G3	17.5-25	17.50 x 25.00	12	TL	\$652
ANND4	L/G3	17.5-25	17.50 x 25.00	20	TL	\$1,066
L-4 DOZER/LOADER SERVICE ROCK DEEP TREAD S			<i>(Life = 5000 hrs)</i>			
ANNE2	L3	26.5-25	26.50 x 25.00	20	TL	\$3,273
ANNE4	L4	29.5-25	29.50 x 25.00	28	TL	\$6,156
ANNE5	E3	29.5-29	29.50 x 29.00	34	TL	\$5,778
L-4 DOZER/LOADER SERVICE ROCK DEEP TREAD N			<i>(Life = 5000 hrs)</i>			
TNNG1	L5	35/65-33	35.00 x 33.00	42	TL	\$13,905
L-5 DOZER/LOADER SERVICE ROCK SUPER XTRA T			<i>(Life = 8000 hrs)</i>			
ANNL2	L5	35/65-33	35.00 x 33.00	30	TL	\$10,727
ANNL4	L5	41.25/70-39	41.25 x 39.00	42	TL	\$16,327
ANNL7	L5	45/65-45	45.00 x 45.00	58	TL	\$27,141

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
		L-5 DOZER/LOADER SERVICE SMOOTH SMO SL5B		<i>(Life = 8000 hrs)</i>		
ANNN3	IND 3	18.00-25	18.00 x 25.00	32	TL	\$2,939
		L-5 DOZER/LOADER SERVICE SMOOTH SUPER XTRA		<i>(Life = 8000 hrs)</i>		
ANNO1	L5S	21.00-25	21.00 x 25.00	32	TL	\$6,527
ANNO3	L5S	26.5-25	26.50 x 25.00	32	TL	\$6,332
ANNO4	L5S	29.5-25	29.50 x 25.00	28	TL	\$8,199
		L-5 DOZER/LOADER SERVICE SMOOTH NSM DL5B		<i>(Life = 8000 hrs)</i>		
ANNP1	L5	35/65-33	35.00 x 33.00	24	TL	\$9,813
<u>INDUSTRIAL, SOLID</u>						
		SOLID, HIGH PERFORMANCE, OIL RESISTANT/STATI		<i>(Life = 5000 hrs)</i>		
IPPO5		10-3-61/4 Grip	3.00 x 10.00		NO	\$380
IPPO4		10-31/2-6	3.50 x 10.00		NO	\$294
IPPO18		12-31/2-8	3.50 x 12.00		NO	\$300
IPPO23		13-31/2-8	3.50 x 13.00		NO	\$340
IPPO32		15-31/2-111/4	3.50 x 15.00		NO	\$322
IPPO1		81/2-4-4	4.00 x 8.50		NO	\$371
IPPO10		10-4-61/2	4.00 x 10.00		NO	\$256
IPPO6		10-4-61/4	4.00 x 10.00		NO	\$299
IPPO19		12-4-8	4.00 x 12.00		NO	\$328
IPPO47		161/4-4-111/4 Lug	4.00 x 16.25		NO	\$405
IPPO30		14-41/2-8	4.50 x 14.00		NO	\$445
IPPO40		16-41/2-101/2 Lug	4.50 x 16.00		NO	\$483
IPPO2		9-5- 5 Grip	5.00 x 9.00		NO	\$388
IPPO12		10-5-61/2	5.00 x 10.00		NO	\$267
IPPO7		10-5-61/4	5.00 x 10.00		NO	\$299
IPPO13		101/2-5-5	5.00 x 10.50		NO	\$435
IPPO31		14-5-10	5.00 x 14.00		NO	\$408
IPPO33		15-5-111/4	5.00 x 15.00		NO	\$393
IPPO38		151/2-5-10	5.00 x 15.50		NO	\$457
IPPO41		16-5-101/2	5.00 x 16.00		NO	\$505
IPPO48		161/4-5-111/4	5.00 x 16.25		NO	\$436
IPPO53		17-5-121/8	5.00 x 17.00		NO	\$497
IPPO63		18-5-14	5.00 x 18.00		NO	\$444
IPPO58		18-5-121/8	5.00 x 18.00		NO	\$528

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
IPPO68		20-5-16	5.00 x 20.00		NO	\$591
IPPO73		21-5-15	5.00 x 21.00		NO	\$615
IPPO79		22-5-16	5.00 x 22.00		NO	\$657
IPPO8		10-6-61/4	6.00 x 10.00		NO	\$360
IPPO14		101/2-6-5 Lug	6.00 x 10.50		NO	\$453
IPPO34		15-6-111/4 Grip	6.00 x 15.00		NO	\$585
IPPO42		16-6-101/2	6.00 x 16.00		NO	\$566
IPPO49		161/4-6-111/4	6.00 x 16.25		NO	\$515
IPPO59		18-6-121/8	6.00 x 18.00		NO	\$594
IPPO69		20-6-16	6.00 x 20.00		NO	\$629
IPPO74		21-6-15	6.00 x 21.00		NO	\$769
IPPO80		22-6-16	6.00 x 22.00		NO	\$775
IPPO22		12-61/2-8	6.50 x 12.00		NO	\$454
IPPO9		10-7-61/4	7.00 x 10.00		NO	\$420
IPPO35		15-7-111/4	7.00 x 15.00		NO	\$520
IPPO43		16-7-101/2	7.00 x 16.00		NO	\$649
IPPO50		161/4-7-111/4	7.00 x 16.25		NO	\$641
IPPO60		18-7-121/8	7.00 x 18.00		NO	\$619
IPPO70		20-7-16	7.00 x 20.00		NO	\$761
IPPO75		21-7-15	7.00 x 21.00		NO	\$789
IPPO81		22-7-16	7.00 x 22.00		NO	\$931
IPPO94		26-7-20	7.00 x 26.00		NO	\$1,164
IPPO36		15-8-111/4	8.00 x 15.00		NO	\$622
IPPO61		18-8-121/8	8.00 x 18.00		NO	\$727
IPPO66		18-8-14	8.00 x 18.00		NO	\$758
IPPO71		20-8-16	8.00 x 20.00		NO	\$812
IPPO76		21-8-15	8.00 x 21.00		NO	\$962
IPPO82		22-8-16	8.00 x 22.00		NO	\$1,004
IPPO37		15-9-111/4	9.00 x 15.00		NO	\$828
IPPO67		18-9-14	9.00 x 18.00		NO	\$800
IPPO62		18-9-121/8	9.00 x 18.00		NO	\$860
IPPO72		20-9-16	9.00 x 20.00		NO	\$1,102
IPPO77		21-9-15	9.00 x 21.00		NO	\$1,150
IPPO116		22-9-16	9.00 x 22.00		NO	\$1,141
IPPO83		22-9-16	9.00 x 22.00		NO	\$1,141
IPPO92		22-10-173/4	10.00 x 22.00		NO	\$1,380
IPPO84		22-10-16	10.00 x 22.00		NO	\$1,543

(1) TT = includes tube, TL = no tube, NO = no tube

**APPENDIX F
TIRE DESCRIPTION AND TIRE COST**

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
IPPO95		28-10-22	10.00 x 28.00		NO	\$1,854
IPPO99		36-10-30	10.00 x 36.00		NO	\$1,570
IPPO78		21-12-15	12.00 x 21.00		NO	\$1,849
IPPO86		22-12-16	12.00 x 22.00		NO	\$1,622
IPPO96		28-12-22	12.00 x 28.00		NO	\$2,411
IPPO87		22-14-16	14.00 x 22.00		NO	\$1,813
IPPO93		22-14-173/4	14.00 x 22.00		NO	\$2,096
IPPO88		22-16-16	16.00 x 22.00		NO	\$1,998
IPPO98		28-16-22	16.00 x 28.00		NO	\$3,423

CONVEYOR/LOADER BELTING

CONVEYOR BELTING (GOODYEAR EP)

(Life = 5000 hrs)

AZZA1		Conveyor Belting	24.00 x 50.00	2	NO	\$610
AZZA2		Conveyor Belting	24.00 x 60.00	2	NO	\$731
AZZA3		Conveyor Belting	24.00 x 70.00	2	NO	\$854
AZZA4		Conveyor Belting	24.00 x 80.00	2	NO	\$975
AZZA5		Conveyor Belting	24.00 x 90.00	2	NO	\$1,098
AZZA6		Conveyor Belting	24.00 x 100.00	2	NO	\$1,219
AZZA7		Conveyor Belting	24.00 x 110.00	2	NO	\$1,341
AZZA8		Conveyor Belting	24.00 x 120.00	2	NO	\$1,463
AZZA9		Conveyor Belting	24.00 x 130.00	2	NO	\$1,585
AZZA10		Conveyor Belting	24.00 x 140.00	2	NO	\$1,707
AZZA11		Conveyor Belting	24.00 x 150.00	2	NO	\$1,829
AZZA12		Conveyor Belting	30.00 x 50.00	2	NO	\$762
AZZA13		Conveyor Belting	30.00 x 60.00	2	NO	\$914
AZZA14		Conveyor Belting	30.00 x 70.00	2	NO	\$1,067
AZZA15		Conveyor Belting	30.00 x 80.00	2	NO	\$1,219
AZZA16		Conveyor Belting	30.00 x 90.00	2	NO	\$1,372
AZZA17		Conveyor Belting	30.00 x 100.00	2	NO	\$1,524
AZZA18		Conveyor Belting	30.00 x 110.00	2	NO	\$1,677
AZZA19		Conveyor Belting	30.00 x 120.00	2	NO	\$1,829
AZZA20		Conveyor Belting	30.00 x 130.00	2	NO	\$1,981
AZZA21		Conveyor Belting	30.00 x 140.00	2	NO	\$2,134
AZZA22		Conveyor Belting	30.00 x 150.00	2	NO	\$2,286
AZZA23		Conveyor Belting	36.00 x 50.00	2	NO	\$914
AZZA24		Conveyor Belting	36.00 x 60.00	2	NO	\$1,098
AZZA25		Conveyor Belting	36.00 x 70.00	2	NO	\$1,280

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AZZA26		Conveyor Belting	36.00 x 80.00	2	NO	\$1,463
AZZA27		Conveyor Belting	36.00 x 90.00	2	NO	\$1,646
AZZA28		Conveyor Belting	36.00 x 100.00	2	NO	\$1,829
AZZA29		Conveyor Belting	36.00 x 110.00	2	NO	\$2,012
AZZA30		Conveyor Belting	36.00 x 120.00	2	NO	\$2,195
AZZA31		Conveyor Belting	36.00 x 130.00	2	NO	\$2,378
AZZA32		Conveyor Belting	36.00 x 140.00	2	NO	\$2,560
AZZA33		Conveyor Belting	36.00 x 150.00	2	NO	\$2,743
AZZA34		Conveyor Belting	42.00 x 50.00	2	NO	\$1,067
AZZA35		Conveyor Belting	42.00 x 60.00	2	NO	\$1,280
AZZA36		Conveyor Belting	42.00 x 70.00	2	NO	\$1,493
AZZA37		Conveyor Belting	42.00 x 80.00	2	NO	\$1,707
AZZA38		Conveyor Belting	42.00 x 90.00	2	NO	\$1,921
AZZA39		Conveyor Belting	42.00 x 100.00	2	NO	\$2,134
AZZA40		Conveyor Belting	42.00 x 110.00	2	NO	\$2,347
AZZA41		Conveyor Belting	42.00 x 120.00	2	NO	\$2,560
AZZA42		Conveyor Belting	42.00 x 130.00	2	NO	\$2,774
AZZA43		Conveyor Belting	42.00 x 140.00	2	NO	\$2,988
AZZA44		Conveyor Belting	42.00 x 150.00	2	NO	\$3,201
AZZA45		Conveyor Belting	48.00 x 50.00	3	NO	\$1,458
AZZA46		Conveyor Belting	48.00 x 60.00	3	NO	\$1,750
AZZA47		Conveyor Belting	48.00 x 70.00	3	NO	\$2,042
AZZA48		Conveyor Belting	48.00 x 80.00	3	NO	\$2,333
AZZA49		Conveyor Belting	48.00 x 90.00	3	NO	\$2,625
AZZA50		Conveyor Belting	48.00 x 100.00	3	NO	\$2,917
AZZA51		Conveyor Belting	48.00 x 110.00	3	NO	\$3,209
AZZA52		Conveyor Belting	48.00 x 120.00	3	NO	\$3,501
AZZA53		Conveyor Belting	48.00 x 130.00	3	NO	\$3,791
AZZA54		Conveyor Belting	48.00 x 140.00	3	NO	\$4,083
AZZA55		Conveyor Belting	48.00 x 150.00	3	NO	\$4,375
AZZA56		Conveyor Belting	60.00 x 50.00	4	NO	\$2,862
AZZA57		Conveyor Belting	60.00 x 60.00	4	NO	\$3,434
AZZA58		Conveyor Belting	60.00 x 70.00	4	NO	\$4,007
AZZA59		Conveyor Belting	60.00 x 80.00	4	NO	\$4,580
AZZA60		Conveyor Belting	60.00 x 90.00	4	NO	\$5,153
AZZA61		Conveyor Belting	60.00 x 100.00	4	NO	\$5,725
AZZA62		Conveyor Belting	60.00 x 110.00	4	NO	\$6,297

(1) TT = includes tube, TL = no tube, NO = no tube

APPENDIX F
TIRE DESCRIPTION AND TIRE COST

EP CODE	INDUSTRY CODE	SIZE DESCRIPTION	SIZE	PLY	TUBE (1)	COST PER EACH
AZZA63		Conveyor Belting	60.00 x 120.00	4	NO	\$6,869
AZZA64		Conveyor Belting	60.00 x 130.00	4	NO	\$7,442
AZZA65		Conveyor Belting	60.00 x 140.00	4	NO	\$8,015
AZZA66		Conveyor Belting	60.00 x 150.00	4	NO	\$8,587

(1) *TT* = includes tube, *TL* = no tube, *NO* = no tube

APPENDIX G TIRE LIFE AND TIRE WEAR FACTORS

**APPENDIX G
TIRE LIFE AND TIRE WEAR FACTORS**

SECTION I. TIRE WEAR FACTORS

The tire wear factors used in this pamphlet are listed in appendix D. The “useful life” of a new tire is the product of Condition Factors (CF) from I through V, the Wheel Position Factor (WPF), the Grade Factor (GF) (for Drive Tires only) and the Miscellaneous Condition (MC). These factors provide a percentage reduction to the maximum tire life. See chapter 2 for tire cost methodology.

Condition Factors, Wheel Position Factors, Grade Factor, and Miscellaneous Condition are derived from the Caterpillar Performance Handbook.

The factors shown below are examples specifically for a rear dump wagon.

<u>Condition Factors (CF):</u>	<u>Average</u>	<u>Severe</u>
I. Maintenance	0.981	0.763
II. Speed	0.872	0.763
III. Curves	0.981	0.872
IV. Surface Condition	0.981	0.763
V. Loads	1.090	0.709
 CF Product of the factors (I x II x III x IV x V)	 0.897	 0.275
 VI. <u>Wheel Position Factors (WPF):</u>		
WPF-FT Front Tire (FT)	0.981	0.981
WPF-DTR Drive Tire (DT) - Rear Dump	0.818	0.709
WPF-TT Trailing Tire (TT)	1.090	1.090
 VII. Grade Factor (GF) (Drive Tires Only)	 0.981	 0.763
 VIII. Miscellaneous Condition (MC)	 1.090	 0.981

**APPENDIX G
TIRE LIFE AND TIRE WEAR FACTORS (Continued)**

SECTION I. TIRE WEAR FACTORS (Continued)

**Example: Final Tire Wear Factors for Wagon, Rear Dump
(See Appendix D, Category W15)**

	<u>Average</u>	<u>Severe</u>
Front Tire - Average = (CF = 0.897)(WPF-FT = 0.981)(MC = 1.090)	0.96	
Front Tire - Severe = (CF = 0.275)(WPF-FT = 0.981)(MC = 0.927)		0.60
Drive Tire - Average = (CF = 0.897)(WPF-DTR = 0.763)(GF = 0.981)(MC = 1.090)	0.78	
Drive Tire - Severe = (CF = 0.275)(WPF-DTR = 0.732)(GF = 0.763)(MC = 0.927)		0.15
Trailing Tire - Average = (CF = 0.897)(WPF-TT = 1.090)(MC = 1.090)	1.07	
Trailing Tire - Severe = (CF = 0.275)(WPF-TT = 1.090)(MC = 0.927)		0.29

SECTION II. MAXIMUM TIRE LIFE

Maximum tire life is used in the formula to determine tire wear cost and is located in Appendix F by type of tire.

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

APPENDIX H MANUFACTURER LIST

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
A1	- ALLIED-GATOR, INC.
A2	- ASV INC.
A3	- AMERICAN PILEDRIVING EQUIPMENT, INC.
A4	- ATLAS COPCO WAGNER INC.
AA	- AMERICAN AUGERS, INC.
AB	- ALLMAND BROTHERS INC.
AC	- ACE ENTERPRISES
AD	- ACKER DRILL COMPANY INC.
AE	- AEROIL PRODUCTS COMPANY, INC.
AF	- AIRPLACO EQUIPMENT CO., INC.
AG	- ARROW-MASTER, INC.
AH	- AUTO CRANE CO.
AI	- AMIDA INDUSTRIES, INC.
AJ	- ALLEN ENGINEERING CORP.
AK	- TYLER EQUIPMENT CO.
AL	- ALLENTOWN EQUIPMENT
AM	- AMERICAN CRANE CORPORATION (TEREX)
AN	- ATLANTIC
AO	- ALKOTA CLEANING SYSTEMS, INC.
AP	- PECCO AND WOLFF TOWER CRANES (MORROW)
AQ	- AQUATICS UNLIMITED
AR	- AMERICAN ROAD MACHINERY, INC.
AS	- ATLAS COPCO CONSTRUCTION TOOLS INC.
AT	- ANDERSON MAVOR INC.
AU	- ALLIED CONSTRUCTION PRODUCTS
AV	- ALIVA LTD.
AW	- AIRMAN (HOKUETSU INDUSTRIES CO. LTD.)
AX	- AMERICAN COMPACTION EQUIPMENT, INC.

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
AY	- KOMLINE-SANDERSON ENGINEERING CO.
AZ	- ALLIS-CHALMERS CORP.
BA	- BADGER EQUIPMENT CO.
BB	- BASCO
BC	- BOCK ENGINEERED PRODUCTS, INC.
BD	- BRODERSON MANUFACTURING CORPORATION
BE	- INGERSOLL RAND MATERIAL HANDLING
BF	- BENFORD
BG	- BARBER-GREENE COMPANY
BI	- BOR-IT MANUFACTURING COMPANY INC.
BJ	- BURKEEN MANUFACTURING CO.
BK	- BLAW KNOX CONSTRUCTION EQUIPMENT CORP.
BL	- US FILTER/BLASTRAC
BM	- BROCE MANUFACTURING COMPANY
BN	- BANDIT INDUSTRIES, INC.
BO	- COMPACTION AMERICA (BOMAG)
BQ	- BELL EQUIPMENT NORTH AMERICA INC .
BR	- BROOKVILLE MINING EQUIPMENT CORP.
BS	- BALDERSON, INC.
BT	- BREAKER TECHNOLOGY INC.
BU	- BUSH HOG
BW	- BOWIE INDUSTRIES, INC.
BX	- BIL-JAX, INC.
C1	- COYOTE LOADER SALES, INC.
C2	- CARELIFT EQUIPMENT
C3	- TIME CONDOR CORPORATION
C4	- CATERPILLAR LIFT TRUCKS,
C5	- Construction Equipment Company

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
CA	- CATERPILLAR INC. (MACHINE DIVISION)
CB	- CONSOLIDATED BALING MACHINE COMPANY, INC
CC	- CEMEN TECH
CD	- CDS GROUP
CE	- ATHEY PRODUCTS CORPORATION
CF	- CGR COMPACTING
CG	- CHEMGROUT, INC.
CH	- CHAMPION ROAD MACHINERY-PRO PAV (WIRTGEN)
CI	- CHIPMORE MANUFACTURING CO., INC.
CJ	- COLD JET
CK	- CHICAGO PNEUMATIC TOOL CO.
CL	- CON-E-CO
CM	- CLEMCO INDUSTRIES CORPORATION
CN	- CEMEN TECH, INC.
CO	- WASTE CONTROL SYSTEMS, INC.
CP	- CRISAFULLI PUMP
CQ	- CUSHION CUT, INC.
CR	- CAMLEVER
CS	- CASE CORPORATION
CT	- CLEVELAND TRENCHER
CU	- WASTEQUIP CUSCO INDUSTRIES
CV	- CONMACO, INC.
CW	- TEREX - CMI (TEREX ROADBUILDING)
CX	- CMC (CONSTRUCTION MACHINERY COMPANY)
CY	- CENTRIC
CZ	- CLYDE IRON WORKS
DA	- ELCO INTERNATIONAL INC.
DD	- DELTA DREDGE & PUMP CORP.

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
DE	- DEMOLITION TECHNOLOGIES
DF	- DURA FLOAT
DG	- DAINONG HEAVY INDUSTRIES, INC.
DH	- DAEWOO HEAVY INDUSTRIES LTD.
DI	- DICKSON INDUSTRIES INC.
DJ	- CATERPILLAR/DJB
DL	- PILECO, INC.
DO	- DOSCO CORPORATION
DR	- DRESSER MINING EQUIPMENT
DS	- DREDGING SUPPLY COMPANY (DSC)
DT	- DRILTECH, INC. (SANDVIK)
DW	- DITCH WITCH(The Charles Machine Works)
DY	- DYNAPAC DIVISION - SVEDALA INDUSTRIES
EA	- EAGER BEAVER
EC	- ELGIN SWEEPER COMPANY
ED	- EQUIPMENT DEVELOPMENT CO., INC. (EDCO)
EI	- EIMCO JARVIS CLARK
EJ	- CEDARAPIDS INC., A TEREX COMPANY
EL	- ELLICOTT MACHINE CORPORATION
EM	- EXCEL MACHINERY LTD.
EP	- ENVIRO-PAK
ES	- ESCO CORPORATION
ET	- E. D. ETNYRE & CO.
EU	- EUCLID INDUSTRIES, INC.
EX	- EXCEL INDUSTRIES, INC.
EZ	- E-Z DRILL, INC.
FC	- FERMEC NORTH AMERICA LTD., A TEREX CO.
FE	- FELKER (TARGET)

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
FG	- FINN CORPORATION
FH	- FRUEHAUF TRAILER CORPORATION
FI	- FIATALLIS
FK	- FRANKLIN TREEFARMER
FL	- FLETCHER MINING EQUIPMENT
FN	- NEW HOLLAND NORTH AMERICA, INC.
FO	- FORD MOTOR COMPANY
FR	- FERGUSON MANUFACTURING & EQUIPMENT
FS	- FIVE STAR MANUFACTURING CO/ELGIN SWEEPER
FU	- FURUKAWA CO.,LTD.
GA	- GRADALL COMPANY
GB	- GAR-BRO MANUFACTURING COMPANY
GC	- GEHL COMPANY
GD	- GARDNER-DENVER INDUSTRIAL MACHINES
GE	- GENSCO AMERICA CO. LTD.
GF	- GRIFFIN DEWATERING CORP.
GH	- GEITH INC.
GI	- GALION DIVISION
GJ	- GENIE INDUSTRIES
GL	- GARLOCK EQUIPMENT CO.
GM	- GMC AND CHEVROLET
GN	- GALION DUMP BODIES, INC.
GO	- GOMACO CORPORATION
GR	- GORMAN-RUPP COMPANY
GT	- GILCREST EQUIPMENT COMPANY
GV	- GROVE CRANES (MANITOWOC)
GW	- GROVE MANLIFT (JLG)
HA	- HAZCO SERVICES, INC.

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
HB	- HAWCO MANUFACTURING COMPANY, LLC
HC	- HAMM COMPACTORS, INC.
HD	- HYDRAULIC POWER SYSTEMS, INC.
HE	- HENDRIX MANUFACTURING COMPANY, INC.
HF	- HYDRA-MAC INTERNATIONAL, INC.
HH	- ESG MANUFACTURING H&H PUMP & DREDGE
HI	- HITACHI CONSTRUCTION MACHINERY
HM	- H&M VIBRO, INC.
HN	- HINO DIESEL TRUCKS (U.S.A.) INC.
HO	- RIVERSIDE PUMP MANUFACTURING
HP	- COMPACTION AMERICA
HQ	- HYPAC COMPACTION EQUIPMENT
HR	- HYDROCAL INC.
HU	- HYUNDAI CONSTRUCTION EQUIPMENT
HW	- HEWITT-ROBINS
HY	- HYSTER CO.
HZ	- HOFFCO-COMET
IA	- INGERSOLL RAND ROTARY-REC COMPRESSOR DIV
IB	- INGERSOLL RAND ROTARY DRILL DIV
IC	- INTERNATIONAL CONSTRUCTION EQUIPMENT, INC
ID	- KOMATSU DRESSER
IE	- IDEAL MANUFACTURING, INC.
IF	- INGERSOLL RAND PORTABLE COMPRESSOR DIV
IG	- INGRAM COMPACTING, LLC
IH	- NAVISTAR INTERNATIONAL TRANSPORTATION
IM	- INNOVATIVE MATERIAL SYSTEMS, INC. (IMS)
IN	- INGERSOLL RAND CO.
IP	- INGERSOLL RAND ROAD MACHINERY DIV

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
IR	- INGERSOLL RAND ROCK DRILL DIV
IS	- INSLEY DIVISION
IT	- NAVISTAR INTERNATIONAL CORPORATION
JC	- JCB INC.
JD	- DEERE & COMPANY
JE	- JCL EQUIPMENT CO.
JL	- JLG INDUSTRIES, INC.
JM	- JEFFREY MINING MACHINERY DIVISION
JO	- C. S. JOHNSON COMPANY
JR	- JRB COMPANY INC.
JS	- JOHNSTON SWEEPER COMPANY
JU	- ATI-Bell
KA	- KAWASAKI LOADERS, INC.
KB	- KOLBERG - PIONEER, INC
KC	- KOBELCO AMERICA INC.
KD	- K-D MANITOU, INC.
KE	- KENWORTH TRUCK COMPANY
KF	- KNAPHEIDE MANUFACTURING CO.
KH	- KOHLER COMPANY
KI	- KLEIN PRODUCTS, INC.
KK	- KEENE ENGINEERING INC.
KL	- KOLMAN / ATHEY DIV.
KM	- Komatsu America International Company
KN	- KENT DEMOLITION TOOLS
KO	- KOEHRING CRANES, INC.
KP	- KOCH-WATER
KR	- KORI CORPORATION
KU	- KUBOTA TRACTOR CORPORATION

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
KW	- KERSHAW MFG., CO.
KZ	- KEIZER TECHNOLOGIES AMERICAS, INC
LA	- LAYTON MANUFACTURING COMPANY
LB	- LINK-BELT CONSTRUCTION EQUIPMENT CO.
LC	- LINCOLN ELECTRIC COMPANY
LD	- LEE-BOY
LE	- LELY PACIFIC, INC.
LF	- LOFTNESS / US ATTACHMENTS
LG	- LITTLE GIANT CRANE & SHOVEL INC.
LH	- MORROW EQUIPMENT COMPANY, LLC
LI	- LINK-BELT CONSTRUCTION EQUIPMENT COMPANY
LK	- LIFTKING INDUSTRIES, INC.
LL	- OMNIQUIP, LULL
LN	- LONDON MACHINERY INC.
LO	- LORAIN CRANES DIVISION
LS	- LAKE SHORE MINING EQUIPMENT INC.
LU	- LABOUNTY MANUFACTURING,
LY	- BOART LONGYEAR COMPANY
LZ	- LIEBHERR CONSTRUCTION EQUIPMENT CO.
M1	- MANITEX - MANITOWOC BOOM TRUCKS GROUP
M2	- MAULDIN - CALDER BROTHERS CORP.
M3	- MAYCO PUMP - MULTIQUIP INC.
M4	- MITCHELL INDUSTRIAL TIRE COMPANY (MITCO)
MA	- MANITOWOC ENGINEERING CO.
MB	- M-B COMPANIES, INC.
MC	- VME NORTH AMERICA
MD	- MDI/YUTANI
ME	- MELROE COMPANY/BOBCAT

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
MF	- MF INDUSTRIAL
MG	- McMASTER-CARR
MH	- MITSUBISHI FUSO TRUCK OF AMERICA
MI	- MITSUBISHI CONSTRUCTION EQUIP.
MJ	- MILLER SPREADER CO.
MK	- MKT MANUFACTURING, INC.
ML	- ITT MARLOW PUMPS
MM	- MACO-MUEDON
MN	- GRANUTE-SATURN SYSTEMS(MAC CORPORATION)
MO	- MORGEN MANUFACTURING CO.
MP	- MIDLAND MACHINERY CO
MQ	- MORBARK, INC.
MR	- FOREMOST MOBILE DRILLING COMPANY, INC.
MS	- MUSTANG UNITS COMPANY
MT	- MACK TRUCKS, INC.
MU	- MULTIQUIP, INC.
MV	- MAYVILLE ENGINEERING CO., INC.
MW	- M-B-W, INC.
MX	- MAXON INDUSTRIES
MY	- MIDLAND MANUFACTURING INC.
MZ	- MARINE INLAND FABRICATORS
NA	- NAGANO - LELY CORP.
NB	- NASCO EQUIPMENT CO. INC.
NC	- NATIONAL CRANE CORPORATION
NE	- NEAL MANUFACTURING COMPANY, INC
NI	- NIFTYLIFT INC. - USA
NL	- NLB CORPORATION
NO	- NORTHWEST ENGINEERING COMPANY

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
NP	- NPK CONSTRUCTION EQUIPMENT
OE	- OLIN ENGINEERING, INC.
OK	- O & K ORENSTEIN & KOPPEL INC.
OL	- OLYMPYK CHAIN SAWS
ON	- ONAN CORPORATION
PA	- PALFINGER INC.
PB	- PETTIBONE MICHIGAN LLC
PC	- GETMAN BROTHERS MFG. COMPANY
PE	- PETERBILT MOTORS COMPANY
PH	- P & H
PI	- PIQUA ENGINEERING
PL	- PRO-LINE / ANVIL ATTACHMENTS
PN	- PEMBERTON, INC.
PO	- PROGRESSIVE DEVELOPMENT INC.
PP	- PACIFIC RUBBER
PR	- USFILTER PERRIN PRODUCTS
PS	- POWER CURBERS, INC.
PT	- PATENT CONSTRUCTION SYSTEMS
PU	- PUTZMEISTER INC.
PW	- POWERSCREEN INTERNATIONAL DISTRIBUTION LTD
RA	- METSO MINERALS
RC	- JOHNSON-ROSS (TEREX ROADBUILDING)
RD	- REEDRILL (TEREX)
RE	- NORSTAR PRODUCTS INTERNATIONAL, INC.
RI	- REYNOLDS INTERNATIONAL, L.P.
RK	- RAPID MIX
RM	- ROME PLOW CO.
RN	- ALLIED SYSTEMS COMPANY (RANGER)

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
RO	- ROBBINS COMPANY
RQ	- REED MANUFACTURING
RR	- RAMMER - GR COSTRUTTORI - SANDVIK
RS	- ROSCO, A LeeBoy COMPANY
RT	- ROADTEC (ASTEC INDUSTRIES COMPANY)
RX	- RAMMAX MACHINERY CO.
S1	- STANLEY HYDRAULIC TOOLS
S2	- SCHRAMM, INC
S3	- CHAMPION ROAD MACHINERY - SUPERPAC CO.
S4	- SUPERIOR INDUSTRIES, AN ASTEC COMPANY
S5	- SOMAT WASTE REDUCTION TECHNOLOGY
S6	- SUPERIOR TIRE & RUBBER CORP.
SA	- SAUERMAN (NATIONAL OILWELL VARCO)
SB	- SCAT TRAK - OMNIQUIP - TEXTRON INC.
SC	- SCHWING AMERICA INC.
SD	- SIOUX STEAM CLEANER CORPORATION
SE	- SEALMASTER, INC.
SF	- SECO CORPORATION
SG	- STONE CONSTRUCTION EQUIPMENT, INC.
SH	- SHRED-TECH LIMITED
SI	- SAKAI AMERICA, INC.
SJ	- SKYJACK, INC.
SK	- LTV ENERGY PRODUCTS (SKAGIT)
SL	- SHUTTLELIFT, INC.
SM	- SEAARK MARINE
SN	- STEPHENS MANUFACTURING CO., INC.
SO	- SOUTHWEST CONSTRUCTION EQUIPMENT CO.
SP	- SPRAGUE AND HENWOOD

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
SQ	- SCHAEFF INC.
SR	- SULLAIR CORPORATION
SS	- SAMSUNG CONSTRUCTION EQUIPMENT AMERICA
ST	- STOW MANUFACTURING, INC.
SU	- SULLIVAN-PALATEK, INC.
SV	- SOMERO ENTERPRISES, INC.
SW	- SNORKEL
SX	- SELLICK EQUIPMENT LIMITED
SY	- SKY TRAK - OMNIQUIP - TEXTRON INC.
SZ	- STRATO-LIFT INTERNATIONAL CORP.
TA	- TAMPO MANUFACTURING CO., INC.
TB	- TERRAMITE CONSTRUCTION EQUIPMENT
TC	- TCM
TD	- TADANO AMERICA CORPORATION
TE	- TEREX CORPORATION
TF	- THOMAS EQUIPMENT LTD.
TG	- TIMBCO HYDRAULICS, INC.
TH	- TEEMARK CORPORATION
TI	- TIMBERJACK, A JOHN DEERE COMPANY
TJ	- TRAMAC
TK	- TAKEUCHI MFG. (U.S.), LTD
TL	- BREAKER TECHNOLOGY, INC. (AN ASTEC CO.)
TM	- TESMEC USA, INC.
TO	- TORO
TR	- TEREX MINING
TS	- TELSMITH INC.
TT	- TRAIL KING INDUSTRIES, INC.
TU	- TITAN INTERNATIONAL, INC.

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
TV	- TRAVERSE LIFT CO.
UE	- UNDERGROUND EQUIPMENT & SUPPLY
UL	- UNIVERSAL ENGINEERING - SVEDALA - METSO
UN	- UNIT RIG
UP	- UPRIGHT INC.
VA	- VOEST-ALPINE
VB	- VIBROMAX AMERICA INC.
VE	- VERMEER MANUFACTURING CO.
VI	- VINCE HAGAN COMPANY
VO	- VOLVO CONSTRUCTION EQUIPMENT GROUP
VP	- VOGELE AMERICA - PRO-PAV DIV.
VS	- VALLEY SLURRY SEAL / MACROPAVER DIVISION
VT	- VALMET - PARTEK FOREST LLC
VU	- VULCAN FOUNDATION EQUIPMENT, INC
WA	- HAULPAK DIVISION
WB	- WEBER MASCHINENTECHNIK GMBH
WC	- WACKER CORPORATION
WD	- WALDON, INC.
WE	- WEATHERFORD U.S. INC.
WF	- WATSON INC.
WG	- ATLAS COPCO WAGNER
WH	- WIGGINS LIFT CO., INC.
WI	- WILLMAR EQUIPMENT COMPANY
WL	- WALKER MANUFACTURING CO., INC.
WN	- WAIN-ROY, INC.
WO	- WACO SCAFFOLDING & EQUIPMENT
WR	- WARNER FRUEHAUF TRAILER CO., INC.
WS	- WHITEMAN CONSPRAY, INC.

APPENDIX H MANUFACTURER LIST

CODE	MANUFACTURER
------	--------------

WT	- WIRTGEN AMERICAN, INC.
----	--------------------------

XX	- NO SPECIFIC MANUFACTURER
----	----------------------------

YA	- YANMAR DIESEL AMERICA CORP.
----	-------------------------------

YB	- ADVANCED ENVIRONMENTAL SOLUTIONS
----	------------------------------------

ZZ	- GENERIC EQUIPMENT
----	---------------------

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

APPENDIX I FEDERAL COST-OF-MONEY RATE

APPENDIX I
FEDERAL COST-OF-MONEY RATE
(Renegotiation or Prompt Payment Rate)

EFFECTIVE MONTHS	EFFECTIVE DATE	RATE
JULY - DECEMBER	7/1/1994	7.000%
JANUARY - JUNE	1/1/1995	8.125%
JULY - DECEMBER	7/1/1995	6.375%
JANUARY - JUNE	1/1/1996	5.875%
JULY - DECEMBER	7/1/1996	7.000%
JANUARY - JUNE	1/1/1997	6.375%
JULY - DECEMBER	7/1/1997	6.750%
JANUARY - JUNE	1/1/1998	6.250%
JULY - DECEMBER	7/1/1998	6.000%
JANUARY - JUNE	1/1/1999	5.000%
JULY - DECEMBER	7/1/1999	6.500%
JANUARY - JUNE	1/1/2000	6.750%
JULY - DECEMBER	7/1/2000	7.250%
JANUARY - JUNE	1/1/2001	6.375%
JULY - DECEMBER	7/1/2001	5.875%
JANUARY - JUNE	1/1/2002	5.500%
JULY - DECEMBER	7/1/2002	5.250%
JANUARY - JUNE	1/1/2003	4.250%
JULY - DECEMBER	7/1/2003	3.125%
JANUARY - JUNE	1/1/2004	4.000%
JULY - DECEMBER	7/1/2004	4.500%
JANUARY - JUNE	1/1/2005	4.250%
JULY - DECEMBER	7/1/2005	4.500%
JANUARY - JUNE	1/1/2006	5.125%
JULY - DECEMBER	7/1/2006	5.750%
JANUARY - JUNE	1/1/2007	5.250%
JULY - DECEMBER	7/1/2007	5.750%
JANUARY - JUNE	1/1/2008	4.750%
JULY - DECEMBER	7/1/2008	5.125%
JANUARY - JUNE	1/1/2009	5.625%
JULY - DECEMBER	7/1/2009	4.875%

APPENDIX J EQUIPMENT ACCESSORIES

**APPENDIX J
 EQUIPMENT ACCESSORIES**

The following accessories are listed by category (CAT), subcategory (SUB), and description (including features required for safety). The accessories have been included with the major equipment listed in this pamphlet when they are not included with the basic cost and are offered by the manufacturer.

CAT SUB	DESCRIPTION
C85.10	CRANES, DRAGLINE AND CLAMSHELL, CRAWLER MOUNTED Power load lowering Independent swing and travel Third drum Torque converter [machines 1 1/2 cubic yard (cy) or larger] Approximately one-half maximum boom length Counterweight (standard) Fire extinguisher 5-B:C Swing and reverse signal (backup) alarm Boom angle indicator and a load-indicating device Drum rotation indicators Anti-two block (upper limit) devices Manufacturers' mandatory accessories
C85.20	CRANES, LIFTING, CRAWLER MOUNTED Power load lowering Independent swing and travel Third drum Torque converter (machines 25 tons or larger) One-half maximum boom length (machines less than 60 tons) Maximum boom length at 360 degree rating (machines larger than 60 tons) Counterweight (standard) Fire extinguisher 5-B:C Swing and reverse signal (backup) alarm Boom angle indicator and a load-indicating device Drum rotation indicators Anti-two block (upper limit) devices Manufacturers' mandatory accessories Hook block on machines larger than 100 tons
C90.01	TRUCK CRANES - LESS THAN 25 TONS Power load lowering Third drum

CAT SUB	DESCRIPTION
C90.01	Mechanical outriggers with screw jacks Maximum boom length at 360 degrees rating TRUCK CRANES - LESS THAN 25 TONS (Continued) Counterweight (standard) Fire extinguisher 5-B:C Swing and reverse signal (backup) alarm Boom angle indicator and a load-indicating device Drum rotation indicators Anti-two block (upper limit) devices Manufacturers mandatory accessories
C90.02	TRUCK CRANE - 25 TONS AND LARGER
C90.03	Power load lowering
C90.04	Third drum Hydraulic outriggers with screw jacks Torque converter when available (upper only) Maximum boom length at 360 degrees rating Counterweight (standard) Fire extinguisher 5-B:C Reverse signal (backup) alarm Boom angle indicator and a load-indicating device Drum rotation indicators Anti-two block (upper limit) devices Hook block on machines larger than 100 tons
G15	GRADER Rollover protective structures (ROPS) with enclosed cab Ripper/scarifier, rear mounted Front wheel lean Power circle Hydraulic shift and tilt moldboard End bits Standard work lights Fire extinguisher 5-B:C Reverse signal (backup) alarm
H25	EXCAVATORS, HYDRAULIC
H30	Backhoe bucket (standard) Backhoe stick (medium length) Backhoe boom (one piece) Backhoe bucket linkage (with cylinder) Guards

CAT SUB	DESCRIPTION
	Counterweight Standard work lights Reverse signal (backup) alarm ROPS Fire extinguisher 5-B:C
H35	HYDRAULIC SHOVELS - CRAWLER MOUNTED
	Torque converter (machines 1 1/2 cy or larger) Counterweight Reverse signal (backup) alarm ROPS Fire extinguisher 5-B:C
L30	LOADERS, BELT (CONVEYOR BELTS)
	Power unit Head pulley clutch and backstop Belt cleaner and belt installing equipment King pin attachments
L35	LOADERS, 1 1/2 cy AND LARGER
L40	Blower fan Guard, power train Automatic bucket positioner Standard counterweight <u>Machines less than 7 cy:</u> General purpose or excavating bucket with bolt on cutting edge and no teeth <u>Machines 7 cy or larger:</u> Rock bucket with bolt on cutting edge and teeth Standard work lights Reverse signal (backup) alarm ROPS Fire extinguisher 5-B:C
S10	SCRAPERS
S15	Control single lever
S20	Blower fan Standard work light Guards, power train Reverse signal (backup) alarm ROPS Fire extinguisher 5-B:C Supplemental steering

CAT SUB	DESCRIPTION
T15	TRACTOR, CRAWLER Hydraulic controls for ripper and blade Guards Blower fan Standard work lights Hook, front pull Track grousers (severe service for units over 200 hp) Counterweights where required Reverse signal (backup) alarm ROPS Universal blade
T20	TRACTOR, WHEEL Hydraulic controls for ripper and blade Guards Blower fan Standard work lights Blade Fire extinguisher 5-B:C Counterweights when required
T25	TRACTOR, AGRICULTURAL Independent power take off (PTO) Standard work lights Fire extinguisher 5-B:C Counterweights when required 3-point hitch ROPS Hydraulic system with controls
T55	TRUCKS, OFF-HIGHWAY No spin differential Tachograph Engine and transmission guards Body liners

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

**APPENDIX K GROUND ENGAGING COMPONENT COSTS INCLUDED
IN REPAIRS (RCF)**

APPENDIX K

Ground Engaging Component Costs Included in Repairs (RCF)

CATEGORY							Blade cutting edges, wear plates, hard facing, and end plates	Bucket teeth, cutting edges, side cutters, and wear plates	Ripper tips and shank protection	Equipment Specific Wear Items	RCF
SUB	DESCRIPTION	EK	C	DC	LIFE	SLV					
B15 0.00	BROOMS, STREET SWEEPERS & FLUSHERS	95	A	B	8,000	0.10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
B25 0.00	BUCKETS, CLAMSHELL	15	A	B	8,000	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B25 0.00	BUCKETS, CLAMSHELL	15	S	B	6,500	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
B35 0.00	BUCKETS, DRAGLINE	1					<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
B35 0.10	LIGHT WEIGHT	15	A	B	8,000	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B35 0.10	LIGHT WEIGHT	15	S	B	6,500	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
B35 0.20	MEDIUM WEIGHT	15	A	B	9,000	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B35 0.20	MEDIUM WEIGHT	15	S	B	7,000	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
B35 0.30	HEAVY WEIGHT	15	A	B	10,000	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
B35 0.30	HEAVY WEIGHT	15	S	B	8,000	0.10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
G15 0.00	GRADERS, MOTOR	35	A	B	14,500	0.25	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.75
G15 0.00	GRADERS, MOTOR	35	S	B	13,500	0.25	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.85
H25 0.00	HYDRAULIC EXCAVATORS, CRAWLER MOUNTED	1					<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
H25 0.10	0 LBS THRU 12,500 LBS (COMPACT EXCAVATORS)	65	A	B	8,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
H25 0.10	0 LBS THRU 12,500 LBS (COMPACT EXCAVATORS)	65	S	B	7,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
H25 0.11	OVER 12,500 LBS THRU 40,000 LBS	65	A	B	8,500	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
H25 0.11	OVER 12,500 LBS THRU 40,000 LBS	65	S	B	7,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.85
H25 0.12	OVER 40,000 LBS THRU 100,000 LBS	65	A	B	12,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
H25 0.12	OVER 40,000 LBS THRU 100,000 LBS	65	S	B	10,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.95
H25 0.13	OVER 100,000 LBS THRU 160,000 LBS	65	A	B	16,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.00

EK=Economic Key (Appendix E)
LIFE=Economic Life

C=Operating Conditions (A=average, S=severe)
SLV=Salvaee Value

DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

Ground Engaging Component (GEC) is defined as those wear items on the machine that come in direct contact with in situ ground to perform the machines primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment Specific Wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

APPENDIX K

Ground Engaging Component Costs Included in Repairs (RCF)

CATEGORY								Blade cutting edges, wear plates, hard facing, and end plates	Bucket teeth, cutting edges, side cutters, and wear plates	Ripper tips and shank protection	Equipment Specific Wear Items	RCF
SUB	DESCRIPTION	EK	C	DC	LIFE	SLV						
H25 0.13	OVER 100,000 LBS THRU 160,000 LBS	65	S	B	13,500	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
H25 0.14	OVER 160,000 LBS	65	A	B	19,000	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
H25 0.14	OVER 160,000 LBS	65	S	B	15,000	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25
H30 0.00	HYDRAULIC EXCAVATORS, WHEEL MOUNTED	1						<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
H30 0.01	0 THRU 1.0 CY	65	A	B	8,000	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.50
H30 0.01	0 THRU 1.0 CY	65	S	B	6,500	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.55
H30 0.02	OVER 1.0 CY	65	A	B	10,000	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.60
H30 0.02	OVER 1.0 CY	65	S	B	8,000	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.65
H35 0.00	HYDRAULIC SHOVELS, CRAWLER MOUNTED	1						<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
H35 0.11	DIESEL, 0 CY THRU 5.0 CY	65	A	B	14,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.00
H35 0.11	DIESEL, 0 CY THRU 5.0 CY	65	S	B	12,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
H35 0.12	DIESEL, OVER 5.0 CY	65	A	B	16,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.20
H35 0.12	DIESEL, OVER 5.0 CY	65	S	B	14,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.30
H35 0.21	ELECTRIC, OVER 2.5 CY	65	A	B	18,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
H35 0.21	ELECTRIC, OVER 2.5 CY	65	S	B	16,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.90
L35 0.00	LOADERS, FRONT END, CRAWLER TYPE	40	A	B	10,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
L35 0.00	LOADERS, FRONT END, CRAWLER TYPE	40	S	B	8,000	0.20		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25
L40 0.00	LOADERS, FRONT END, WHEEL TYPE	1						<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
L40 0.11	ARTICULATED, 0 THRU 225 HP	45	A	B	9,250	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
L40 0.11	ARTICULATED, 0 THRU 225 HP	45	S	B	8,750	0.25		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80

EK=Economic Key (Appendix E)
LIFE=Economic Life

C=Operating Conditions (A=average, S=severe)
SLV=Salvage Value

DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

Ground Engaging Component (GEC) is defined as those wear items on the machine that come in direct contact with in situ ground to perform the machines primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment Specific Wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

APPENDIX K

Ground Engaging Component Costs Included in Repairs (RCF)

CATEGORY							Blade cutting edges, wear plates, hard facing, and end plates	Bucket teeth, cutting edges, side cutters, and wear plates	Ripper tips and shank protection	Equipment Specific Wear Items	RCF
SUB	DESCRIPTION	EK	C	DC	LIFE	SLV					
L40 0.12	ARTICULATED, OVER 225 HP	45	A	B	13,500	0.20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.70
L40 0.12	ARTICULATED, OVER 225 HP	45	S	B	12,000	0.20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.75
L40 0.20	SKID STEER	45	A	B	8,000	0.20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
L40 0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	45	A	B	10,000	0.25	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85
L40 0.31	TOOL CARRIER & TELESCOPIC HANDLERS, 0 THRU 225 HP	45	S	B	9,250	0.25	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
L40 0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	45	A	B	12,000	0.15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85
L40 0.32	TOOL CARRIER & TELESCOPIC HANDLERS, OVER 225 HP	45	S	B	10,000	0.15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
L45 0.00	LOADERS / BACKHOE, CRAWLER TYPE	40	A	B	8,000	0.20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.35
L45 0.00	LOADERS / BACKHOE, CRAWLER TYPE	40	S	B	6,000	0.20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.40
L50 0.00	LOADERS / BACKHOE, WHEEL TYPE	45	A	B	10,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.80
L50 0.00	LOADERS / BACKHOE, WHEEL TYPE	45	S	B	6,000	0.25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.85
L60 0.00	LOG SKIDDERS	75	A	B	10,000	0.15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.70
L60 0.00	LOG SKIDDERS	75	S	B	8,000	0.15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
P35 0.00	PIPELAYERS	70	A	B	14,000	0.20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.95
P35 0.00	PIPELAYERS	70	S	B	11,500	0.20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1.10
R30 0.00	ROLLERS, STATIC, SELF-PROPELLED	1					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
R30 0.03	TAMPING FOOT, LANDFILL & SOIL COMPACTORS	55	A	B	12,000	0.20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
S10 0.00	SCRAPERS, ELEVATING	1					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
S10 0.01	0 THRU 200 HP	60	A	B	10,000	0.20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
S10 0.01	0 THRU 200 HP	60	S	B	8,000	0.20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1.00

EK=Economic Key (Appendix E)
LIFE=Economic Life

C=Operating Conditions (A=average, S=severe)
SLV=Salvage Value

DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

Ground Engaging Component (GEC) is defined as those wear items on the machine that come in direct contact with in situ ground to perform the machines primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment Specific Wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

APPENDIX K

Ground Engaging Component Costs Included in Repairs (RCF)

CATEGORY								Blade cutting edges, wear plates, hard facing, and end plates		Bucket teeth, cutting edges, side cutters, and wear plates	Ripper tips and shank protection	Equipment Specific Wear Items	RCF
	SUB	DESCRIPTION	EK	C	DC	LIFE	SLV						
S10	0.02	OVER 200 HP	60	A	B	13,000	0.25	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.95
S10	0.02	OVER 200 HP	60	S	B	11,500	0.25	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1.00
S15	0.00	SCRAPERS, CONVENTIONAL	60	A	B	15,000	0.20	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.80
S15	0.00	SCRAPERS, CONVENTIONAL	60	S	B	12,500	0.20	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85
S20	0.00	SCRAPERS, TANDEM POWERED	60	A	B	15,000	0.20	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.85
S20	0.00	SCRAPERS, TANDEM POWERED	60	S	B	13,500	0.20	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.90
S25	0.00	SCRAPERS, TRACTOR DRAWN	60	A	B	12,000	0.20	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.70
S25	0.00	SCRAPERS, TRACTOR DRAWN	60	S	B	10,000	0.20	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.75
T15	0.00	TRACTORS, CRAWLER (DOZER) (includes blade)	1					<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
T15	0.01	0 THRU 225 HP	70	A	B	10,000	0.30	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.10
T15	0.01	0 THRU 225 HP	70	S	B	8,000	0.30	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25
T15	0.02	226 HP THRU 425 HP	70	A	B	12,500	0.25	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.20
T15	0.02	226 HP THRU 425 HP	70	S	B	10,500	0.25	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.25
T15	0.03	OVER 425 HP	70	A	B	15,000	0.20	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.20
T15	0.03	OVER 425 HP	70	S	B	12,500	0.20	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.35
T20	0.00	TRACTORS, WHEEL TYPE (DOZER)	75	A	B	14,000	0.15	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.60
T20	0.00	TRACTORS, WHEEL TYPE (DOZER)	75	S	B	13,000	0.15	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.65

EK=Economic Key (Appendix E)
LIFE=Economic Life

C=Operating Conditions (A=average, S=severe)
SLV=Salvage Value

DC=Discount Code (B=basic 7.5%, S=special 15%)
RCF=Repair Cost Factor

Ground Engaging Component (GEC) is defined as those wear items on the machine that come in direct contact with in situ ground to perform the machines primary function. For machines with blades, GEC can include: cutting edges, wear plates, hard facing, and end plates. For machines with buckets, GEC can include: bucket teeth, cutting edges, side cutters, and wear plates. For machines with rippers, GEC can include: tips and shank protectors. Equipment Specific Wear items include those items of wear that are specific to that equipment. Not included in the Repairs and must be added as needed are: drill/bits, drill/steel, roadheader/rock breaking bits, air tools/breaker points/jackhammer points, concrete coring drill bits, and other wear items that are not shown here.

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

**APPENDIX L GUIDE FOR ESTIMATING DRILL STEEL AND
DRILL BIT COSTS**

Guide for Estimating Drill Steel and Drill Bit Costs

Prepared for the
US Army Corps of Engineers, Walla Walla District
By Western Mine Engineering, Inc in cooperation
with Aventurine Engineering, Inc. 2006

August 2006

Cost Assumptions for Drill Steel and Drill Bit

General:

The approach to defining the scope of this cost guide was to confine the work to the basic drilling process and attendant drill bit and steel lives and costs. This not only simplified the study parameters but also ensured that future users of the study results could readily modify the data to suit their individual needs.

1. The steel costs reflect the cost of drilling steel only. All ancillary equipment such as couplings, striking bars, and hammer maintenance items were not included.
2. The bit life is indicative of the total life of each bit to include up to 10 sharpenings/grindings per bit. The bit costs, however, are list prices for each bit and do not reflect the costs associated with this process.
3. Costs for both bits and steel are list pricing based on manufacturers' catalogs or quotes. No additional materials, equipment costs, or other associated costs are included. No discounts were applied to the catalog list prices. Estimators will have to determine an appropriate discount for their individual cases. All prices are based on current, 2006 costs.
4. The bit and steel lives and penetration rates are based on time the bit is engaged in the hole. Adjustment for setup, tear down, and moving time between holes has not been considered.
5. Appropriate bits were identified primarily by drill type and then list prices were determined from manufacturers' catalogs. All bits were button type; with threaded button bits used for the top hammer percussion drills, down the hole (DTH) button bits for "DTH" drills, and tungsten carbide button, roller bits selected for rotary drills.
6. Large rotary drills often use 20' or longer drilling steel. It was our belief that most situations Corps of Engineers estimators face will fall in the range of percussion or smaller "DTH" drills. In these instances the 12' rod is appropriate. cursory review of the costs of longer steel rods suggest that costs for a specific drill steel diameter do not vary dramatically on a per foot basis for longer rods. Therefore, the assumption is made that a direct conversion to cost per rod for longer lengths can be made in proportion to the cost for a 12' length rod. For further information, see the note at the lower right corner of each of the spreadsheets for a detailed procedure to make the conversion for rod length and hole depth.

Example of Estimating Drill Steel and Drill Bit Costs

General:

The approach is to define the scope of the work and determine an estimated cost for drill steel and bits from the answers to the questions below. Follow the simplified steps to arrive at the estimated costs.

Determine parameters:

1. Determine the type of drilling method – percussion, down the hole (DTH), or rotary.
2. Determine the manufacturer and model of drilling equipment or determine equivalency of equipment used in this guide.
3. Determine the material that will be drilled through.
4. Determine the hole diameter of drill.
5. Determine the length of drill rod required to drill hole to the required depth.

Determine costs: (This is an example on how to determine costs)

1. Determine the type of drilling method – down the hole (DTH).
2. Determine the manufacturer/model of drilling equipment – Atlas Copco DM25SP.
3. Determine the material that will be drilled - Basalt.
4. Determine the hole diameter of drill – 5".
5. Determine the length of drill rod required – 90 feet.
6. Calculate drill steel costs from cost tables:
 - a. Cost of drill steel \$/foot per rod ranges \$0.034 to \$0.025 → will use **\$0.034**.
 - b. Based on 90' of drilling at 12' lengths of drill rod – $(90'/12') = 7.5$ rods are required. **Round up to next whole number = 8 rods**.
 - c. From drill steel cost adjustment factor chart: for 8 rods the **factor is 4.5**.
 - d. From instructions: $\$0.034 \times 4.5 = \mathbf{\$0.1530/lf}$ of hole drilled.
7. Determine drill bit costs from cost tables – costs range from **\$0.55 to \$0.40/lf**.

DRILL MODEL - Atlas Copco ROC D5 - percussion

Bit Life (feet/bit)

	Hole Diameter (inches)					
	1.75		2.00		2.50	
Granite	1,506	- 2,037	1,449	- 1,960	1,359	- 1,838
Basalt	674	- 912	649	- 878	608	- 823
Gabbro	1,002	- 1,356	964	- 1,305	904	- 1,223
Shale	1,427	- 1,931	1,373	- 1,858	1,287	- 1,742
Sandstone	524	- 709	504	- 682	473	- 639
Siltstone	3,779	- 5,112	3,636	- 4,919	3,409	- 4,612
Conglome	292	- 395	281	- 380	263	- 356
Breccia	2,181	- 2,951	2,099	- 2,839	1,968	- 2,662
Limestone	1,835	- 2,483	1,766	- 2,389	1,656	- 2,240
Schist	3,414	- 4,619	3,285	- 4,444	3,080	- 4,167
Slate	1,710	- 2,313	1,645	- 2,226	1,542	- 2,087
Gneiss	735	- 995	707	- 957	663	- 897

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	1.75		2.00		2.50	
Granite	2,720	- 3,680	2,617	- 3,541	2,454	- 3,320
Basalt	1,417	- 1,918	1,364	- 1,845	1,279	- 1,730
Gabbro	1,600	- 2,164	1,539	- 2,083	1,443	- 1,953
Shale	2,855	- 3,863	2,747	- 3,717	2,576	- 3,485
Sandstone	2,978	- 4,029	2,865	- 3,877	2,687	- 3,635
Siltstone	2,964	- 4,011	2,852	- 3,859	2,674	- 3,618
Conglome	3,425	- 4,633	3,295	- 4,458	3,090	- 4,180
Breccia	4,739	- 6,412	4,560	- 6,170	4,276	- 5,785
Limestone	3,931	- 5,318	3,782	- 5,117	3,546	- 4,798
Schist	4,828	- 6,532	4,646	- 6,285	4,356	- 5,893
Slate	3,133	- 4,239	3,015	- 4,079	2,827	- 3,824
Gneiss	2,849	- 3,855	2,742	- 3,709	2,571	- 3,478

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	1.75		2.00		2.50	
Granite	98	- 132	83	- 113	64	- 86
Basalt	57	- 77	48	- 65	37	- 50
Gabbro	63	- 85	53	- 72	41	- 55
Shale	102	- 138	87	- 117	66	- 90
Sandstone	105	- 142	90	- 121	69	- 93
Siltstone	105	- 142	89	- 121	68	- 92
Conglome	118	- 160	101	- 136	77	- 104
Breccia	155	- 210	132	- 179	101	- 137
Limestone	133	- 180	113	- 153	86	- 117
Schist	158	- 213	134	- 181	103	- 139
Slate	110	- 149	94	- 127	72	- 97
Gneiss	102	- 137	86	- 117	66	- 89

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	1.75		2.00		2.50	
Granite	\$0.04	- \$0.03	\$0.05	- \$0.04	\$0.07	- \$0.05
Basalt	\$0.09	- \$0.07	\$0.11	- \$0.08	\$0.16	- \$0.12
Gabbro	\$0.06	- \$0.05	\$0.07	- \$0.05	\$0.11	- \$0.08
Shale	\$0.04	- \$0.03	\$0.05	- \$0.04	\$0.08	- \$0.06
Sandstone	\$0.12	- \$0.09	\$0.14	- \$0.10	\$0.21	- \$0.15
Siltstone	\$0.02	- \$0.01	\$0.02	- \$0.01	\$0.03	- \$0.02
Conglome	\$0.21	- \$0.16	\$0.25	- \$0.18	\$0.37	- \$0.28
Breccia	\$0.03	- \$0.02	\$0.03	- \$0.02	\$0.05	- \$0.04
Limestone	\$0.03	- \$0.02	\$0.04	- \$0.03	\$0.06	- \$0.04
Schist	\$0.02	- \$0.01	\$0.02	- \$0.02	\$0.03	- \$0.02
Slate	\$0.04	- \$0.03	\$0.04	- \$0.03	\$0.06	- \$0.05
Gneiss	\$0.08	- \$0.06	\$0.10	- \$0.07	\$0.15	- \$0.11

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	1.75		2.00		2.50	
Granite	\$0.103	- \$0.076	\$0.107	- \$0.079	\$0.132	- \$0.098
Basalt	\$0.198	- \$0.146	\$0.205	- \$0.152	\$0.253	- \$0.187
Gabbro	\$0.175	- \$0.129	\$0.182	- \$0.134	\$0.224	- \$0.166
Shale	\$0.098	- \$0.072	\$0.102	- \$0.075	\$0.126	- \$0.093
Sandstone	\$0.094	- \$0.069	\$0.098	- \$0.072	\$0.121	- \$0.089
Siltstone	\$0.094	- \$0.070	\$0.098	- \$0.073	\$0.121	- \$0.090
Conglome	\$0.082	- \$0.060	\$0.085	- \$0.063	\$0.105	- \$0.078
Breccia	\$0.059	- \$0.044	\$0.061	- \$0.045	\$0.076	- \$0.056
Limestone	\$0.071	- \$0.053	\$0.074	- \$0.055	\$0.091	- \$0.068
Schist	\$0.058	- \$0.043	\$0.060	- \$0.045	\$0.074	- \$0.055
Slate	\$0.089	- \$0.066	\$0.093	- \$0.069	\$0.115	- \$0.085
Gneiss	\$0.098	- \$0.073	\$0.102	- \$0.075	\$0.126	- \$0.093

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

EP 1110-1-8, Vol. 8
30 Nov 09

DRILL MODEL - Atlas Copco ROC D7 - percussion

Bit Life (feet/bit)

	Hole Diameter (inches)					
	2.50		3.00		4.00	
Granite	1,203	- 1,628	1,115	- 1,509	1,050	- 1,421
Basalt	539	- 729	499	- 676	470	- 636
Gabbro	801	- 1,083	742	- 1,004	699	- 946
Shale	1,140	- 1,542	1,057	- 1,430	995	- 1,347
Sandstone	418	- 566	388	- 525	365	- 494
Siltstone	3,019	- 4,084	2,798	- 3,786	2,636	- 3,566
Conglomer	233	- 315	216	- 292	204	- 275
Breccia	1,742	- 2,357	1,615	- 2,186	1,521	- 2,058
Limestone	1,466	- 1,983	1,359	- 1,839	1,280	- 1,732
Schist	2,727	- 3,690	2,528	- 3,421	2,381	- 3,222
Slate	1,366	- 1,848	1,266	- 1,713	1,193	- 1,613
Gneiss	587	- 795	544	- 737	513	- 694

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	2.50		3.00		4.00	
Granite	2,173	- 2,940	2,014	- 2,725	1,897	- 2,567
Basalt	1,132	- 1,532	1,050	- 1,420	989	- 1,338
Gabbro	1,278	- 1,729	1,185	- 1,603	1,116	- 1,510
Shale	2,281	- 3,086	2,115	- 2,861	1,992	- 2,695
Sandstone	2,379	- 3,218	2,205	- 2,984	2,077	- 2,810
Siltstone	2,368	- 3,204	2,195	- 2,970	2,068	- 2,798
Conglomer	2,736	- 3,701	2,536	- 3,431	2,389	- 3,232
Breccia	3,786	- 5,122	3,510	- 4,749	3,306	- 4,473
Limestone	3,140	- 4,249	2,911	- 3,939	2,742	- 3,710
Schist	3,857	- 5,218	3,576	- 4,838	3,368	- 4,556
Slate	2,503	- 3,386	2,320	- 3,139	2,185	- 2,957
Gneiss	2,276	- 3,080	2,110	- 2,855	1,987	- 2,689

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	2.50		3.00		4.00	
Granite	87	- 117	63	- 85	49	- 67
Basalt	50	- 68	37	- 50	29	- 39
Gabbro	56	- 75	41	- 55	32	- 43
Shale	90	- 122	66	- 89	51	- 69
Sandstone	93	- 126	68	- 92	53	- 72
Siltstone	93	- 126	68	- 92	53	- 71
Conglomer	105	- 142	76	- 103	60	- 81
Breccia	137	- 186	100	- 136	78	- 106
Limestone	118	- 159	86	- 116	67	- 90
Schist	140	- 189	102	- 138	79	- 107
Slate	97	- 132	71	- 96	55	- 75
Gneiss	90	- 122	66	- 89	51	- 69

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	2.50		3.00		4.00	
Granite	\$0.08	- \$0.06	\$0.12	- \$0.09	\$0.21	- \$0.16
Basalt	\$0.18	- \$0.13	\$0.26	- \$0.19	\$0.47	- \$0.35
Gabbro	\$0.12	- \$0.09	\$0.18	- \$0.13	\$0.32	- \$0.24
Shale	\$0.09	- \$0.06	\$0.12	- \$0.09	\$0.22	- \$0.17
Sandstone	\$0.23	- \$0.17	\$0.34	- \$0.25	\$0.61	- \$0.45
Siltstone	\$0.03	- \$0.02	\$0.05	- \$0.03	\$0.08	- \$0.06
Conglomer	\$0.42	- \$0.31	\$0.61	- \$0.45	\$1.10	- \$0.81
Breccia	\$0.06	- \$0.04	\$0.08	- \$0.06	\$0.15	- \$0.11
Limestone	\$0.07	- \$0.05	\$0.10	- \$0.07	\$0.17	- \$0.13
Schist	\$0.04	- \$0.03	\$0.05	- \$0.04	\$0.09	- \$0.07
Slate	\$0.07	- \$0.05	\$0.10	- \$0.08	\$0.19	- \$0.14
Gneiss	\$0.17	- \$0.12	\$0.24	- \$0.18	\$0.43	- \$0.32

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	2.50		3.00		4.00	
Granite	\$0.129	- \$0.095	\$0.161	- \$0.119	\$0.215	- \$0.159
Basalt	\$0.247	- \$0.183	\$0.309	- \$0.228	\$0.412	- \$0.304
Gabbro	\$0.219	- \$0.162	\$0.273	- \$0.202	\$0.365	- \$0.270
Shale	\$0.123	- \$0.091	\$0.153	- \$0.113	\$0.204	- \$0.151
Sandstone	\$0.118	- \$0.087	\$0.147	- \$0.109	\$0.196	- \$0.145
Siltstone	\$0.118	- \$0.087	\$0.148	- \$0.109	\$0.197	- \$0.145
Conglomer	\$0.102	- \$0.076	\$0.128	- \$0.094	\$0.170	- \$0.126
Breccia	\$0.074	- \$0.055	\$0.092	- \$0.068	\$0.123	- \$0.091
Limestone	\$0.089	- \$0.066	\$0.111	- \$0.082	\$0.148	- \$0.110
Schist	\$0.073	- \$0.054	\$0.091	- \$0.067	\$0.121	- \$0.089
Slate	\$0.112	- \$0.083	\$0.140	- \$0.103	\$0.186	- \$0.138
Gneiss	\$0.123	- \$0.091	\$0.154	- \$0.113	\$0.205	- \$0.151

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

DRILL MODEL - Atlas Copco ECM590 - percussion

Bit Life (feet/bit)

	Hole Diameter (inches)					
	2.50		3.50		4.50	
Granite	1,168	- 1,580	1,060	- 1,434	986	- 1,334
Basalt	523	- 708	475	- 642	441	- 597
Gabbro	778	- 1,052	706	- 955	656	- 888
Shale	1,107	- 1,498	1,005	- 1,359	934	- 1,264
Sandstone	406	- 550	369	- 499	343	- 464
Siltstone	2,931	- 3,966	2,660	- 3,599	2,474	- 3,347
Conglomer	226	- 306	205	- 278	191	- 259
Breccia	1,692	- 2,289	1,535	- 2,077	1,428	- 1,932
Limestone	1,424	- 1,926	1,292	- 1,748	1,201	- 1,626
Schist	2,648	- 3,583	2,403	- 3,251	2,235	- 3,024
Slate	1,326	- 1,794	1,203	- 1,628	1,119	- 1,514
Gneiss	570	- 771	517	- 700	481	- 651

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	2.50		3.50		4.50	
Granite	2,110	- 2,855	1,915	- 2,590	1,781	- 2,409
Basalt	1,100	- 1,488	998	- 1,350	928	- 1,255
Gabbro	1,241	- 1,679	1,126	- 1,524	1,047	- 1,417
Shale	2,215	- 2,997	2,010	- 2,719	1,869	- 2,529
Sandstone	2,310	- 3,125	2,096	- 2,836	1,950	- 2,638
Siltstone	2,300	- 3,111	2,087	- 2,823	1,941	- 2,626
Conglomer	2,657	- 3,594	2,411	- 3,262	2,242	- 3,033
Breccia	3,676	- 4,974	3,336	- 4,514	3,103	- 4,198
Limestone	3,049	- 4,125	2,767	- 3,744	2,573	- 3,482
Schist	3,745	- 5,067	3,399	- 4,598	3,161	- 4,277
Slate	2,430	- 3,288	2,205	- 2,984	2,051	- 2,775
Gneiss	2,210	- 2,990	2,006	- 2,714	1,865	- 2,524

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	2.50		3.50		4.50	
Granite	99	- 134	66	- 89	49	- 66
Basalt	57	- 78	38	- 52	28	- 38
Gabbro	63	- 86	42	- 57	31	- 42
Shale	103	- 139	69	- 93	51	- 69
Sandstone	107	- 144	71	- 96	52	- 71
Siltstone	106	- 144	71	- 96	52	- 71
Conglomer	120	- 162	80	- 108	59	- 80
Breccia	157	- 212	105	- 142	77	- 105
Limestone	134	- 182	90	- 121	66	- 90
Schist	159	- 216	106	- 144	79	- 106
Slate	111	- 150	74	- 100	55	- 74
Gneiss	103	- 139	68	- 93	51	- 68

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	2.50		3.50		4.50	
Granite	\$0.08	- \$0.06	\$0.15	- \$0.11	\$0.27	- \$0.20
Basalt	\$0.19	- \$0.14	\$0.34	- \$0.25	\$0.61	- \$0.45
Gabbro	\$0.13	- \$0.09	\$0.23	- \$0.17	\$0.41	- \$0.30
Shale	\$0.09	- \$0.07	\$0.16	- \$0.12	\$0.29	- \$0.21
Sandstone	\$0.24	- \$0.18	\$0.43	- \$0.32	\$0.78	- \$0.58
Siltstone	\$0.03	- \$0.02	\$0.06	- \$0.04	\$0.11	- \$0.08
Conglomer	\$0.43	- \$0.32	\$0.77	- \$0.57	\$1.40	- \$1.04
Breccia	\$0.06	- \$0.04	\$0.10	- \$0.08	\$0.19	- \$0.14
Limestone	\$0.07	- \$0.05	\$0.12	- \$0.09	\$0.22	- \$0.16
Schist	\$0.04	- \$0.03	\$0.07	- \$0.05	\$0.12	- \$0.09
Slate	\$0.07	- \$0.05	\$0.13	- \$0.10	\$0.24	- \$0.18
Gneiss	\$0.17	- \$0.13	\$0.31	- \$0.23	\$0.56	- \$0.41

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	2.50		3.50		4.50	
Granite	\$0.154	- \$0.114	\$0.213	- \$0.157	\$0.229	- \$0.169
Basalt	\$0.295	- \$0.218	\$0.408	- \$0.302	\$0.439	- \$0.324
Gabbro	\$0.261	- \$0.193	\$0.361	- \$0.267	\$0.389	- \$0.287
Shale	\$0.146	- \$0.108	\$0.202	- \$0.150	\$0.218	- \$0.161
Sandstone	\$0.140	- \$0.104	\$0.194	- \$0.144	\$0.209	- \$0.154
Siltstone	\$0.141	- \$0.104	\$0.195	- \$0.144	\$0.210	- \$0.155
Conglomer	\$0.122	- \$0.090	\$0.169	- \$0.125	\$0.182	- \$0.134
Breccia	\$0.088	- \$0.065	\$0.122	- \$0.090	\$0.131	- \$0.097
Limestone	\$0.106	- \$0.079	\$0.147	- \$0.109	\$0.158	- \$0.117
Schist	\$0.087	- \$0.064	\$0.120	- \$0.089	\$0.129	- \$0.095
Slate	\$0.133	- \$0.099	\$0.185	- \$0.136	\$0.198	- \$0.147
Gneiss	\$0.147	- \$0.108	\$0.203	- \$0.150	\$0.218	- \$0.161

(Based pm 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

EP 1110-1-8, Vol. 8
30 Nov 09

DRILL MODEL - Atlas Copco ECM720 - percussion

Bit Life (feet/bit)

	Hole Diameter (inches)					
	4.00		4.50		5.00	
Granite	2,305	- 3,118	2,228	- 3,014	2,161	- 2,924
Basalt	1,032	- 1,396	997	- 1,349	967	- 1,309
Gabbro	1,534	- 2,075	1,483	- 2,006	1,438	- 1,946
Shale	2,184	- 2,955	2,111	- 2,856	2,048	- 2,771
Sandstone	802	- 1,085	775	- 1,048	752	- 1,017
Siltstone	5,783	- 7,824	5,589	- 7,562	5,422	- 7,336
Conglomer	447	- 604	432	- 584	419	- 567
Breccia	3,338	- 4,516	3,227	- 4,365	3,130	- 4,235
Limestone	2,809	- 3,800	2,715	- 3,673	2,633	- 3,563
Schist	5,225	- 7,069	5,050	- 6,833	4,899	- 6,628
Slate	2,617	- 3,540	2,529	- 3,422	2,453	- 3,319
Gneiss	1,125	- 1,522	1,087	- 1,471	1,055	- 1,427

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	4.00		4.50		5.00	
Granite	4,163	- 5,632	4,024	- 5,444	3,903	- 5,281
Basalt	2,169	- 2,935	2,097	- 2,837	2,034	- 2,752
Gabbro	2,448	- 3,313	2,367	- 3,202	2,296	- 3,106
Shale	4,370	- 5,912	4,224	- 5,715	4,097	- 5,544
Sandstone	4,557	- 6,166	4,405	- 5,960	4,273	- 5,781
Siltstone	4,537	- 6,138	4,385	- 5,933	4,254	- 5,755
Conglomer	5,241	- 7,091	5,066	- 6,854	4,914	- 6,649
Breccia	7,253	- 9,813	7,011	- 9,485	6,801	- 9,201
Limestone	6,016	- 8,139	5,815	- 7,867	5,641	- 7,631
Schist	7,389	- 9,997	7,142	- 9,663	6,928	- 9,374
Slate	4,795	- 6,487	4,635	- 6,270	4,496	- 6,083
Gneiss	4,361	- 5,900	4,215	- 5,702	4,089	- 5,532

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	4.00		4.50		5.00	
Granite	100	- 135	87	- 117	76	- 103
Basalt	58	- 78	50	- 68	44	- 60
Gabbro	64	- 87	56	- 75	49	- 66
Shale	104	- 141	90	- 122	79	- 107
Sandstone	108	- 146	93	- 126	82	- 111
Siltstone	107	- 145	93	- 126	82	- 111
Conglomer	121	- 163	105	- 142	92	- 125
Breccia	158	- 214	137	- 186	121	- 164
Limestone	136	- 183	118	- 159	104	- 140
Schist	161	- 218	140	- 189	123	- 166
Slate	112	- 152	97	- 132	86	- 116
Gneiss	104	- 140	90	- 122	79	- 107

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	4.00		4.50		5.00	
Granite	\$0.10	- \$0.07	\$0.12	- \$0.09	\$0.15	- \$0.11
Basalt	\$0.22	- \$0.16	\$0.27	- \$0.20	\$0.33	- \$0.25
Gabbro	\$0.15	- \$0.11	\$0.18	- \$0.13	\$0.22	- \$0.16
Shale	\$0.10	- \$0.08	\$0.13	- \$0.09	\$0.16	- \$0.12
Sandstone	\$0.28	- \$0.21	\$0.35	- \$0.26	\$0.43	- \$0.32
Siltstone	\$0.04	- \$0.03	\$0.05	- \$0.04	\$0.06	- \$0.04
Conglomer	\$0.50	- \$0.37	\$0.62	- \$0.46	\$0.77	- \$0.57
Breccia	\$0.07	- \$0.05	\$0.08	- \$0.06	\$0.10	- \$0.08
Limestone	\$0.08	- \$0.06	\$0.10	- \$0.07	\$0.12	- \$0.09
Schist	\$0.04	- \$0.03	\$0.05	- \$0.04	\$0.07	- \$0.05
Slate	\$0.09	- \$0.06	\$0.11	- \$0.08	\$0.13	- \$0.10
Gneiss	\$0.20	- \$0.15	\$0.25	- \$0.18	\$0.30	- \$0.22

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	4.00		4.50		5.00	
Granite	\$0.098	- \$0.072	\$0.141	- \$0.104	\$0.146	- \$0.108
Basalt	\$0.188	- \$0.139	\$0.271	- \$0.200	\$0.279	- \$0.206
Gabbro	\$0.166	- \$0.123	\$0.240	- \$0.177	\$0.247	- \$0.183
Shale	\$0.093	- \$0.069	\$0.134	- \$0.099	\$0.139	- \$0.102
Sandstone	\$0.089	- \$0.066	\$0.129	- \$0.095	\$0.133	- \$0.098
Siltstone	\$0.090	- \$0.066	\$0.130	- \$0.096	\$0.134	- \$0.099
Conglomer	\$0.078	- \$0.057	\$0.112	- \$0.083	\$0.116	- \$0.085
Breccia	\$0.056	- \$0.041	\$0.081	- \$0.060	\$0.084	- \$0.062
Limestone	\$0.068	- \$0.050	\$0.098	- \$0.072	\$0.101	- \$0.074
Schist	\$0.055	- \$0.041	\$0.080	- \$0.059	\$0.082	- \$0.061
Slate	\$0.085	- \$0.063	\$0.123	- \$0.091	\$0.126	- \$0.093
Gneiss	\$0.093	- \$0.069	\$0.135	- \$0.100	\$0.139	- \$0.103

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

DRILL MODEL - Atlas Copco DM25SP - DTH

Bit Life (feet/bit)

	Hole Diameter (inches)					
	3.50		5.00		6.50	
Granite	2,498	- 3,380	2,254	- 3,049	2,089	- 2,827
Basalt	1,118	- 1,513	1,009	- 1,365	935	- 1,266
Gabbro	1,663	- 2,250	1,500	- 2,030	1,391	- 1,882
Shale	2,367	- 3,203	2,136	- 2,890	1,980	- 2,679
Sandstone	869	- 1,176	784	- 1,061	727	- 983
Siltstone	6,268	- 8,481	5,655	- 7,651	5,243	- 7,093
Conglomer	484	- 655	437	- 591	405	- 548
Breccia	3,618	- 4,896	3,265	- 4,417	3,026	- 4,095
Limestone	3,044	- 4,119	2,747	- 3,716	2,546	- 3,445
Schist	5,664	- 7,663	5,110	- 6,913	4,737	- 6,409
Slate	2,836	- 3,837	2,559	- 3,462	2,372	- 3,209
Gneiss	1,219	- 1,650	1,100	- 1,489	1,020	- 1,380

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	3.50		5.00		6.50	
Granite	28,996	- 39,229	26,159	- 35,392	24,252	- 32,811
Basalt	16,978	- 22,970	15,317	- 20,723	14,200	- 19,212
Gabbro	18,752	- 25,371	16,918	- 22,889	15,684	- 21,220
Shale	30,177	- 40,827	27,225	- 36,834	25,240	- 34,148
Sandstone	31,235	- 42,259	28,180	- 38,125	26,125	- 35,345
Siltstone	31,120	- 42,103	28,076	- 37,985	26,028	- 35,215
Conglomer	35,035	- 47,400	31,608	- 42,764	29,303	- 39,645
Breccia	45,750	- 61,896	41,275	- 55,842	38,265	- 51,770
Limestone	39,235	- 53,082	35,397	- 47,890	32,816	- 44,398
Schist	46,452	- 62,847	41,908	- 56,699	38,852	- 52,565
Slate	32,566	- 44,060	29,381	- 39,750	27,238	- 36,852
Gneiss	30,123	- 40,755	27,177	- 36,768	25,195	- 34,087

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	3.50		5.00		6.50	
Granite	129	- 175	84	- 114	61	- 83
Basalt	75	- 102	49	- 66	36	- 48
Gabbro	83	- 113	54	- 73	39	- 53
Shale	135	- 182	88	- 119	64	- 87
Sandstone	140	- 189	91	- 123	66	- 90
Siltstone	139	- 188	90	- 122	66	- 89
Conglomer	157	- 212	102	- 138	74	- 101
Breccia	205	- 278	134	- 181	98	- 132
Limestone	176	- 238	114	- 155	83	- 113
Schist	209	- 282	136	- 184	99	- 134
Slate	146	- 197	95	- 128	69	- 93
Gneiss	134	- 182	88	- 118	64	- 86

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	3.50		5.00		6.50	
Granite	\$0.16	- \$0.12	\$0.24	- \$0.18	\$0.31	- \$0.23
Basalt	\$0.37	- \$0.27	\$0.55	- \$0.40	\$0.68	- \$0.51
Gabbro	\$0.25	- \$0.18	\$0.37	- \$0.27	\$0.46	- \$0.34
Shale	\$0.17	- \$0.13	\$0.26	- \$0.19	\$0.32	- \$0.24
Sandstone	\$0.47	- \$0.35	\$0.70	- \$0.52	\$0.88	- \$0.65
Siltstone	\$0.07	- \$0.05	\$0.10	- \$0.07	\$0.12	- \$0.09
Conglomer	\$0.85	- \$0.63	\$1.26	- \$0.93	\$1.58	- \$1.17
Breccia	\$0.11	- \$0.08	\$0.17	- \$0.12	\$0.21	- \$0.16
Limestone	\$0.13	- \$0.10	\$0.20	- \$0.15	\$0.25	- \$0.19
Schist	\$0.07	- \$0.05	\$0.11	- \$0.08	\$0.14	- \$0.10
Slate	\$0.14	- \$0.11	\$0.21	- \$0.16	\$0.27	- \$0.20
Gneiss	\$0.34	- \$0.25	\$0.50	- \$0.37	\$0.63	- \$0.46

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	3.50		5.00		6.50	
Granite	\$0.016	- \$0.012	\$0.020	- \$0.015	\$0.025	- \$0.018
Basalt	\$0.028	- \$0.020	\$0.034	- \$0.025	\$0.042	- \$0.031
Gabbro	\$0.025	- \$0.018	\$0.031	- \$0.023	\$0.038	- \$0.028
Shale	\$0.016	- \$0.011	\$0.019	- \$0.014	\$0.024	- \$0.018
Sandstone	\$0.015	- \$0.011	\$0.019	- \$0.014	\$0.023	- \$0.017
Siltstone	\$0.015	- \$0.011	\$0.019	- \$0.014	\$0.023	- \$0.017
Conglomer	\$0.013	- \$0.010	\$0.017	- \$0.012	\$0.020	- \$0.015
Breccia	\$0.010	- \$0.008	\$0.013	- \$0.009	\$0.016	- \$0.012
Limestone	\$0.012	- \$0.009	\$0.015	- \$0.011	\$0.018	- \$0.013
Schist	\$0.010	- \$0.007	\$0.013	- \$0.009	\$0.015	- \$0.011
Slate	\$0.014	- \$0.011	\$0.018	- \$0.013	\$0.022	- \$0.016
Gneiss	\$0.016	- \$0.011	\$0.019	- \$0.014	\$0.024	- \$0.018

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

EP 1110-1-8, Vol. 8
30 Nov 09

DRILL MODEL - Atlas Copco DM30 -DTH

Bit Life (feet/bit)

	Hole Diameter (inches)					
	5.50		6.00		6.50	
Granite	1,946	- 2,633	1,898	- 2,568	1,855	- 2,509
Basalt	871	- 1,179	850	- 1,150	830	- 1,124
Gabbro	1,296	- 1,753	1,263	- 1,709	1,235	- 1,670
Shale	1,845	- 2,496	1,799	- 2,434	1,758	- 2,378
Sandstone	677	- 916	660	- 893	645	- 873
Siltstone	4,884	- 6,608	4,763	- 6,444	4,654	- 6,297
Conglomer	377	- 510	368	- 498	360	- 486
Breccia	2,819	- 3,814	2,749	- 3,720	2,687	- 3,635
Limestone	2,372	- 3,209	2,313	- 3,130	2,260	- 3,058
Schist	4,413	- 5,970	4,303	- 5,822	4,205	- 5,689
Slate	2,210	- 2,990	2,155	- 2,916	2,106	- 2,849
Gneiss	950	- 1,285	927	- 1,254	905	- 1,225

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	5.50		6.00		6.50	
Granite	26,110	- 35,326	25,463	- 34,450	24,881	- 33,663
Basalt	15,288	- 20,684	14,909	- 20,171	14,569	- 19,711
Gabbro	16,886	- 22,846	16,468	- 22,280	16,092	- 21,771
Shale	27,174	- 36,765	26,500	- 35,853	25,895	- 35,034
Sandstone	28,127	- 38,054	27,429	- 37,110	26,803	- 36,263
Siltstone	28,023	- 37,914	27,328	- 36,974	26,704	- 36,129
Conglomer	31,549	- 42,684	30,766	- 41,625	30,064	- 40,675
Breccia	41,197	- 55,738	40,176	- 54,355	39,258	- 53,114
Limestone	35,331	- 47,800	34,455	- 46,615	33,668	- 45,551
Schist	41,830	- 56,593	40,792	- 55,190	39,861	- 53,929
Slate	29,326	- 39,676	28,599	- 38,692	27,945	- 37,809
Gneiss	27,126	- 36,700	26,453	- 35,790	25,849	- 34,972

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	5.50		6.00		6.50	
Granite	81	- 110	73	- 99	67	- 90
Basalt	47	- 64	43	- 58	39	- 52
Gabbro	52	- 71	47	- 64	43	- 58
Shale	85	- 115	76	- 103	69	- 94
Sandstone	88	- 119	79	- 107	72	- 97
Siltstone	87	- 118	79	- 107	72	- 97
Conglomer	99	- 133	89	- 120	81	- 109
Breccia	129	- 175	116	- 158	106	- 143
Limestone	111	- 150	100	- 135	91	- 122
Schist	131	- 178	118	- 160	107	- 145
Slate	92	- 124	83	- 112	75	- 101
Gneiss	85	- 115	76	- 103	69	- 94

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	5.50		6.00		6.50	
Granite	\$0.30	- \$0.22	\$0.33	- \$0.25	\$0.35	- \$0.26
Basalt	\$0.66	- \$0.49	\$0.74	- \$0.55	\$0.77	- \$0.57
Gabbro	\$0.44	- \$0.33	\$0.50	- \$0.37	\$0.52	- \$0.38
Shale	\$0.31	- \$0.23	\$0.35	- \$0.26	\$0.36	- \$0.27
Sandstone	\$0.85	- \$0.63	\$0.95	- \$0.71	\$0.99	- \$0.73
Siltstone	\$0.12	- \$0.09	\$0.13	- \$0.10	\$0.14	- \$0.10
Conglomer	\$1.52	- \$1.13	\$1.71	- \$1.27	\$1.78	- \$1.32
Breccia	\$0.20	- \$0.15	\$0.23	- \$0.17	\$0.24	- \$0.18
Limestone	\$0.24	- \$0.18	\$0.27	- \$0.20	\$0.28	- \$0.21
Schist	\$0.13	- \$0.10	\$0.15	- \$0.11	\$0.15	- \$0.11
Slate	\$0.26	- \$0.19	\$0.29	- \$0.22	\$0.30	- \$0.22
Gneiss	\$0.61	- \$0.45	\$0.68	- \$0.50	\$0.71	- \$0.52

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	5.50		6.00		6.50	
Granite	\$0.020	- \$0.015	\$0.024	- \$0.017	\$0.029	- \$0.021
Basalt	\$0.034	- \$0.025	\$0.040	- \$0.030	\$0.050	- \$0.037
Gabbro	\$0.031	- \$0.023	\$0.036	- \$0.027	\$0.045	- \$0.033
Shale	\$0.019	- \$0.014	\$0.023	- \$0.017	\$0.028	- \$0.021
Sandstone	\$0.019	- \$0.014	\$0.022	- \$0.016	\$0.027	- \$0.020
Siltstone	\$0.019	- \$0.014	\$0.022	- \$0.016	\$0.027	- \$0.020
Conglomer	\$0.017	- \$0.012	\$0.019	- \$0.014	\$0.024	- \$0.018
Breccia	\$0.013	- \$0.009	\$0.015	- \$0.011	\$0.018	- \$0.014
Limestone	\$0.015	- \$0.011	\$0.017	- \$0.013	\$0.021	- \$0.016
Schist	\$0.013	- \$0.009	\$0.015	- \$0.011	\$0.018	- \$0.013
Slate	\$0.018	- \$0.013	\$0.021	- \$0.015	\$0.026	- \$0.019
Gneiss	\$0.019	- \$0.014	\$0.023	- \$0.017	\$0.028	- \$0.021

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

DRILL MODEL - Atlas Copco DM45 -DTH

Bit Life (feet/bit)

	Hole Diameter (inches)					
	5.00		6.50		8.00	
Granite	2,580	- 3,490	2,392	- 3,236	2,253	- 3,048
Basalt	1,155	- 1,563	1,071	- 1,449	1,009	- 1,364
Gabbro	1,717	- 2,323	1,592	- 2,154	1,499	- 2,029
Shale	2,445	- 3,308	2,267	- 3,067	2,135	- 2,888
Sandstone	897	- 1,214	832	- 1,126	784	- 1,060
Siltstone	6,473	- 8,758	6,001	- 8,120	5,652	- 7,647
Conglomer	500	- 677	464	- 627	437	- 591
Breccia	3,737	- 5,056	3,464	- 4,687	3,263	- 4,414
Limestone	3,144	- 4,254	2,915	- 3,944	2,745	- 3,714
Schist	5,849	- 7,913	5,422	- 7,336	5,107	- 6,910
Slate	2,929	- 3,963	2,715	- 3,674	2,557	- 3,460
Gneiss	1,259	- 1,704	1,168	- 1,580	1,100	- 1,488

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	5.00		6.50		8.00	
Granite	28,482	- 38,534	26,405	- 35,724	24,869	- 33,646
Basalt	16,677	- 22,563	15,461	- 20,917	14,561	- 19,701
Gabbro	18,420	- 24,921	17,077	- 23,104	16,083	- 21,760
Shale	29,642	- 40,104	27,480	- 37,179	25,882	- 35,017
Sandstone	30,681	- 41,510	28,444	- 38,483	26,789	- 36,245
Siltstone	30,568	- 41,357	28,339	- 38,341	26,691	- 36,111
Conglomer	34,414	- 46,560	31,904	- 43,165	30,049	- 40,654
Breccia	44,939	- 60,799	41,662	- 56,366	39,238	- 53,087
Limestone	38,539	- 52,141	35,729	- 48,339	33,651	- 45,527
Schist	45,628	- 61,733	42,301	- 57,231	39,841	- 53,902
Slate	31,989	- 43,279	29,656	- 40,123	27,931	- 37,789
Gneiss	29,589	- 40,032	27,432	- 37,113	25,836	- 34,955

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	5.00		6.50		8.00	
Granite	109	- 148	80	- 108	62	- 84
Basalt	64	- 86	46	- 63	36	- 49
Gabbro	70	- 95	51	- 69	40	- 54
Shale	114	- 154	83	- 112	65	- 88
Sandstone	118	- 160	86	- 116	67	- 91
Siltstone	118	- 159	86	- 116	67	- 90
Conglomer	133	- 179	97	- 131	75	- 102
Breccia	174	- 235	127	- 171	99	- 134
Limestone	149	- 201	108	- 147	84	- 114
Schist	177	- 239	129	- 174	100	- 136
Slate	123	- 167	90	- 121	70	- 95
Gneiss	114	- 154	83	- 112	65	- 87

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	5.00		6.50		8.00	
Granite	\$0.21	- \$0.16	\$0.27	- \$0.20	\$0.55	- \$0.40
Basalt	\$0.48	- \$0.35	\$0.60	- \$0.44	\$1.22	- \$0.90
Gabbro	\$0.32	- \$0.24	\$0.40	- \$0.30	\$0.82	- \$0.61
Shale	\$0.22	- \$0.17	\$0.28	- \$0.21	\$0.58	- \$0.43
Sandstone	\$0.61	- \$0.45	\$0.77	- \$0.57	\$1.57	- \$1.16
Siltstone	\$0.08	- \$0.06	\$0.11	- \$0.08	\$0.22	- \$0.16
Conglomer	\$1.10	- \$0.81	\$1.38	- \$1.02	\$2.82	- \$2.08
Breccia	\$0.15	- \$0.11	\$0.18	- \$0.14	\$0.38	- \$0.28
Limestone	\$0.17	- \$0.13	\$0.22	- \$0.16	\$0.45	- \$0.33
Schist	\$0.09	- \$0.07	\$0.12	- \$0.09	\$0.24	- \$0.18
Slate	\$0.19	- \$0.14	\$0.24	- \$0.17	\$0.48	- \$0.36
Gneiss	\$0.44	- \$0.32	\$0.55	- \$0.41	\$1.12	- \$0.83

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	5.00		6.50		8.00	
Granite	\$0.021	- \$0.016	\$0.027	- \$0.020	\$0.029	- \$0.021
Basalt	\$0.036	- \$0.027	\$0.047	- \$0.035	\$0.050	- \$0.037
Gabbro	\$0.033	- \$0.024	\$0.042	- \$0.031	\$0.045	- \$0.033
Shale	\$0.020	- \$0.015	\$0.026	- \$0.019	\$0.028	- \$0.021
Sandstone	\$0.020	- \$0.014	\$0.025	- \$0.019	\$0.027	- \$0.020
Siltstone	\$0.020	- \$0.014	\$0.025	- \$0.019	\$0.027	- \$0.020
Conglomer	\$0.017	- \$0.013	\$0.023	- \$0.017	\$0.024	- \$0.018
Breccia	\$0.013	- \$0.010	\$0.017	- \$0.013	\$0.018	- \$0.014
Limestone	\$0.016	- \$0.011	\$0.020	- \$0.015	\$0.021	- \$0.016
Schist	\$0.013	- \$0.010	\$0.017	- \$0.013	\$0.018	- \$0.013
Slate	\$0.019	- \$0.014	\$0.024	- \$0.018	\$0.026	- \$0.019
Gneiss	\$0.020	- \$0.015	\$0.026	- \$0.019	\$0.028	- \$0.021

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

EP 1110-1-8, Vol. 8
30 Nov 09

DRILL MODEL - Atlas Copco DM M2 -DTH

Bit Life (feet/bit)

	Hole Diameter (inches)					
	8.88		10.00		11.875	
Granite	1,779	- 2,407	1,719	- 2,325	1,636	- 2,213
Basalt	796	- 1,078	770	- 1,041	732	- 991
Gabbro	1,184	- 1,602	1,144	- 1,548	1,089	- 1,473
Shale	1,686	- 2,281	1,629	- 2,204	1,550	- 2,097
Sandstone	619	- 837	598	- 809	569	- 770
Siltstone	4,464	- 6,039	4,313	- 5,835	4,104	- 5,553
Conglomer	345	- 467	333	- 451	317	- 429
Breccia	2,577	- 3,486	2,490	- 3,368	2,369	- 3,205
Limestone	2,168	- 2,933	2,095	- 2,834	1,993	- 2,697
Schist	4,033	- 5,457	3,897	- 5,272	3,708	- 5,017
Slate	2,020	- 2,733	1,951	- 2,640	1,857	- 2,512
Gneiss	868	- 1,175	839	- 1,135	798	- 1,080

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	8.88		10.00		11.875	
Granite	25,947	- 35,105	25,069	- 33,917	23,856	- 32,276
Basalt	15,193	- 20,555	14,679	- 19,859	13,968	- 18,898
Gabbro	16,781	- 22,704	16,213	- 21,935	15,428	- 20,874
Shale	27,004	- 36,535	26,090	- 35,298	24,828	- 33,590
Sandstone	27,951	- 37,817	27,005	- 36,536	25,698	- 34,768
Siltstone	27,848	- 37,677	26,905	- 36,401	25,604	- 34,640
Conglomer	31,352	- 42,417	30,290	- 40,981	28,825	- 38,998
Breccia	40,940	- 55,390	39,554	- 53,514	37,640	- 50,925
Limestone	35,110	- 47,502	33,921	- 45,894	32,280	- 43,673
Schist	41,569	- 56,240	40,161	- 54,336	38,218	- 51,707
Slate	29,143	- 39,428	28,156	- 38,093	26,794	- 36,250
Gneiss	26,957	- 36,471	26,044	- 35,236	24,784	- 33,531

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	8.88		10.00		11.875	
Granite	69	- 93	60	- 81	48	- 66
Basalt	40	- 54	35	- 47	28	- 38
Gabbro	44	- 60	38	- 52	31	- 42
Shale	72	- 97	62	- 84	50	- 68
Sandstone	74	- 100	64	- 87	52	- 71
Siltstone	74	- 100	64	- 87	52	- 70
Conglomer	83	- 113	72	- 98	59	- 79
Breccia	109	- 148	95	- 128	77	- 104
Limestone	94	- 127	81	- 110	66	- 89
Schist	111	- 150	96	- 130	78	- 106
Slate	77	- 105	67	- 91	55	- 74
Gneiss	72	- 97	62	- 84	50	- 68

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	8.88		10.00		11.875	
Granite	\$0.78	- \$0.58	\$1.11	- \$0.82	\$2.75	- \$2.03
Basalt	\$1.74	- \$1.29	\$2.47	- \$1.82	\$6.15	- \$4.54
Gabbro	\$1.17	- \$0.86	\$1.66	- \$1.23	\$4.13	- \$3.06
Shale	\$0.82	- \$0.61	\$1.17	- \$0.86	\$2.90	- \$2.15
Sandstone	\$2.24	- \$1.65	\$3.18	- \$2.35	\$7.91	- \$5.85
Siltstone	\$0.31	- \$0.23	\$0.44	- \$0.33	\$1.10	- \$0.81
Conglomer	\$4.02	- \$2.97	\$5.70	- \$4.22	\$14.19	- \$10.49
Breccia	\$0.54	- \$0.40	\$0.76	- \$0.56	\$1.90	- \$1.40
Limestone	\$0.64	- \$0.47	\$0.91	- \$0.67	\$2.26	- \$1.67
Schist	\$0.34	- \$0.25	\$0.49	- \$0.36	\$1.21	- \$0.90
Slate	\$0.69	- \$0.51	\$0.97	- \$0.72	\$2.42	- \$1.79
Gneiss	\$1.59	- \$1.18	\$2.26	- \$1.67	\$5.64	- \$4.17

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	8.88		10.00		11.875	
Granite	\$0.038	- \$0.028	\$0.040	- \$0.029	\$0.042	- \$0.031
Basalt	\$0.065	- \$0.048	\$0.068	- \$0.050	\$0.071	- \$0.053
Gabbro	\$0.059	- \$0.044	\$0.061	- \$0.045	\$0.064	- \$0.048
Shale	\$0.037	- \$0.027	\$0.038	- \$0.028	\$0.040	- \$0.030
Sandstone	\$0.036	- \$0.026	\$0.037	- \$0.027	\$0.039	- \$0.029
Siltstone	\$0.036	- \$0.026	\$0.037	- \$0.027	\$0.039	- \$0.029
Conglomer	\$0.032	- \$0.023	\$0.033	- \$0.024	\$0.035	- \$0.026
Breccia	\$0.024	- \$0.018	\$0.025	- \$0.019	\$0.026	- \$0.020
Limestone	\$0.028	- \$0.021	\$0.029	- \$0.022	\$0.031	- \$0.023
Schist	\$0.024	- \$0.018	\$0.025	- \$0.018	\$0.026	- \$0.019
Slate	\$0.034	- \$0.025	\$0.035	- \$0.026	\$0.037	- \$0.027
Gneiss	\$0.037	- \$0.027	\$0.038	- \$0.028	\$0.040	- \$0.030

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

DRILL MODEL - Atlas Copco DM25SP - Rotary

Bit Life (feet/bit)

	Hole Diameter (inches)					
	3.88		5.00		6.25	
Granite	3,585	- 4,851	3,364	- 4,552	3,182	- 4,305
Basalt	1,878	- 2,541	1,762	- 2,384	1,667	- 2,255
Gabbro	2,118	- 2,865	1,987	- 2,689	1,880	- 2,543
Shale	3,762	- 5,090	3,531	- 4,777	3,339	- 4,518
Sandstone	3,922	- 5,307	3,681	- 4,980	3,481	- 4,710
Siltstone	3,905	- 5,283	3,664	- 4,957	3,466	- 4,689
Conglome:	4,506	- 6,096	4,228	- 5,720	3,999	- 5,411
Breccia	6,220	- 8,415	5,836	- 7,896	5,520	- 7,468
Limestone	5,166	- 6,990	4,848	- 6,559	4,585	- 6,203
Schist	6,335	- 8,571	5,945	- 8,043	5,623	- 7,607
Slate	4,125	- 5,581	3,871	- 5,237	3,661	- 4,953
Gneiss	3,754	- 5,079	3,523	- 4,766	3,332	- 4,508

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	3.88		5.00		6.25	
Granite	44,519	- 60,232	41,775	- 56,519	39,512	- 53,457
Basalt	26,067	- 35,267	24,460	- 33,093	23,135	- 31,301
Gabbro	28,792	- 38,954	27,017	- 36,552	25,553	- 34,572
Shale	46,333	- 62,685	43,477	- 58,821	41,121	- 55,635
Sandstone	47,957	- 64,883	45,001	- 60,884	42,563	- 57,586
Siltstone	47,780	- 64,644	44,835	- 60,659	42,406	- 57,373
Conglome:	53,792	- 72,777	50,476	- 68,291	47,741	- 64,591
Breccia	70,243	- 95,034	65,913	- 89,176	62,342	- 84,345
Limestone	60,240	- 81,501	56,527	- 76,478	53,465	- 72,334
Schist	71,321	- 96,493	66,925	- 90,545	63,299	- 85,640
Slate	50,001	- 67,649	46,919	- 63,479	44,377	- 60,040
Gneiss	46,250	- 62,574	43,400	- 58,717	41,048	- 55,536

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	3.88		5.00		6.25	
Granite	57	- 77	34	- 46	22	- 29
Basalt	33	- 45	20	- 27	13	- 17
Gabbro	37	- 50	22	- 30	14	- 19
Shale	60	- 81	36	- 48	23	- 31
Sandstone	62	- 83	37	- 50	23	- 32
Siltstone	61	- 83	37	- 50	23	- 32
Conglome:	69	- 94	41	- 56	26	- 36
Breccia	91	- 123	54	- 73	34	- 47
Limestone	78	- 105	46	- 63	29	- 40
Schist	92	- 125	55	- 74	35	- 47
Slate	64	- 87	38	- 52	24	- 33
Gneiss	59	- 80	35	- 48	23	- 31

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	3.88		5.00		6.25	
Granite	\$0.32	- \$0.24	\$0.48	- \$0.36	\$0.69	- \$0.51
Basalt	\$0.61	- \$0.45	\$0.92	- \$0.68	\$1.32	- \$0.98
Gabbro	\$0.54	- \$0.40	\$0.82	- \$0.61	\$1.17	- \$0.87
Shale	\$0.31	- \$0.23	\$0.46	- \$0.34	\$0.66	- \$0.49
Sandstone	\$0.29	- \$0.22	\$0.44	- \$0.33	\$0.63	- \$0.47
Siltstone	\$0.29	- \$0.22	\$0.44	- \$0.33	\$0.64	- \$0.47
Conglome:	\$0.26	- \$0.19	\$0.39	- \$0.28	\$0.55	- \$0.41
Breccia	\$0.18	- \$0.14	\$0.28	- \$0.21	\$0.40	- \$0.30
Limestone	\$0.22	- \$0.16	\$0.34	- \$0.25	\$0.48	- \$0.36
Schist	\$0.18	- \$0.13	\$0.27	- \$0.20	\$0.39	- \$0.29
Slate	\$0.28	- \$0.21	\$0.42	- \$0.31	\$0.60	- \$0.45
Gneiss	\$0.31	- \$0.23	\$0.46	- \$0.34	\$0.66	- \$0.49

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	3.88		5.00		6.25	
Granite	\$0.012	- \$0.009	\$0.038	- \$0.028	\$0.047	- \$0.035
Basalt	\$0.020	- \$0.015	\$0.065	- \$0.048	\$0.081	- \$0.060
Gabbro	\$0.018	- \$0.014	\$0.059	- \$0.043	\$0.073	- \$0.054
Shale	\$0.011	- \$0.008	\$0.036	- \$0.027	\$0.046	- \$0.034
Sandstone	\$0.011	- \$0.008	\$0.035	- \$0.026	\$0.044	- \$0.033
Siltstone	\$0.011	- \$0.008	\$0.035	- \$0.026	\$0.044	- \$0.033
Conglome:	\$0.010	- \$0.007	\$0.031	- \$0.023	\$0.039	- \$0.029
Breccia	\$0.007	- \$0.006	\$0.024	- \$0.018	\$0.030	- \$0.022
Limestone	\$0.009	- \$0.006	\$0.028	- \$0.021	\$0.035	- \$0.026
Schist	\$0.007	- \$0.005	\$0.024	- \$0.017	\$0.030	- \$0.022
Slate	\$0.011	- \$0.008	\$0.034	- \$0.025	\$0.042	- \$0.031
Gneiss	\$0.011	- \$0.008	\$0.036	- \$0.027	\$0.046	- \$0.034

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

EP 1110-1-8, Vol. 8
30 Nov 09

DRILL MODEL - Atlas Copco DM30 -Rotary

Bit Life (feet/bit)

	Hole Diameter (inches)					
	5.50		6.00		6.75	
Granite	3,347	- 4,528	3,275	- 4,431	3,180	- 4,302
Basalt	1,753	- 2,372	1,716	- 2,321	1,666	- 2,254
Gabbro	1,977	- 2,675	1,934	- 2,617	1,878	- 2,541
Shale	3,512	- 4,752	3,437	- 4,649	3,337	- 4,515
Sandstone	3,661	- 4,954	3,583	- 4,847	3,479	- 4,707
Siltstone	3,645	- 4,931	3,567	- 4,826	3,463	- 4,686
Conglomer	4,206	- 5,690	4,116	- 5,568	3,996	- 5,407
Breccia	5,806	- 7,855	5,681	- 7,686	5,516	- 7,463
Limestone	4,822	- 6,524	4,719	- 6,384	4,582	- 6,199
Schist	5,913	- 8,000	5,786	- 7,829	5,619	- 7,602
Slate	3,851	- 5,210	3,768	- 5,098	3,659	- 4,950
Gneiss	3,504	- 4,741	3,429	- 4,639	3,330	- 4,505

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	5.50		6.00		6.75	
Granite	41,556	- 56,222	40,663	- 55,014	39,485	- 53,421
Basalt	24,332	- 32,920	23,809	- 32,212	23,119	- 31,279
Gabbro	26,875	- 36,360	26,298	- 35,579	25,536	- 34,549
Shale	43,248	- 58,513	42,319	- 57,255	41,093	- 55,597
Sandstone	44,765	- 60,564	43,803	- 59,263	42,534	- 57,546
Siltstone	44,600	- 60,341	43,642	- 59,045	42,377	- 57,334
Conglomer	50,211	- 67,932	49,132	- 66,473	47,709	- 64,547
Breccia	65,567	- 88,708	64,158	- 86,802	62,299	- 84,288
Limestone	56,230	- 76,076	55,022	- 74,441	53,428	- 72,285
Schist	66,573	- 90,070	65,143	- 88,135	63,256	- 85,582
Slate	46,673	- 63,146	45,670	- 61,789	44,347	- 59,999
Gneiss	43,172	- 58,409	42,244	- 57,154	41,020	- 55,498

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	5.50		6.00		6.75	
Granite	32	- 43	27	- 36	21	- 28
Basalt	18	- 25	15	- 21	12	- 16
Gabbro	20	- 28	17	- 23	13	- 18
Shale	33	- 45	28	- 37	22	- 29
Sandstone	34	- 46	29	- 39	23	- 31
Siltstone	34	- 46	29	- 39	22	- 30
Conglomer	38	- 52	32	- 44	25	- 34
Breccia	50	- 68	42	- 57	33	- 45
Limestone	43	- 58	36	- 49	28	- 38
Schist	51	- 69	43	- 58	34	- 46
Slate	36	- 48	30	- 40	24	- 32
Gneiss	33	- 45	28	- 37	22	- 29

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	5.50		6.00		6.75	
Granite	\$0.59	- \$0.44	\$0.65	- \$0.48	\$0.77	- \$0.57
Basalt	\$1.12	- \$0.83	\$1.24	- \$0.92	\$1.48	- \$1.09
Gabbro	\$1.00	- \$0.74	\$1.10	- \$0.81	\$1.31	- \$0.97
Shale	\$0.56	- \$0.42	\$0.62	- \$0.46	\$0.74	- \$0.55
Sandstone	\$0.54	- \$0.40	\$0.59	- \$0.44	\$0.71	- \$0.52
Siltstone	\$0.54	- \$0.40	\$0.60	- \$0.44	\$0.71	- \$0.53
Conglomer	\$0.47	- \$0.35	\$0.52	- \$0.38	\$0.62	- \$0.46
Breccia	\$0.34	- \$0.25	\$0.38	- \$0.28	\$0.45	- \$0.33
Limestone	\$0.41	- \$0.30	\$0.45	- \$0.33	\$0.54	- \$0.40
Schist	\$0.33	- \$0.25	\$0.37	- \$0.27	\$0.44	- \$0.32
Slate	\$0.51	- \$0.38	\$0.57	- \$0.42	\$0.67	- \$0.50
Gneiss	\$0.56	- \$0.42	\$0.62	- \$0.46	\$0.74	- \$0.55

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	5.50		6.00		6.75	
Granite	\$0.045	- \$0.033	\$0.046	- \$0.034	\$0.047	- \$0.035
Basalt	\$0.077	- \$0.057	\$0.079	- \$0.058	\$0.081	- \$0.060
Gabbro	\$0.070	- \$0.051	\$0.071	- \$0.053	\$0.073	- \$0.054
Shale	\$0.043	- \$0.032	\$0.044	- \$0.033	\$0.046	- \$0.034
Sandstone	\$0.042	- \$0.031	\$0.043	- \$0.032	\$0.044	- \$0.033
Siltstone	\$0.042	- \$0.031	\$0.043	- \$0.032	\$0.044	- \$0.033
Conglomer	\$0.037	- \$0.028	\$0.038	- \$0.028	\$0.039	- \$0.029
Breccia	\$0.029	- \$0.021	\$0.029	- \$0.022	\$0.030	- \$0.022
Limestone	\$0.033	- \$0.025	\$0.034	- \$0.025	\$0.035	- \$0.026
Schist	\$0.028	- \$0.021	\$0.029	- \$0.021	\$0.030	- \$0.022
Slate	\$0.040	- \$0.030	\$0.041	- \$0.030	\$0.042	- \$0.031
Gneiss	\$0.043	- \$0.032	\$0.044	- \$0.033	\$0.046	- \$0.034

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

DRILL MODEL - Atlas Copco DM45 -Rotary

Bit Life (feet/bit)

	Hole Diameter (inches)					
	5.00		6.75		7.875	
Granite	3,619	- 4,897	3,358	- 4,543	3,231	- 4,372
Basalt	1,896	- 2,565	1,759	- 2,380	1,693	- 2,290
Gabbro	2,138	- 2,893	1,984	- 2,684	1,909	- 2,582
Shale	3,798	- 5,139	3,524	- 4,768	3,391	- 4,588
Sandstone	3,960	- 5,357	3,674	- 4,971	3,535	- 4,783
Siltstone	3,942	- 5,333	3,658	- 4,948	3,519	- 4,762
Conglome:	4,549	- 6,154	4,220	- 5,710	4,061	- 5,494
Breccia	6,279	- 8,495	5,825	- 7,881	5,606	- 7,584
Limestone	5,215	- 7,056	4,839	- 6,547	4,656	- 6,300
Schist	6,395	- 8,652	5,934	- 8,028	5,710	- 7,725
Slate	4,164	- 5,634	3,864	- 5,228	3,718	- 5,030
Gneiss	3,790	- 5,128	3,517	- 4,758	3,384	- 4,578

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	5.00		6.75		7.875	
Granite	44,942	- 60,803	41,698	- 56,415	40,124	- 54,286
Basalt	26,314	- 35,602	24,415	- 33,033	23,494	- 31,786
Gabbro	29,065	- 39,323	26,967	- 36,485	25,950	- 35,108
Shale	46,772	- 63,280	43,397	- 58,713	41,759	- 56,497
Sandstone	48,412	- 65,499	44,919	- 60,772	43,223	- 58,478
Siltstone	48,234	- 65,258	44,753	- 60,548	43,064	- 58,263
Conglome:	54,302	- 73,468	50,383	- 68,166	48,482	- 65,593
Breccia	70,909	- 95,936	65,792	- 89,013	63,309	- 85,653
Limestone	60,812	- 82,275	56,423	- 76,337	54,293	- 73,456
Schist	71,998	- 97,409	66,802	- 90,379	64,280	- 86,968
Slate	50,476	- 68,291	46,833	- 63,362	45,065	- 60,971
Gneiss	46,689	- 63,168	43,320	- 58,609	41,685	- 56,397

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	5.00		6.75		7.875	
Granite	50	- 68	27	- 37	20	- 27
Basalt	29	- 39	16	- 21	12	- 16
Gabbro	32	- 44	17	- 24	13	- 17
Shale	52	- 71	28	- 38	21	- 28
Sandstone	54	- 73	29	- 40	21	- 29
Siltstone	54	- 73	29	- 40	21	- 29
Conglome:	61	- 82	33	- 45	24	- 33
Breccia	80	- 108	43	- 59	32	- 43
Limestone	68	- 92	37	- 50	27	- 37
Schist	81	- 109	44	- 59	32	- 44
Slate	56	- 76	31	- 41	22	- 30
Gneiss	52	- 70	28	- 38	21	- 28

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	5.00		6.75		7.875	
Granite	\$0.45	- \$0.33	\$0.73	- \$0.54	\$0.94	- \$0.69
Basalt	\$0.86	- \$0.64	\$1.40	- \$1.03	\$1.79	- \$1.32
Gabbro	\$0.76	- \$0.56	\$1.24	- \$0.92	\$1.58	- \$1.17
Shale	\$0.43	- \$0.32	\$0.70	- \$0.52	\$0.89	- \$0.66
Sandstone	\$0.41	- \$0.30	\$0.67	- \$0.50	\$0.86	- \$0.63
Siltstone	\$0.41	- \$0.31	\$0.67	- \$0.50	\$0.86	- \$0.63
Conglome:	\$0.36	- \$0.26	\$0.58	- \$0.43	\$0.74	- \$0.55
Breccia	\$0.26	- \$0.19	\$0.42	- \$0.31	\$0.54	- \$0.40
Limestone	\$0.31	- \$0.23	\$0.51	- \$0.38	\$0.65	- \$0.48
Schist	\$0.25	- \$0.19	\$0.42	- \$0.31	\$0.53	- \$0.39
Slate	\$0.39	- \$0.29	\$0.64	- \$0.47	\$0.81	- \$0.60
Gneiss	\$0.43	- \$0.32	\$0.70	- \$0.52	\$0.89	- \$0.66

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	5.00		6.75		7.875	
Granite	\$0.035	- \$0.026	\$0.045	- \$0.033	\$0.069	- \$0.051
Basalt	\$0.060	- \$0.044	\$0.077	- \$0.057	\$0.117	- \$0.087
Gabbro	\$0.054	- \$0.040	\$0.069	- \$0.051	\$0.106	- \$0.079
Shale	\$0.034	- \$0.025	\$0.043	- \$0.032	\$0.066	- \$0.049
Sandstone	\$0.033	- \$0.024	\$0.042	- \$0.031	\$0.064	- \$0.047
Siltstone	\$0.033	- \$0.024	\$0.042	- \$0.031	\$0.064	- \$0.047
Conglome:	\$0.029	- \$0.022	\$0.037	- \$0.027	\$0.057	- \$0.042
Breccia	\$0.022	- \$0.017	\$0.028	- \$0.021	\$0.044	- \$0.032
Limestone	\$0.026	- \$0.019	\$0.033	- \$0.025	\$0.051	- \$0.038
Schist	\$0.022	- \$0.016	\$0.028	- \$0.021	\$0.043	- \$0.032
Slate	\$0.031	- \$0.023	\$0.040	- \$0.030	\$0.061	- \$0.045
Gneiss	\$0.034	- \$0.025	\$0.043	- \$0.032	\$0.066	- \$0.049

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

EP 1110-1-8, Vol. 8
30 Nov 09

DRILL MODEL - Atlas Copco DM M2 -Rotary

Bit Life (feet/bit)

	Hole Diameter (inches)					
	9.00		9.875		11.00	
Granite	3,312	- 4,481	3,236	- 4,378	3,150	- 4,262
Basalt	1,735	- 2,347	1,695	- 2,294	1,650	- 2,233
Gabbro	1,956	- 2,647	1,912	- 2,586	1,861	- 2,518
Shale	3,476	- 4,702	3,396	- 4,595	3,306	- 4,473
Sandstone	3,623	- 4,902	3,540	- 4,790	3,446	- 4,663
Siltstone	3,607	- 4,880	3,525	- 4,769	3,431	- 4,642
Conglomer	4,162	- 5,631	4,067	- 5,502	3,959	- 5,356
Breccia	5,745	- 7,773	5,614	- 7,595	5,465	- 7,393
Limestone	4,772	- 6,457	4,663	- 6,309	4,539	- 6,141
Schist	5,852	- 7,917	5,718	- 7,736	5,566	- 7,531
Slate	3,811	- 5,156	3,723	- 5,038	3,624	- 4,904
Gneiss	3,468	- 4,692	3,389	- 4,585	3,299	- 4,463

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	9.00		9.875		11.00	
Granite	41,124	- 55,639	40,183	- 54,365	39,115	- 52,921
Basalt	24,079	- 32,578	23,528	- 31,832	22,903	- 30,986
Gabbro	26,596	- 35,983	25,987	- 35,159	25,297	- 34,225
Shale	42,800	- 57,905	41,820	- 56,580	40,709	- 55,077
Sandstone	44,300	- 59,936	43,286	- 58,564	42,136	- 57,008
Siltstone	44,137	- 59,715	43,127	- 58,348	41,981	- 56,798
Conglomer	49,690	- 67,228	48,552	- 65,689	47,262	- 63,943
Breccia	64,887	- 87,788	63,401	- 85,778	61,717	- 83,499
Limestone	55,647	- 75,287	54,373	- 73,563	52,928	- 71,609
Schist	65,883	- 89,135	64,374	- 87,095	62,664	- 84,781
Slate	46,189	- 62,490	45,131	- 61,060	43,932	- 59,438
Gneiss	42,724	- 57,803	41,746	- 56,479	40,637	- 54,979

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	9.00		9.875		11.00	
Granite	21	- 29	18	- 24	14	- 19
Basalt	12	- 17	10	- 14	8	- 11
Gabbro	14	- 18	11	- 15	9	- 12
Shale	22	- 30	18	- 25	15	- 20
Sandstone	23	- 31	19	- 26	15	- 21
Siltstone	23	- 31	19	- 26	15	- 21
Conglomer	26	- 35	21	- 29	17	- 23
Breccia	34	- 46	28	- 38	22	- 30
Limestone	29	- 39	24	- 32	19	- 26
Schist	34	- 46	28	- 38	23	- 31
Slate	24	- 32	20	- 27	16	- 22
Gneiss	22	- 30	18	- 25	15	- 20

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	9.00		9.875		11.00	
Granite	\$1.08	- \$0.80	\$1.48	- \$1.09	\$1.79	- \$1.32
Basalt	\$2.07	- \$1.53	\$2.82	- \$2.09	\$3.42	- \$2.53
Gabbro	\$1.83	- \$1.36	\$2.50	- \$1.85	\$3.03	- \$2.24
Shale	\$1.03	- \$0.76	\$1.41	- \$1.04	\$1.71	- \$1.26
Sandstone	\$0.99	- \$0.73	\$1.35	- \$1.00	\$1.64	- \$1.21
Siltstone	\$0.99	- \$0.74	\$1.36	- \$1.00	\$1.64	- \$1.22
Conglomer	\$0.86	- \$0.64	\$1.18	- \$0.87	\$1.42	- \$1.05
Breccia	\$0.62	- \$0.46	\$0.85	- \$0.63	\$1.03	- \$0.76
Limestone	\$0.75	- \$0.56	\$1.03	- \$0.76	\$1.24	- \$0.92
Schist	\$0.61	- \$0.45	\$0.84	- \$0.62	\$1.01	- \$0.75
Slate	\$0.94	- \$0.70	\$1.29	- \$0.95	\$1.56	- \$1.15
Gneiss	\$1.03	- \$0.76	\$1.41	- \$1.04	\$1.71	- \$1.26

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	9.00		9.875		11.00	
Granite	\$0.067	- \$0.050	\$0.069	- \$0.051	\$0.070	- \$0.051
Basalt	\$0.115	- \$0.085	\$0.117	- \$0.087	\$0.119	- \$0.088
Gabbro	\$0.104	- \$0.077	\$0.106	- \$0.078	\$0.108	- \$0.079
Shale	\$0.064	- \$0.048	\$0.066	- \$0.049	\$0.067	- \$0.049
Sandstone	\$0.062	- \$0.046	\$0.064	- \$0.047	\$0.065	- \$0.048
Siltstone	\$0.063	- \$0.046	\$0.064	- \$0.047	\$0.065	- \$0.048
Conglomer	\$0.056	- \$0.041	\$0.057	- \$0.042	\$0.058	- \$0.043
Breccia	\$0.043	- \$0.031	\$0.044	- \$0.032	\$0.044	- \$0.033
Limestone	\$0.050	- \$0.037	\$0.051	- \$0.038	\$0.051	- \$0.038
Schist	\$0.042	- \$0.031	\$0.043	- \$0.032	\$0.043	- \$0.032
Slate	\$0.060	- \$0.044	\$0.061	- \$0.045	\$0.062	- \$0.046
Gneiss	\$0.065	- \$0.048	\$0.066	- \$0.049	\$0.067	- \$0.049

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

DRILL MODEL - Bucyrus International 59R -Rotary

Bit Life (feet/bit)

	Hole Diameter (inches)					
	12.25		15.00		16.00	
Granite	3379.984	- 4572.919	3213.372	- 4347.504	3162.023	- 4278.031
Basalt	1770.653	- 2395.589	1683.371	- 2277.502	1656.471	- 2241.108
Gabbro	1996.573	- 2701.246	1898.155	- 2568.092	1867.823	- 2527.054
Shale	3546.993	- 4798.873	3372.149	- 4562.319	3318.263	- 4489.414
Sandstone	3697.769	- 5002.863	3515.492	- 4756.254	3459.315	- 4680.25
Siltstone	3681.304	- 4980.588	3499.839	- 4735.076	3443.912	- 4659.411
Conglome	4247.818	- 5747.048	4038.427	- 5463.755	3973.894	- 5376.445
Breccia	5863.339	- 7932.753	5574.314	- 7541.719	5485.238	- 7421.204
Limestone	4870.335	- 6589.277	4630.259	- 6264.468	4556.268	- 6164.363
Schist	5972.24	- 8080.09	5677.846	- 7681.792	5587.116	- 7559.039
Slate	3888.976	- 5261.555	3697.274	- 5002.194	3638.192	- 4922.26
Gneiss	3539.394	- 4788.591	3364.924	- 4552.544	3311.153	- 4479.796

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	12.25		15.00		16.00	
Granite	41969.55	- 56782.33	39900.72	- 53983.32	39263.11	- 53120.68
Basalt	24574.25	- 33247.51	23362.89	- 31608.62	22989.56	- 31103.52
Gabbro	27142.87	- 36722.71	25804.9	- 34912.52	25392.55	- 34354.62
Shale	43679.22	- 59095.42	41526.11	- 56182.39	40862.54	- 55284.61
Sandstone	45210.83	- 61167.6	42982.23	- 58152.42	42295.38	- 57223.16
Siltstone	45044.11	- 60942.03	42823.72	- 57937.98	42139.41	- 57012.14
Conglome	50711.07	- 68609.09	48211.33	- 65227.1	47440.93	- 64184.78
Breccia	66219.99	- 89591.75	62955.76	- 85175.45	61949.75	- 83814.36
Limestone	56790.17	- 76833.76	53990.78	- 73046.35	53128.02	- 71879.08
Schist	67236.6	- 90967.16	63922.26	- 86483.06	62900.8	- 85101.08
Slate	47137.81	- 63774.69	44814.22	- 60631	44098.1	- 59662.13
Gneiss	43601.73	- 58990.58	41452.44	- 56082.72	40790.04	- 55186.53

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	12.25		15.00		16.00	
Granite	19.00236	- 25.70907	12.60139	- 17.04894	11.05531	- 14.95719
Basalt	11.03265	- 14.92652	7.316286	- 9.898504	6.418644	- 8.684048
Gabbro	12.205	- 16.51264	8.093728	- 10.95034	7.100701	- 9.606831
Shale	19.78892	- 26.77325	13.123	- 17.75464	11.51293	- 15.57631
Sandstone	20.49398	- 27.72715	13.59055	- 18.38722	11.92312	- 16.13128
Siltstone	20.41721	- 27.62329	13.53965	- 18.31835	11.87846	- 16.07085
Conglome	23.02897	- 31.15684	15.27163	- 20.66162	13.39794	- 18.12663
Breccia	30.19898	- 40.85745	20.02642	- 27.09456	17.56936	- 23.77031
Limestone	25.83581	- 34.95433	17.13298	- 23.17992	15.03092	- 20.33595
Schist	30.66998	- 41.49468	20.33876	- 27.51714	17.84338	- 24.14104
Slate	21.38157	- 28.92801	14.17916	- 19.18357	12.43951	- 16.82992
Gneiss	19.75326	- 26.725	13.09935	- 17.72265	11.49218	- 15.54824

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	12.25		15.00		16.00	
Granite	\$1.95	- \$1.44	\$3.23	- \$2.38	\$3.48	- \$2.58
Basalt	\$3.73	- \$2.76	\$6.16	- \$4.55	\$6.65	- \$4.92
Gabbro	\$3.31	- \$2.44	\$5.46	- \$4.04	\$5.90	- \$4.36
Shale	\$1.86	- \$1.38	\$3.07	- \$2.27	\$3.32	- \$2.45
Sandstone	\$1.79	- \$1.32	\$2.95	- \$2.18	\$3.18	- \$2.35
Siltstone	\$1.79	- \$1.33	\$2.96	- \$2.19	\$3.20	- \$2.36
Conglome	\$1.55	- \$1.15	\$2.57	- \$1.90	\$2.77	- \$2.05
Breccia	\$1.13	- \$0.83	\$1.86	- \$1.37	\$2.01	- \$1.48
Limestone	\$1.36	- \$1.00	\$2.24	- \$1.65	\$2.42	- \$1.79
Schist	\$1.11	- \$0.82	\$1.83	- \$1.35	\$1.97	- \$1.46
Slate	\$1.70	- \$1.25	\$2.80	- \$2.07	\$3.03	- \$2.24
Gneiss	\$1.87	- \$1.38	\$3.08	- \$2.28	\$3.33	- \$2.46

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	12.25		15.00		16.00	
Granite	\$0.078	- \$0.058	\$0.082	- \$0.061	\$0.083	- \$0.062
Basalt	\$0.133	- \$0.098	\$0.140	- \$0.104	\$0.142	- \$0.105
Gabbro	\$0.121	- \$0.089	\$0.127	- \$0.094	\$0.129	- \$0.095
Shale	\$0.075	- \$0.055	\$0.079	- \$0.058	\$0.080	- \$0.059
Sandstone	\$0.072	- \$0.054	\$0.076	- \$0.056	\$0.077	- \$0.057
Siltstone	\$0.073	- \$0.054	\$0.076	- \$0.056	\$0.078	- \$0.057
Conglome	\$0.065	- \$0.048	\$0.068	- \$0.050	\$0.069	- \$0.051
Breccia	\$0.049	- \$0.037	\$0.052	- \$0.038	\$0.053	- \$0.039
Limestone	\$0.058	- \$0.043	\$0.061	- \$0.045	\$0.062	- \$0.046
Schist	\$0.049	- \$0.036	\$0.051	- \$0.038	\$0.052	- \$0.038
Slate	\$0.069	- \$0.051	\$0.073	- \$0.054	\$0.074	- \$0.055
Gneiss	\$0.075	- \$0.055	\$0.079	- \$0.058	\$0.080	- \$0.059

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

EP 1110-1-8, Vol. 8
30 Nov 09

DRILL MODEL - Atlas Copco TBH4 - Rotary

Bit Life (feet/bit)

	Hole Diameter (inches)					
	5.00		6.750		7.875	
Granite	3,526	- 4,770	3,271	- 4,426	3,148	- 4,259
Basalt	1,847	- 2,499	1,714	- 2,319	1,649	- 2,231
Gabbro	2,083	- 2,818	1,932	- 2,614	1,859	- 2,516
Shale	3,700	- 5,006	3,433	- 4,645	3,303	- 4,469
Sandstone	3,857	- 5,219	3,579	- 4,842	3,444	- 4,659
Siltstone	3,840	- 5,195	3,563	- 4,820	3,428	- 4,638
Conglomer	4,431	- 5,995	4,111	- 5,562	3,956	- 5,352
Breccia	6,116	- 8,275	5,675	- 7,678	5,461	- 7,388
Limestone	5,080	- 6,873	4,714	- 6,377	4,536	- 6,137
Schist	6,230	- 8,429	5,780	- 7,820	5,562	- 7,525
Slate	4,057	- 5,488	3,764	- 5,092	3,622	- 4,900
Gneiss	3,692	- 4,995	3,426	- 4,635	3,296	- 4,460

Drill Steel Life (feet/rod)

	Hole Diameter (inches)					
	5.00		6.750		7.875	
Granite	43,780	- 59,231	40,620	- 54,957	39,087	- 52,882
Basalt	25,634	- 34,681	23,784	- 32,178	22,886	- 30,964
Gabbro	28,313	- 38,306	26,270	- 35,542	25,279	- 34,200
Shale	45,563	- 61,644	42,275	- 57,195	40,679	- 55,036
Sandstone	47,161	- 63,806	43,757	- 59,201	42,106	- 56,966
Siltstone	46,987	- 63,570	43,596	- 58,983	41,950	- 56,756
Conglomer	52,898	- 71,568	49,081	- 66,403	47,228	- 63,897
Breccia	69,076	- 93,456	64,091	- 86,711	61,672	- 83,438
Limestone	59,239	- 80,147	54,964	- 74,363	52,890	- 71,556
Schist	70,136	- 94,890	65,075	- 88,042	62,618	- 84,719
Slate	49,171	- 66,525	45,622	- 61,724	43,900	- 59,394
Gneiss	45,482	- 61,535	42,200	- 57,094	40,607	- 54,939

Penetration Rate (feet/hour)

	Hole Diameter (inches)					
	5.00		6.750		7.875	
Granite	45	- 60	24	- 33	18	- 24
Basalt	26	- 35	14	- 19	10	- 14
Gabbro	29	- 39	16	- 21	11	- 15
Shale	46	- 63	25	- 34	18	- 25
Sandstone	48	- 65	26	- 35	19	- 26
Siltstone	48	- 65	26	- 35	19	- 26
Conglomer	54	- 73	29	- 40	22	- 29
Breccia	71	- 96	39	- 52	28	- 38
Limestone	61	- 82	33	- 45	24	- 33
Schist	72	- 97	39	- 53	29	- 39
Slate	50	- 68	27	- 37	20	- 27
Gneiss	46	- 63	25	- 34	18	- 25

Bit Cost (\$/foot)

	Hole Diameter (inches)					
	5.00		6.750		7.875	
Granite	\$0.46	- \$0.34	\$0.75	- \$0.56	\$0.96	- \$0.71
Basalt	\$0.88	- \$0.65	\$1.44	- \$1.06	\$1.83	- \$1.35
Gabbro	\$0.78	- \$0.58	\$1.27	- \$0.94	\$1.63	- \$1.20
Shale	\$0.44	- \$0.33	\$0.72	- \$0.53	\$0.92	- \$0.68
Sandstone	\$0.42	- \$0.31	\$0.69	- \$0.51	\$0.88	- \$0.65
Siltstone	\$0.42	- \$0.31	\$0.69	- \$0.51	\$0.88	- \$0.65
Conglomer	\$0.37	- \$0.27	\$0.60	- \$0.44	\$0.76	- \$0.56
Breccia	\$0.27	- \$0.20	\$0.43	- \$0.32	\$0.55	- \$0.41
Limestone	\$0.32	- \$0.24	\$0.52	- \$0.39	\$0.67	- \$0.49
Schist	\$0.26	- \$0.19	\$0.43	- \$0.31	\$0.54	- \$0.40
Slate	\$0.40	- \$0.30	\$0.65	- \$0.48	\$0.83	- \$0.62
Gneiss	\$0.44	- \$0.33	\$0.72	- \$0.53	\$0.92	- \$0.68

Drill Steel Cost (\$/foot per rod)

	Hole Diameter (inches)					
	5.00		6.750		7.875	
Granite	\$0.036	- \$0.027	\$0.046	- \$0.034	\$0.071	- \$0.052
Basalt	\$0.062	- \$0.046	\$0.079	- \$0.058	\$0.121	- \$0.089
Gabbro	\$0.056	- \$0.041	\$0.071	- \$0.053	\$0.109	- \$0.081
Shale	\$0.035	- \$0.026	\$0.044	- \$0.033	\$0.068	- \$0.050
Sandstone	\$0.034	- \$0.025	\$0.043	- \$0.032	\$0.066	- \$0.048
Siltstone	\$0.034	- \$0.025	\$0.043	- \$0.032	\$0.066	- \$0.049
Conglomer	\$0.030	- \$0.022	\$0.038	- \$0.028	\$0.058	- \$0.043
Breccia	\$0.023	- \$0.017	\$0.029	- \$0.022	\$0.045	- \$0.033
Limestone	\$0.027	- \$0.020	\$0.034	- \$0.025	\$0.052	- \$0.039
Schist	\$0.023	- \$0.017	\$0.029	- \$0.021	\$0.044	- \$0.033
Slate	\$0.032	- \$0.024	\$0.041	- \$0.030	\$0.063	- \$0.046
Gneiss	\$0.035	- \$0.026	\$0.044	- \$0.033	\$0.068	- \$0.050

(Based on 12 foot drilling rod length.)

Drill Steel Cost Adjustment Factor

Number of rods	Factor
1	1.0
2	1.5
3	2.0
4	2.5
5	3.0
6	3.5
7	4.0
8	4.5
9	5.0
10	5.5
n	(n+1)/2

As this study is based on 12 foot drilling rod length, the total steel cost per foot of hole drilled depends upon the total number of 12 foot sections in the hole. Divide the total hole length by 12 and round this result up to the next whole number to determine number of rods required to drill the hole. Adjust this number to the average number of rods during drilling by consulting the Drill Steel Cost Adjustment Factor table to the left. Multiply this adjustment factor times the cost per foot per rod from the table above. The result is the total drill steel cost per foot of hole drilled. Other drill steel lengths may be adjusted for by determining the total length of rods required and then converting that to the number of equivalent 12 foot sections. Once this is determined follow the procedure outlined above.

<u>BIT AND DRILL STEEL PRICE DATABASE</u>						
<u>Effective date - 8/2006</u>						
<u>Drill Bits</u>			<u>Drill Rod</u>			
<u>Bit Type</u>	<u>Bit Size</u>	<u>Bit Price</u>		<u>Rod Type</u>	<u>Rod Size</u>	<u>Rod Price</u>
<u>Button - drop center</u>				<u>Percussion rod - 12 ft</u>		
	1-3/4"	\$62		R32		\$280
	2"	\$69		T38		\$324
	2-1.2"	\$98		T45		\$407
	3"	\$131		T51		\$568
	3-1.2"	\$159				
	4"	\$223		<u>DTH rod - 9'10"</u>		
	4-1.2"	\$268		3.0 76mm		\$384
	5"	\$321		3.5 89mm		\$431
				4.0 102mm		\$491
				4.5 114mm		\$592
				5.5 140mm		\$815
<u>DTH - concave face</u>				<u>Rotary rod - 25' to 30'</u>		
	3-1/2"	\$410		4" x 25'		\$3,300
	5"	\$550		5" x 25'		\$3,900
	5-1/2"	\$575		7" x 30'		\$6,900
	6"	\$630		8-5/8" x 30'		\$6,800
	6-1/2"	\$640		10-3/4" x 27.5		\$7,500
	8"	\$1,230				
	8-7/8"	\$1,385				
	10"	\$1,900				
	11-7/8"	\$4,500				
<u>TRICONE - carbide insert</u>				All unit prices are manufacturer list prices. Discounts or premiums may apply depending upon market conditions.		
	3-7/8"	\$1,150				
	5"	\$1,629				
	5-1/2"	\$1,972				
	6"	\$2,131				
	6-1/4"	\$2,207				
	6-3/4"	\$2,463				
	7-7/8"	\$3,023				
	9"	\$3,589				
	9-7/8"	\$4,787				
	11"	\$5,640				
	12-1/4"	\$6,603				
	15"	\$10,367				
	16"	\$11,016				

Prepared by Western Mine Division, InfoMine USA, Inc. in cooperation with Aventurine Engineering, Inc. 2006

ROTARY BLASTHOLE DRILLS

Bucyrus manufactures electric rotary blasthole drills with the most innovative features on the market, including programmed drill control, rack and pinion pull-down, hydrostatic propel drives and more. [Contact us](#) today for more information about any of our performance-packed drills!



59R

Max. hole size: 444 mm (17-1/2 in)
Max. bit loading: 74,830 kg (165,000 lbs)
Working weight: 183,673 kg (405,000 lbs)



49RIII

Max. hole size: 406 mm (16 in)
Max. bit loading: 63,975 kg (141,000 lbs)
Working weight: 154,224 kg (340,000 lbs)



39HR

Max. hole size: 349 mm (13-3/4 in)
Max. bit loading: 55,000 kg (122,000 lbs)
Working weight: 122,500 kg (270,000 lbs)



35HR Series

Max. hole size: 270 mm (10-5/8 in)
Max. bit loading: 34,000 kg (75,000 lbs)
Working weight: 54,432 kg (120,000 lbs)



- [Home](#)
- [About IR](#)
- [Businesses](#)
- [Investor Relations](#)
- [Pressroom](#)
- [Careers](#)

Infrastructure - Drilling Solutions



Drilling Solutions

Ingersoll-Rand has been in the drilling business since Simon Ingersoll invented his first rock drill in 1871. This innovative piece of machinery revolutionized the drilling industry and set the pace for the company's future.

Ingersoll-Rand drills are designed and manufactured to a stringent set of quality standards, assuring you of the most efficient and reliable drills available anywhere.

Now in our second century, we are proud of the comprehensive line of Ingersoll-Rand drilling equipment for the mining, exploration, oil and gas, quarry and water well industries around the world.

Welcome to IR
Drilling Solutions

Drilling Solutions

Blasthole Drills

- [Rotary](#)
- [Large](#)
- [Mid-range](#)
- [Hydraulic Crawler](#)
- [Pneumatic Crawl](#)
- [DHD](#)

Drill Selector

- [Waterwell Drills](#)
- [Exploration Drills](#)
- [Gas & Oil / Coal Bed Drills](#)

Drilling Accessories

- [Down Hole Drills](#)
- [Threaded Access](#)

Hollow Anchor Syst Literature

Split Set Products

- [Aftermarket](#)
- [Upgrades](#)
- [Kits](#)
- [Product Upgrad](#)
- [Maintenance Up](#)
- [Promotions](#)
- [Maintenance Sch](#)
- [Service](#)

New Product

- [Events Calendar](#)
- [Authorized Distribu](#)
- [Used Equipment](#)
- [Federal Governmen](#)
- [Contact Us](#)
- [Training Schedule](#)



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)

EP 1110-1-8, Vol. 8
30 Nov 09





Infrastructure - Drilling Solutions

Rotary - DM45/LP

Select Model:

T4BH
DM25/SP
DM30
DM45/LP
DM50/LP
DM-L/LP
DM45/SP
DM-LSP
DM-M2
DM-M3
DM-H2
351



The DM45/LP is a hydraulic rotary head drive, multi-pass, crawler-mounted drill rig with a 45,000 lb. (20,400 kg) bit load capacity. The standard two-motor spur gear rotary head is rated from 9,000 ft-lb. (12,204 N-m) at 0-100 RPM and 5,400 ft-lb. (732 N-m) at 0-160 RPM. The DM45/LP can drill from 5-1/8 to 7-7/8 in. (130 to 200 mm) diameter blastholes to depths of 180 ft. (55 m) with a 30 ft. (9.1 m) drill pipe change. Two low-pressure Ingersoll-Rand compressor options are available with your choice of Caterpillar or Cummins engines.

Welcome to IR
Drilling Solutions

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range
 - Hydraulic Crawler
 - Pneumatic Crawl
 - DHD

Drill Selector

- Waterwell Drills**
- Exploration Drills**
- Gas & Oil / Coal Bed Drills**

Drilling Accessories

- Down Hole Drills
- Threaded Access

Hollow Anchor Syst Literature

Split Set Products

- Aftermarket**
 - Upgrades
 - Kits
 - Product Upgrad
 - Maintenance Up
 - Promotions
 - Maintenance Sch
 - Service

New Product

- Events Calendar**
- Authorized Distribu**
- Used Equipment**
- Federal Governmen**
- Contact Us**
- Training Schedule**

	[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter		
Diameter			6-8 in.
	Power Pack		
Engine #1			Cummins QSX15 (425 HP @ 1800 rpm)
Compressor #1			900 @ 110 CFM @ PSI / 25.5 @ 758 m3/min@kPA
Engine #2			CAT C15 (425 HP @ 1800 RPM)
Compressor #2			900 @ 110 CFM @ PSI / 25.5 @ 758 m3/min@kPA
Engine #3			Cummins QSX15 (475 HP @ 1800 RPM)
Compressor #3			1050 @ 110 CFM @ PSI / 29.7 @ 758 m3/min@kPA
Engine #4			Cat C15 (475 HP @ 1800 RPM)
Compressor #4			1050 @ 110 CFM @ PSI / 29.7 @ 758 m3/min@kPA
	Rotation		
Type			2-motor variable displacement, high torque/high speed
Head Torque			High torque: 9,000 ft-lb @ 100 rpm
Speed			High speed: 5,400 ft-lb @ 160 rpm rpm
	Feed System		
Type			Hydraulic cyts. w/cable pulldown & chain pullback
Bit Load			45,000 lb / 20,411 kg
	Tower		
Pipe Length			30 ft. / 9.1 m.
Fabrication			4-member open front w/rectangular hollow steel tubing/double cut lacing
	Undercarriage		
Model			Caterpillar 325L or equivalent

Length		15.3 ft. / 4.66 m
Capacity	Carousel	Capable of 180 ft.
Option #1	Options	Contact your local IR distributor for a complete list of options.
Weight & Dimensions		
Height (Tower Up)		43 ft. / 13.11 m
Approx. Working Weight		77,000 - 85,000 lbs. / 34,900 - 38,600 kg.
Material To Be Drilled		
Soft		Yes
Drill Application		
Mining		Yes
Quarry		Yes
Drilling Method		
Rotary		Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
 Ingersoll-Rand Worldwide Headquarters
 200 Chestnut Ridge Road
 Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Welcome to IR Drilling Solutions

Rotary - DM30

Select Model:

T4BH
DM25/SP
DM30
DM45/LP
DM50/LP
DM-L/LP
DM45/SP
DM-LSP
DM-M2
DM-M3
DM-H2
351



The DM30 is a hydraulic tophead drive, multi-pass, crawler-mounted drill rig designed for blastholes ranging from 5-1/8 to 6-3/4 in. (130 to 171 mm) in diameter. On-board depth capability is up to 150 ft. (45.7 m). For rotary drilling, the DM30 can assert a bit load force up to 30,000 lb. (13,608 kg) and rotation speeds of 0-130 RPM. This rig can also be used with downhole drills when equipped with a high-pressure air compressor option.

Drilling Solutions

- Blasthole Drills**
- Rotary
 - Large
 - Mid-range
- Hydraulic Crawler
- Pneumatic Crawler
- DHD
- Drill Selector**
- Waterwell Drills**
- Exploration Drills**
- Gas & Oil / Coal Bed Drills**
- Drilling Accessories**
- Down Hole Drills
- Threaded Access
- Hollow Anchor Systems**
- Literature
- Split Set Products**
- Aftermarket**
- Upgrades
 - Kits
 - Product Upgrades
 - Maintenance Upgrades
- Promotions
- Maintenance Services
- New Product**
- Events Calendar**
- Authorized Distributors**
- Used Equipment**
- Federal Government**
- Contact Us**
- Training Schedule**

[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter	5-6 in.
Diameter		
	Power Pack	Cummins QSX15 (525 HP @ 1800 RPM)
Engine #1		IR HR2 900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #1		CAT C15 (525 HP @ 1800 RPM)
Engine #2		IR HR2 900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #2		Cummins QSX15 (425 HP @ 1800 RPM)
Engine #3		IR WW226 900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #3		CAT C15 (425 HP @ 1800 RPM)
Engine #4		IR WW226 900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #4		Isolates components from drilling and propel shock loads/maintains alignment
Floating Sub Base		
	Rotation	Rotary Tophead
Type		
Head Torque		5,400 ft-lb. / 7,322 N-m
Speed		0-100 rpm
	Feed System	Single cylinder, cable feed
Type		
Bit Load		30,000 lb / (13,608) kg
	Tower	30 ft. / 9.1 m.
Pipe Length		
Construction		4 member open front with hollow steel tubing.

Manufacturer	Undercarriage	Caterpillar
Option #1	Options	Contact your local IR distributor for a complete list of options.
Height (Tower Up)	Weight & Dimensions	44.3 ft. / 13.4 m
Approx. Working Weight		68,000 lbs. / 30,844 kg.
Hard	Material To Be Drilled	Yes
Medium		Yes
Soft		Yes
Mining	Drill Application	Yes
Quarry		Yes
Rotary	Drilling Method	Yes
DHD		Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Rotary - DM25/SP

Select Model:

T4BH
DM25/SP
DM30
DM45/LP
DM50/LP
DM-L/LP
DM45/SP
DM-LSP
DM-M2
DM-M3
DM-H2
351



The DM25SP is a crawler-mounted rotary table drill rig designed for single-pass blasthole drilling to depths of up to 50 ft. (15.2 m) and diameters of 3-1/2 to 6-3/4 in. (89 to 171 mm). This drill is capable of rotary drilling with 25,000 lb. (11,340 kg) of bit load at 0-200 rpm. The DM25SP can also be used with downhole drills when equipped with a high-pressure air compressor option.

Welcome to IR
Drilling Solutions

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range
- Hydraulic Crawler
- Pneumatic Crawl
- DHD

Drill Selector

- Waterwell Drills
- Exploration Drills
- Gas & Oil / Coal Bed Drills

- Drilling Accessories
 - Down Hole Drills
 - Threaded Access

- Hollow Anchor Syst
 - Literature

Split Set Products

- Aftermarket
 - Upgrades
 - Kits
 - Product Upgrad
 - Maintenance Up
 - Promotions
 - Maintenance Sch
 - Service

New Product

- Events Calendar
- Authorized Distribu
- Used Equipment
- Federal Governmen
- Contact Us
- Training Schedule

[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter	5-6 in.
Diameter		
	Power Pack	Cummins QSX15 (525 HP @ 1800 RPM)
Engine #1		900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #1		CAT C15 (525 HP @ 1800 RPM)
Engine #2		900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #2		Cummins QSX15 (425 HP @ 1800 RPM)
Engine #3		900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #3		CAT C15 (425 HP @ 1800 RPM)
Engine #4		900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #4		
	Rotation	Rotary Table Drive
Type		0-170 rpm
Speed		3,500 / (4,746 N-m)
Torque		
	Feed System	Heavy-duty chains through cluster sprocket
Type		25,000 lbs. / 11,340 kg.
Pulldown		
	Tower	4 main member, open front, rectangular steel tubing
Construction		40 ft. / 12.2 m.
#1 Single pass depth		50 ft. / 15.2 m.
#2 Single pass depth		
	Undercarriage	

Type	Excavator
Option #1	Options Contact your local IR distributor for a complete list of options.
Weight	Weight & Dimensions Varies according to drill pipe: 60,000 - 62,000 lb / 27,216-28,123 kg
Hard	Material To Be Drilled Yes
Medium	Yes
Soft	Yes
Quarry	Drill Application Yes
Rotary	Drilling Method Yes
DHD	Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
 Ingersoll-Rand Worldwide Headquarters
 200 Chestnut Ridge Road
 Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Welcome to IR Drilling Solutions

Rotary - DM-M2

Select Model:

T4BH
DM25/SP
DM30
DM45/LP
DM50/LP
DM-L/LP
DM45/SP
DM-LSP
DM-M2
DM-M3
DM-H2
351



Designed for rotary or downhole drilling of up to 10-5/8 in. (270 mm) diameter blastholes, the DM-M2 provides 75,000 lb. (34,000 kg) of bit load and a 35 ft. (10 m) drill pipe change. Advanced frame and tower design and a unique, patented carriage feed system allow on-board drill depths to 175 ft. (53 m). Compressor/engine packages in both low-pressure, [1900 CFM @ 110 PSI (51 m3/min. @ 758 kPa)] for rotary drilling and high pressure [1250 CFM @ 350 PSI (35.4 m3/min. @ 2,413 kPa)], for downhole drilling, are available.

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range
- Hydraulic Crawler
- Pneumatic Crawler
- DHD

Drill Selector

Waterwell Drills

Exploration Drills
Gas & Oil / Coal Bed Drills

Drilling Accessories

- Down Hole Drills
- Threaded Access

Hollow Anchor System

Literature

Split Set Products

Aftermarket

- Upgrades
- Kits
- Product Upgrades
- Maintenance Upgrades
- Promotions
- Maintenance School
- Service

New Product

Events Calendar

Authorized Distributors

Used Equipment

Federal Government

Contact Us

Training Schedule

[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter	
Diameter	9-11 in.	
	Power Pack	
Engine #1	Caterpillar 3412E / EPA certified	
Compressor #1	1900 @ 100 CFM @ PSI / 53.8 @ 690 m3/min@kPA	
Engine #2	Cummins QSK19 / EPA certified	
Compressor #2	1900 @ 100 CFM @ PSI / 53.8 @ 690 m3/min@kPA	
Engine #3	Caterpillar 3412E / EPA certified	
Compressor #3	1250 @ 350 CFM @ PSI / 35.4 @ 2413 m3/min@kPA	
	Rotation	
Type	Two-motor, variable displacement	
Speed Range	0-150 rpm, variable	
Head Torque	0-8,640 ft-lbs (0-11,714 Nm) (forward)	
	Feed System	
Type	Patented carriage feed	
Weight on Bit	0 to 75,000 lb. / 0 to 34,019 kg	
	Tower	
Pipe Length	35 ft. / 10.7 m.	
Construction	4 member open front with hollow steel tubing.	
	Undercarriage	
Model	Caterpillar 330EL or equivalent	
	Carousel	
Size	Holds 2 to 4 drill pipe depending on pipe diameter	

	Options	Contact your local IR distributor for a complete list of options.
Option #1		
	Weight & Dimensions	
Height (Tower Up)		56.2 ft. / 17.1 m
Approx. Working Weight		120,000 - 133,500 lbs. / 54,400 - 60,555 kg.
	Material To Be Drilled	
Medium		Yes
Soft		Yes
	Drill Application	
Mining		Yes
	Drilling Method	
Rotary		Yes
DHD		Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Rotary - T4BH

Select Model:

T4BH
DM25/SP
DM30
DM45/LP
DM50/LP
DM-L/LP
DM45/SP
DM-LSP
DM-M2
DM-M3
DM-H2
351



The T4BH is a truck-mounted, hydraulic tophead drive multipass rotary drill specifically designed for production blasthole drilling to depths of 150 ft. (45.7 m) with a 25 ft. (7.6 m) drill pipe change. Nominal hole size is 5-1/8 to 7-7/8 in. (130 to 200 mm) for rotary or DHD drilling methods. Feed pressure generates a bit load force of up to 30,000 lb. (12,610 kg). An angle drilling option is available. All drill functions are controlled from the newly designed operator cab.

Welcome to IR Drilling Solutions

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range
- Hydraulic Crawler
- Pneumatic Crawl
- DHD

Drill Selector

- Waterwell Drills
- Exploration Drills
- Gas & Oil / Coal Bed Drills

Drilling Accessories

- Down Hole Drills
- Threaded Access

Hollow Anchor System Literature

Split Set Products

- Aftermarket
 - Upgrades
 - Kits
 - Product Upgrade
 - Maintenance Up
 - Promotions
 - Maintenance Schedule
 - Service

New Product

- Events Calendar
- Authorized Distributor
- Used Equipment
- Federal Government Contact Us
- Training Schedule

[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter	
Diameter		6-9 in.
	Carrier	
Chassis (Standard)		Crane Carrier, Custom, 3 axle, 6X4
Engine		CAT C10 (305 HP)
	Power Pack	
Engine #1		Cummins QSX19 (525 HP @ 1800 RPM)
Compressor #1		IR HR2-900/350 CFM @ PSI / 25.5/2413 m3/min@kPA
Engine #2		Cummins QSX19 (600 HP @ 1800 RPM)
Compressor #2		1050 @ 350 CFM @ PSI / 129.7 @ 2413 m3/min@kPA
Engine #3		Cummins QSK-19C (700 HP @ 2100 RPM)
Compressor #3		IR HR2.5 - 1250/350 CFM @ PSI / (35.39 @ 2413) m3/min@kPA
Floating Sub Base		Isolates components from drilling and propel shock loads/maintains alignment
	Rotation	
Type		Rotary Tophead
Speed Range		0-160 RPM (std.)
Head Torque		6,500 ft.-lb. / (8,814 N-m)
Option		7,165 ft.-lb @ 0-130 RPM / 9,716 N-m @ 0-130 RPM
	Feed System	
Type		Hydraulic cylinders w/cable and chain
Pulldown		0-37,700 lbs. / 17,108 kg.

	Tower	
Pipe Length		25 ft. / 7.6 m.
Construction		4 member open front with ASTM A500 GRB steel tubing.
	Cab & Controls	
Operator Cab		New cab designed to optimize operator comfort and safety
Controls		All operational functions controlled from driller console in cab
	Options	
Option #1		Contact your local distributor for a complete list of options.
	Weight & Dimensions	
Height (Tower Up)		28-3/4 ft. / 8.7 m
Approx. Working Weight		58,000 lbs. / 26,309 kg.
	Material To Be Drilled	
Hard		Yes
Medium		Yes
Soft		Yes
	Drill Application	
Mining		Yes
Quarry		Yes
	Drilling Method	
Rotary		Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

DHD - DM-M2

Select Model:

CM695D
DM25/SP
DM30
DM45/HP
DM45/SP
DM-L/HP
DM-M2



Designed for rotary or downhole drilling of up to 10-5/8 in. (270 mm) diameter blastholes, the DM-M2 provides 75,000 lb. (34,000 kg) of bit load and a 35 ft. (10 m) drill pipe change. Advanced frame and tower design and a unique, patented carriage feed system allow on-board drill depths to 175 ft. (53 m). Compressor/engine packages in both low-pressure, [1900 CFM @ 110 PSI (51 m3/min. @ 758 kPa)] for rotary drilling and high pressure [1250 CFM @ 350 PSI (35.4 m3/min. @ 2,413 kPa)], for downhole drilling, are available.

	[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter		
Diameter			9-11 in.
	Power Pack		
Engine #1			Caterpillar 3412E / EPA certified
Compressor #1			1900 @ 100 CFM @ PSI / 53.8 @ 690 m3/min@kPA
Engine #2			Cummins QSK19 / EPA certified
Compressor #2			1900 @ 100 CFM @ PSI / 53.8 @ 690 m3/min@kPA
Engine #3			Caterpillar 3412E / EPA certified
Compressor #3			1250 @ 350 CFM @ PSI / 35.4 @ 2413 m3/min@kPA
	Rotation		
Type			Two-motor, variable displacement
Speed Range			0-150 rpm, variable
Head Torque			0-8,640 ft-lbs (0-11,714 Nm) (forward)
	Feed System		
Type			Patented carriage feed
Weight on Bit			0 to 75,000 lb. / 0 to 34,019 kg
	Tower		
Pipe Length			35 ft. / 10.7 m.
Construction			4 member open front with hollow steel tubing.
	Undercarriage		
Model			Caterpillar 330EL or equivalent
	Carousel		
Size			Holds 2 to 4 drill pipe depending on pipe diameter

Welcome to IR Drilling Solutions

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range
- Hydraulic Crawl
- Pneumatic Crawl
- DHD

Drill Selector

- Waterwell Drills
- Exploration Drills
- Gas & Oil / Coal Bed Drills

Drilling Accessories

- Down Hole Drills
- Threaded Access

Hollow Anchor Syst Literature

Split Set Products

- Aftermarket
 - Upgrades
 - Kits
 - Product Upgrad
 - Maintenance Up
 - Promotions
 - Maintenance Sch
 - Service

New Product

- Events Calendar
- Authorized Distrib
- Used Equipment
- Federal Governmen
- Contact Us
- Training Schedule

	Options	Contact your local IR distributor for a complete list of options.
Option #1		
	Weight & Dimensions	56.2 ft. / 17.1 m
Height (Tower Up)		
Approx. Working Weight		120,000 - 133,500 lbs. / 54,400 - 60,555 kg.
	Material To Be Drilled	
Medium		Yes
Soft		Yes
	Drill Application	
Mining		Yes
	Drilling Method	
Rotary		Yes
DHD		Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
 Ingersoll-Rand Worldwide Headquarters
 200 Chestnut Ridge Road
 Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Welcome to IR Drilling Solutions

Select Model:

CM695D
DM25/SP
DM30
DM45/HP
DM45/SP
DM-L/HP
DM-M2

DHD - DM30



The DM30 is a hydraulic tophead drive, multi-pass, crawler-mounted drill rig designed for blastholes ranging from 5-1/8 to 6-3/4 in. (130 to 171 mm) in diameter. On-board depth capability is up to 150 ft. (45.7 m). For rotary drilling, the DM30 can assert a bit load force up to 30,000 lb. (13,608 kg) and rotation speeds of 0-130 RPM. This rig can also be used with downhole drills when equipped with a high-pressure air compressor option.

Drilling Solutions

- Blasthole Drills**
 - Rotary
 - Large
 - Mid-range
 - Hydraulic Crawler
 - Pneumatic Crawler
 - DHD
- Drill Selector**
- Waterwell Drills**
- Exploration Drills**
- Gas & Oil / Coal Bed Drills**
- Drilling Accessories**
 - Down Hole Drills
 - Threaded Accessories
- Hollow Anchor System Literature**
- Split Set Products**
- Aftermarket**
 - Upgrades
 - Kits
 - Product Upgrades
 - Maintenance Schedules
 - Promotions
 - Maintenance Schedules
 - Service
- New Product**
- Events Calendar**
- Authorized Distributors**
- Used Equipment**
- Federal Government**
- Contact Us**
- Training Schedule**

[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter	5-6 in.
Diameter		
	Power Pack	Cummins QSX15 (525 HP @ 1800 RPM)
Engine #1		IR HR2 900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #1		CAT C15 (525 HP @ 1800 RPM)
Engine #2		IR HR2 900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #2		Cummins QSX15 (425 HP @ 1800 RPM)
Engine #3		IR WW226 900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #3		CAT C15 (425 HP @ 1800 RPM)
Engine #4		IR WW226 900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #4		Isolates components from drilling and propel shock loads/maintains alignment
Floating Sub Base		
	Rotation	Rotary Tophead
Type		
Head Torque		5,400 ft-lb. / 7,322 N-m
Speed		0-100 rpm
	Feed System	Single cylinder, cable feed
Type		
Bit Load		30,000 lb / (13,608) kg
	Tower	30 ft. / 9.1 m.
Pipe Length		
Construction		4 member open front with hollow steel tubing.

Manufacturer	Undercarriage	Caterpillar
Option #1	Options	Contact your local IR distributor for a complete list of options.
Height (Tower Up)	Weight & Dimensions	44.3 ft. / 13.4 m
Approx. Working Weight		68,000 lbs. / 30,844 kg.
Hard	Material To Be Drilled	Yes
Medium		Yes
Soft		Yes
Mining	Drill Application	Yes
Quarry		Yes
Rotary	Drilling Method	Yes
DHD		Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
 Ingersoll-Rand Worldwide Headquarters
 200 Chestnut Ridge Road
 Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Welcome to IR Drilling Solutions

Select Model:

CM695D
DM25/SP
DM30
DM45/HP
DM45/SP
DM-L/HP
DM-M2

DHD - DM25/SP



The DM25SP is a crawler-mounted rotary table drill rig designed for single-pass blasthole drilling to depths of up to 50 ft. (15.2 m) and diameters of 3-1/2 to 6-3/4 in. (89 to 171 mm). This drill is capable of rotary drilling with 25,000 lb. (11,340 kg) of bit load at 0-200 rpm. The DM25SP can also be used with downhole drills when equipped with a high-pressure air compressor option.

Drilling Solutions

- Blasthole Drills**
 - Rotary
 - Large
 - Mid-range
 - Hydraulic Crawler
 - Pneumatic Crawler
 - DHD
- Drill Selector**
- Waterwell Drills**
- Exploration Drills**
- Gas & Oil / Coal Bed Drills**
- Drilling Accessories**
 - Down Hole Drills
 - Threaded Access
- Hollow Anchor Systems**
 - Literature
- Split Set Products**
- Aftermarket**
 - Upgrades
 - Kits
 - Product Upgrades
 - Maintenance Services
 - Promotions
 - Maintenance Schedules
 - Service
- New Product**
- Events Calendar**
- Authorized Distributors**
- Used Equipment**
- Federal Government**
- Contact Us**
- Training Schedule**

[SPECS]	[FEATURES]	[LITERATURE]
	Nominal Hole Diameter	5-6 in.
Diameter		
	Power Pack	Cummins QSX15 (525 HP @ 1800 RPM)
Engine #1		900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #1		CAT C15 (525 HP @ 1800 RPM)
Engine #2		900/350 CFM @ PSI / 25.5/2,413 m3/min@kPA
Compressor #2		Cummins QSX15 (425 HP @ 1800 RPM)
Engine #3		900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #3		CAT C15 (425 HP @ 1800 RPM)
Engine #4		900/110 CFM @ PSI / 25.5/758 m3/min@kPA
Compressor #4		
	Rotation	Rotary Table Drive
Type		0-170 rpm
Speed		3,500 / (4,746 N-m)
Torque		
	Feed System	Heavy-duty chains through cluster sprocket
Type		25,000 lbs. / 11,340 kg.
Pulldown		
	Tower	4 main member, open front, rectangular steel tubing
Construction		40 ft. / 12.2 m.
#1 Single pass depth		50 ft. / 15.2 m.
#2 Single pass depth		
	Undercarriage	

Type	Excavator
Option #1	Options Contact your local IR distributor for a complete list of options.
Weight	Weight & Dimensions Varies according to drill pipe: 60,000 - 62,000 lb / 27,216-28,123 kg
Hard	Material To Be Drilled Yes
Medium	Yes
Soft	Yes
Quarry	Drill Application Yes
Rotary	Drilling Method Yes
DHD	Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
 Ingersoll-Rand Worldwide Headquarters
 200 Chestnut Ridge Road
 Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

DHD - DM45/SP

Select Model:

CM695D
DM25/SP
DM30
DM45/HP
DM45/SP
DM-L/HP
DM-M2



The DM45/SP is a crawler-mounted hydraulic rotary table drive, drill rig designed to produce 50 ft. (15.2 m) of clean hole in a single pass. Hole diameter capability is 5-1/2 to 6-3/4 in. (139.7 to 171.5 mm) to a depth of up to 50 ft. (15.2 m) with a downhole hammer (high-pressure air package). Feed pressure generates a bit load force of up to 25,000 lb. (11,340 kg). An optional angle drilling system is available.

Welcome to IR
Drilling Solutions

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range
- Hydraulic Crawler
- Pneumatic Crawler
- DHD

Drill Selector

- Waterwell Drills
- Exploration Drills
- Gas & Oil / Coal Bed Drills

Drilling Accessories

- Down Hole Drills
- Threaded Access

Hollow Anchor Systems Literature

Split Set Products

- Aftermarket
 - Upgrades
 - Kits
 - Product Upgrade
 - Maintenance Up
 - Promotions
 - Maintenance Schedule
 - Service

New Product

- Events Calendar
- Authorized Distributors
- Used Equipment
- Federal Government
- Contact Us
- Training Schedule

	[SPECS]	[FEATURES]	[LITERATURE]
Diameter	Nominal Hole Diameter		
	5-7 in.		
Engine #1	Power Pack		
Compressor #1	Cummins QSX15 (525 HP @ 1800 RPM)		
Engine #2	900/350 CFM @ PSI / 25.5/2413 m3/min@kPA		
Compressor #2	CAT C15 (525 HP @ 1800 RPM)		
Engine #3	900/350 CFM @ PSI / 25.5/2413 m3/min@kPA		
Compressor #3	Cummins QSX15 (600 HP @ 1800 RPM)		
Engine #4	1070/350 CFM @ PSI / 30.30/2,413 m3/min@kPA		
Compressor #4	CAT C16 (600 HP @ 1800 RPM)		
	1070/350 CFM @ PSI / 30.30/2413 m3/min@kPA		
Type	Rotation		
Speed	Rotary table w/kelly drive		
Torque	0-200 rpm		
	4,000 ft-lb / (5,424 N-m)		
Type	Feed System		
Pulldown	Chain and cable		
	25,000 lbs. / 11,340 kg.		
Type	Tower		
Pipe Length	Single Pass		
	50 ft. / 15.2 m.		
	4 member open front with rectangular steel		

Construction	tubing
Type	Undercarriage Excavator-type
Option #1	Options Contact your local IR distributor for a complete list of options.
Weight & Dimensions	
Height (Tower Up)	76-1/2 ft. / 23.3 m
Approx. Working Weight	75,000 - 78,000 lbs. / 34,020 - 35,400 kg.
Material To Be Drilled	
Hard	Yes
Medium	Yes
Drill Application	
Mining	Yes
Quarry	Yes
Drilling Method	
DHD	Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
 Ingersoll-Rand Worldwide Headquarters
 200 Chestnut Ridge Road
 Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Welcome to IR
Drilling Solutions

Select Model:

LM100A
CM348
ECM350

Pneumatic Crawler - ECM350



This agile, powerful drill climbs steep grades over roughest ground, and takes the punishment. You have seen thousands of them on construction jobs of all kinds around the world. The basic ECM350 design has seen many improvements in its years of service ? but every drill produced has set the world standard for reliability and performance in its time. The ECM350 is also a fine quarry drill when teamed with an Ingersoll-Rand air compressor. This high-performance team gets more work done faster, more efficiently, and keeps doing it longer than anything else in its class.

Drilling Solutions

- Blasthole Drills**
 - Rotary
 - Large
 - Mid-range
 - Hydraulic Crawler
 - Pneumatic Crawl
 - DHD
- Drill Selector**
- Waterwell Drills**
- Exploration Drills**
- Gas & Oil / Coal Bed Drills**
- Drilling Accessories**
 - Down Hole Drills
 - Threaded Access
- Hollow Anchor Syst**
 - Literature
- Split Set Products**
- Aftermarket**
 - Upgrades
 - Kits
 - Product Upgrad
 - Maintenance Up
 - Promotions
 - Maintenance Sch
 - Service
- New Product**
- Events Calendar**
- Authorized Distribu**
- Used Equipment**
- Federal Governmen**
- Contact Us**
- Training Schedule**

[SPECS]	[FEATURES]	[LITERATURE]
Nominal Hole Diameter		
Diameter	2-1/2 - 5-1/2 in.	
Drifter		
Drifter #1	VL140	
Hole Diameter #1	2.5-4 " / 64-102 mm	
Rotation Speed #1	0 - 72 rpm	
Frequency #1	2100 BPM	
Air Consumption #1	750 SCFM @ 100 PSI / 21.2 m3/min @ 7 kg/cm2	
Stroke #1	5-1/2 in. / 140 mm.	
Bore #1	5-1/2 in. / 140 mm.	
Weight #1	421 lb. / 191 kg.	
Guide		
Guide Dump #1	180 °	
Guide Swing (L/R)	50 deg / 35 deg	
Boom		
Boom Swing (L/R) #1	40 ° / 35 °	
Boom Lift (Up/Down) #1	45 ° / 15 °	
Air Rotary Head		
Weight	554 lb. / 252 kg.	
Torque Max.	1492 Nm @ 8.4 kg/cm ² / (1100 lb-ft @ 120 PSI)	
Rotation	0 - 72	
Air Consumption	120 CFM @ 50 RPM & 90 PSI / 3.4 m3/min @ 50 RPM & 6.3 kg/cm ²	
Gear Ratio	33:1	
Horse Power	2.23 kw @ 6.3 kg/cm ² (3.0 hp @ 90 psig) / 3.13 kw @ 8.4 kg/cm ² (4.2 hp @ 120 psig)	
General		
Feed/Pullback Force	3,000 lb / 1,361 kg	

Downhole Drills	
O.D. #1	3.62 in. / 92 mm.
Length (bit ext.) #1	45.7 in. / 1161 mm.
Air Consumption @ 10.5 kg/cm? (150 PSIG) #1	5.1 m ³ /min / (180 SCFM)
Air Consumption @ 17.6 kg/cm? (250 PSIG) #1	9.9 m ³ /min / (350 SCFM)
Drill #2	DHD350R
Hole Diameter #2	5-1/8 - 5-1/2 in. / 130-140 mm.
Weight (less bit) #2	151 lb. / 68.5 kg.
O.D. #2	4.5 in. / 114 mm.
Length (bit ext.) #2	54.6 in. / 1388 mm.
Air Consumption @ 10.5 kg/cm? (150 PSIG) #2	7.9 m ³ /min / (280 SCFM)
Air Consumption @ 17.6 kg/cm? (250 PSIG) #2	14.7 m ³ /min / (520 SCFM)
Crawler Drill Specifications	
Net weight	12,900 lb. / 5851 kg.
Overall shipping length	12 ft. 0 in. / 3645 mm.
Width	8 ft 0 in. / 2438 mm.
Height (vertical guide)	18 ft. 10 in. / 5753 mm.
Steel change	12 ft. / 3645 mm.
Drill travel	14 ft. 3 in. / 4356 mm.
Max. horizontal boom swing	40? left, 35? right
Max. vertical boom movement	45? above, 15? below
Max. guide swing	50? left, 35? right
Max guide dump	180?
Ground clearance	12 in. / 292 mm.
Grouser width	10 in. / 254 mm.
Weight & Dimensions	
Ground Clearance	12 " / 292 mm
Shipping Width	96 " / 2438 mm
Shipping Length	144 " / 3645 mm
Approx. Working Weight	12,900 lbs. / 5851 kg.
Material To Be Drilled	
Hard	Yes
Medium	Yes
Soft	Yes
Drill Application	
Mining	Yes
Construction	Yes
Quarry	Yes
Drilling Method	
Drifter	Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Welcome to IR
Drilling Solutions

Select Model:

ECM470
ECM580
ECM590
ECM660II
ECM-720

Hydraulic Crawler - ECM-720



They said it couldn't be done...they were wrong. The new ECM-720 crawler drill delivers a perfect balance of productivity and cost efficiency. Hole straightness, faster penetration rates, long accessory life, and increased profitability are just a few of the results you can expect with the ECM-720.

Drilling Solutions

- Blasthole Drills**
 - Rotary
 - Large
 - Mid-range
 - Hydraulic Crawler
 - Pneumatic Crawler
 - DHD
- Drill Selector**
- Waterwell Drills**
- Exploration Drills**
- Gas & Oil / Coal Bed Drills**
- Drilling Accessories**
 - Down Hole Drills
 - Threaded Accessories
- Hollow Anchor Systems**
- Literature**

- Split Set Products**
- Aftermarket**
 - Upgrades
 - Kits
 - Product Upgrades
 - Maintenance Upgrades
 - Promotions
 - Maintenance Scheduling Service
- New Product**
- Events Calendar**
- Authorized Distributors**
- Used Equipment**
- Federal Government**
- Contact Us**
- Training Schedule**

[SPECS]	[FEATURES]	[LITERATURE]
Nominal Hole Diameter		
Diameter	4-1/2 - 5-1/2 in.	
Drifter		
Type	Montabert HC-200A	
Boom & Guide		
Boom Swing	45 deg right / 20 deg left maximum	
Vertical Boom Movement	50 deg up / 20 deg down maximum	
Guide Swing	20 deg right / 90 deg left maximum	
Guide Dump	135 deg maximum	
Boom Extension	36 in. / 914 mm	
Guide Extension	5 ft / 1,524 mm	
Overall Guide Length	27 ft 6 in / 8.4 m	
Drifter Travel	16 ft. 11 in. / 5.15 m	
Engine		
Type	CAT 3176 C-10	
Rated Power	365 HP / 272 kW	
Operating Speed	1,800 rpm	
Compressor		
Type	Ingersoll-Rand Rotary Screw	
Volume	480 CFM / 13.6 m3/min	
Pressure	150 PSI / 10.3 BAR	
Cab & Controls		
Operator Cab	ROPS/FOPS	
Noise level	80 dBA	
General		
Gradeability	35 deg (70 percent) °	
Tramming Speed	2.0 mph / 3.3 km/hr	
Ground clearance	17 in. / 432 mm.	
Grouser Width	13-3/4 in. / 349 mm mm.	
Rod Changer Capacity	(6) 12 ft (3.66 m) / (6) 14 ft (4.27 m) opt.	
Shipping Information		
Weight	45,900 lb / 20,820 kg	

Width		8 ft 3 in / 2.5 m
Length		35 ft 8 in / 10.9 m
Height		10 ft 8 in / 3.3 m
	Material To Be Drilled	
Hard		Yes
Medium		Yes
Soft		Yes
	Drill Application	
Mining		Yes
Construction		Yes
Quarry		Yes
	Drilling Method	
Drifter		Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)




Infrastructure - Drilling Solutions

Hydraulic Crawler - ECM590

Select Model:

ECM470
ECM580
ECM590
ECM660II
ECM-720



The ECM-590 is a self-contained, cableless hydraulic crawler drill capable of drilling up to 4 in. (102 mm) holes. It is available in either a YH70 drifter and rod rack configuration for smaller hole work, or with a YH80 and rod changer for higher production requirements. An extended guide option for 20 ft. (6.1 m) starter steel is available.

Welcome to IR
Drilling Solutions

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range

Hydraulic Crawler

- Pneumatic Crawl
- DHD

Drill Selector

Waterwell Drills

Exploration Drills Gas & Oil / Coal Bed Drills

Drilling Accessories

- Down Hole Drills
- Threaded Access

Hollow Anchor Syst

Literature

Split Set Products

Aftermarket

- Upgrades
 - Kits
 - Product Upgrad
 - Maintenance Up
- Promotions
- Maintenance Sch
- Service

New Product

Events Calendar

Authorized Distribu

Used Equipment

Federal Governmen

Contact Us

Training Schedule

[SPECS]	[FEATURES]	[LITERATURE]
Nominal Hole Diameter		
Diameter	2-1/2 - 4-1/2 in.	
Drifter		
Drifter #1	YH70	
Hole Diameter #1	2.5-4 " / 64-102 mm	
Rotation Speed #1	0-200 rpm	
Frequency #1	2800 BPM	
Weight #1	419 lb. / 190 kg.	
Steel Size #1	T45/T38	
Drifter #2	YH80A	
Hole Diameter #2	2.5-4.5 in. / 64-114 mm.	
Rotation Speed #2	0-200 rpm	
Frequency #2	2600 BPM	
Weight #2	462 lb. / 210 kg.	
Steel Size #2	T51/T45	
Hydraulic Pressure	2130 psi / 150 kg/cm?	
Boom & Guide		
Horizontal Boom Swing	30 deg R / 34.6 deg L	
Vertical Boom Movement	51 deg up / 15 deg down	
Guide Swing	48 deg R / 40 deg L	
Guide Dump	180 deg	
Boom Extension - YH70 (YH80A)	48 in (30 in) / 1,219 mm (762 mm)	
Drifter Travel - YH70 (YH80A)	15 ft 4 in (14 ft) / 3,099 mm (4,267 mm)	
Guide Extension	4 ft / 1,219 mm	
Overall Guide Length	23 ft 8 in / 7,214 mm	
Engine		
Type	Cummins 6CT8.3	
Rated Power	215 HP / 159 kW	
Operating Speed	2350 rpm	

IR Rotary Screw Compressor	
Compressor pressure(max)	140 psig / 9.8 kg/cm ²
Compressor volume	250 cfm / 7 m ³ /min
General	
Gradeability	35 °
Tramming Speed	2 mph / 3.3 km/hr
Grouser Width	12 in. / 305 mm.
Steel length	starter rod 14 ft. / 4.27 m.
Weight & Dimensions	
Length	232.9 " / 5918 mm
Weight #2	24,500 lb. / 11,150 kg.
Ground Clearance	18 " / 457 mm
Shipping Width	95.98 " / 2438 mm
Shipping Height	112 " / 2845 mm
Material To Be Drilled	
Hard	Yes
Medium	Yes
Soft	Yes
Drill Application	
Construction	Yes
Drilling Method	
Drifter	Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)



Infrastructure - Drilling Solutions

Pneumatic Crawler - LM100A

Select Model:

LM100A
CM348
ECM350



The LM100A is a small class pneumatic Crawler, capable of drilling 1-3/4" to 4- 1/2" (44 - 114 mm) diameter holes. It can be equipped with either of two drifters or a BRH rotary head for downhole drilling. The LM100A is ideal for applications in confined areas where hand-held tools are not enough, and is light enough to transport by helicopter. Like all Ingersoll-Rand crawler drills, the LM100A is "Abuse Resistant". It keeps coming back for more!

Welcome to IR
Drilling Solutions

Drilling Solutions

Blasthole Drills

- Rotary
 - Large
 - Mid-range

Hydraulic Crawler

- Pneumatic Crawl
- DHD

Drill Selector

Waterwell Drills

Exploration Drills Gas & Oil / Coal Bed Drills

Drilling Accessories

- Down Hole Drills
- Threaded Access

Hollow Anchor Syst

Literature

Split Set Products

Aftermarket

- Upgrades
- Kits
- Product Upgrad
- Maintenance Up
- Promotions
- Maintenance Sch
- Service

New Product

Events Calendar

Authorized Distribu

Used Equipment

Federal Governmen

Contact Us

Training Schedule

[SPECS]

[FEATURES]

[LITERATURE]

Nominal Hole Diameter	
Diameter	1-3/4 - 2-1/2 in.
Overall Track Length	72 " / 1845 mm
Ground Clearance	9 " / 230 mm
Oscillation	20 °
Air Motors	4.5 HP
Gradeability	30 °
Tramming Speed	0-2 mph / 0-3.2 km/hr
Type	Ingersoll-Rand YD90
Hole Diameter #1	1.75-2.5 " / 44-64 mm
Frequency #1	1600 BPM
Air Consumption #1	375 scfm @ 100 psi & 50 rpm / 10.6 m3/min @ 7 kg/cm2 & 50 rpm
Stroke #1	3.4 in. / 85 mm.
Bore #1	3.5 in. / 90 mm.
Steel Size #1	10 ft / 3048 mm
Drifter #2	VL120
Hole Diameter #2	2 - 3.5 in. / 51 - 89 mm.
Frequency #2	1900 BPM
Air Consumption #2	600 SCFM @ 50 RPM & 100 psi / 17.0 m3/min @ 50 RPM & 7 kg/cm2
Stroke #2	3.62 in. / 92 mm.
Bore #2	4.75 in. / 120 mm.
Steel Size #2	10 ft / 3048 mm
Guide Dump #1	75 °
Guide Swing (L/R)	45 deg/45 deg

Guide Extension #1	29 " / 750 mm
Drill Rod Length	10 ft. / 3 m
Feed Motor Pull	3000 lbs. / 1360 kg.
Boom	
Boom Swing (L/R) #1	30/35 °
Boom Lift (Up/Down) #1	45/30 °
Coverage Length	107 " / 2720 mm
Max. Drill Height (Horizontal)	99 " / 2510 mm
BRH Rotary Head	
Weight	304 lbs. / 138 kg.
Torque Maximum	700 lb.-ft. / 96.7 kg.-m
Rotation Range	0 - 50 RPM
Air Consumption	120 SCFM @ 50 RPM & 100 psi / 3.39 m3/min @ 50 RPM & 7 kg/cm2
Gear Ratio	20:1
Horse Power @ 100 psi (7 kg/cm)	4.5 HP / 3.35 kW
Weight & Dimensions	
Width	75 " / 1905 mm
Length (Boom @45°)	195 " / 4950 mm
Minimum Height	44 " / 1120 mm
Height (Boom @45°)	188 " / 4775 mm
Hole Size	1.75-4.5 " / 44-114 mm
Weight Less Drifter	5400 lbs. / 2450 kg.
Material To Be Drilled	
Hard	Yes
Medium	Yes
Soft	Yes
Drill Application	
Mining	Yes
Construction	Yes
Quarry	Yes
Drilling Method	
Drifter	Yes



Copyright © 1996-2001 Ingersoll-Rand Company. All rights reserved.
Ingersoll-Rand Worldwide Headquarters
200 Chestnut Ridge Road
Woodcliff Lake, NJ 07675 USA

[HOME](#) [BACK](#)

GLOSSARY

Terms and Abbreviations

AVF	average value factor
bhp	brake horsepower
CAT	category
CENWW	U.S. Army Corps of Engineers, Walla Walla District
CMR	cost of money rate
cwt	hundredweight
D	diesel
DC	discount code
DEPR	depreciation
DT	drive tire
E	electricity
EAF	economic adjustment factor
EK	economic key
EP	Engineer Pamphlet
ER	Engineer Regulation
FAR	Federal Acquisition Regulation
EFAR	Engineer Federal Acquisition Regulation
FCCM	facilities capital cost of money
FOG	filters, oil, and grease
FT	front tire
G	gas
G&A	general and administrative
gal	gallon
GCW	gross combined weight
GVW	gross vehicle weight
hp	horsepower
HPF	horsepower factor
hr	hour
ID No.	identification number
IGE	Independent Government Estimate
kW	kilowatt
LAF	labor adjustment factor
lbs	pounds
LIFE	Chapter 1 economic life (probably should take this out)
N	number of years
PDF	portable document format
PTO	power take off
RCF	repair cost factor
RF	repair factor
ROPS	Rollover protective structures
RPR	repairs
SLV	salvage value

SUB	subcategory
TCI	tire cost index
TEV	total equipment value
TT	trailing tire
WHPY	working hours per year
wk	week
WLS	water, lube, and supplies
yr	year

EP 1110-1-8, Vol. 8
30 Nov 09

[This page intentionally left blank]

EQUIPMENT INDEX

CAT	DESCRIPTION	PAGE
A10	AGGREGATE / CHIP SPREADERS.....	2-22
A15	AIR COMPRESSORS, PORTABLE.....	2-23
A20	AIR HOSE, TOOLS & EQUIPMENT	2-27
A25	ASPHALT PAVING DISTRIBUTORS	2-30
A30	ASPHALT PAVERS & MISCELLANEOUS ROAD EQUIPMENT	2-31
A35	ASPHALT PAVING KETTLES	2-36
A40	ASPHALT & CONCRETE MILLERS / PROFILERS / PLANERS / ROTARY GRINDERS	2-37
A45	ASPHALT RECYCLERS & SEALERS	2-38
B10	BATCH PLANTS, ASPHALT & CONCRETE	2-39
B15	BROOMS, STREET SWEEPERS & FLUSHERS	2-47
B20	BRUSH CHIPPERS	2-49
B25	BUCKETS, CLAMSHELL.....	2-50
B30	BUCKETS, CONCRETE	2-52
B35	BUCKETS, DRAGLINE	2-55
C05	CHAIN SAWS	2-61
C10	COMPACTORS, WALK-BEHIND OR REMOTE CONTROLLER	2-62
C15	CONCRETE CLEANERS / ABRASIVE BLASTERS.....	2-65
C20	CONCRETE BUGGIES	2-66
C25	CONCRETE FINISHERS/SCREEDS/SPREADERS	2-66
C35	CONCRETE GUNITERS / SHOTCRETTERS	2-69
C40	CONCRETE MIXING UNITS	2-71
C45	CONCRETE PAVING MACHINES.....	2-73
C55	CONCRETE PUMPS.....	2-75
C60	CONCRETE SAWS (Add cost for sawblade wear).....	2-77
C65	CONCRETE VIBRATORS	2-79

C75 CRANES, HYDRAULIC, SELF-PROPELLED.....	2-80
C80 CRANES, HYDRAULIC, TRUCK MOUNTED.....	2-83
C85 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER MOUNTED.....	2-85
C90 CRANES, MECHANICAL, LATTICE BOOM, TRUCK MOUNTED	2-90
C95 CRANES, TOWER	2-91
D10 DRILLS, HYDRAULIC TRACK (Add cost for drill steel and bit wear)	2-94
D15 DRILLS, HORIZONTAL BORING & GROUND PIERCING (Add cost for drill steel and bit wear)	2-96
D20 DRILLS, CORE, COLUMN MOUNTED (Add cost for drill steel and bit wear)	2-97
D25 DRILLS, CORE & DOWELLING (Add cost for drill steel and bit wear)	2-98
D30 DRILLS, EARTH / AUGER (Add cost for drill steel and cutting edge wear).....	2-100
D35 DRILLS, ROTARY BLASTHOLE (Add cost for drill steel and bit wear)	2-101
F10 FORK LIFTS	2-103
G10 GENERATOR SETS	2-104
G15 GRADERS, MOTOR	2-106
H10 HAMMERS, HYDRAULIC (Demolition tool) (Add cost for point wear).....	2-108
H13 HAZARDOUS/TOXIC WASTE EQUIPMENT	2-110
H20 HOISTS & AIR WINCHES	2-124
H25 HYDRAULIC EXCAVATORS, CRAWLER MOUNTED.....	2-125
H30 HYDRAULIC EXCAVATORS, WHEEL MOUNTED.....	2-140
H35 HYDRAULIC SHOVELS, CRAWLER MOUNTED	2-141
L10 LAND CLEARING EQUIPMENT	2-142
L15 LANDSCAPING EQUIPMENT	2-144
L20 LIGHTING SETS, TRAILER MOUNTED.....	2-147
L25 LINE STRIPING EQUIPMENT	2-148
L30 LOADERS, BELT (Conveyor belts) & ACCESSORIES	2-149
L35 LOADERS, FRONT END, CRAWLER TYPE	2-150
L40 LOADERS, FRONT END, WHEEL TYPE	2-151

L50 LOADERS / BACKHOE, WHEEL TYPE.....	2-155
L55 LOADER / BACKHOE, ATTACHMENTS	2-156
L60 LOG SKIDDERS	2-157
M10 MARINE EQUIPMENT (NON DREDGING)	2-158
P10 PILE HAMMER ACCESSORIES - EXTRACTORS & BOX LEADS	2-163
P20 PILE HAMMERS, DOUBLE ACTING.....	2-164
P25 PILE HAMMERS, SINGLE ACTING	2-165
P30 PILE HAMMERS, DRIVER/ EXTRACTOR, VIBRATORY.....	2-168
P35 PIPELAYERS.....	2-169
P40 PLATFORMS & MAN-LIFTS.....	2-169
P45 PUMPS, GROUT	2-171
P50 PUMPS, WATER, CENTRIFUGAL, TRASH.....	2-174
P55 PUMPS, WATER, SUBMERSIBLE	2-176
P60 PUMPS, WATER, CENTRIFUGAL, DEWATERING.....	2-177
P65 PUMPS, WATER, DIAPHRAGM.....	2-179
P70 PUMPS, WATER (For core drills)	2-180
R10 RIPPERS & HYDRAULIC BANK SLOPERS (Add cost for point wear)	2-181
R15 ROLLERS, STATIC, TOWED, PNEUMATIC	2-183
R20 ROLLERS, STATIC, TOWED, STEEL DRUM.....	2-184
R30 ROLLERS, STATIC, SELF-PROPELLED.....	2-184
R40 ROLLERS, VIBRATORY, TOWED.....	2-188
R45 ROLLERS, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM	2-188
R50 ROLLERS, VIBRATORY, SELF-PROPELLED, SINGLE DRUM.....	2-190
R55 ROOFING EQUIPMENT.....	2-193
S10 SCRAPERS, ELEVATING	2-196
S15 SCRAPERS, CONVENTIONAL.....	2-196
S20 SCRAPERS, TANDEM POWERED.....	2-197
S25 SCRAPERS, TRACTOR DRAWN	2-198
S30 SCREENING & CRUSHING PLANTS	2-199

S35 SNOW REMOVAL EQUIPMENT	2-213
S40 SOIL & ROAD STABILIZERS	2-214
S45 SPLITTERS, ROCK & CONCRETE.....	2-215
T10 TRACTOR BLADES & ATTACHMENTS (including agricultural).....	2-215
T15 TRACTORS, CRAWLER (DOZER) (includes blade)	2-218
T20 TRACTORS, WHEEL TYPE (DOZER)	2-222
T25 TRACTORS, AGRICULTURAL.....	2-222
T30 TRENCHERS, CHAIN TYPE CUTTER.....	2-224
T35 TRENCHERS, WHEEL TYPE CUTTER	2-226
T40 TRUCK OPTIONS.....	2-227
T45 TRUCK TRAILERS	2-232
T50 TRUCKS, HIGHWAY (Add attachments as required)	2-237
T55 TRUCKS, OFF-HIGHWAY	2-240
T56 TRUCKS, OFF-HIGHWAY/PRIME MOVER TRACTORS & WAGONS	2-243
T57 TRUCKS, VACUUM.....	2-243
T60 TRUCKS, WATER, OFF-HIGHWAY	2-244
T65 TUNNEL/MINING EQUIPMENT.....	2-245
W25 WATER & CO2 BLASTERS.....	2-246
W30 WATER TANKS	2-250
W35 WELDERS	2-251